



CHIS 2003 Data Dictionary

Public Use File

Adolescent Survey

May 2010

Contact:
California Health Interview Survey
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2010 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2003 Adolescent Public Use File, Release 3 [computer file]. Los Angeles, CA: UCLA Center for Health Policy Research, May 2010.

TABLE OF CONTENTS

1. About the CHIS 2003 Adolescent Survey Public Use File.....	1
2. CHIS 2003 Design and Methodology Summary	2
2.1 Overview.....	2
2.2 Sample Design Objectives	2
2.3 Data Collection	4
2.4 Response Rate.....	5
2.5 Weighting the Random Digit Dial Sample	6
2.6 Imputation Methods	8
2.7 Methodology Report Series	9
3. How to use the Data Dictionary.....	10
4. Data Dictionary Variable Listings	DD-1
A. Alphabetical Listings by Variable Name	DD-1
B. Listing by Location in CHIS 2003 Adolescent Questionnaire, Version 10.0.....	DD-9
5. Data Dictionary	DD-17
Section S: Screening Information	DD-17
Section A: Demographic Health and Conditions, Part1	DD-24
Section B: General Health and Conditions	DD-26
Section C: Health Behaviors.....	DD-33
Section D: Emotional Functioning.....	DD-58
Section E: Sexual Behaviors.....	DD-62
Section F: Access and Utilization.....	DD-63
Section G: Interpersonal Violence	DD-82
Section H: Supervision Resiliency Role Models	DD-84
Section I: Demographic Information Future Plans, Part2.....	DD-96
Section J: Demographic Information, Part 3, Geographic Location.....	DD-109
Section K: Health Insurance	DD-112
Section L: Full Design and Replicate Weight Series 0-80	DD-135

1. About the CHIS 2003 Adolescent Survey Public Use File

The CHIS 2003 Adolescent Survey Public Use File (PUF) is a data file consisting of individual records from the adolescent component of the 2003 California Health Interview Survey. It is a free product provided by the CHIS project to researchers and data analysts for use in health-related research.

Users of the Adolescent Survey PUF must register and also sign a confidentiality agreement before the file can be downloaded or delivered by mail. This agreement commits the user to make appropriate use of these data and take precautions to protect respondent confidentiality.

The Adolescent Survey PUF can be used only for statewide and urban-rural estimates and not for local-level (sub-state) estimates. County identification and zip code information has been intentionally excluded to reduce the risk of respondents being identified. Additional confidential survey information that is not accessible in the Adolescent Survey PUF is available through the Data Access Center. Such confidential information includes sub-state geographic variables (e.g., county), highly sensitive variables (e.g., sexual behavior), and household identifiers to link the adult, child and adolescent files.

CHIS sample weights (based on the 2003 California Department of Finance population projections) are included in the files. The imputation flags for CHIS source variables are also included in a separate data file. A complete data dictionary with a description of survey methods and a description of how to use the sample weights accompanies these files. Limited technical assistance is also available from CHIS - please [send an email](mailto:chis@ucla.edu) to chis@ucla.edu.

2. CHIS 2003 Design and Methodology Summary

2.1 Overview

The 2003 California Health Interview Survey (CHIS 2003) is a collaborative project of the UCLA Center for Health Policy Research, the California Department of Health Services, and the Public Health Institute. CHIS collects extensive information on health status, health conditions, health-related behaviors, health insurance coverage and access to health care services. CHIS is a population-based, random-digit dial (RDD) telephone survey of California households. Within each household, separate interviews were conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2003 is the second CHIS data collection cycle (following CHIS 2001) and was conducted between August 2003 and February 2004.

Many State agencies, local public health agencies and organizations, federal agencies, advocacy and community organizations and agencies, foundations and researchers use CHIS data and results. They use these data in their own analyses and publications to assess public health and health care needs, to develop health policies, and to develop and advocate policies to meet those needs (for examples of these extensive uses, visit www.chis.ucla.edu/promo). Many researchers throughout California and the rest of the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: www.chis.ucla.edu/rc).

CHIS 2003 received funding from the California Department of Health Services, The California Endowment, the National Cancer Institute, the Robert Wood Johnson Foundation, the Centers for Disease Control and Prevention, the California Office of Patient Advocate, the LA Care Health Plan, Kaiser Permanente, and the Alameda County Health Care Services Agency.

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: 1) provide estimates for counties and groupings of counties; and 2) provide estimates for California's overall population and its larger race/ethnic groups, as well as for several smaller ethnic groups.

To achieve its sample objectives, CHIS relied on a complex sample design. The state was divided into 41 geographic sampling strata, including 33 single-county strata and eight additional strata comprised of 25 primarily small counties. Within each geographic stratum, telephone numbers were sampled using a random-digit dial (RDD) method. Table 1-1 shows the 41 geographic CHIS sampling strata. A sufficient amount of sample was allocated to each stratum to support the first sample design objective. These strata were also used for the CHIS 2001 sample and allow for a comparison of population trends. Due to funding limitations, the sample sizes allocated to most strata for CHIS 2003 were smaller than in the 2001 administration.

Table 1-1. California County and County-Group Strata in CHIS 2003 Sample Design

1. Los Angeles	15. San Joaquin	29. El Dorado
2. San Diego	16. Sonoma	30. Imperial
3. Orange	17. Stanislaus	31. Napa
4. Santa Clara	18. Santa Barbara	32. Kings
5. San Bernardino	19. Solano	33. Madera
6. Riverside	20. Tulare	34. Monterey, San Benito
7. Alameda	21. Santa Cruz	35. Del Norte, Humboldt
8. Sacramento	22. Marin	36. Lassen, Modoc, Siskiyou, Trinity
9. Contra Costa	23. San Luis Obispo	37. Lake, Mendocino
10. Fresno	24. Placer	38. Colusa, Glen, Tehama
11. San Francisco	25. Merced	39. Sutter, Yuba
12. Ventura	26. Butte	40. Plumas, Nevada, Sierra
13. San Mateo	27. Shasta	41. Alpine, Amador, Calaveras, Inyo
14. Kern	28. Yolo	Mariposa, Mono, Tuolumne

Source: UCLA Center for Health Policy Research, 2003 California Health Interview Survey.

The samples in Los Angeles and Alameda Counties were enhanced through additional, county-specific funding to allow sub-county geographic estimates. Specifically, LA Care Health Plan funded additional sampling in Los Angeles at the Service Planning Area (SPA) level; and the Alameda County Public Health Department funded an oversampling in Alameda, for the cities of Oakland and Hayward, as well as the remainder of the county. These samples were incorporated into the design of the statewide RDD sample.

To accomplish the second objective, sufficient sample sizes were allocated to the more urban counties, where the majority of the state's Latino, African-American and Asian ethnic populations reside. To increase the precision of estimates for Koreans and Vietnamese, these two groups were over-sampled using a combination of geographic targeting and a surname-listed sample.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese and Korean. These languages were chosen based on research that identified the languages that would cover the largest number of Californians in the CHIS sampling frame that did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2003 data collection. Westat staff interviewed one randomly-selected adult in each sampled household. In those households with children (under age 12) or adolescents (ages 12-17) associated with the sampled adult, one child and/or one adolescent were randomly selected, so up to three interviews could have been completed in each sampled household. The sampled adult was interviewed, and the parent or guardian most knowledgeable about the health and care of the sampled child was interviewed. The sampled adolescent responded for him or herself after a parent or guardian gave permission for the interview.

Proxy interviews were also allowed for frail and ill persons over the age of 60. For 171 elderly adults, either the spouse/partner or adult child of these elderly adults completed a proxy interview. Only a subset of questions identified as appropriate for a proxy respondent were administered.

Prior to the interview contact, telephone numbers for which addresses could be found were mailed advance letters to inform household members about the survey. Table 1-2 shows the number of completed adult, child and adolescent interviews in CHIS 2003, by the type of sample (RDD or supplemental sample).

Table 1-2. Number of Completed CHIS 2003 Interviews by Type of Sample Instrument

Type of Sample	Adult	Adolescent	Child
RDD	41,818	3,996	8,480
Supplemental Samples:			
Korean	112	6	24
Vietnamese	114	8	22
Total RDD + Supplemental Samples	42,044	4,010	8,526

Source: UCLA Center for Health Policy Research, 2003 California Health Interview Survey.

Interviews done in all languages were administered using Westat's computer-assisted telephone interviewing (CATI) system. The average adult interview took 33 minutes to complete. The average child and adolescent interviews took 14 and 21 minutes, respectively. Interviews in the non-English languages generally took longer to complete. Approximately 11% of the adult interviews were completed in a language other than English, as were 21% of the child (parent proxy) interviews and 7% of the adolescent interviews.

2.4 Response Rate

As a multi-stage survey, several response rates can be calculated, including the screener response rate, adult response rate, child response rate, adolescent response rate and overall response rate. The CHIS 2003 response rates were calculated using the American Association for Public Opinion Research (AAPOR) methods. The screener response rate is the proportion of eligible residential households in which a screener interview was completed. This rate is calculated and weighted to account for differential sampling rates within geographic stratum and for the sub-sampling of households for refusal conversion. The number of eligible residential households is based on an estimate using the "survival" method and produces a conservative response rate. Statewide rates are subsequently calculated using weighted averages of the response rate for each stratum. Using these methods, the CHIS 2003 screener response rate was 55.9%.

The extended interview response rate is the proportion of selected respondents within households who successfully completed the interview. If an adult finished at least 80% of the questionnaire, then that was counted as a completed interview. For CHIS 2003, the adult extended interview response rate was 60%. For the child sample, the extended interview response rate was 81.4% and for the adolescent extended interview it was 57.3%. For the adolescent interview, if those who did not respond because their parents did not give permission were excluded, the rate rises 26 percentage points to 83.3%. The overall response rate for CHIS 2003 administration is calculated by multiplying the screener response rate by the adult extended response rate and is 33.5%. Response rates varied by sampling stratum and were slightly higher in households that received an advanced letter.

The CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) survey. Comparing survey response rates is, however, complicated and confusing as a result of the use of different definitions and varying methods of calculation. Professional groups such as the Council of American Survey Research Organizations (CASRO) and the American Association for Public Opinion Research have attempted to standardize the concepts and methods of calculating response rates. Despite this, there are numerous methods to calculate response rates, with each equation

potentially delivering a different answer. Furthermore, California as a whole, and the state's urban areas in particular, are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California.

While important, the response rate of a survey is not the only, or even the best, measure of its quality. One approach to examining survey quality and potential bias is to examine how well the survey respondents match the demographic characteristics of the population. CHIS 2003 data are being benchmarked to California Department of Finance 2003 data. See www.chis.ucla.edu for further information.

An additional way to assess whether a survey is representative is to compare its findings with those of other similar surveys, or to benchmark CHIS data. CHIS 2003 data are being benchmarked to National Health Interview Survey data, Medical Expenditure Panel Survey data, and BRFSS data for California to better assess how representative it is compared to other widely accepted population surveys. Some of these other surveys, such as NHIS or MEPS, are administered in person and have higher response rates. See www.chis.ucla.edu for additional information.

2.5 Weighting the Random Digit Dial Sample

To produce population estimates for the CHIS samples, CHIS 2003 data were statistically weighted to account for the differential chance of selecting a person into the sample, and the weights were then adjusted to more closely match the actual non-institutionalized California population for each geographic sampling stratum statewide. Specifically, sample weighting was carried out in CHIS 2003 to accomplish the following objectives:

- To compensate for differential probabilities of selection for households and persons (Note: telephone numbers for which addresses could be found and advance letters mailed were assigned a higher probability of selection than those without addresses)
- To reduce biases occurring because non-respondents may have different characteristics than respondents
- To adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey
- To reduce the variance of the estimates by using auxiliary information

One set of weights was created for each CHIS 2003 data file (adult, child and adolescent). Each data file includes the RDD and Korean and Vietnamese surname list samples. These weights can be used to produce estimates at the state and stratum (county or group of counties) level. The weight variable for every case is the result of a series of sequential adjustments made, using the base weights.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” or the inverse of the probability of selection of the telephone number and adjustment factors computed for the following weight adjustments:

- Sub-sampling for numbers with addresses
- Multiple chances of being selected in the RDD and supplemental samples
- Unknown residential status
- Sub-sampling screener refusals for conversion attempt
- Screener interview non-response
- Multiple telephone numbers
- Household post-stratification

The resulting post-stratified household weight was used to compute a person-level weight. This person-level weight includes weight adjustments for the within-household sampling of persons and non-response.

The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals for the state, and for each geographic stratum in which samples were drawn. Raking is an iterative procedure that forces the CHIS weights to sum to known totals based on external data sources. The procedure requires iteration to make sure all the control totals or dimensions of raking are simultaneously satisfied (within a specified tolerance). The control totals or raking dimensions used in CHIS 2003 were created from the 2003 California Department of Finance estimates of the numbers of persons by age, race, and sex, and from the 2000 Census of Population counts from the U.S. Census Bureau. Seven variables were used in the post-stratification procedure to determine the final person weight: age, gender, race, ethnicity, geographic stratum (i.e., city, county, strata and state), education and home ownership. The 14 raking dimensions are combinations of demographic variables (age, sex, race and ethnicity), geographic variables (county, city and, in Los Angeles County, Service Planning Area), household composition (presence of children and adolescents in the household) and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases that are associated with excluding households without a telephone number from the survey.

2.6 Imputation Methods

There are two imputation procedures used by Westat to fill in missing responses for items in CHIS 2003 that are essential for weighting the data. The first imputation technique is a completely random selection from the observed distribution of the respondents. This method is used only for a few items when the percentage of the missing items is very small. For example, when imputing the missing values for self-reported age—which had a very low item non-response rate—the distributions of the responses for age by type of interview (adult, child or adolescent) are used to randomly assign an age using probabilities associated with these distributions.

The second technique is hotdeck imputation without replacement. The hotdeck approach is probably the most commonly used method for assigning values for missing responses in large-scale household surveys. With a hotdeck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. To carry out hotdeck imputation, the respondents to an item form a pool of donors, while the non-respondents are a group of recipients. A recipient is matched to the subset pool of donors, with the same household structure. The recipient is then randomly imputed the same value for the variable from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors. Hotdeck imputation was used to impute race, ethnicity, home ownership and education in CHIS 2003.

To address the missing values due to item non-response for other variables, the UCLA Center for Health Policy Research staff imputed nearly all the missing values through hierarchical sequential hotdecking with donor replacement. This method rank orders the control variables from the most essential to the least essential. It then allows the control variables to be dropped if the imputation conditions (such as minimal number of donors or no missing values in control variables) are not met in the imputation process. The control variables are dropped one at a time or sequentially, starting from the least essential. The imputation flags for CHIS source variables are included in a separate data file. CHIS incorporates an automated data quality control check both before and after the imputation process.

2.7 Methodology Report Series

A series of five methodology reports are available with detailed descriptions about the methods used in CHIS 2003:

- Report 1 - Sample Design
- Report 2 - Data Collection Methods
- Report 3 - Data Processing Procedures
- Report 4 - Response Rates
- Report 5 - Weighting and Variance Estimation

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at www.CHIS.ucla.edu or contact CHIS at CHIS@ucla.edu.

3. How to use the Data Dictionary

The Data Dictionary describes the variables in the CHIS 2003 Adolescent Survey Public Use File. The index of the data dictionary includes two variable lists: 1) the variables sorted alphabetically by variable name; and 2) the variables arranged in the order of the Adolescent Survey Questionnaire Version 10.0. The table of contents lists the topic areas in the order they are found in the questionnaire. Please note that identical variable names appearing in the CHIS 2001 and CHIS 2003 data files is not a guarantee of identical question wording or universe; please consult the questionnaires and data dictionaries to assess comparability. A printable version of the adolescent questionnaire can be found on the California Health Interview Survey web site at www.CHIS.ucla.edu.

The data dictionary contains the following fields:

- **Variable (VARNAME).** This field stores the names of the variables in the Public Use File. Generally, the first letter of the variable name corresponds to the letter assigned to the topic section in which the variable or question can be found. Variable names beginning with “ISR” or ending with “_X” are imputation flags.**
- **Questionnaire Item (QNAME03).** This field stores the names of the 2003 survey items in the Public Use File. A blank field in Questionnaire Item means the variable is derived (constructed) from survey items.
- **Questionnaire Item in 2001 (QNAME01).** This field stores the names of 2001 survey items that are identical to 2003 survey items in the Public Use File.
- **Questionnaire Location (QPAGENUM).** This field in the dictionary represents the location of the variable in the CHIS 2003 Adolescent Questionnaire.
- **Description (LABEL)** This field provides a unique description (or label) of the variable. The descriptions are often shortened versions of the corresponding questions in the questionnaire.
- **Value (VALUE).** This field lists the response categories or levels (values) of the variable. Both the numeric values and the corresponding descriptive labels are provided.
- **Universe (UNIVERSE).** The universe of a variable indicates which respondents are eligible for the corresponding question. The default for the CHIS 2003 Adolescent Survey Public Use File is all respondents, ages 12-17. For some variables (or questions), certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex). In addition, the universe field in the dictionary provides information on how certain variables were constructed.

** The imputation flags for CHIS source variables are contained in a separate data file. The imputation flags indicate the missing values (don't know, refused, not ascertained) that have been imputed for each record.

4. Data Dictionary Variable Listings

A. Alphabetical Listings by Variable Name

ALPHABETICAL LISTINGS BY VARIABLE NAME		
VARIABLE NAME	DESCRIPTION	PAGE NUMBER
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-50
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-87
ASNHPR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-87
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-14
BMITN	AGE AND GENDER SPECIFIC BMI PERCENTILE (CONTINUOUS)	DD-34
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-34
CATRIBE	CALIFORNIA TRIBE	DD-83
CHINESE	CHINESE	DD-86
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-91
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-90
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-90
CNTRYS	COUNTRY BORN IN	DD-89
DNVST	HAD DENTAL VISIT PAST 12 MOS	DD-63
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-50
ELIGPRG3	UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS	DD-117
FAMT4	FAMILY TYPE (4 LVLS)	DD-118
FIGHT	PHYSICAL FIGHTS PAST 12 MOS	DD-67
FILIPINO	FILIPINO	DD-85
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-24
HELMUSE	WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS	DD-19
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-32
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-32
HHCRWD	HOUSEHOLD CROWDING	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-3
IA1	TEEN COVERED BY MEDI-CAL	DD-97
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-96
IA11	TEEN MUST SIGN UP W/ PRIMARY CARE MD, GROUP OF MD'S, OR CLINIC	DD-100
IA12	TEEN'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALIST	DD-101
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-103
IA14NEW	Rx COVERAGE EDITED FOR MEDICAL/HF	DD-104
IA15	TEEN COVERED FOR EYE EXAMS	DD-104
IA15NEW	EYE EXAMS COVERAGE EDITED FOR MEDICAL/HF	DD-105
IA16	TEEN COVERED FOR GLASSES	DD-105
IA16NEW	GLASSES COVERAGE EDITED FOR MEDICAL/HF	DD-106
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-99

IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-107
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-107
IAP1	ADOLESCENT CURRENTLY ON TANF OR CALWORKS	DD-110
IAP2	TEEN RECEIVING FOOD STAMP BENEFITS	DD-110
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-111
INJCA	CAUSE OF INJURY	DD-19
INS	CURRENTLY INSURED	DD-111
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-112
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-112
INSANY	ANY INS IN LAST 12 MOS	DD-113
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-113
INSHF	COVERED BY HEALTHY FAMILIES	DD-114
INSMC	COVERED BY MEDICARE	DD-116
INSMC	COVERED BY MEDICARE	DD-116
INSMC	COVERED BY MEDICARE	DD-116
INSMC	COVERED BY MEDICARE	DD-116
INSMC	COVERED BY MEDICARE	DD-116
INSOG	COVERED BY OTHER GOVT PLANS	DD-116
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-117
INSTYPE	INSURANCE TYPE	DD-114
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-115
INTVLANG	LANGUAGE OF INTERVIEW	DD-7
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-92
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-80
MA10	TEEN HAS DENTAL INS	DD-109
MA10NEW	DENTAL CARE EDITED FOR MEDICAL/HF	DD-109
MA5	TEEN HAS SAME INS AS SPOUSE	DD-96
MA6	TEEN HAS SAME INS AS CHILD	DD-97
MA7_P	NAME OF TEEN'S MAIN HEALTH PLAN (PUF RECODE)	DD-102
MA8	TEEN'S HEALTH PLAN IS HMO	DD-103
MA9	RATING OF TEEN'S HEALTH CARE IN PAST 12 MOS	DD-106
MANAGE	MANAGED CARE	DD-101
MD	PLAN REQUIRES SIGNUP W/ PRIMARY PHYSICIAN	DD-100
MODACT	MODERATE ACTIVITY	DD-28
OVRWT	OVERWEIGHT OR OBESE	DD-35
PMARIT	PARENTS MARITAL STATUS	DD-68
POVLL	POVERTY LEVEL	DD-118
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-119
PUF_ID	PUBLIC USE FILE ID	DD-4
RACECN_A	RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION	DD-4
RACECN_P	RACE - CENSUS 2000 DEFINITION	DD-88
RACEDO_A	RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION	DD-5
RACEDO_P	RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)	DD-88
RACEHP_A	RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION	DD-5
RACEHP_P	RACE- UCLA CHPR DEFINITION (PUF RECODE)	DD-89
RAKEDW0	CHIS2003 RAKED WEIGHT - FULL SAMPLE	DD-119
RAKEDW1	CHIS2003 RAKED WEIGHT - REPLICATE 1	DD-120
RAKEDW10	CHIS2003 RAKED WEIGHT - REPLICATE 10	DD-123
RAKEDW11	CHIS2003 RAKED WEIGHT - REPLICATE 11	DD-123
RAKEDW12	CHIS2003 RAKED WEIGHT - REPLICATE 12	DD-123
RAKEDW13	CHIS2003 RAKED WEIGHT - REPLICATE 13	DD-124
RAKEDW14	CHIS2003 RAKED WEIGHT - REPLICATE 14	DD-124
RAKEDW15	CHIS2003 RAKED WEIGHT - REPLICATE 15	DD-124
RAKEDW16	CHIS2003 RAKED WEIGHT - REPLICATE 16	DD-125

RAKEDW17	CHIS2003 RAKED WEIGHT - REPLICATE 17	DD-125
RAKEDW18	CHIS2003 RAKED WEIGHT - REPLICATE 18	DD-125
RAKEDW19	CHIS2003 RAKED WEIGHT - REPLICATE 19	DD-126
RAKEDW2	CHIS2003 RAKED WEIGHT - REPLICATE 2	DD-120
RAKEDW20	CHIS2003 RAKED WEIGHT - REPLICATE 20	DD-126
RAKEDW21	CHIS2003 RAKED WEIGHT - REPLICATE 21	DD-126
RAKEDW22	CHIS2003 RAKED WEIGHT - REPLICATE 22	DD-127
RAKEDW23	CHIS2003 RAKED WEIGHT - REPLICATE 23	DD-127
RAKEDW24	CHIS2003 RAKED WEIGHT - REPLICATE 24	DD-127
RAKEDW25	CHIS2003 RAKED WEIGHT - REPLICATE 25	DD-128
RAKEDW26	CHIS2003 RAKED WEIGHT - REPLICATE 26	DD-128
RAKEDW27	CHIS2003 RAKED WEIGHT - REPLICATE 27	DD-128
RAKEDW28	CHIS2003 RAKED WEIGHT - REPLICATE 28	DD-129
RAKEDW29	CHIS2003 RAKED WEIGHT - REPLICATE 29	DD-129
RAKEDW3	CHIS2003 RAKED WEIGHT - REPLICATE 3	DD-120
RAKEDW30	CHIS2003 RAKED WEIGHT - REPLICATE 30	DD-129
RAKEDW31	CHIS2003 RAKED WEIGHT - REPLICATE 31	DD-130
RAKEDW32	CHIS2003 RAKED WEIGHT - REPLICATE 32	DD-130
RAKEDW33	CHIS2003 RAKED WEIGHT - REPLICATE 33	DD-130
RAKEDW34	CHIS2003 RAKED WEIGHT - REPLICATE 34	DD-131
RAKEDW35	CHIS2003 RAKED WEIGHT - REPLICATE 35	DD-131
RAKEDW36	CHIS2003 RAKED WEIGHT - REPLICATE 36	DD-131
RAKEDW37	CHIS2003 RAKED WEIGHT - REPLICATE 37	DD-132
RAKEDW38	CHIS2003 RAKED WEIGHT - REPLICATE 38	DD-132
RAKEDW39	CHIS2003 RAKED WEIGHT - REPLICATE 39	DD-132
RAKEDW4	CHIS2003 RAKED WEIGHT - REPLICATE 4	DD-121
RAKEDW40	CHIS2003 RAKED WEIGHT - REPLICATE 40	DD-133
RAKEDW41	CHIS2003 RAKED WEIGHT - REPLICATE 41	DD-133
RAKEDW42	CHIS2003 RAKED WEIGHT - REPLICATE 42	DD-133
RAKEDW43	CHIS2003 RAKED WEIGHT - REPLICATE 43	DD-134
RAKEDW44	CHIS2003 RAKED WEIGHT - REPLICATE 44	DD-134
RAKEDW45	CHIS2003 RAKED WEIGHT - REPLICATE 45	DD-134
RAKEDW46	CHIS2003 RAKED WEIGHT - REPLICATE 46	DD-135
RAKEDW47	CHIS2003 RAKED WEIGHT - REPLICATE 47	DD-135
RAKEDW48	CHIS2003 RAKED WEIGHT - REPLICATE 48	DD-135
RAKEDW49	CHIS2003 RAKED WEIGHT - REPLICATE 49	DD-136
RAKEDW5	CHIS2003 RAKED WEIGHT - REPLICATE 5	DD-121
RAKEDW50	CHIS2003 RAKED WEIGHT - REPLICATE 50	DD-136
RAKEDW51	CHIS2003 RAKED WEIGHT - REPLICATE 51	DD-136
RAKEDW52	CHIS2003 RAKED WEIGHT - REPLICATE 52	DD-137
RAKEDW53	CHIS2003 RAKED WEIGHT - REPLICATE 53	DD-137
RAKEDW54	CHIS2003 RAKED WEIGHT - REPLICATE 54	DD-137
RAKEDW55	CHIS2003 RAKED WEIGHT - REPLICATE 55	DD-138
RAKEDW56	CHIS2003 RAKED WEIGHT - REPLICATE 56	DD-138
RAKEDW57	CHIS2003 RAKED WEIGHT - REPLICATE 57	DD-138
RAKEDW58	CHIS2003 RAKED WEIGHT - REPLICATE 58	DD-139
RAKEDW59	CHIS2003 RAKED WEIGHT - REPLICATE 59	DD-139
RAKEDW6	CHIS2003 RAKED WEIGHT - REPLICATE 6	DD-121
RAKEDW60	CHIS2003 RAKED WEIGHT - REPLICATE 60	DD-139
RAKEDW61	CHIS2003 RAKED WEIGHT - REPLICATE 61	DD-140
RAKEDW62	CHIS2003 RAKED WEIGHT - REPLICATE 62	DD-140
RAKEDW63	CHIS2003 RAKED WEIGHT - REPLICATE 63	DD-140
RAKEDW64	CHIS2003 RAKED WEIGHT - REPLICATE 64	DD-141
RAKEDW65	CHIS2003 RAKED WEIGHT - REPLICATE 65	DD-141

RAKEDW66	CHIS2003 RAKED WEIGHT - REPLICATE 66	DD-141
RAKEDW67	CHIS2003 RAKED WEIGHT - REPLICATE 67	DD-142
RAKEDW68	CHIS2003 RAKED WEIGHT - REPLICATE 68	DD-142
RAKEDW69	CHIS2003 RAKED WEIGHT - REPLICATE 69	DD-142
RAKEDW7	CHIS2003 RAKED WEIGHT - REPLICATE 7	DD-122
RAKEDW70	CHIS2003 RAKED WEIGHT - REPLICATE 70	DD-143
RAKEDW71	CHIS2003 RAKED WEIGHT - REPLICATE 71	DD-143
RAKEDW72	CHIS2003 RAKED WEIGHT - REPLICATE 72	DD-143
RAKEDW73	CHIS2003 RAKED WEIGHT - REPLICATE 73	DD-144
RAKEDW74	CHIS2003 RAKED WEIGHT - REPLICATE 74	DD-144
RAKEDW75	CHIS2003 RAKED WEIGHT - REPLICATE 75	DD-144
RAKEDW76	CHIS2003 RAKED WEIGHT - REPLICATE 76	DD-145
RAKEDW77	CHIS2003 RAKED WEIGHT - REPLICATE 77	DD-145
RAKEDW78	CHIS2003 RAKED WEIGHT - REPLICATE 78	DD-145
RAKEDW79	CHIS2003 RAKED WEIGHT - REPLICATE 79	DD-146
RAKEDW8	CHIS2003 RAKED WEIGHT - REPLICATE 8	DD-122
RAKEDW80	CHIS2003 RAKED WEIGHT - REPLICATE 80	DD-146
RAKEDW9	CHIS2003 RAKED WEIGHT - REPLICATE 9	DD-122
RBMI	AGE AND GENDER SPECIFIC BMI PERCENTILE (4 LEVELS)	DD-35
REGACT	REGULAR MODERATE OR VIGOROUS ACTIVITY	DD-29
RSN_NOHF	REASONS FOR NOT HAVING HEALTHY FAMILIES	DD-99
RSN_NOMC	REASONS FOR NOT HAVING MEDI-CAL	DD-98
RSN_UNIN	REASON FOR BEING UNINSURED	DD-108
SEATBLT	HOW OFTEN USE SEATBELT WHEN RIDING IN CAR	DD-20
SECTION A	DEMOGRAPHIC HEALTH AND CONDITIONS, PART1	DD-8
SECTION B	GENERAL HEALTH AND CONDITIONS	DD-10
SECTION C	HEALTH BEHAVIORS	DD-17
SECTION D	EMOTIONAL FUNCTIONING	DD-42
SECTION E	SEXUAL BEHAVIORS	DD-46
SECTION F	ACCESS AND UTILIZATION	DD-47
SECTION G	INTERPERSONAL VIOLENCE	DD-66
SECTION H	SUPERVISION RESILIENCY ROLE MODELS	DD-68
SECTION I	DEMOGRAPHIC INFORMATION FUTURE PLANS, PART2	DD-80
SECTION J	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC LOCATION	DD-93
SECTION K	HEALTH INSURANCE	DD-96
SECTION L	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-119
SECTION S	SCREENING INFORMATION	DD-1
SMKCUR	CURRENT SMOKER	DD-40
SPEC	PLAN REQUIRES APPROVAL TO SEE SPECIALIST	DD-102
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-82
SRAGE_P	AGE (PUF RECODE)	DD-8
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-81
SRAS	SELF-REPORTED ASIAN	DD-81
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-86
SRCH	SELF-REPORTED CHINESE	DD-85
SRH	SELF-REPORTED LATINO/HISPANIC	DD-80
SRH_A	ADULT SELF-REPORTED LATINO/HISPANIC	DD-6
SRKR	SELF-REPORTED KOREAN	DD-85
SRO	SELF-REPORTED OTHER RACE	DD-82
SRO2	SELF-REPORTED 2ND OTHER RACE	DD-83
SRPH	SELF-REPORTED FILIPINO	DD-84
SRPI	SELF-REPORTED PI AND NTV HW	DD-81
SRSEX	GENDER	DD-8

SRSEX_A	ADULT GENDER	DD-6
SRTENR	SELF-REPORTED HOUSE TENURE	DD-7
SRVT	SELF-REPORTED VIETNAMESE	DD-86
SRW	SELF-REPORTED WHITE	DD-82
TA4	CURRENTLY ATTEND SCHOOL	DD-9
TA4A	VOLUNTEERED HE/SHE IS HOMESCHOOLED	DD-9
TA5	WORKED FOR PAY IN PAST 12 MOS	DD-9
TA5A	# OF HRS SPENT WORKING FOR PAY IN TYPICAL WEEK DURING SCHOOL	DD-10
TB1	GENERAL HEALTH CONDITION	DD-10
TB10	DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES	DD-17
TB16	AGE FIRST TOLD ABOUT ASTHMA	DD-12
TB17	STILL HAS ASTHMA	DD-12
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-13
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-15
TB21	WHEEZING OR WHISTLING IN CHEST IN PAST 12 MOS	DD-16
TB22	# OF TIMES MEDICAL HELP SOUGHT FOR BREATHING PROB,PAST 12 MOS	DD-16
TB23	NEED EQUIPMENT/HELP WITH DAILY ACTIVITIES B/C HEALTH PROBLEM	DD-17
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-11
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-11
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-15
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
TC1	INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-18
TC2	# OF TIMES INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-18
TC25	CLOSEST PARK OR PLAYGROUND SAFE DURING THE DAY	DD-21
TC26	CLOSEST PARK OR PLAYGROUND SAFE AT NIGHT	DD-22
TC27	LIKELIHOOD NEIGHBORS WOULD DO SOMETHING ABOUT KID'S GRAFFITI	DD-22
TC28	# OF SODA OR OTHER SWEETENED DRINKS DRANK YesTERDAY	DD-24
TC29	SCHOOL HAS SODAS IN VENDING MACHINES	DD-25
TC30	# OF TIMES ATE FAST FOOD YesTERDAY	DD-25
TC31	SCHOOL OFFERS PHYSICAL EDUCATION (PE) DURING SCHOOL DAY	DD-31
TC32	REQUIRED TO TAKE PE	DD-31
TC33	PERCEPTION OF WGHT RELATIVE TO IDEAL WGHT	DD-36
TC34	CURRENTLY TRYING TO DO ANYTHING ABOUT WGHT	DD-36
TC35	DIETED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-37
TC36	EXERCISED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-37
TC37	DID ANYTHING ELSE TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-38
TC38	EVER SMOKED CIGARETTES	DD-38
TC42	PARK/PLAYGROUND WALKING DISTANCE FROM HOME	DD-21
TC7	EVER RIDDEN IN VEHICLE W/ DRIVER WHO HAS BEEN DRINKING ALCOHOL	DD-20
TD10	HOW OFTEN FELT LONELY IN PAST 7 DAYS	DD-44
TD11	HOW OFTEN FELT LIFE WAS A FAILURE IN PAST 7 DAYS	DD-44

TD12	HOW OFTEN FELT SAD IN PAST 7 DAYS	DD-45
TD13	HOW OFT DID NOT WANT TO DO USUAL ACTIVITIES IN PAST 7 DAYS	DD-45
TD6	HOW OFTEN ENJOYED LIFE IN PAST 7 DAYS	DD-42
TD7	HOW OFTEN COULD NOT SHAKE FEELING SAD/UNHAPPY IN PAST 7 DAYS	DD-42
TD8	HOW OFTEN FELT DEPRESSED IN PAST 7 DAYS	DD-43
TD9	HOW OFTEN FELT HAPPY IN PAST 7 DAYS	DD-43
TE10	EXERCISED TO STRENGTHEN MUSCLES IN PAST 7 DAYS	DD-29
TE10A	# OF DAYS EXERCISED TO STRENGTHEN MUSCLES IN PAST 7 DAYS	DD-30
TE17	EVER SMOKED CIGARETTES REGULARLY, AT LEAST 1 EVERYDAY/30 DAYS	DD-39
TE18	AGE WHEN SMOKED FIRST CIGARETTE	DD-39
TE19	# OF CIGARETTES SMOKED IN PAST 30 DAYS	DD-40
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-41
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-41
TE4	# OF SERVINGS OF FRUIT ATE YesTERDAY	DD-23
TE45	HEARD OF RU486	DD-46
TE46	HEARD OF EMERGENCY CONTRACEPTION PILL	DD-46
TE47	CAN GET EMERGENCY CONTRACEPTION PILL AT PHARMACY W/O RX	DD-47
TE6	# OF SERVINGS OF VEGETABLES ATE YesTERDAY	DD-23
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-26
TE8A	# OF DAYS EXERCISED FOR AT LEAST 20 MINUTES PAST 7 DAYS	DD-26
TE9	EXERCISED FOR AT LEAST 30 MINUTES IN PAST 7 DAYS	DD-27
TE9A	# OF DAYS EXERCISED FOR AT LEAST 30 MINUTES PAST 7 DAYS	DD-28
TESTRNG	MUSCLE-STRENGTHENING ACTIVITY	DD-30
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-47
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-60
TF12	HOW SURE ABOUT CONTACTING DOCTOR ON OWN FOR HEALTH/SAFETY Q'S	DD-61
TF13	KNOW A PLACE YOUNG PEOPLE CAN SEE DOCTOR W/O PARENTS KNOWLEDGE	DD-62
TF14	HOW LONG SINCE LAST VISITED DENTIST OR DENTAL CLINIC	DD-62
TF17	DOCTOR VISIT WAS AT KAISER	DD-51
TF18	CLEARLY UNDERSTOOD DOCTOR'S INSTRUCTIONS LAST TIME	DD-52
TF19	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-52
TF20	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-53
TF21	WHO HELPED YOU UNDERSTAND DOCTOR	DD-53
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-59
TF23	HOW SURE CAN MAKE HEALTH CARE APPOINTMENT W/O FAMILY KNOWING	DD-60
TF24	HOW SURE CAN TALK TO DOCTOR ABOUT SEX	DD-61
TF25	HAS USUAL DENTIST	DD-63
TF26	FAMILY COULDN'T AFFORD NEEDED DENTAL CARE FOR TEEN,PAST 12 MOS	DD-64

TF27	NEEDED CHECK-UP OR HAD DENTAL PROBLEM	DD-64
TF28	MISSED SCHOOL BECAUSE OF DENTAL PROBLEM IN PAST 12 MOS	DD-65
TF29	# OF SCHOOL DAYS MISSED FOR DENTAL PROBLEM	DD-65
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-49
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-FUP	DD-51
TF8	TALKED WITH DOCTOR ABOUT SMOKING AT LAST PHYSICAL EXAM	DD-54
TF8A	TALKED WITH DOCTOR ABOUT ALCOHOL USE AT LAST PHYSICAL EXAM	DD-54
TF8B	TALKED WITH DOCTOR ABOUT DRUG USE AT LAST PHYSICAL EXAM	DD-55
TF8C	TALKED WITH DOCTOR ABOUT SEATBELT USE AT LAST PHYSICAL EXAM	DD-55
TF8D	TALKED WITH DOCTOR ABOUT HELMET USE AT LAST PHYSICAL EXAM	DD-56
TF8E	TALKED WITH DOCTOR ABOUT STD'S AT LAST PHYSICAL EXAM	DD-56
TF8F	TALKED W/ DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM	DD-57
TF8G	TALKED WITH DOCTOR ABOUT VIOLENCE AT LAST PHYSICAL EXAM	DD-57
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-58
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-58
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-59
TG1	# OF TIMES IN PAST 12 MOS SOMEONE SAME AGE THREATENED YOU	DD-66
TG3	# OF TIMES IN PAST 12 MOS IN PHYSICAL FIGHT WITH SOMEONE	DD-66
TG9	# OF TIMES IN PHYSICAL FIGHT OTHERS STARTED IN PAST 12 MOS	DD-67
TH10	THERE'S ADULT AT SCHOOL WHO LISTENS TO YOU	DD-72
TH11	THERE'S ADULT AT SCHOOL WHO PRAISES YOUR GOOD WORK	DD-72
TH12	THERE'S ADULT AT SCHOOL WHO WANTS YOU TO DO YOUR BEST	DD-73
TH13	THERE'S ADULT AT SCHOOL WHO NOTICES YOUR BAD MOOD	DD-73
TH14	THERE'S ADULT AT HOME WHO CARES ABOUT YOUR SCHOOLWORK	DD-74
TH15	THERE'S ADULT AT HOME WHO LISTENS TO YOU	DD-74
TH16	THERE'S ADULT AT HOME WHO TALKS WITH YOU ABOUT YOUR PROBLEMS	DD-75
TH17	THERE'S ADULT AT HOME WHO NOTICES YOUR BAD MOODS	DD-75
TH18	THERE'S ADULT AT HOME WHO WANTS YOU TO DO YOUR BEST	DD-76
TH19	THERE'S ADULT AT HOME WHO BELIEVES YOU WILL BE A SUCCESS	DD-76
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-68

TH20	THERE'S ADULT AT HOME WHO EXPECTS ME TO FOLLOW RULES	DD-77
TH21	DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS	DD-77
TH22	ADMIRE AND WOULD WANT TO BE LIKE SOME PERSON	DD-78
TH23	ADMIRE PERSON'S CATEGORY	DD-78
TH24	ADMIRE MALE OR FEMALE	DD-79
TH25	RACE/ETHNICITY OF PERSON WHO ADMIRE	DD-79
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-69
TH6A	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT	DD-69
TH6B	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHAT YOU DO W/ FREE TIME	DD-70
TH6C	HOW MUCH PARENT/GUARDIAN KNOWS WHERE YOU ARE MOST AFTERNOONS	DD-70
TH8	AT SCHOOL SOME ADULT CARES ABOUT ME	DD-71
TH9	AT SCHOOL SOME ADULT NOTICES WHEN I'M GONE	DD-71
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-84
TI8	PLANS AFTER HIGH SCHOOL	DD-93
UNINSANY	UNINSURED IN PAST 12 MOS	DD-115
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-94
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-94
UR_IHS	RURAL AND URBAN - IHS	DD-95
UR_OMB	RURAL AND URBAN - OMB	DD-95
UR_RHP	RURAL AND URBAN - RHP	DD-95
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-49
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-48
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-48
VIGOR	VIGOROUS ACTIVITY 3+ DAYS LAST WEEK	DD-27
WGHTK_P	WGHT - KILOGRAMS (PUF RECODE)	DD-33
WGHTP_P	WGHT - POUNDS (PUF RECODE)	DD-33
YRUS	YEARS ADOLESCENT LIVED IN US	DD-91

B. Listing by Location in CHIS 2003 Adolescent Questionnaire, Version 10.0

LISTING BY LOCATION IN CHIS 2003 TEEN QUESTIONNAIRE, VERSION 10.0		
VARIABLE NAME	DESCRIPTION	PAGE NUMBER
SECTION S	SCREENING INFORMATION	DD-1
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
HHCRWD	HOUSEHOLD CROWDING	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-3
PUF_ID	PUBLIC USE FILE ID	DD-4
RACECN_A	RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION	DD-4
RACEDO_A	RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION	DD-5
RACEHP_A	RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION	DD-5
SRH_A	ADULT SELF-REPORTED LATINO/HISPANIC	DD-6
SRSEX_A	ADULT GENDER	DD-6
SRTENR	SELF-REPORTED HOUSE TENURE	DD-7
INTVLANG	LANGUAGE OF INTERVIEW	DD-7
SECTION A	DEMOGRAPHIC HEALTH AND CONDITIONS, PART1	DD-8
SRAGE_P	AGE (PUF RECODE)	DD-8
SRSEX	GENDER	DD-8
TA4	CURRENTLY ATTEND SCHOOL	DD-9
TA4A	VOLUNTEERED HE/SHE IS HOMESCHOOLED	DD-9
TA5	WORKED FOR PAY IN PAST 12 MOS	DD-9
TA5A	# OF HRS SPENT WORKING FOR PAY IN TYPICAL WEEK DURING SCHOOL	DD-10
SECTION B	GENERAL HEALTH AND CONDITIONS	DD-10
TB1	GENERAL HEALTH CONDITION	DD-10
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-11
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-11
TB16	AGE FIRST TOLD ABOUT ASTHMA	DD-12
TB17	STILL HAS ASTHMA	DD-12
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-13
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-14
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-15
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-15

TB21	WHEEZING OR WHISTLING IN CHEST IN PAST 12 MOS	DD-16
TB22	# OF TIMES MEDICAL HELP SOUGHT FOR BREATHING PROB,PAST 12 MOS	DD-16
TB10	DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES	DD-17
TB23	NEED EQUIPMENT/HELP WITH DAILY ACTIVITIES B/C HEALTH PROBLEM	DD-17
SECTION C	HEALTH BEHAVIORS	DD-17
TC1	INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-18
TC2	# OF TIMES INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-18
INJCA	CAUSE OF INJURY	DD-19
HELMUSE	WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS	DD-19
SEATBLT	HOW OFTEN USE SEATBELT WHEN RIDING IN CAR	DD-20
TC7	EVER RIDDEN IN VEHICLE W/ DRIVER WHO HAS BEEN DRINKING ALCOHOL	DD-20
TC42	PARK/PLAYGROUND WALKING DISTANCE FROM HOME	DD-21
TC25	CLOSEST PARK OR PLAYGROUND SAFE DURING THE DAY	DD-21
TC26	CLOSEST PARK OR PLAYGROUND SAFE AT NIGHT	DD-22
TC27	LIKELIHOOD NEIGHBORS WOULD DO SOMETHING ABOUT KID'S GRAFFITI	DD-22
TE4	# OF SERVINGS OF FRUIT ATE YESTERDAY	DD-23
TE6	# OF SERVINGS OF VEGETABLES ATE YESTERDAY	DD-23
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-24
TC28	# OF SODA OR OTHER SWEETENED DRINKS DRANK YESTERDAY	DD-24
TC29	SCHOOL HAS SODAS IN VENDING MACHINES	DD-25
TC30	# OF TIMES ATE FAST FOOD YESTERDAY	DD-25
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-26
TE8A	# OF DAYS EXERCISED FOR AT LEAST 20 MINUTES PAST 7 DAYS	DD-26
VIGOR	VIGOROUS ACTIVITY 3+ DAYS LAST WEEK	DD-27
TE9	EXERCISED FOR AT LEAST 30 MINUTES IN PAST 7 DAYS	DD-27
TE9A	# OF DAYS EXERCISED FOR AT LEAST 30 MINUTES PAST 7 DAYS	DD-28
MODACT	MODERATE ACTIVITY	DD-28
REGACT	REGULAR MODERATE OR VIGOROUS ACTIVITY	DD-29
TE10	EXERCISED TO STRENGTHEN MUSCLES IN PAST 7 DAYS	DD-29
TE10A	# OF DAYS EXERCISED TO STRENGTHEN MUSCLES IN PAST 7 DAYS	DD-30
TESTRNG	MUSCLE-STRENGTHENING ACTIVITY	DD-30
TC31	SCHOOL OFFERS PHYSICAL EDUCATION (PE) DURING SCHOOL DAY	DD-31
TC32	REQUIRED TO TAKE PE	DD-31
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-32
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-32
WGHTK_P	WGHT - KILOGRAMS (PUF RECODE)	DD-33
WGHTP_P	WGHT - POUNDS (PUF RECODE)	DD-33
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-34
BMITN	AGE AND GENDER SPECIFIC BMI PERCENTILE (CONTINUOUS)	DD-34
RBMI	AGE AND GENDER SPECIFIC BMI PERCENTILE (4 LEVELS)	DD-35
OVRWT	OVERWEIGHT OR OBESE	DD-35
TC33	PERCEPTION OF WGHT RELATIVE TO IDEAL WGHT	DD-36
TC34	CURRENTLY TRYING TO DO ANYTHING ABOUT WGHT	DD-36

TC35	DIETED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-37
TC36	EXERCISED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-37
TC37	DID ANYTHING ELSE TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS	DD-38
TC38	EVER SMOKED CIGARETTES	DD-38
TE18	AGE WHEN SMOKED FIRST CIGARETTE	DD-39
TE17	EVER SMOKED CIGARETTES REGULARLY, AT LEAST 1 EVERYDAY/30 DAYS	DD-39
TE19	# OF CIGARETTES SMOKED IN PAST 30 DAYS	DD-40
SMKCUR	CURRENT SMOKER	DD-40
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-41
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-41
SECTION D	EMOTIONAL FUNCTIONING	DD-42
TD6	HOW OFTEN ENJOYED LIFE IN PAST 7 DAYS	DD-42
TD7	HOW OFTEN COULD NOT SHAKE FEELING SAD/UNHAPPY IN PAST 7 DAYS	DD-42
TD8	HOW OFTEN FELT DEPRESSED IN PAST 7 DAYS	DD-43
TD9	HOW OFTEN FELT HAPPY IN PAST 7 DAYS	DD-43
TD10	HOW OFTEN FELT LONELY IN PAST 7 DAYS	DD-44
TD11	HOW OFTEN FELT LIFE WAS A FAILURE IN PAST 7 DAYS	DD-44
TD12	HOW OFTEN FELT SAD IN PAST 7 DAYS	DD-45
TD13	HOW OFT DID NOT WANT TO DO USUAL ACTIVITIES IN PAST 7 DAYS	DD-45
SECTION E	SEXUAL BEHAVIORS	DD-46
TE45	HEARD OF RU486	DD-46
TE46	HEARD OF EMERGENCY CONTRACEPTION PILL	DD-46
TE47	CAN GET EMERGENCY CONTRACEPTION PILL AT PHARMACY W/O RX	DD-47
SECTION F	ACCESS AND UTILIZATION	DD-47
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-47
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-48
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-48
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-49
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-49
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-50
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-50
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-FUP	DD-51
TF17	DOCTOR VISIT WAS AT KAISER	DD-51
TF18	CLEARLY UNDERSTOOD DOCTOR'S INSTRUCTIONS LAST TIME	DD-52
TF19	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-52
TF20	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-53
TF21	WHO HELPED YOU UNDERSTAND DOCTOR	DD-53
TF8	TALKED WITH DOCTOR ABOUT SMOKING AT LAST PHYSICAL EXAM	DD-54
TF8A	TALKED WITH DOCTOR ABOUT ALCOHOL USE AT LAST PHYSICAL EXAM	DD-54
TF8B	TALKED WITH DOCTOR ABOUT DRUG USE AT LAST PHYSICAL EXAM	DD-55
TF8C	TALKED WITH DOCTOR ABOUT SEATBELT USE AT LAST PHYSICAL EXAM	DD-55

TF8D	TALKED WITH DOCTOR ABOUT HELMET USE AT LAST PHYSICAL EXAM	DD-56
TF8E	TALKED WITH DOCTOR ABOUT STD'S AT LAST PHYSICAL EXAM	DD-56
TF8F	TALKED W/ DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM	DD-57
TF8G	TALKED WITH DOCTOR ABOUT VIOLENCE AT LAST PHYSICAL EXAM	DD-57
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-58
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-58
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-59
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-59
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-60
TF23	HOW SURE CAN MAKE HEALTH CARE APPOINTMENT W/O FAMILY KNOWING	DD-60
TF12	HOW SURE ABOUT CONTACTING DOCTOR ON OWN FOR HEALTH/SAFETY Q'S	DD-61
TF24	HOW SURE CAN TALK TO DOCTOR ABOUT SEX	DD-61
TF13	KNOW A PLACE YOUNG PEOPLE CAN SEE DOCTOR W/O PARENTS KNOWLEDGE	DD-62
TF14	HOW LONG SINCE LAST VISITED DENTIST OR DENTAL CLINIC	DD-62
DNVST	HAD DENTAL VISIT PAST 12 MOS	DD-63
TF25	HAS USUAL DENTIST	DD-63
TF26	FAMILY COULDN'T AFFORD NEEDED DENTAL CARE FOR TEEN, PAST 12 MOS	DD-64
TF27	NEEDED CHECK-UP OR HAD DENTAL PROBLEM	DD-64
TF28	MISSED SCHOOL BECAUSE OF DENTAL PROBLEM IN PAST 12 MOS	DD-65
TF29	# OF SCHOOL DAYS MISSED FOR DENTAL PROBLEM	DD-65
SECTION G	INTERPERSONAL VIOLENCE	DD-66
TG1	# OF TIMES IN PAST 12 MOS SOMEONE SAME AGE THREATENED YOU	DD-66
TG3	# OF TIMES IN PAST 12 MOS IN PHYSICAL FIGHT WITH SOMEONE	DD-66
FIGHT	PHYSICAL FIGHTS PAST 12 MOS	DD-67
TG9	# OF TIMES IN PHYSICAL FIGHT OTHERS STARTED IN PAST 12 MOS	DD-67
SECTION H	SUPERVISION RESILIENCY ROLE MODELS	DD-68
PMARIT	PARENTS MARITAL STATUS	DD-68
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-68
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-69
TH6A	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT	DD-69
TH6B	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHAT YOU DO W/ FREE TIME	DD-70
TH6C	HOW MUCH PARENT/GUARDIAN KNOWS WHERE YOU ARE MOST AFTERNOONS	DD-70

TH8	AT SCHOOL SOME ADULT CARES ABOUT ME	DD-71
TH9	AT SCHOOL SOME ADULT NOTICES WHEN I'M GONE	DD-71
TH10	THERE'S ADULT AT SCHOOL WHO LISTENS TO YOU	DD-72
TH11	THERE'S ADULT AT SCHOOL WHO PRAISES YOUR GOOD WORK	DD-72
TH12	THERE'S ADULT AT SCHOOL WHO WANTS YOU TO DO YOUR BEST	DD-73
TH13	THERE'S ADULT AT SCHOOL WHO NOTICES YOUR BAD MOOD	DD-73
TH14	THERE'S ADULT AT HOME WHO CARES ABOUT YOUR SCHOOLWORK	DD-74
TH15	THERE'S ADULT AT HOME WHO LISTENS TO YOU	DD-74
TH16	THERE'S ADULT AT HOME WHO TALKS WITH YOU ABOUT YOUR PROBLEMS	DD-75
TH17	THERE'S ADULT AT HOME WHO NOTICES YOUR BAD MOODS	DD-75
TH18	THERE'S ADULT AT HOME WHO WANTS YOU TO DO YOUR BEST	DD-76
TH19	THERE'S ADULT AT HOME WHO BELIEVES YOU WILL BE A SUCCESS	DD-76
TH20	THERE'S ADULT AT HOME WHO EXPECTS ME TO FOLLOW RULES	DD-77
TH21	DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS	DD-77
TH22	ADMIRE AND WOULD WANT TO BE LIKE SOME PERSON	DD-78
TH23	ADMIRE PERSON'S CATEGORY	DD-78
TH24	ADMIRE MALE OR FEMALE	DD-79
TH25	RACE/ETHNICITY OF PERSON WHO ADMIRE	DD-79
SECTION I	DEMOGRAPHIC INFORMATION FUTURE PLANS, PART2	DD-80
SRH	SELF-REPORTED LATINO/HISPANIC	DD-80
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-80
SRPI	SELF-REPORTED PI AND NTV HW	DD-81
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-81
SRAS	SELF-REPORTED ASIAN	DD-81
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-82
SRW	SELF-REPORTED WHITE	DD-82
SRO	SELF-REPORTED OTHER RACE	DD-82
SRO2	SELF-REPORTED 2ND OTHER RACE	DD-83
CATRIBE	CALIFORNIA TRIBE	DD-83
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-84
SRPH	SELF-REPORTED FILIPINO	DD-84
FILIPINO	FILIPINO	DD-85
SRKR	SELF-REPORTED KOREAN	DD-85
SRCH	SELF-REPORTED CHINESE	DD-85
CHINESE	CHINESE	DD-86
SRVT	SELF-REPORTED VIETNAMESE	DD-86
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-86
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-87
ASNHPR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-87
RACECN_P	RACE - CENSUS 2000 DEFINITION	DD-88
RACEDO_P	RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)	DD-88
RACEHP_P	RACE- UCLA CHPR DEFINITION (PUF RECODE)	DD-89
CNTRYS	COUNTRY BORN IN	DD-89
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-90

CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLs)	DD-90
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLs)	DD-91
YRUS	YEARS ADOLESCENT LIVED IN US	DD-91
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-92
TI8	PLANS AFTER HIGH SCHOOL	DD-93
SECTION J	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC LOCATION	DD-93
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLs)	DD-94
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLs)	DD-94
UR_IHS	RURAL AND URBAN - IHS	DD-95
UR_OMB	RURAL AND URBAN - OMB	DD-95
UR_RHP	RURAL AND URBAN - RHP	DD-95
SECTION K	HEALTH INSURANCE	DD-96
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-96
MA5	TEEN HAS SAME INS AS SPOUSE	DD-96
MA6	TEEN HAS SAME INS AS CHILD	DD-97
IA1	TEEN COVERED BY MEDI-CAL	DD-97
RSN_NOMC	REASONS FOR NOT HAVING MEDI-CAL	DD-98
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-99
RSN_NOHF	REASONS FOR NOT HAVING HEALTHY FAMILIES	DD-99
IA11	TEEN MUST SIGN UP W/ PRIMARY CARE MD, GROUP OF MD'S, OR CLINIC	DD-100
MD	PLAN REQUIRES SIGNUP W/ PRIMARY PHYSICIAN	DD-100
MANAGE	MANAGED CARE	DD-101
IA12	TEEN'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALIST	DD-101
SPEC	PLAN REQUIRES APPROVAL TO SEE SPECIALIST	DD-102
MA7_P	NAME OF TEEN'S MAIN HEALTH PLAN (PUF RECODE)	DD-102
MA8	TEEN'S HEALTH PLAN IS HMO	DD-103
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-103
IA14NEW	Rx COVERAGE EDITED FOR MEDICAL/HF	DD-104
IA15	TEEN COVERED FOR EYE EXAMS	DD-104
IA15NEW	EYE EXAMS COVERAGE EDITED FOR MEDICAL/HF	DD-105
IA16	TEEN COVERED FOR GLASSES	DD-105
IA16NEW	GLASSES COVERAGE EDITED FOR MEDICAL/HF	DD-106
MA9	RATING OF TEEN'S HEALTH CARE IN PAST 12 MOS	DD-106
IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-107
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-107
RSN_UNIN	REASON FOR BEING UNINSURED	DD-108
MA10	TEEN HAS DENTAL INS	DD-109
MA10NEW	DENTAL CARE EDITED FOR MEDICAL/HF	DD-109
IAP1	ADOLESCENT CURRENTLY ON TANF OR CALWORKS	DD-110
IAP2	TEEN RECEIVING FOOD STAMP BENEFITS	DD-110
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-111
INS	CURRENTLY INSURED	DD-111
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-112
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-112
INSANY	ANY INS IN LAST 12 MOS	DD-113
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-113
INSHF	COVERED BY HEALTHY FAMILIES	DD-114
INSTYPE	INSURANCE TYPE	DD-114

INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-115
UNINSANY	UNINSURED IN PAST 12 MOS	DD-115
INSMC	COVERED BY MEDICARE	DD-116
INSMD	COVERED BY MEDI-CAL	DD-116
INSOG	COVERED BY OTHER GOVT PLANS	DD-116
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-117
ELIGPRG3	UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS	DD-117
FAMT4	FAMILY TYPE (4 LVLS)	DD-118
POVLL	POVERTY LEVEL	DD-118
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-119
SECTION L	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-119
RAKEDW0	CHIS2003 RAKED WEIGHT - FULL SAMPLE	DD-119
RAKEDW1	CHIS2003 RAKED WEIGHT - REPLICATE 1	DD-120
RAKEDW2	CHIS2003 RAKED WEIGHT - REPLICATE 2	DD-120
RAKEDW3	CHIS2003 RAKED WEIGHT - REPLICATE 3	DD-120
RAKEDW4	CHIS2003 RAKED WEIGHT - REPLICATE 4	DD-121
RAKEDW5	CHIS2003 RAKED WEIGHT - REPLICATE 5	DD-121
RAKEDW6	CHIS2003 RAKED WEIGHT - REPLICATE 6	DD-121
RAKEDW7	CHIS2003 RAKED WEIGHT - REPLICATE 7	DD-122
RAKEDW8	CHIS2003 RAKED WEIGHT - REPLICATE 8	DD-122
RAKEDW9	CHIS2003 RAKED WEIGHT - REPLICATE 9	DD-122
RAKEDW10	CHIS2003 RAKED WEIGHT - REPLICATE 10	DD-123
RAKEDW11	CHIS2003 RAKED WEIGHT - REPLICATE 11	DD-123
RAKEDW12	CHIS2003 RAKED WEIGHT - REPLICATE 12	DD-123
RAKEDW13	CHIS2003 RAKED WEIGHT - REPLICATE 13	DD-124
RAKEDW14	CHIS2003 RAKED WEIGHT - REPLICATE 14	DD-124
RAKEDW15	CHIS2003 RAKED WEIGHT - REPLICATE 15	DD-124
RAKEDW16	CHIS2003 RAKED WEIGHT - REPLICATE 16	DD-125
RAKEDW17	CHIS2003 RAKED WEIGHT - REPLICATE 17	DD-125
RAKEDW18	CHIS2003 RAKED WEIGHT - REPLICATE 18	DD-125
RAKEDW19	CHIS2003 RAKED WEIGHT - REPLICATE 19	DD-126
RAKEDW20	CHIS2003 RAKED WEIGHT - REPLICATE 20	DD-126
RAKEDW21	CHIS2003 RAKED WEIGHT - REPLICATE 21	DD-126
RAKEDW22	CHIS2003 RAKED WEIGHT - REPLICATE 22	DD-127
RAKEDW23	CHIS2003 RAKED WEIGHT - REPLICATE 23	DD-127
RAKEDW24	CHIS2003 RAKED WEIGHT - REPLICATE 24	DD-127
RAKEDW25	CHIS2003 RAKED WEIGHT - REPLICATE 25	DD-128
RAKEDW26	CHIS2003 RAKED WEIGHT - REPLICATE 26	DD-128
RAKEDW27	CHIS2003 RAKED WEIGHT - REPLICATE 27	DD-128
RAKEDW28	CHIS2003 RAKED WEIGHT - REPLICATE 28	DD-129
RAKEDW29	CHIS2003 RAKED WEIGHT - REPLICATE 29	DD-129
RAKEDW30	CHIS2003 RAKED WEIGHT - REPLICATE 30	DD-129
RAKEDW31	CHIS2003 RAKED WEIGHT - REPLICATE 31	DD-130
RAKEDW32	CHIS2003 RAKED WEIGHT - REPLICATE 32	DD-130
RAKEDW33	CHIS2003 RAKED WEIGHT - REPLICATE 33	DD-130
RAKEDW34	CHIS2003 RAKED WEIGHT - REPLICATE 34	DD-131
RAKEDW35	CHIS2003 RAKED WEIGHT - REPLICATE 35	DD-131
RAKEDW36	CHIS2003 RAKED WEIGHT - REPLICATE 36	DD-131
RAKEDW37	CHIS2003 RAKED WEIGHT - REPLICATE 37	DD-132
RAKEDW38	CHIS2003 RAKED WEIGHT - REPLICATE 38	DD-132
RAKEDW39	CHIS2003 RAKED WEIGHT - REPLICATE 39	DD-132
RAKEDW40	CHIS2003 RAKED WEIGHT - REPLICATE 40	DD-133
RAKEDW41	CHIS2003 RAKED WEIGHT - REPLICATE 41	DD-133

RAKEDW42	CHIS2003 RAKED WEIGHT - REPLICATE 42	DD-133
RAKEDW43	CHIS2003 RAKED WEIGHT - REPLICATE 43	DD-134
RAKEDW44	CHIS2003 RAKED WEIGHT - REPLICATE 44	DD-134
RAKEDW45	CHIS2003 RAKED WEIGHT - REPLICATE 45	DD-134
RAKEDW46	CHIS2003 RAKED WEIGHT - REPLICATE 46	DD-135
RAKEDW47	CHIS2003 RAKED WEIGHT - REPLICATE 47	DD-135
RAKEDW48	CHIS2003 RAKED WEIGHT - REPLICATE 48	DD-135
RAKEDW49	CHIS2003 RAKED WEIGHT - REPLICATE 49	DD-136
RAKEDW50	CHIS2003 RAKED WEIGHT - REPLICATE 50	DD-136
RAKEDW51	CHIS2003 RAKED WEIGHT - REPLICATE 51	DD-136
RAKEDW52	CHIS2003 RAKED WEIGHT - REPLICATE 52	DD-137
RAKEDW53	CHIS2003 RAKED WEIGHT - REPLICATE 53	DD-137
RAKEDW54	CHIS2003 RAKED WEIGHT - REPLICATE 54	DD-137
RAKEDW55	CHIS2003 RAKED WEIGHT - REPLICATE 55	DD-138
RAKEDW56	CHIS2003 RAKED WEIGHT - REPLICATE 56	DD-138
RAKEDW57	CHIS2003 RAKED WEIGHT - REPLICATE 57	DD-138
RAKEDW58	CHIS2003 RAKED WEIGHT - REPLICATE 58	DD-139
RAKEDW59	CHIS2003 RAKED WEIGHT - REPLICATE 59	DD-139
RAKEDW60	CHIS2003 RAKED WEIGHT - REPLICATE 60	DD-139
RAKEDW61	CHIS2003 RAKED WEIGHT - REPLICATE 61	DD-140
RAKEDW62	CHIS2003 RAKED WEIGHT - REPLICATE 62	DD-140
RAKEDW63	CHIS2003 RAKED WEIGHT - REPLICATE 63	DD-140
RAKEDW64	CHIS2003 RAKED WEIGHT - REPLICATE 64	DD-141
RAKEDW65	CHIS2003 RAKED WEIGHT - REPLICATE 65	DD-141
RAKEDW66	CHIS2003 RAKED WEIGHT - REPLICATE 66	DD-141
RAKEDW67	CHIS2003 RAKED WEIGHT - REPLICATE 67	DD-142
RAKEDW68	CHIS2003 RAKED WEIGHT - REPLICATE 68	DD-142
RAKEDW69	CHIS2003 RAKED WEIGHT - REPLICATE 69	DD-142
RAKEDW70	CHIS2003 RAKED WEIGHT - REPLICATE 70	DD-143
RAKEDW71	CHIS2003 RAKED WEIGHT - REPLICATE 71	DD-143
RAKEDW72	CHIS2003 RAKED WEIGHT - REPLICATE 72	DD-143
RAKEDW73	CHIS2003 RAKED WEIGHT - REPLICATE 73	DD-144
RAKEDW74	CHIS2003 RAKED WEIGHT - REPLICATE 74	DD-144
RAKEDW75	CHIS2003 RAKED WEIGHT - REPLICATE 75	DD-144
RAKEDW76	CHIS2003 RAKED WEIGHT - REPLICATE 76	DD-145
RAKEDW77	CHIS2003 RAKED WEIGHT - REPLICATE 77	DD-145
RAKEDW78	CHIS2003 RAKED WEIGHT - REPLICATE 78	DD-145
RAKEDW79	CHIS2003 RAKED WEIGHT - REPLICATE 79	DD-146
RAKEDW80	CHIS2003 RAKED WEIGHT - REPLICATE 80	DD-146

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: AHEDUC QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	377	9.40
2	GRADE 9-11	299	7.46
3	GRADE 12 / H.S. DIPLOMA	838	20.90
4	SOME COLLEGE	648	16.16
5	VOCATIONAL SCHOOL	133	3.32
6	AA OR AS DEGREE	380	9.48
7	BA OR BS DEGREE	747	18.63
8	SOME GRAD. SCHOOL	69	1.72
9	MA OR MS DEGREE	350	8.73
10	PH.D. OR EQUIVALENT	134	3.34
91	NO FORMAL EDUCATION	35	0.87

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AH47

NOTES:

VARNAME: HHCRWD QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD CROWDING

VALUE:		FREQ	%
1	CROWDED	1101	27.46
2	NOT CROWDED	2909	72.54

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HH_SIZE AK24

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: HHSIZE_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS

N	4010
MIN	2
MAX	7
MEAN	4.17

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TOP CODE OF HHSIZE

NOTES:

VARNAME: HHSMK QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD SMOKING

VALUE:		FREQ	%
1	NONE	3756	93.67
2	SOMEDAYS	73	1.82
3	EVERY DAY	181	4.51

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AD33 AD34

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: PUF_ID QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: PUBLIC USE FILE ID

VALUE:	0-HIGH PERSON #	FREQ	%
		4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RACECN_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION

VALUE:		FREQ	%
	1 AIAN	103	2.57
	2 ASIAN	288	7.18
	3 AFRICAN AMERICAN	251	6.26
	4 WHITE	2494	62.19
	5 PI/OTHER SINGLE RACE	740	18.45
	6 MORE THAN ONE RACE	134	3.34

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ADULT RACECN

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEDO_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION

VALUE:		FREQ	%
1	LATINO	1245	31.05
2	NON-LATINO AIAN	28	0.70
3	NON-LATINO ASIAN	277	6.91
4	NON-LATINO AFR. AMER.	243	6.06
5	NON-LATINO WHITE	2088	52.07
6	NON-LATINO PI/OTH. ONE RACE	25	0.62
7	NON-LATINO TWO+ RACES	104	2.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ADULT RACEDOF

NOTES:

VARNAME: RACEHP_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION

VALUE:		FREQ	%
1	LATINO	1086	27.08
2	AIAN	54	1.35
3	ASIAN	289	7.21
4	AFRICAN AMERICAN	255	6.36
5	WHITE	2214	55.21
6	PI/OTHER SINGLE/MULTIPLE RACE	112	2.79

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ADULT RACEHPR

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRH_A QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: ADULT SELF-REPORTED LATINO/HISPANIC

VALUE:		FREQ	%
1	YES	1245	31.05
2	NO	2765	68.95

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRH OF ADULT

NOTES:

VARNAME: SRSEX_A QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: ADULT GENDER

VALUE:		FREQ	%
1	MALE	1464	36.51
2	FEMALE	2546	63.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRSEX OF ADULT

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: SRTENR QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED HOUSE TENURE

VALUE:		FREQ	%
1	RENT	2707	67.51
2	OWN	1235	30.80
3	OTHER ARRANGEMENT	68	1.70

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: INTVLANG QNAME03: NA QPAGENUM: NA
 QNAME01: INTVLANG QNAME01: INTVLANG

LABEL: LANGUAGE OF INTERVIEW

VALUE:		FREQ	%
1	ENGLISH	3723	92.84
2	SPANISH	261	6.51
3	CANTONESE	8	0.20
4	MANDARINE	5	0.12
5	KOREAN	6	0.15
6	VIETNAMESE	7	0.17

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ENGLSPAN

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section A: Demographic Health and Conditions, Part1

VARNAME: SRAGE_P QNAME03: QPAGENUM:

QNAME01:

LABEL: AGE (PUF RECODE)

MEAN STATISTICS

N	4010
MIN	12
MAX	17
MEAN	14.42

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TOPCODE OF SRAGE

NOTES:

VARNAME: SRSEX QNAME03: NA QPAGENUM: NA

QNAME01: SRSEX QNAME01: SRSEX

LABEL: GENDER

VALUE:		FREQ	%
1	MALE	2048	51.07
2	FEMALE	1962	48.93

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA4 QNAME03: QT03_5 QPAGENUM: T-2

QNAME01: TA4 QNAME01: TA4

LABEL: CURRENTLY ATTEND SCHOOL

VALUE:		FREQ	%
1	YES	3971	99.03
2	NO	39	0.97

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TA4A QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: VOLUNTEERED HE/SHE IS HOMESCHOOLED

VALUE:		FREQ	%
1	YES	143	3.57
2	NO	3867	96.43

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TA5 QNAME03: QT03_6 QPAGENUM: T-2

QNAME01: TA5 QNAME01: TA5

LABEL: WORKED FOR PAY IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	1811	45.16
2	NO	2199	54.84

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA5A QNAME03: QT03_7 QPAGENUM: T-2
QNAME01: TA5A QNAME01: TA5A

LABEL: # OF HRS SPENT WORKING FOR PAY IN TYPICAL WEEK DURING SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	2199	54.84
0	0	1709	42.62
95	WORKS FOR PAY INTERMITTENTLY	102	2.54

UNIVERSE: ADOLESCENTS WHO WORKED FOR PAY IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

Section B: General Health and Conditions

VARNAME: TB1 QNAME03: QT03_8 QPAGENUM: T-3
QNAME01: TB1 QNAME01: TB1

LABEL: GENERAL HEALTH CONDITION

VALUE:		FREQ	%
1	EXCELLENT	776	19.35
2	VERY GOOD	1651	41.17
3	GOOD	1231	30.70
4	FAIR	326	8.13
5	POOR	26	0.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB4 QNAME03: QT03_9 QPAGENUM: T-3
QNAME01: TB4_P QNAME01: TB4_P

LABEL: # OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM

MEAN STATISTICS

N 3971
MIN 0
MAX 20
MEAN 0.76

UNIVERSE: ADOLESCENTS WHO ARE CURRENTLY IN SCHOOL

INPUT VAR:

NOTES:

VARNAME: TB5 QNAME03: QT03_10 QPAGENUM: T-3
QNAME01: TB5 QNAME01: TB5

LABEL: DOCTOR EVER TOLD HAS ASTHMA

VALUE:		FREQ	%
1	YES	778	19.40
2	NO	3232	80.60

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB16 QNAME03: QT03_11 QPAGENUM: T-3
QNAME01: NA QNAME01: NA

LABEL: AGE FIRST TOLD ABOUT ASTHMA

MEAN STATISTICS

N	778
MIN	0
MAX	17
MEAN	7.43

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB17 QNAME03: QT03_12 QPAGENUM: T-3
QNAME01: NA QNAME01: NA

LABEL: STILL HAS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3232	80.60
1	YES	462	11.52
2	NO	316	7.88

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB18 QNAME03: QT03_13 QPAGENUM: T-3
QNAME01: NA QNAME01: NA

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	3232	80.60
1	YES	185	4.61
2	NO	593	14.79

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB7 QNAME03: QT03_14 QPAGENUM: T-4
QNAME01: TB7 QNAME01: TB7

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3534	88.13
1	NOT AT ALL	47	1.17
2	LESS THAN ONCE A MONTH	241	6.01
3	EVERY MONTH	112	2.79
4	EVERY WEEK	63	1.57
5	EVERY DAY	13	0.32

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA AND STILL HAVE ASTHMA AND HAD AN EPISODE IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TB6 QNAME03: QT03_16 QPAGENUM: T-4
 QNAME01: TB6 QNAME01: TB6

LABEL: CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3534	88.13
1	YES	174	4.34
2	NO	302	7.53

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA AND STILL HAVE ASTHMA AND HAD AN EPISODE IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

 VARNAME: TB20 QNAME03: QT03_17 QPAGENUM: T-4
 QNAME01: NA QNAME01: NA

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	3232	80.60
1	YES	226	5.64
2	NO	552	13.77

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB21 QNAME03: QT03_18 QPAGENUM: T-4
QNAME01: NA QNAME01: NA

LABEL: WHEEZING OR WHISTLING IN CHEST IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	778	19.40
1	YES	297	7.41
2	NO	2935	73.19

UNIVERSE: ADOLESCENT WHO HAVE NOT BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB22 QNAME03: QT03_19 QPAGENUM: T-4
QNAME01: NA QNAME01: NA

LABEL: # OF TIMES MEDICAL HELP SOUGHT FOR BREATHING PROB,PAST 12 MOS

MEAN STATISTICS	
N	297
MIN	0
MAX	7
MEAN	0.64

UNIVERSE: ADOLESCENTS WHO HAD WHEEZING OR WHISTLING SOUND IN CHEST IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB10 QNAME03: QT03_20 QPAGENUM: T-4
 QNAME01: TB10 QNAME01: TB10

LABEL: DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES

VALUE:		FREQ	%
1	YES	30	0.75
2	NO	3980	99.25

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TB23 QNAME03: QT03_21 QPAGENUM: T-4
 QNAME01: NA QNAME01: NA

LABEL: NEED EQUIPMENT/HELP WITH DAILY ACTIVITIES B/C HEALTH PROBLEM

VALUE:		FREQ	%
1	YES	14	0.35
2	NO	3996	99.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section C: Health Behaviors

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC1 QNAME03: QT03_22 QPAGENUM: T-5
QNAME01: TC1 QNAME01: TC1

LABEL: INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	572	14.26
2	NO	3438	85.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC2 QNAME03: QT03_23 QPAGENUM: T-5
QNAME01: TC2 QNAME01: TC2

LABEL: # OF TIMES INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS

MEAN STATISTICS	
N	572
MIN	1
MAX	10
MEAN	1.42

UNIVERSE: ADOLESCENTS INJURED SERIOUSLY ENOUGH TO GET MEDICAL ADVICE OR TREATMENT FROM A DOCTOR IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INJCA QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: CAUSE OF INJURY

VALUE:		FREQ	%
-1	SKIPPED	3438	85.74
1	VEHICLE-RELATED	39	0.97
2	BICYCLE-RELATED	25	0.62
3	ACCIDENTAL FALL	76	1.90
4	SPORTS-RELATED	263	6.56
5	OTHER	169	4.21

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC3

NOTES:

VARNAME: HELMUSE QNAME03: NA QPAGENUM: NA

QNAME01: HELMUSE QNAME01: HELMUSE

LABEL: WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS

VALUE:		FREQ	%
-1	SKIPPED	606	15.11
1	ALWAYS/USUALLY	1887	47.06
2	SOMETIMES/NEVER	1517	37.83

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC6

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SEATBLT QNAME03: NA QPAGENUM: NA
QNAME01: SEATBLT QNAME01: SEATBLT

LABEL: HOW OFTEN USE SEATBELT WHEN RIDING IN CAR

VALUE:		FREQ	%
0	DOES NOT RIDE IN/DRIVE CAR	1	0.02
1	ALWAYS/USUALLY	3824	95.36
2	SOMETIMES/NEVER	185	4.61

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC6A

NOTES:

VARNAME: TC7 QNAME03: QT03_27 QPAGENUM: T-6
QNAME01: TC7 QNAME01: TC7

LABEL: EVER RIDDEN IN VEHICLE W/ DRIVER WHO HAS BEEN DRINKING ALCOHOL

VALUE:		FREQ	%
1	YES	793	19.78
2	NO	3217	80.22

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC42 QNAME03: QT03_28 QPAGENUM: T-6

QNAME01: NA QNAME01: NA

LABEL: PARK/PLAYGROUND WALKING DISTANCE FROM HOME

VALUE:		FREQ	%
1	YES	3216	80.20
2	NO	794	19.80

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC25 QNAME03: QT03_29 QPAGENUM: T-6

QNAME01: NA QNAME01: NA

LABEL: CLOSEST PARK OR PLAYGROUND SAFE DURING THE DAY

VALUE:		FREQ	%
-1	INAPPLICABLE	794	19.80
1	STRONGLY AGREE	1038	25.89
2	AGREE	1940	48.38
3	DISAGREE	218	5.44
4	STRONGLY DISAGREE	20	0.50

UNIVERSE: ADOLESCENTS WITH A PARK, PLAYGROUND, OR OPEN SPACE WITHIN WALKING DISTANCE OF HOME

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC26 QNAME03: QT03_30 QPAGENUM: T-6
QNAME01: NA QNAME01: NA

LABEL: CLOSEST PARK OR PLAYGROUND SAFE AT NIGHT

VALUE:		FREQ	%
-1	INAPPLICABLE	794	19.80
1	STRONGLY AGREE	362	9.03
2	AGREE	1574	39.25
3	DISAGREE	1051	26.21
4	STRONGLY DISAGREE	229	5.71

UNIVERSE: ADOLESCENTS WITH A PARK, PLAYGROUND, OR OPEN SPACE WITHIN WALKING DISTANCE OF HOME

INPUT VAR:

NOTES:

VARNAME: TC27 QNAME03: QT03_31 QPAGENUM: T-6
QNAME01: NA QNAME01: NA

LABEL: LIKELIHOOD NEIGHBORS WOULD DO SOMETHING ABOUT KID'S GRAFFITI

VALUE:		FREQ	%
1	VERY LIKELY	1497	37.33
2	LIKELY	1425	35.54
3	UNLIKELY	597	14.89
4	VERY UNLIKELY	491	12.24

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TE4 QNAME03: QT03_32 QPAGENUM: T-6

QNAME01: TE4 QNAME01: TE4

LABEL: # OF SERVINGS OF FRUIT ATE YESTERDAY

MEAN STATISTICS

N	4010
MIN	0
MAX	20
MEAN	1.63

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TE6 QNAME03: QT03_33 QPAGENUM: T-6

QNAME01: TE6 QNAME01: TE6

LABEL: # OF SERVINGS OF VEGETABLES ATE YESTERDAY

MEAN STATISTICS

N	4010
MIN	0
MAX	11
MEAN	1.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FV5DAY QNAME03: NA QPAGENUM: NA
 QNAME01: FIVEDAY QNAME01: FIVEDAY

LABEL: 5+ FRUIT/VEGS. A DAY

VALUE:		FREQ	%
1	FIVE-A-DAY	1030	25.69
2	NONE OR LESS THAN FIVE-A-DAY	2980	74.31

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE4 TE6

NOTES:

VARNAME: TC28 QNAME03: QT03_34 QPAGENUM: T-7
 QNAME01: NA QNAME01: NA

LABEL: # OF SODA OR OTHER SWEETENED DRINKS DRANK Yesterday

MEAN STATISTICS	
N	4010
MIN	0
MAX	20
MEAN	1.33

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC29 QNAME03: QT03_35 QPAGENUM: T-7
QNAME01: NA QNAME01: NA

LABEL: SCHOOL HAS SODAS IN VENDING MACHINES

VALUE:		FREQ	%
1	YES	3057	76.23
2	NO	953	23.77

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC30 QNAME03: QT03_36 QPAGENUM: T-7
QNAME01: NA QNAME01: NA

LABEL: # OF TIMES ATE FAST FOOD Yesterday

MEAN STATISTICS	
N	4010
MIN	0
MAX	10
MEAN	0.60

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE8 QNAME03: QT03_37 QPAGENUM: T-7
QNAME01: TE8 QNAME01: TE8

LABEL: # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

VALUE:		FREQ	%
1	YES	3432	85.59
2	NO	578	14.41

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE8A QNAME03: QT03_38 QPAGENUM: T-7
QNAME01: TE8A QNAME01: TE8A

LABEL: # OF DAYS EXERCISED FOR AT LEAST 20 MINUTES PAST 7 DAYS

MEAN STATISTICS

N	3432
MIN	1
MAX	7
MEAN	4.32

UNIVERSE: ADOLESCENTS WHO DID SOME PHYSICAL ACTIVITY FOR AT LEAST 20 MINUTES THAT MADE THEM SWEAT AND BREATH BARD IN THE PAST 7 DAYS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: VIGOR QNAME03: NA QPAGENUM: NA
QNAME01: VIGOR QNAME01: VIGOR

LABEL: VIGOROUS ACTIVITY 3+ DAYS LAST WEEK

VALUE:		FREQ	%
1	YES	2740	68.33
2	NO	1270	31.67

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE8 TE8A

NOTES:

VARNAME: TE9 QNAME03: QT03_39 QPAGENUM: T-7
QNAME01: TE9 QNAME01: TE9

LABEL: EXERCISED FOR AT LEAST 30 MINUTES IN PAST 7 DAYS

VALUE:		FREQ	%
1	YES	2179	54.34
2	NO	1831	45.66

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TE9A QNAME03: QT03_40 QPAGENUM: T-7
 QNAME01: TE9A QNAME01: TE9A

LABEL: # OF DAYS EXERCISED FOR AT LEAST 30 MINUTES PAST 7 DAYS

MEAN STATISTICS
 N 2179
 MIN 0
 MAX 7
 MEAN 3.58

UNIVERSE: ADOLESCENTS WHO DID SOME PHYSICAL ACTIVITY FOR AT LEAST 30 MINUTES
 THAT DID NOT MAKE THEM SWEAT OR BREATH HARD IN THE PAST 7 DAYS

INPUT VAR:

NOTES:

 VARNAME: MODACT QNAME03: NA QPAGENUM: NA
 QNAME01: TEMODACT QNAME01: TEMODACT

LABEL: MODERATE ACTIVITY

VALUE:		FREQ	%
1	5 DAYS AND MORE	739	18.43
2	LESS THAN 5 DAYS	3271	81.57

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE9 TE9A

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE10A QNAME03: QT03_42 QPAGENUM: T-8
QNAME01: TE10A QNAME01: TE10A

LABEL: # OF DAYS EXERCISED TO STRENGTHEN MUSCLES IN PAST 7 DAYS

MEAN STATISTICS

N	2856
MIN	1
MAX	7
MEAN	3.68

UNIVERSE: ADOLESCENTS WHO DID SOME MUSCLE STRENGTHENING OR TONING EXERCISES
IN THE PAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: TESTRNG QNAME03: NA QPAGENUM: NA
QNAME01: TESTRNG QNAME01: TESTRNG

LABEL: MUSCLE-STRENGTHENING ACTIVITY

VALUE:		FREQ	%
1	YES	1959	48.85
2	NO	2051	51.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE10 TE10A

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC31 QNAME03: QT03_43 QPAGENUM: T-8

QNAME01: NA QNAME01: NA

LABEL: SCHOOL OFFERS PHYSICAL EDUCATION (PE) DURING SCHOOL DAY

VALUE:		FREQ	%
-1	INAPPLICABLE	180	4.49
1	YES	3752	93.57
2	NO	78	1.95

UNIVERSE: ADOLESCENTS WHO ARE CURRENTLY IN SCHOOL

INPUT VAR:

NOTES:

VARNAME: TC32 QNAME03: QT03_44 QPAGENUM: T-8

QNAME01: NA QNAME01: NA

LABEL: REQUIRED TO TAKE PE

VALUE:		FREQ	%
-1	INAPPLICABLE	258	6.43
1	YES	3240	80.80
2	NO	512	12.77

UNIVERSE: ADOLESCENTS WHO ARE CURRENTLY IN SCHOOL

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: WGHTK_P QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: WGHT - KILOGRAMS (PUF RECODE)

	MEAN STATISTICS	
	N	4010
	MIN	27
	MAX	127
	MEAN	60.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TOP CODE OF WGHTK

NOTES:

VARNAME: WGHTP_P QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: WGHT - POUNDS (PUF RECODE)

	MEAN STATISTICS	
	N	4010
	MIN	59
	MAX	280
	MEAN	132.41

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TOP CODE OF WGHTP

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	4010
MIN	11
MAX	53
MEAN	22.01

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES:

VARNAME: BMITN QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: AGE AND GENDER SPECIFIC BMI PERCENTILE (CONTINUOUS)

MEAN STATISTICS

N	4010
MIN	0
MAX	100
MEAN	61.23

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BMIPCT

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RBMI QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: AGE AND GENDER SPECIFIC BMI PERCENTILE (4 LEVELS)

VALUE:		FREQ	%
1	UNDERWEIGHT: BMI-FOR-AGE < 5TH PERCENTIL	142	3.54
2	NORMAL: BMI-FOR-AGE 5TH TO < 85TH PERCEN	2741	68.35
3	AT RISK OF OVERWEIGHT: BMI-FOR-AGE 85TH	643	16.03
4	OVERWEIGHT: BMI-FOR-AGE >= 95TH PERCENTI	484	12.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BMITN

NOTES:

VARNAME: OVRWT QNAME03: NA QPAGENUM: NA
QNAME01: RBMI2 QNAME01: RBMI2

LABEL: OVERWEIGHT OR OBESE

VALUE:		FREQ	%
1	YES	484	12.07
2	NO	3526	87.93

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC33 QNAME03: QT03_47 QPAGENUM: T-9
QNAME01: NA QNAME01: NA

LABEL: PERCEPTION OF WGHT RELATIVE TO IDEAL WGHT

VALUE:		FREQ	%
1	VERY UNDERWEIGHT	36	0.90
2	SLIGHTLY UNDERWEIGHT	561	13.99
3	ABOUT THE RIGHT WEIGHT	2287	57.03
4	SLIGHTLY OVERWEIGHT	999	24.91
5	VERY OVERWEIGHT	127	3.17

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC34 QNAME03: QT03_48 QPAGENUM: T-9
QNAME01: NA QNAME01: NA

LABEL: CURRENTLY TRYING TO DO ANYTHING ABOUT WGHT

VALUE:		FREQ	%
1	LOSE WEIGHT	1230	30.67
2	STAY THE SAME WEIGHT	1018	25.39
3	GAIN WEIGHT	389	9.70
4	NOT DO ANYTHING	1373	34.24

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC35 QNAME03: QT03_49 QPAGENUM: T-9
QNAME01: NA QNAME01: NA

LABEL: DIETED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	1762	43.94
1	YES	508	12.67
2	NO	1740	43.39

UNIVERSE: ADOLESCENTS CURRENTLY TRYING TO LOSE WEIGHT OR STAY THE SAME WEIGHT

INPUT VAR:

NOTES:

VARNAME: TC36 QNAME03: QT03_50 QPAGENUM: T-9
QNAME01: NA QNAME01: NA

LABEL: EXERCISED TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	1762	43.94
1	YES	1656	41.30
2	NO	592	14.76

UNIVERSE: ADOLESCENTS CURRENTLY TRYING TO LOSE WEIGHT OR STAY THE SAME WEIGHT

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TC37 QNAME03: QT03_51 QPAGENUM: T-9
 QNAME01: NA QNAME01: NA

LABEL: DID ANYTHING ELSE TO LOSE OR MAINTAIN WGHT IN PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	1762	43.94
1	YES	360	8.98
2	NO	1888	47.08

UNIVERSE: ADOLESCENTS CURRENTLY TRYING TO LOSE WEIGHT OR STAY THE SAME WEIGHT

INPUT VAR:

NOTES:

 VARNAME: TC38 QNAME03: QT03_53 QPAGENUM: T-10
 QNAME01: NA QNAME01: NA

LABEL: EVER SMOKED CIGARETTES

VALUE:		FREQ	%
1	YES	762	19.00
2	NO	3248	81.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE18 QNAME03: QT03_54 QPAGENUM: T-10

QNAME01: TE18 QNAME01: TE18

LABEL: AGE WHEN SMOKED FIRST CIGARETTE

MEAN STATISTICS

N	762
MIN	3
MAX	17
MEAN	13.08

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

VARNAME: TE17 QNAME03: QT03_55 QPAGENUM: T-10

QNAME01: TE17 QNAME01: TE17

LABEL: EVER SMOKED CIGARETTES REGULARLY, AT LEAST 1 EVERYDAY/30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	3248	81.00
1	YES	136	3.39
2	NO	626	15.61

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE19 QNAME03: QT03_56 QPAGENUM: T-10
QNAME01: TE19 QNAME01: TE19

LABEL: # OF CIGARETTES SMOKED IN PAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	3248	81.00
0	NONE	522	13.02
1	1 OR 2 DAYS	104	2.59
2	3-5 DAYS	33	0.82
3	6-9 DAYS	13	0.32
4	10-19 DAYS	14	0.35
5	20-29 DAYS	20	0.50
6	30 DAYS	56	1.40

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

VARNAME: SMKCUR QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	SMOKER	240	5.99
2	NON-SMOKER	3770	94.01

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC38 TE19

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TE20 QNAME03: QT03_57 QPAGENUM: T-10
 QNAME01: TE20 QNAME01: TE20

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS

MEAN STATISTICS

N	240
MIN	1
MAX	30
MEAN	3.27

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

 VARNAME: TE22 QNAME03: QT03_58 QPAGENUM: T-10
 QNAME01: TE22 QNAME01: TE22

LABEL: EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK

VALUE:		FREQ	%
1	YES	1510	37.66
2	NO	2500	62.34

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section D: Emotional Functioning

VARNAME: TD6 QNAME03: QT03_69 QPAGENUM: T-13
QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN ENJOYED LIFE IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	58	1.45
2	SOMETIMES	673	16.78
3	A LOT OF THE TIME	1038	25.89
4	MOST OF THE TIME	2241	55.89

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD7 QNAME03: QT03_70 QPAGENUM: T-13
QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN COULD NOT SHAKE FEELING SAD/UNHAPPY IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	2092	52.17
2	SOMETIMES	1364	34.01
3	A LOT OF THE TIME	219	5.46
4	MOST OF THE TIME	335	8.35

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD8 QNAME03: QT03_71 QPAGENUM: T-13
QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN FELT DEPRESSED IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	2365	58.98
2	SOMETIMES	1364	34.01
3	A LOT OF THE TIME	112	2.79
4	MOST OF THE TIME	169	4.21

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD9 QNAME03: QT03_72 QPAGENUM: T-13
QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN FELT HAPPY IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	50	1.25
2	SOMETIMES	630	15.71
3	A LOT OF THE TIME	929	23.17
4	MOST OF THE TIME	2401	59.88

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD10 QNAME03: QT03_73 QPAGENUM: T-13

QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN FELT LONELY IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	2580	64.34
2	SOMETIMES	1173	29.25
3	A LOT OF THE TIME	119	2.97
4	MOST OF THE TIME	138	3.44

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD11 QNAME03: QT03_74 QPAGENUM: T-13

QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN FELT LIFE WAS A FAILURE IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	3412	85.09
2	SOMETIMES	448	11.17
3	A LOT OF THE TIME	60	1.50
4	MOST OF THE TIME	90	2.24

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD12 QNAME03: QT03_75 QPAGENUM: T-14
QNAME01: NA QNAME01: NA

LABEL: HOW OFTEN FELT SAD IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	1455	36.28
2	SOMETIMES	2307	57.53
3	A LOT OF THE TIME	109	2.72
4	MOST OF THE TIME	139	3.47

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD13 QNAME03: QT03_76 QPAGENUM: T-14
QNAME01: NA QNAME01: NA

LABEL: HOW OFT DID NOT WANT TO DO USUAL ACTIVITIES IN PAST 7 DAYS

VALUE:		FREQ	%
1	NONE OF THE TIME	2235	55.74
2	SOMETIMES	1456	36.31
3	A LOT OF THE TIME	123	3.07
4	MOST OF THE TIME	196	4.89

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section E: Sexual Behaviors

VARNAME: TE45 QNAME03: QT03_87 QPAGENUM: T-16
QNAME01: NA QNAME01: NA

LABEL: HEARD OF RU486

VALUE:		FREQ	%
-1	INAPPLICABLE	2763	68.90
1	YES	618	15.41
2	NO	629	15.69

UNIVERSE: ADOLESCENT FEMALES WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX

INPUT VAR:

NOTES:

VARNAME: TE46 QNAME03: QT03_88 QPAGENUM: T-16
QNAME01: NA QNAME01: NA

LABEL: HEARD OF EMERGENCY CONTRACEPTION PILL

VALUE:		FREQ	%
-1	INAPPLICABLE	2763	68.90
1	YES	814	20.30
2	NO	433	10.80

UNIVERSE: ADOLESCENT FEMALES WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE47 QNAME03: QT03_89 QPAGENUM: T-17

QNAME01: NA QNAME01: NA

LABEL: CAN GET EMERGENCY CONTRACEPTION PILL AT PHARMACY W/O RX

VALUE:		FREQ	%
-1	INAPPLICABLE	3196	79.70
1	TRUE	291	7.26
2	FALSE	398	9.93
4	DK OR NOT ASCERTAINED	125	3.12

UNIVERSE: ADOLESCENT FEMALES WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX AND HEARD OF EMERGENCY CONTRACEPTION PILL

INPUT VAR:

NOTES:

Section F: Access and Utilization

VARNAME: TF1 QNAME03: QT03_91 QPAGENUM: T-18

QNAME01: TF1 QNAME01: TF1

LABEL: HAS USUAL SOURCE OF HEALTH CARE

VALUE:		FREQ	%
1	YES	2680	66.83
2	NO	805	20.07
3	DOCTOR / MY DOCTOR	452	11.27
4	KAISER	68	1.70
5	MORE THAN ONE PLACE	5	0.12

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME03: NA QPAGENUM: NA
QNAME01: USESRC QNAME01: USESRC

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:		FREQ	%
1	YES	3205	79.93
2	NO	805	20.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1

NOTES:

VARNAME: USUAL5TP QNAME03: NA QPAGENUM: NA
QNAME01: USUAL5TP QNAME01: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	2281	56.88
2	COMMUN/GOV CLIN, COMMUN HOSP	798	19.90
3	EMERGENCY ROOM/URGENT CARE	67	1.67
4	OTHER PLACE/NO ONE PLACE	59	1.47
5	NO USUAL SOURCE OF CARE	805	20.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1 TF2

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USOC QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		3138	78.25
2	NO		872	21.75

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF3 QNAME03: QT03_93 QPAGENUM: T-18
QNAME01: TF3 QNAME01: TF3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		798	19.90
2	NO		3212	80.10

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: ACMDNUM QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0		690	17.21
1	1		1109	27.66
2	2		938	23.39
3	3		501	12.49
4	4		259	6.46
5	5		164	4.09
6	6		107	2.67
7	7-8 TIMES		64	1.60
8	9-12 TIMES		108	2.69
9	13-24 TIMES		52	1.30
10	25+ TIMES		18	0.45

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

 VARNAME: DOCT_YR QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

VALUE:			FREQ	%
1	YES		3320	82.79
2	NO		690	17.21

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF5 QNAME03: QT03_95 QPAGENUM: T-18
QNAME01: TF5 QNAME01: TF5

LABEL: LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-FUP

VALUE:		FREQ	%
0	HAVE NEVER HAD A PHYSICAL	62	1.55
1	LESS THAN 3 MONTHS AGO	1192	29.73
2	FROM 3 TO 6 MONTHS AGO	1000	24.94
3	FROM 6 TO 12 MONTHS AGO	849	21.17
4	FROM 12 MONTHS TO 2 YEARS AGO	634	15.81
5	2 OR MORE YEARS AGO	273	6.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF17 QNAME03: QT03_96 QPAGENUM: T-19
QNAME01: NA QNAME01: NA

LABEL: DOCTOR VISIT WAS AT KAISER

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	879	21.92
2	NO	2796	69.73

UNIVERSE: ADOLESCENTS WHO HAVE NOT SEEN A MEDICAL DOCTOR IN THE PAST 12 MONTHS BUT SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF18 QNAME03: QT03_97 QPAGENUM: T-19

QNAME01: NA QNAME01: NA

LABEL: CLEARLY UNDERSTOOD DOCTOR'S INSTRUCTIONS LAST TIME

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	3545	88.40
2	NO	130	3.24

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

VARNAME: TF19 QNAME03: QT03_98 QPAGENUM: T-19

QNAME01: NA QNAME01: NA

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:		FREQ	%
-1	INAPPLICABLE	3880	96.76
1	YES	27	0.67
2	NO	103	2.57

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO AND COULD NOT UNDERSTAND DOCTOR CLEARLY

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF20 QNAME03: QT03_99 QPAGENUM: T-19
QNAME01: NA QNAME01: NA

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	3880	96.76
1	YES	63	1.57
2	NO	67	1.67

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO AND COULD NOT UNDERSTAND DOCTOR CLEARLY

INPUT VAR:

NOTES:

VARNAME: TF21 QNAME03: QT03_100 QPAGENUM: T-19
QNAME01: NA QNAME01: NA

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	3947	98.43
1	BROTHER / SISTER / COUSIN (UNDER AGE 18)	2	0.05
2	PARENT OR OTHER ADULT FAMILY MEMBER	47	1.17
4	MEDICAL STAFF INCLUDING NURSES / DOCTORS	12	0.30
6	OTHER (PATIENT, SOMEONE ELSE)	1	0.02
7	DID NOT HAVE SOMEONE HELP	1	0.02

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO AND COULD NOT UNDERSTAND DOCTOR CLEARLY AND NEEDED SOMEONE ELSE TO HELP UNDERSTAND

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TF8 QNAME03: QT03_101 QPAGENUM: T-19
 QNAME01: TF8 QNAME01: TF8

LABEL: TALKED WITH DOCTOR ABOUT SMOKING AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	1063	26.51
2	NO	2612	65.14

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN
2 YEARS AGO

INPUT VAR:

NOTES:

 VARNAME: TF8A QNAME03: QT03_102 QPAGENUM: T-19
 QNAME01: TF8A QNAME01: TF8A

LABEL: TALKED WITH DOCTOR ABOUT ALCOHOL USE AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	994	24.79
2	NO	2681	66.86

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN
2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF8B QNAME03: QT03_103 QPAGENUM: T-19
QNAME01: TF8B QNAME01: TF8B

LABEL: TALKED WITH DOCTOR ABOUT DRUG USE AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	714	17.81
1	YES	1004	25.04
2	NO	2292	57.16

UNIVERSE: ADOLESCENTS WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX AND SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

VARNAME: TF8C QNAME03: QT03_104 QPAGENUM: T-20
QNAME01: TF8C QNAME01: TF8C

LABEL: TALKED WITH DOCTOR ABOUT SEATBELT USE AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	642	16.01
2	NO	3033	75.64

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TF8D QNAME03: QT03_105 QPAGENUM: T-20
 QNAME01: TF8D QNAME01: TF8D

LABEL: TALKED WITH DOCTOR ABOUT HELMET USE AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	677	16.88
2	NO	2998	74.76

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

 VARNAME: TF8E QNAME03: QT03_106 QPAGENUM: T-20
 QNAME01: TF8E QNAME01: TF8E

LABEL: TALKED WITH DOCTOR ABOUT STD'S AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	714	17.81
1	YES	1014	25.29
2	NO	2282	56.91

UNIVERSE: ADOLESCENTS WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX AND SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF8F QNAME03: QT03_107 QPAGENUM: T-20

QNAME01: TF8F QNAME01: TF8F

LABEL: TALKED W/ DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	1130	28.18
2	NO	2545	63.47

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

VARNAME: TF8G QNAME03: QT03_108 QPAGENUM: T-20

QNAME01: TF8G QNAME01: TF8G

LABEL: TALKED WITH DOCTOR ABOUT VIOLENCE AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	537	13.39
2	NO	3138	78.25

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF8H QNAME03: QT03_109 QPAGENUM: T-20

QNAME01: NA QNAME01: NA

LABEL: TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	2759	68.80
2	NO	916	22.84

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

VARNAME: TF8I QNAME03: QT03_110 QPAGENUM: T-20

QNAME01: NA QNAME01: NA

LABEL: TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	335	8.35
1	YES	2713	67.66
2	NO	962	23.99

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN 2 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF9 QNAME03: QT03_111 QPAGENUM: T-20

QNAME01: TF9 QNAME01: TF9

LABEL: DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	381	9.50
2	NO	3629	90.50

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF22 QNAME03: QT03_112 QPAGENUM: T-20

QNAME01: NA QNAME01: NA

LABEL: COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	3629	90.50
1	YES	83	2.07
2	NO	298	7.43

UNIVERSE: ADOLESCENTS WHO DELAYED OR NOT GET THE MEDICAL CARE THEY FELT THEY NEEDED

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TF11 QNAME03: QT03_113 QPAGENUM: T-21
 QNAME01: TF11 QNAME01: TF11

LABEL: RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	425	10.60
2	NO	3585	89.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TF23 QNAME03: QT03_114 QPAGENUM: T-21
 QNAME01: NA QNAME01: NA

LABEL: HOW SURE CAN MAKE HEALTH CARE APPOINTMENT W/O FAMILY KNOWING

VALUE:		FREQ	%
-1	INAPPLICABLE	1418	35.36
1	NOT AT ALL SURE	987	24.61
2	SOMEWHAT SURE	1039	25.91
3	VERY SURE	566	14.11

UNIVERSE: ADOLESCENTS OLDER THAN 13

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TF12 QNAME03: QT03_115 QPAGENUM: T-21
 QNAME01: TF12 QNAME01: TF12

LABEL: HOW SURE ABOUT CONTACTING DOCTOR ON OWN FOR HEALTH/SAFETY Q'S

VALUE:		FREQ	%
-1	INAPPLICABLE	1418	35.36
1	NOT AT ALL SURE	370	9.23
2	SOMEWHAT SURE	1043	26.01
3	VERY SURE	1179	29.40

UNIVERSE: ADOLESCENTS OLDER THAN 13

INPUT VAR:

NOTES:

 VARNAME: TF24 QNAME03: QT03_116 QPAGENUM: T-21
 QNAME01: NA QNAME01: NA

LABEL: HOW SURE CAN TALK TO DOCTOR ABOUT SEX

VALUE:		FREQ	%
-1	INAPPLICABLE	1466	36.56
1	NOT AT ALL SURE	775	19.33
2	SOMEWHAT SURE	938	23.39
3	VERY SURE	831	20.72

UNIVERSE: ADOLESCENTS OLDER THAN 13 WITH PARENT/GUARDIAN PERMISSION TO ASK ABOUT SEX

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF13 QNAME03: QT03_117 QPAGENUM: T-21
QNAME01: TF13 QNAME01: TF13

LABEL: KNOW A PLACE YOUNG PEOPLE CAN SEE DOCTOR W/O PARENTS KNOWLEDGE

VALUE:		FREQ	%
-1	INAPPLICABLE	1418	35.36
1	YES	1094	27.28
2	NO	1498	37.36

UNIVERSE: ADOLESCENTS OLDER THAN 13

INPUT VAR:

NOTES:

VARNAME: TF14 QNAME03: QT03_118 QPAGENUM: T-21
QNAME01: TF14 QNAME01: TF14

LABEL: HOW LONG SINCE LAST VISITED DENTIST OR DENTAL CLINIC

VALUE:		FREQ	%
0	HAVE NEVER VISITED	29	0.72
1	LESS THAN 6 MONTHS AGO	2810	70.07
2	FROM 6 MONTHS TO 1 YEAR AGO	734	18.30
3	FROM 1 TO 2 YEARS AGO	269	6.71
4	FROM 2 TO 5 YEARS AGO	122	3.04
5	5 OR MORE YEARS AGO	46	1.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: DNVST QNAME03: NA QPAGENUM: NA
QNAME01: VISIDENT QNAME01: VISIDENT

LABEL: HAD DENTAL VISIT PAST 12 MOS

VALUE:		FREQ	%
1	YES	3544	88.38
2	NO	466	11.62

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF14

NOTES:

VARNAME: TF25 QNAME03: QT03_119 QPAGENUM: T-22
QNAME01: NA QNAME01: NA

LABEL: HAS USUAL DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	75	1.87
1	YES	3377	84.21
2	NO	558	13.92

UNIVERSE: ADOLESCENTS WHO VISITED A DENTIST LESS THAN 5 YEARS AGO

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF26 QNAME03: QT03_120 QPAGENUM: T-22

QNAME01: NA QNAME01: NA

LABEL: FAMILY COULDN'T AFFORD NEEDED DENTAL CARE FOR TEEN,PAST 12 MOS

VALUE:		FREQ	%
1	YES	256	6.38
2	NO	3754	93.62

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF27 QNAME03: QT03_121 QPAGENUM: T-22

QNAME01: NA QNAME01: NA

LABEL: NEEDED CHECK-UP OR HAD DENTAL PROBLEM

VALUE:		FREQ	%
-1	INAPPLICABLE	3754	93.62
1	CHECK-UP	95	2.37
2	PROBLEM	146	3.64
3	BOTH	15	0.37

UNIVERSE: ADOLESCENTS WHO NEEDED DENTAL CARE IN THE PAST 12 MONTHS BUT FAMILY COULD NOT AFFORD IT

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF28 QNAME03: QT03_122 QPAGENUM: T-22

QNAME01: NA QNAME01: NA

LABEL: MISSED SCHOOL BECAUSE OF DENTAL PROBLEM IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	345	8.60
2	NO	3665	91.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF29 QNAME03: QT03_123 QPAGENUM: T-22

QNAME01: NA QNAME01: NA

LABEL: # OF SCHOOL DAYS MISSED FOR DENTAL PROBLEM

MEAN STATISTICS	
N	345
MIN	0
MAX	15
MEAN	1.59

UNIVERSE: ADOLESCENTS WHO MISSED SCHOOL DUE TO A DENTAL PROBLEM

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section G: Interpersonal Violence

VARNAME: TG1 QNAME03: QT03_124 QPAGENUM: T-23
QNAME01: TG1 QNAME01: TG1

LABEL: # OF TIMES IN PAST 12 MOS SOMEONE SAME AGE THREATENED YOU

MEAN STATISTICS	
N	4010
MIN	0
MAX	365
MEAN	1.26

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG3 QNAME03: QT03_126 QPAGENUM: T-23
QNAME01: TG3 QNAME01: TG3

LABEL: # OF TIMES IN PAST 12 MOS IN PHYSICAL FIGHT WITH SOMEONE

MEAN STATISTICS	
N	4010
MIN	0
MAX	300
MEAN	0.50

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: FIGHT QNAME03: NA QPAGENUM: NA
 QNAME01: FIGHT QNAME01: FIGHT

LABEL: PHYSICAL FIGHTS PAST 12 MOS

VALUE:	1	YES	FREQ	%
	2	NO	711	17.73
			3299	82.27

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TG3

NOTES:

 VARNAME: TG9 QNAME03: QT03_128 QPAGENUM: T-23
 QNAME01: NA QNAME01: NA

LABEL: # OF TIMES IN PHYSICAL FIGHT OTHERS STARTED IN PAST 12 MOS

	MEAN STATISTICS	
N		711
MIN		0
MAX		45
MEAN		1.65

UNIVERSE: ADOLESCENTS WHO WERE IN A PHYSICAL FIGHT WITH PEOPLE AROUND THE
SAME AGE IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH5 QNAME03: QT03_134 QPAGENUM: T-25

QNAME01: TH5 QNAME01: TH5

LABEL: FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS

VALUE:		FREQ	%
1	ALWAYS	1703	42.47
2	MOST OF THE TIME	1604	40.00
3	SOME OF THE TIME	517	12.89
4	ALMOST NEVER	134	3.34
5	NEVER	52	1.30

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH6A QNAME03: QT03_135 QPAGENUM: T-25

QNAME01: TH6A QNAME01: TH6A

LABEL: HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT

VALUE:		FREQ	%
1	KNOW A LOT	3332	83.09
2	KNOW A LITTLE	467	11.65
3	KNOW NOTHING	67	1.67
4	NEVER GOES OUT AT NIGHT	144	3.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TH6B QNAME03: QT03_136 QPAGENUM: T-25
 QNAME01: TH6B QNAME01: TH6B

LABEL: HOW MUCH PARENT/GUARDIAN REALLY KNOW WHAT YOU DO W/ FREE TIME

VALUE:		FREQ	%
1	KNOW A LOT	2967	73.99
2	KNOW A LITTLE	932	23.24
3	KNOW NOTHING	111	2.77

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TH6C QNAME03: QT03_137 QPAGENUM: T-26
 QNAME01: TH6C QNAME01: TH6C

LABEL: HOW MUCH PARENT/GUARDIAN KNOWS WHERE YOU ARE MOST AFTERNOONS

VALUE:		FREQ	%
1	KNOW A LOT	3486	86.93
2	KNOW A LITTLE	469	11.70
3	KNOW NOTHING	55	1.37

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH8 QNAME03: QT03_138 QPAGENUM: T-26

QNAME01: NA QNAME01: NA

LABEL: AT SCHOOL SOME ADULT CARES ABOUT ME

VALUE:		FREQ	%
1	NOT AT ALL TRUE	275	6.86
2	A LITTLE TRUE	845	21.07
3	PRETTY MUCH TRUE	1255	31.30
4	VERY MUCH TRUE	1635	40.77

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH9 QNAME03: QT03_139 QPAGENUM: T-26

QNAME01: NA QNAME01: NA

LABEL: AT SCHOOL SOME ADULT NOTICES WHEN I'M GONE

VALUE:		FREQ	%
1	NOT AT ALL TRUE	275	6.86
2	A LITTLE TRUE	627	15.64
3	PRETTY MUCH TRUE	1170	29.18
4	VERY MUCH TRUE	1938	48.33

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TH10 QNAME03: QT03_140 QPAGENUM: T-26
 QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT SCHOOL WHO LISTENS TO YOU

VALUE:		FREQ	%
1	NOT AT ALL TRUE	147	3.67
2	A LITTLE TRUE	470	11.72
3	PRETTY MUCH TRUE	1185	29.55
4	VERY MUCH TRUE	2208	55.06

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TH11 QNAME03: QT03_141 QPAGENUM: T-26
 QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT SCHOOL WHO PRAISES YOUR GOOD WORK

VALUE:		FREQ	%
1	NOT AT ALL TRUE	96	2.39
2	A LITTLE TRUE	435	10.85
3	PRETTY MUCH TRUE	1226	30.57
4	VERY MUCH TRUE	2253	56.18

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH12 QNAME03: QT03_142 QPAGENUM: T-26

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT SCHOOL WHO WANTS YOU TO DO YOUR BEST

VALUE:		FREQ	%
1	NOT AT ALL TRUE	42	1.05
2	A LITTLE TRUE	230	5.74
3	PRETTY MUCH TRUE	855	21.32
4	VERY MUCH TRUE	2883	71.90

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH13 QNAME03: QT03_143 QPAGENUM: T-27

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT SCHOOL WHO NOTICES YOUR BAD MOOD

VALUE:		FREQ	%
1	NOT AT ALL TRUE	605	15.09
2	A LITTLE TRUE	939	23.42
3	PRETTY MUCH TRUE	1154	28.78
4	VERY MUCH TRUE	1312	32.72

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH14 QNAME03: QT03_144 QPAGENUM: T-27

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO CARES ABOUT YOUR SCHOOLWORK

VALUE:		FREQ	%
1	NOT AT ALL TRUE	16	0.40
2	A LITTLE TRUE	112	2.79
3	PRETTY MUCH TRUE	405	10.10
4	VERY MUCH TRUE	3477	86.71

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH15 QNAME03: QT03_145 QPAGENUM: T-27

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO LISTENS TO YOU

VALUE:		FREQ	%
1	NOT AT ALL TRUE	63	1.57
2	A LITTLE TRUE	277	6.91
3	PRETTY MUCH TRUE	780	19.45
4	VERY MUCH TRUE	2890	72.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH16 QNAME03: QT03_146 QPAGENUM: T-27
QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO TALKS WITH YOU ABOUT YOUR PROBLEMS

VALUE:		FREQ	%
1	NOT AT ALL TRUE	172	4.29
2	A LITTLE TRUE	491	12.24
3	PRETTY MUCH TRUE	893	22.27
4	VERY MUCH TRUE	2454	61.20

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH17 QNAME03: QT03_147 QPAGENUM: T-27
QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO NOTICES YOUR BAD MOODS

VALUE:		FREQ	%
1	NOT AT ALL TRUE	78	1.95
2	A LITTLE TRUE	258	6.43
3	PRETTY MUCH TRUE	836	20.85
4	VERY MUCH TRUE	2838	70.77

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH18 QNAME03: QT03_148 QPAGENUM: T-27

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO WANTS YOU TO DO YOUR BEST

VALUE:		FREQ	%
1	NOT AT ALL TRUE	7	0.17
2	A LITTLE TRUE	76	1.90
3	PRETTY MUCH TRUE	378	9.43
4	VERY MUCH TRUE	3549	88.50

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH19 QNAME03: QT03_149 QPAGENUM: T-27

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO BELIEVES YOU WILL BE A SUCCESS

VALUE:		FREQ	%
1	NOT AT ALL TRUE	35	0.87
2	A LITTLE TRUE	156	3.89
3	PRETTY MUCH TRUE	599	14.94
4	VERY MUCH TRUE	3220	80.30

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH20 QNAME03: QT03_150 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: THERE'S ADULT AT HOME WHO EXPECTS ME TO FOLLOW RULES

VALUE:		FREQ	%
1	NOT AT ALL TRUE	21	0.52
2	A LITTLE TRUE	119	2.97
3	PRETTY MUCH TRUE	670	16.71
4	VERY MUCH TRUE	3200	79.80

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH21 QNAME03: QT03_151 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	2114	52.72
2	NO	1896	47.28

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH22 QNAME03: QT03_152 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: ADMIRES AND WOULD WANT TO BE LIKE SOME PERSON

VALUE:		FREQ	%
1	YES	2433	60.67
2	NO	1577	39.33

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH23 QNAME03: QT03_153 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: ADMIRES PERSON'S CATEGORY

VALUE:		FREQ	%
-1	INAPPLICABLE	1577	39.33
1	FAMILY MEMBER	643	16.03
2	ATHLETE	572	14.26
3	ENTERTAINER	460	11.47
4	TEACHER	147	3.67
5	FRIEND	231	5.76
91	OTHER (SPECIFY)	380	9.48

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH24 QNAME03: QT03_154 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: ADMIRES MALE OR FEMALE

VALUE:		FREQ	%
-1	INAPPLICABLE	1577	39.33
1	MALE	1441	35.94
2	FEMALE	992	24.74

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

VARNAME: TH25 QNAME03: QT03_155 QPAGENUM: T-28

QNAME01: NA QNAME01: NA

LABEL: RACE/ETHNICITY OF PERSON WHO ADMIRES

VALUE:		FREQ	%
-1	INAPPLICABLE	1577	39.33
1	WHITE	1345	33.54
2	AFRICAN AMERICAN	440	10.97
3	HISPANIC / LATINO	421	10.50
4	ASIAN / ASIAN AMERICAN	139	3.47
5	PACIFIC ISLANDER	3	0.07
6	AMERICAN INDIAN / ALASKA NATIVE / NATIVE	13	0.32
7	NATIVE HAWAIIAN	7	0.17
91	OTHER / MULTI-ETHNIC (SPECIFY)	65	1.62

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section I: Demographic Information Future Plans, Part2

VARNAME: SRH QNAME03: NA QPAGENUM: NA
QNAME01: SRH QNAME01: SRH

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		1454	36.26
2	NO		2556	63.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: LATIN7TP QNAME03: NA QPAGENUM: NA
QNAME01: QNAME01:

LABEL: LATIN/HISPANIC SUBTYPES (7 LVLS)

VALUE:			FREQ	%
-1	NON-LATINO		2556	63.74
1	MEXICAN		1001	24.96
2	SALVADORAN		51	1.27
3	CENTRAL AMERICAN		44	1.10
4	LATINO EUROPEAN		30	0.75
5	SOUTH AMERICAN		34	0.85
6	OTHER LATINO		82	2.04
7	2+ LATINO TYPES		212	5.29

UNIVERSE: ADOLESCENTS WHO ARE LATINO OR HISPANIC

INPUT VAR: RECODE OF LATIN9TP

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRPI QNAME03: NA QPAGENUM: NA
QNAME01: SRPI QNAME01: SRPI

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:			FREQ	%
1	YES		66	1.65
2	NO		3944	98.35

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME03: NA QPAGENUM: NA
QNAME01: SRAI QNAME01: SRAI

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		365	9.10
2	NO		3645	90.90

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME03: NA QPAGENUM: NA
QNAME01: SRAS QNAME01: SRAS

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		408	10.17
2	NO		3602	89.83

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME03: NA QPAGENUM: NA
QNAME01: SRAA QNAME01: SRAA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		337	8.40
2	NO		3673	91.60

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRW QNAME03: NA QPAGENUM: NA
QNAME01: SRW QNAME01: SRW

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		2587	64.51
2	NO		1423	35.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME03: NA QPAGENUM: NA
QNAME01: SRO QNAME01: SRO

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		616	15.36
2	NO		3394	84.64

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: SRO2 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED 2ND OTHER RACE

VALUE:		FREQ	%
1	YES	1	0.02
2	NO	4009	99.98

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: CATRIBE QNAME03: NA QPAGENUM: NA
 QNAME01: CATRIBE QNAME01: CATRIBE

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	176	4.39
-1	INAPPLICABLE	3645	90.90
1	CALIFORNIA TRIBAL HERITAGE	24	0.60
2	NON-CALIFORNIA TRIBAL HERITAGE	165	4.11

UNIVERSE: ADOLESCENTS WHO ARE SELF-REPORTED AMERICAN INDIANS

INPUT VAR: TI2AOS TI2COS TI2A

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI2B QNAME03: QT03_161 QPAGENUM: T-30
QNAME01: TI2B QNAME01: TI2B

LABEL: ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	9	0.22
-8	DON'T KNOW	40	1.00
-7	REFUSED	1	0.02
-1	INAPPLICABLE	3675	91.65
1	YES	24	0.60
2	NO	261	6.51

UNIVERSE: ADOLESCENTS WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: SRPH QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	139	3.47
2	NO	3871	96.53

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FILIPINO QNAME03: NA QPAGENUM: NA
 QNAME01: FILIPINO QNAME01: FILIPINO
 LABEL: FILIPINO
 VALUE: 1 YES FREQ 128 % 3.19
 2 NO FREQ 3882 % 96.81
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR: TI2D_5
 NOTES:

VARNAME: SRKR QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA
 LABEL: SELF-REPORTED KOREAN
 VALUE: 1 YES FREQ 38 % 0.95
 2 NO FREQ 3972 % 99.05
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: SRCH QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA
 LABEL: SELF-REPORTED CHINESE
 VALUE: 1 YES FREQ 122 % 3.04
 2 NO FREQ 3888 % 96.96
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CHINESE QNAME03: NA QPAGENUM: NA
QNAME01: CHINESE QNAME01: CHINESE

LABEL: CHINESE

VALUE:			FREQ	%
1	YES		125	3.12
2	NO		3885	96.88

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI2D_15 TI2D_4

NOTES:

VARNAME: SRVT QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		55	1.37
2	NO		3955	98.63

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		87	2.17
2	NO		3923	97.83

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ASIAN9 QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)

VALUE:			FREQ	%
-1	NON-ASIAN		3602	89.83
1	CHINESE		98	2.44
2	JAPANESE		29	0.72
3	KOREAN		33	0.82
4	FILIPINO		110	2.74
5	SOUTH ASIAN		31	0.77
6	VIETNAMESE		42	1.05
7	SOUTHEAST ASIAN		11	0.27
8	CAMBODIAN /OTHER ASIAN		19	0.47
9	TWO OR MORE ASIAN TYPES		35	0.87

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR: RECODE OF ASIAN10

NOTES:

VARNAME: ASNHPR_P QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)

VALUE:			FREQ	%
-1	NON-ASIAN		3697	92.19
1	CHINESE		81	2.02
2	FILIPINO		91	2.27
3	SOUTH ASIAN		30	0.75
4	JAPANESE		18	0.45
5	KOREAN		33	0.82
6	VIETNAMESE		44	1.10
7	CAMBODIAN/OTHER SINGLE/MULTIPLE ASIAN TY		16	0.40

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR: RECODE OF ASIANHPR

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACECN_P QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:		FREQ	%
1	AIAN	210	5.24
2	ASIAN	293	7.31
3	AFRICAN AMERICAN	247	6.16
4	WHITE	2298	57.31
5	PI/OTHER SINGLE RACE	625	15.59
6	MORE THAN ONE RACE	337	8.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RECODE OF RACECEN

NOTES:

VARNAME: RACEDO_P QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	1454	36.26
2	NON-LATINO AIAN	47	1.17
3	NON-LATINO ASIAN	264	6.58
4	NON-LATINO AFR. AMER.	207	5.16
5	NON-LATINO WHITE	1765	44.01
6	NON-LATINO PI/OTH. ONE RACE	25	0.62
7	NON-LATINO TWO+ RACES	248	6.18

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RECODE OF RACEDOF

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEHP_P QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: RACE- UCLA CHPR DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	1125	28.05
2	AIAN	76	1.90
3	ASIAN	313	7.81
4	AFRICAN AMERICAN	263	6.56
5	WHITE	2071	51.65
6	PI/OTHER SINGLE/MULTIPLE RACE	162	4.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RECODE OF RACEHPR

NOTES:

VARNAME: CNTRYS QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: COUNTRY BORN IN

VALUE:		FREQ	%
1	UNITED STATES	3557	88.70
2	MEXICO	243	6.06
3	CENTRAL AMERICA	24	0.60
4	OTHER LATIN AMERICA	20	0.50
5	ASIA & PACIFIC ISLANDS	116	2.89
6	EUROPE	34	0.85
7	OTHER	16	0.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI3

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME03: NA QPAGENUM: NA
QNAME01: UR_IHS QNAME01: UR_IHS

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	2589	64.56
2	RURAL	1421	35.44

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: UR_OMB QNAME03: NA QPAGENUM: NA
QNAME01: UR_OMB QNAME01: UR_OMB

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	3587	89.45
2	NON-METROPOLITAN	423	10.55

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: UR_RHP QNAME03: NA QPAGENUM: NA
QNAME01: UR_RHP QNAME01: UR_RHP

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	3237	80.72
2	RURAL	773	19.28

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section K: Health Insurance

VARNAME: IA10A QNAME03: QA03_265 QPAGENUM: A-71
QNAME01: IA10A QNAME01: IA10A

LABEL: TEEN HAS SAME INS AS ADULT RESPONDENT

VALUE:			FREQ	%
-1	INAPPLICABLE		537	13.39
1	YES		2881	71.85
2	NO		592	14.76

UNIVERSE: ALL ADOLESCENTS WITH ADULT RESPONDENT WHO HAS HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: MA5 QNAME03: QA03_266 QPAGENUM: A-71
QNAME01: QNAME01:

LABEL: TEEN HAS SAME INS AS SPOUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		3657	91.20
1	YES		126	3.14
2	NO		227	5.66

UNIVERSE: (ADOLESCENTS DO NOT HAVE THE SAME INSURANCE AS ADULT RESPONDENT)
AND SPOUSE OF ADULT RESPONDENT HAS INSURANCE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: MA6 QNAME03: QA03_267 QPAGENUM: A-71
 QNAME01: QNAME01:

LABEL: TEEN HAS SAME INS AS CHILD

VALUE:		FREQ	%
-1	INAPPLICABLE	3613	90.10
1	YES	277	6.91
2	NO	120	2.99

UNIVERSE: (ADOLESCENTS DO NOT HAVE THE SAME INSURANCE AS ADULT RESPONDENT AND SPOUSE OF ADULT RESPONDENT) AND SAMPLED CHILD HAS INSURANCE

INPUT VAR:

NOTES:

 VARNAME: IA1 QNAME03: QA03_268 QPAGENUM: A-72
 QNAME01: IA1 QNAME01: IA1

LABEL: TEEN COVERED BY MEDI-CAL

VALUE:		FREQ	%
-1	INAPPLICABLE	1	0.02
1	YES	641	15.99
2	NO	3368	83.99

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT, RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: IA2 QNAME03: QA03_70 QPAGENUM: A-72
 QNAME01: IA2 QNAME01: IA2

LABEL: TEEN COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	642	16.01
1	YES	226	5.64
2	NO	3142	78.35

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD AND NOT COVERED BY MEDI-CAL

INPUT VAR:

NOTES:

 VARNAME: RSN_NOHF QNAME03: NA QPAGENUM: NA
 QNAME01: RSN_NOHF QNAME01: RSN_NOHF

LABEL: REASONS FOR NOT HAVING HEALTHY FAMILIES

VALUE:		FREQ	%
-1	INAPPLICABLE	3728	92.97
1	PAPERWORK TOO DIFFICULT	8	0.20
2	DIDN'T KNOW IF ELIGIBLE	26	0.65
3	INCOME TOO HIGH, NOT ELIGIBLE	40	1.00
4	INELIGIBLE CITIZENSHIP/IMMIGRATION STATU	30	0.75
5	OTHER NOT ELIGIBLE	13	0.32
6	DON'T BELIEVE IN/DON'T NEED	10	0.25
7	ALREADY HAVE INSURANCE	5	0.12
8	DIDN'T KNOW IT EXISTED	56	1.40
9	DON'T LIKE/WANT WELFARE	5	0.12
91	OTHER	85	2.12
92	R THOUGHT WAS INSURED	4	0.10

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR: IA2A INS

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA11 QNAME03: QA03_279 QPAGENUM: A-75
QNAME01: IA11 QNAME01: IA11

LABEL: TEEN MUST SIGN UP W/ PRIMARY CARE MD, GROUP OF MD'S, OR CLINIC

VALUE:		FREQ	%
-1	INAPPLICABLE	406	10.12
1	YES	2414	60.20
2	NO	1190	29.68

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT, RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

VARNAME: MD QNAME03: NA QPAGENUM: NA
QNAME01: MD QNAME01: MD

LABEL: PLAN REQUIRES SIGNUP W/ PRIMARY PHYSICIAN

VALUE:		FREQ	%
-1	SKIPPED	282	7.03
1	YES	2391	59.63
2	NO	1177	29.35
3	DON'T KNOW	160	3.99

UNIVERSE: INSURED ADOLESCENTS

INPUT VAR: INS IA10A AI21 CF11 IA11 MA6

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MANAGE QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: MANAGED CARE

VALUE:		FREQ	%
1	MANAGED CARE	2391	59.63
2	NO MANAGED CARE	1177	29.35
3	INSURED UNKNOWN MANAGED CARE	160	3.99
4	UNINSURED	282	7.03

UNIVERSE: ADOLESCENTS DON'T HAVE SAME INSURANCE AS ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR: IA10A AI21 CF11 IA11 INS MA6

NOTES:

VARNAME: IA12 QNAME03: QA03_280 QPAGENUM: A-75

QNAME01: IA12 QNAME01: IA12

LABEL: TEEN'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALIST

VALUE:		FREQ	%
-1	INAPPLICABLE	406	10.12
1	YES	2460	61.35
2	NO	1144	28.53

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SPEC QNAME03: NA QPAGENUM: NA
QNAME01: SPEC QNAME01: SPEC

LABEL: PLAN REQUIRES APPROVAL TO SEE SPECIALIST

VALUE:		FREQ	%
-1	SKIPPED	282	7.03
1	YES	2438	60.80
2	NO	1130	28.18
3	DON'T KNOW	160	3.99

UNIVERSE: INSURED ADOLESCENTS

INPUT VAR: INS IA10A MA6 CF12 IA12

NOTES:

VARNAME: MA7_P QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: NAME OF TEEN'S MAIN HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	20	0.50
-8	DK	84	2.09
-7	REFUSED	6	0.15
-5	SKIP PATTERN CHANGED	174	4.34
-1	INAPPLICABLE	426	10.62
1	KAISER	684	17.06
2	BLUE CROSS	729	18.18
3	PACIFICARE	162	4.04
4	BLUE SHIELD	287	7.16
5	HEALTH NET	255	6.36
6	AETNA / US HEALTHCARE / PRUDENTIAL	106	2.64
7	CIGNA HEALTHCARE	97	2.42
8	MEDICARE	11	0.27
9	MEDI-CAL OR MEDICAID	242	6.03
91	OTHER	727	18.13

UNIVERSE: ADOLESCENTS DON'T HAVE SAME INSURANCE AS ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR: RECODE OF MA7

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA8 QNAME03: QA03_282 QPAGENUM: A-75

QNAME01: QNAME01:

LABEL: TEEN'S HEALTH PLAN IS HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	530	13.22
1	YES	2076	51.77
2	NO	1404	35.01

UNIVERSE: ADOLESCENTS DON'T HAVE SAME INSURANCE AS ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD AND ADOLESCENT'S PLAN REQUIRES
PRIMARY DOCTOR OR REFERRAL TO SEE SPECIALIST

INPUT VAR:

NOTES:

VARNAME: IA14 QNAME03: QA03_283 QPAGENUM: A-75

QNAME01: IA14 QNAME01: IA14

LABEL: TEEN COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-1	INAPPLICABLE	406	10.12
1	YES	3414	85.14
2	NO	190	4.74

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA14NEW QNAME03: NA QPAGENUM: NA
QNAME01: IA14NEW QNAME01: IA14NEW

LABEL: Rx COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	INAPPLICABLE	282	7.03
1	HAVE RX COVERAGE VIA HF OR MEDCAL	3522	87.83
2	NO	99	2.47
3	SAME AS SPOUSE	107	2.67

UNIVERSE: INSURED ADOLESCENTS

INPUT VAR: IA14 INS IA10A AI25NEW MA6 CF14NEW MA5 INSMD INSHF

NOTES:

VARNAME: IA15 QNAME03: QA03_284 QPAGENUM: A-76
QNAME01: IA15 QNAME01: IA15

LABEL: TEEN COVERED FOR EYE EXAMS

VALUE:		FREQ	%
-1	INAPPLICABLE	406	10.12
1	YES	2966	73.97
2	NO	638	15.91

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA15NEW QNAME03: NA QPAGENUM: NA
QNAME01: IA15NEW QNAME01: IA15NEW

LABEL: EYE EXAMS COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	INAPPLICABLE	282	7.03
1	HAVE VISION COVERAGE VIA HF OR MEDCAL	3088	77.01
2	NO	533	13.29
3	SAME AS SPOUSE	107	2.67

UNIVERSE: INSURED ADOLESCENTS

INPUT VAR: IA15 INS IA10A AI26NEW MA6 CF15NEW MA5 INSMD INSHF

NOTES:

VARNAME: IA16 QNAME03: QA03_285N QPAGENUM: A-76
QNAME01: IA16 QNAME01: IA16

LABEL: TEEN COVERED FOR GLASSES

VALUE:		FREQ	%
-1	INAPPLICABLE	406	10.12
1	YES	2578	64.29
2	NO	1026	25.59

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT,
RESPONDENT'S SPOUSE, OR CHILD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA16NEW QNAME03: NA QPAGENUM: NA
QNAME01: IA16NEW QNAME01: IA16NEW

LABEL: GLASSES COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	INAPPLICABLE	282	7.03
1	HAVE EYE WEAR COVERAGE VIA HF OR MEDCAL	2764	68.93
2	NO	857	21.37
3	SAME AS SPOUSE	107	2.67

UNIVERSE: INSURED ADOLESCENTS

INPUT VAR: IA16 INS IA10A AI26ANEW MA6 CF16NEW MA5 INSMD INSHF

NOTES:

VARNAME: MA9 QNAME03: QA03_286 QPAGENUM: A-76
QNAME01: QNAME01:

LABEL: RATING OF TEEN'S HEALTH CARE IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	278	6.93
0	0	3628	90.47
95	NO HEALTH CARE IN PAST 12 MONTHS	104	2.59

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA20 QNAME03: QA03_288 QPAGENUM: A-76
QNAME01: IA20 QNAME01: IA20

LABEL: TEEN COVERED BY HEALTH INS IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	3732	93.07
1	YES	79	1.97
2	NO	199	4.96

UNIVERSE: ADOLESCENTS WITH NO HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: IA21 QNAME03: QA03_289 QPAGENUM: A-76
QNAME01: IA21 QNAME01: IA21

LABEL: HOW LONG SINCE TEEN LAST HAD HEALTH INS

VALUE:		FREQ	%
-1	INAPPLICABLE	3811	95.04
1	MORE THAN 12 MOS, NOT MORE THAN 3 YEARS	65	1.62
2	MORE THAN 3 YEARS AGO	64	1.60
3	NEVER HAD HEALTH INSURANCE COVERAGE	70	1.75

UNIVERSE: ADOLESCENTS WITH NO HEALTH INSURANCE COVERAGE IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: MA10 QNAME03: QA03_298 QPAGENUM: A-78

QNAME01: NA QNAME01: NA

LABEL: TEEN HAS DENTAL INS

VALUE:		FREQ	%
1	YES	2987	74.49
2	NO	1023	25.51

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: MA10NEW QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: DENTAL CARE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
1	HAVE DENTAL VIA HF OR MedCal	3208	80.00
2	NO	802	20.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: MA10 INS INSMO INSHF

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IAP1 QNAME03: NA QPAGENUM: NA
QNAME01: IAP1 QNAME01: IAP1

LABEL: ADOLESCENT CURRENTLY ON TANF OR CALWORKS

VALUE:		FREQ	%
-1	INAPPLICABLE	2037	50.80
1	YES	152	3.79
2	NO	1821	45.41

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: IAP2 QNAME03: A QPAGENUM: NA
QNAME01: IAP2 QNAME01: IAP2

LABEL: TEEN RECEIVING FOOD STAMP BENEFITS

VALUE:		FREQ	%
-1	INAPPLICABLE	2037	50.80
1	YES	206	5.14
2	NO	1767	44.06

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IHS QNAME03: NA QPAGENUM: NA
QNAME01: IHS QNAME01: IHS

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		10	0.25
2	NO		4000	99.75

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INS QNAME03: NA QPAGENUM: NA
QNAME01: INSURE QNAME01: INSURE

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		3728	92.97
2	NO		282	7.03

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSHF QNAME03: NA QPAGENUM: NA
QNAME01: INS_HF QNAME01: INS_HF

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:		FREQ	%
1	YES	227	5.66
2	NO	3783	94.34

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: A10A MA5 MA6 INSHF(A) INSHF_S(A) INSHF(C) IA2 IA5_5 IA8 IA9_6

NOTES:

VARNAME: INSTYPE QNAME03: NA QPAGENUM:
QNAME01: QNAME01:

LABEL: INSURANCE TYPE

VALUE:		FREQ	%
1	UNINSURED	282	7.03
5	MEDICAID	666	16.61
6	HEALTHY FAMILIES	223	5.56
7	EMPLOYMENT-BASED	2550	63.59
8	PRIVATELY PURCHASED	235	5.86
9	OTHER PUBLIC	54	1.35

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INST_12 QNAME03: NA QPAGENUM:
QNAME01: QNAME01:
LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
1	MEDI-CAL (MEDICAID) ONLY	607	15.14
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	2452	61.15
3	PRIVATE COVERAGE ONLY	208	5.19
4	OTHER COVERAGE ONLY	249	6.21
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	89	2.22
6	UNINSURED ONLY	203	5.06
7	UNINSURED + EMPLOYER-BASED ONLY	70	1.75
8	ANY 1 OR MORE TYPES + UNINSURED	132	3.29

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: UNINSANY QNAME03: NA QPAGENUM: NA
QNAME01: UNINSANY QNAME01: UNINSANY

LABEL: UNINSURED IN PAST 12 MOS

VALUE:		FREQ	%
1	UNINSURED ALL YEAR	203	5.06
2	UNINSURED PART YEAR	202	5.04
3	INSURED ALL YEAR	3605	89.90

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: INS64 INSLT12

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSPR QNAME03: NA QPAGENUM: NA
QNAME01: INS_PR QNAME01: INS_PR

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:		FREQ	%
1	YES	264	6.58
2	NO	3746	93.42

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: A10A MA5 MA6 INSPR(A) INSPR_S(A) INSPR(C) IA4 IA8 IA9_3

NOTES:

VARNAME: ELIGPRG3 QNAME03: NA QPAGENUM: NA
QNAME01: ELIGPRG3 QNAME01: ELIGPRG3

LABEL: UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS

VALUE:		FREQ	%
-5	INSURED	3728	92.97
1	MEDI-CAL(MEDICAID) ELIGIBLE	51	1.27
2	HF ELIGIBLE	104	2.59
3	NOT ELIGIBLE	127	3.17

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME03: NA QPAGENUM: NA
QNAME01: FAMT4 QNAME01: FAMT4

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	2925	72.94
4	SINGLE WITH KIDS	1085	27.06

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: FAM_TYPE

NOTES:

VARNAME: POVLL QNAME03: NA QPAGENUM: NA
QNAME01: POVLL QNAME01: POVLL

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	588	14.66
2	100-199% FPL	791	19.73
3	200-299% FPL	594	14.81
4	300% FPL AND ABOVE	2037	50.80

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: POVLL2_P QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS

N	4010
MIN	0
MAX	24
MEAN	4.03

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TOP CODE OF POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

Section L: Full Design and Replicate Weight Series 0-80

 VARNAME: RAKEDW0 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - FULL SAMPLE

VALUE:	6	6	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW1 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA
 LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 1
 VALUE: 0 0
 FREQ %
 4010 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW2 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA
 LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 2
 VALUE: 0 0
 FREQ %
 4010 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW3 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA
 LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 3
 VALUE: 0 0
 FREQ %
 4010 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW4 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 4
VALUE: 0 0
FREQ %
4010 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW5 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 5
VALUE: 0 0
FREQ %
4010 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW6 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 6
VALUE: 0 0
FREQ %
4010 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW7 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 7
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

VARNAME: RAKEDW8 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 8
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

VARNAME: RAKEDW9 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 9
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW10 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 10

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW11 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 11

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW12 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 12

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW13 QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 13

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW14 QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 14

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW15 QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 15

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW22 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 22

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW23 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 23

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW24 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 24

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW25 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 25

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW26 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 26

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW27 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 27

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW28 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 28
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW29 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 29
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW30 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 30
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW34 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 34

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW35 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 35

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW36 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 36

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW40 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 40
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

VARNAME: RAKEDW41 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 41
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

VARNAME: RAKEDW42 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 42
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW43 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 43
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

VARNAME: RAKEDW44 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 44
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

VARNAME: RAKEDW45 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 45
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
4010 100.00

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW46 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 46

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW47 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 47

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW48 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 48

VALUE:	FREQ	%
0 0	4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 49

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW50 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 50

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW51 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 51

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW52 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 52
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

VARNAME: RAKEDW53 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 53
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

VARNAME: RAKEDW54 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 54
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW61 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 61

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW62 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 62

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW63 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 63

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW70 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 70

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW71 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 71

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW72 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 72

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW73 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 73
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW74 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 74
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW75 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 75
VALUE: 0 0
FREQ 4010 % 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW76 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 76

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW77 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 77

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW78 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 78

VALUE:	0	0	FREQ	%
			4010	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW79 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 79
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00

VARNAME: RAKEDW80 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 80
VALUE: 0 0
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
4010	100.00