



CHIS 2009 DATA DICTIONARY

Public Use File
Child Survey
November 2012



CHIS 2009 DATA DICTIONARY

Child Survey

Public Use File

November 2012

child.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2012 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2009 Child Survey. UCLA Center for Health Policy Research. Los Angeles, CA: November 2012.

TABLE OF CONTENTS

1. Introduction	2
1.1 CHIS 2009 Child Survey Data File	2
1.2 Accompanying Files	2
2. CHIS 2009 Design and Methodology Summary.....	2
2.1 Overview	2
2.2 Sample Design Objectives.....	3
2.3 Data Collection	5
2.4 Response Rates	6
2.5 Weighting the Sample	7
2.6 Imputation Methods.....	8
3. How to Use the Data Dictionary.....	10
4. Sample Code Using Sample Design Information	11
4.1 Mean Calculation.....	12
4.2 Frequency Calculation.....	13
4.3 Linear Regression	14
4.4 Logistic Regression	15
5. Data Dictionary Variable Listings	16
A. Variable Name (alphabetical).....	16
B. Variable name (by Location in CHIS 2009 Child Questionnaire)	24
C. Restricted Variables.....	32
6. Data Dictionary.....	33
Section Q: Screening Information	33
Section A: Demographics Part I, Health Conditions	39
Section B: Dental Health	54
Section C: Diet, Physical Activity, Park Use	56
Section D: Health Care Access and Utilization.....	65
Section E: Public Programs	78
Section F: Parental Involvement, Concerns, Mental Health	83
Section G: Child Care, Neighborhood Cohesion.....	96
Section H: Demographics, Part II.....	104
Section I: Health Insurance.....	122
Section O: Demographic Information, Part 3, Geographic Information	137
Section P: Full Design and Replicate Weight Series 0-80	140

1. Introduction

1.1 CHIS 2009 Child Survey Data File

The 2009 California Health Interview Survey (CHIS 2009) Child Data File consists of individual records from the Child component of CHIS 2009.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2009 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** teen.sas7bdat, teen.sav, teen.dta
- b. **Proc format file:** CHILD_PROC_FORMAT.SAS
- c. **Format file:** CHILD_FORMAT.SAS
- d. **Label file:** CHILD_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** childf.sas7bdat, childf.sav, childf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** CHILD.XPT, CHILDF.XPT

2. CHIS 2009 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive

information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2009 is the fifth CHIS data collection cycle and was conducted between September 2009 and April 2010.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two sampling objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties. Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

Table 1-1 shows the 56 sampling strata, which include 41 independent county strata. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles). The CHIS 2009 samples in Humboldt, Marin, and San Diego Counties were enhanced with additional funding.

The main landline RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. CHIS 2009 included additional Korean and Vietnamese oversamples conducted on behalf of the National Cancer Institute.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2009, the goal was to complete approximately 2,500 interviews statewide with adults from the cell phone sample. The CHIS 2009 cell phone sample differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 200 teen interviews and nearly 500 child interviews were completed from the cell phone sample in CHIS 2009. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected.

Table 1-1. California county and county group strata used in the CHIS 2009 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou, Lassen, Lassen, Modoc, Trinity, Del Norte
4. Santa Clara	24. Placer	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
5. San Bernardino	25. Merced	
6. Riverside	26. Butte	

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2009 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2009 by the type of sample (landline RDD, surname list, and cell RDD).

Table 1-2. Number of completed CHIS 2009 interviews by type of sample and instrument

Type of sample	Adult	Child	Adolescent
Total all samples	47,614	8,945	3,379
Landline RDD	42,682	7,918	3,002
Surname list	1,885	545	178
Cell RDD	3,047	482	199

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 40 minutes to complete. The average child and adolescent interviews took about 16 minutes and 18 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 12 percent of the adult interviews were completed in a language other than English, as were about 24 percent of all child (parent proxy) interviews and 8 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2009 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 58 percent of the landline RDD sample telephone numbers, and 82 percent of list sample numbers. Addresses were not available for the cell sample. As in CHIS 2005 and 2007, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2009 screener completion rate for the landline and samples was 36.1 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 19.7 percent in all households. The extended interview completion rate for the landline sample varied across the adult (49.0 percent), child (72.9 percent) and adolescent (42.8 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview completion rate for the cell sample was 56.7 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2009, the landline sample household response rate was 19.7 percent (the product of the screener response rate and the completion rate at the household level of 54.7 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2009 response rates, please see *CHIS 2009 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The 2009 BRFSS, for example, shows the refusal rate for the California (32.2%) is the highest in the nation and more than twice the national median (15.7%).¹ Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as “complete.” At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

¹ As reported in the Behavioral Risk Factor Surveillance System 2009 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at ftp://ftp.cdc.gov/pub/Data/Brfss/2009_Summary_Data_Quality_Report.pdf)

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2009 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2009 were created primarily from the California Department of Finance’s 2009 Population Estimates and 2009 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, and CHIS 2009 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2009 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model is corresponding to the nature of the variable being imputed, e.g. linear regression for continuous variables, logistic regression for binary variables, etc. The donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

A series of five methodology reports are available with more detail about the methods used in CHIS 2009:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/designs-methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2009 data file. The index of the data dictionary lists variables by the alphabetical order and by the order in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007 and CHIS 2009 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://www.chis.ucla.edu/questionnaires.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME09:** The names of the 2009 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2009 questionnaire.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2009 items.
- **QNAME05:** The names of 2005 survey items identical or similar to the 2009 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (`bmi_p`) is presented as a continuous dependent variable and current asthma status (`astcur`) as a categorical dependent variable. These variables are examined in relation to race (`racehpr2`), sex (`srsex`) and age (`srage_p`). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (`bmi_p`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC DESCRIP DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

```
*Sample design specification step* a
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse

*Analysis*
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (`astcur`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
```



```

replace racesex=3 if racehpr2 ==2 & srsex ==1
replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf

svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (`astcur`) among adults in California, controlling for race (`racehpr2`), sex (`srsex`), and age (`srage_p`). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable `ast` and assign 1 where `astcur=1` (“Current asthma”) and 0 where `astcur=2` (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA");CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-37
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
AI79	CHILDS HEALTH PLAN DEDUCTIBLE > \$1000	DD-90
AI80	CHILDS HEALTH PLAN DEDUCTIBLE > \$2000	DD-91
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-82
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-83
ASTCUR	CURRENT ASTHMA	DD-20
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-21
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-21
BRTHWK_P	WEIGHT AT BIRTH - KILOGRAMS (PUF)	DD-8
BRTHWP_P	WEIGHT AT BIRTH - POUNDS (PUF)	DD-9
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-13
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-16
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-14
CA31	STILL HAS ASTHMA	DD-13
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-14
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-15
CA34_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-18
CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-18
CA40	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-17
CA41	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-17
CA42	CHILD ATTEND SCHOOL LAST WEEK	DD-11
CA43	CHILD ATTEND SCHOOL LAST SCHOOL YEAR	DD-12
CA44	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA	DD-16
CA48	VISIT ER FOR ASTHMA - UNABLE TO SEE DR (CURRENT ASTHMATICS)	DD-15
CA50	HAVE WRITTEN COPY OF PLAN	DD-19
CA51	CONFIDENT CAN CONTROL ASTHMA	DD-19
CA6	GENERAL HEALTH CONDITION	DD-12
CA7	LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS	DD-20
CATRIBE	CALIFORNIA TRIBE	DD-82
CB23_P	MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)	DD-23

VARIABLE	LABEL	PAGE
CC1	CHILD HAS ANY TEETH	DD-22
CC10	# OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY	DD-24
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY	DD-26
CC13	# OF SERVINGS OF FRUIT HAD YESTERDAY	DD-25
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY	DD-25
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-27
CC29	# OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK	DD-28
CC30	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-28
CC31	# SERVINGS OF VEGETABLES HAD YESTERDAY	DD-26
CC32	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-27
CC33	COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN	DD-29
CC35	# DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK	DD-29
CC36	PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME	DD-30
CC37	BEEN TO PARK LAST 30 DAYS	DD-30
CC39	CLOSEST PARK SAFE DURING DAY	DD-31
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-23
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-33
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-36
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-34
CD30	CHILD HAD FLU SHOT IN PAST 12 MOS	DD-43
CD32	DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM	DD-43
CD33	CHILD HAS PERSONAL DR AS MAIN PROVIDER	DD-38
CD34	PAST 12 MOS PHONE DR WITH MED QUESTION	DD-39
CD35	GOT ANSWER TO MED QUESTION SOON	DD-39
CD36	DR COORDINATES CARE WITH OTHER DRS	DD-40
CD37	PRESCRIPTION FOR ASTHMA	DD-41
CD41	FLU SHOT OR NASAL FLU VACCINE	DD-44
CD42	PLACE CHILD GOT LAST FLU VACCINE	DD-44
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-37
CE1	DELAYED/DIDN•T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-40
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-45
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-47
CE11C	CHILD CURRENTLY ON WIC	DD-45
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-41
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-42
CE7	DELAYED/DIDN•T GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-42
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-91
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-92
CF1A	MAIN REASON CHILD NOT ENROLLED IN MEDI-CAL	DD-93
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-94
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-94
CF30	CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN	DD-57

VARIABLE	LABEL	PAGE
	PAST 6 MOS	
CF31	CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE	DD-58
CF32	CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-58
CF35	KNOWS STATE PROVIDES FREE PARENT KIT	DD-61
CF36	EVER RECEIVED PARENT KIT	DD-61
CF37	USEFULNESS OF PARENT KIT USING 1 TO 10 SCALE	DD-62
CF39	USED MATERIALS FROM PARENT KIT	DD-62
CF46	PROF REFER TO DEVELOPMENT SPECIALIST	DD-54
CF47	PROF REFER FOR SPEECH, LANGUAGE, HEARING	DD-54
CF60	HEARD ABOUT SID: THE SCIENCE KID	DD-59
CF61	CHILD HAS SEEN SID: THE SCIENCE KID	DD-59
CF62	MY KIDS LEARN SCIENCE FROM SID	DD-60
CF63	SID INCREASES PRESCHOOLERS INTEREST IN SCIENCE	DD-60
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-64
CG10	# OF HRS CHILD PLAYS TV/VIDEO GAMES ON WEEKEND	DD-31
CG11	# OF HRS CHILD USES COMPUTER FOR FUN ON WEEKEND	DD-32
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-46
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-47
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-48
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-48
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-49
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-49
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-50
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-64
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-50
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-51
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-51
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-52
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-52
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-53
CG26	CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-53
CG28	CHILD IS GENERALLY OBEDIENT	DD-55
CG29	CHILD OFTEN SEEMS WORRIED	DD-55
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-56
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-56
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-57
CG34	ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN	DD-71
CG37	MKA NOW IN SCHOOL	DD-2
CG39	PEOPLE IN NEIGHBRHD WILLING TO HELP	DD-69
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-65
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL	DD-65

VARIABLE	LABEL	PAGE
	PROGRAM	
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-66
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-66
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-67
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-67
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-68
CG3RC	TYPE OF CHILDCARE	DD-3
CG40	PEOPLE IN NEIGHBRHD DO NOT GET ALONG	DD-70
CG41	PEOPLE IN NEIGHBRHD CAN BE TRUSTED	DD-70
CG42	FEEL SAFE IN NEIGHBORHOOD	DD-71
CG43	VOLUNTEER WORK PAST 12 MOS	DD-72
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-68
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-69
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-89
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-81
CHEDUCA	EDUCATION LEVEL OF MKA	DD-3
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-83
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-84
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-84
CNTRYF	COUNTRY FATHER BORN IN	DD-85
CNTRYM	COUNTRY MOTHER BORN IN	DD-85
CNTRY5	COUNTRY BORN IN	DD-86
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-24
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-38
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-95
ER	ER VISIT WITHIN THE PAST YEAR	DD-36
FAMT4	FAMILY TYPE (4 LVLS)	DD-4
FV5DAY	EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES	DD-32
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-9
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-10
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-4
HHSMK	HOUSEHOLD SMOKING	DD-33
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-95
INS	CURRENTLY INSURED	DD-96
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-96
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-97
INSANY	ANY INS IN LAST 12 MOS	DD-97
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-98
INSHF	COVERED BY HEALTHY FAMILIES	DD-98
INSMD	COVERED BY MEDI-CAL	DD-98
INSOG	COVERED BY OTHER GOVT PLANS	DD-99
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-99
INSTYPE	INSURANCE TYPE	DD-100

VARIABLE	LABEL	PAGE
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-100
INTVLANG	LANGUAGE OF INTERVIEW	DD-89
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-88
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-73
MA1	CHILD HAS SAME INS AS SPOUSE	DD-101
MA2_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-101
MA3	MAIN HEALTH PLAN IS HMO	DD-102
PEDS	RISK OF DEVELOPMENTAL DELAY	DD-63
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-5
POVLL	POVERTY LEVEL	DD-5
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-6
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-73
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-74
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-74
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-75
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-75
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-76
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-108
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-109
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-112
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-112
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-112
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-113
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-113
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-113
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-114
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-114
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-114
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-115
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-109
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-115
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-115
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-116
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-116
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-116
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-117
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-117
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-117
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-118
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-118
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-109
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-118
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-119

VARIABLE	LABEL	PAGE
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-119
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-119
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-120
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-120
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-120
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-121
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-121
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-121
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-110
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-122
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-122
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-122
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-123
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-123
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-123
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-124
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-124
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-124
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-125
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-110
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-125
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-125
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-126
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-126
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-126
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-127
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-127
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-127
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-128
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-128
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-110
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-128
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-129
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-129
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-129
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-130
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-130
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-130
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-131
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-131
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-131
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-111
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-132
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-132
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-132

VARIABLE	LABEL	PAGE
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-133
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-133
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-133
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-134
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-134
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-134
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-135
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-111
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-135
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-111
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-103
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-104
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-22
SDQ	MENTAL HEALTH DEVELOPMENT	DD-63
SECTION A	DEMOGRAPHICS PART I, HEALTH CONDITIONS	DD-7
SECTION B	DENTAL HEALTH	DD-22
SECTION C	DIET, PHYSICAL ACTIVITY, PARK USE	DD-24
SECTION D	HEALTH CARE ACCESS AND UTILIZATION	DD-33
SECTION E	PUBLIC PROGRAMS	DD-46
SECTION F	PARENTAL INVOLVEMENT, CONCERNS, MENTAL HEALTH	DD-51
SECTION G	CHILD CARE, NEIGHBORHOOD COHESION	DD-64
SECTION H	DEMOGRAPHICS, PART II	DD-72
SECTION I	HEALTH INSURANCE	DD-90
SECTION O	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC INFORMATION	DD-105
SECTION P	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-108
SECTION Q	SCREENING INFORMATION	DD-1
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-76
SRAGE_P	AGE (PUF RECODE)	DD-8
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-77
SRAS	SELF-REPORTED ASIAN	DD-77
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-77
SRCH	SELF-REPORTED CHINESE	DD-78
SRH	SELF-REPORTED LATINO/HISPANIC	DD-78
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-79
SRKR	SELF-REPORTED KOREAN	DD-79
SRO	SELF-REPORTED OTHER RACE	DD-79
SRPH	SELF-REPORTED FILIPINO	DD-80
SRPI	SELF-REPORTED PI AND NTV HW	DD-80
SRSEX	GENDER	DD-7
SRSEX_A	GENDER (ADULT)	DD-6
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-7
SRVT	SELF-REPORTED VIETNAMESE	DD-80
SRW	SELF-REPORTED WHITE	DD-81
UNINSANY	UNINSURED IN PAST 12 MOS	DD-105
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-105

VARIABLE	LABEL	PAGE
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-106
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-106
UR_IHS	RURAL AND URBAN - IHS	DD-107
UR_OMB	RURAL AND URBAN - OMB	DD-107
UR_RHP	RURAL AND URBAN - RHP	DD-107
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-108
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-34
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-35
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-35
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-10
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-11
YRUS	YEARS LIVED IN THE US	DD-86
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-87
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-87

B. Variable name (by Location in CHIS 2009 Child Questionnaire)

VARIABLE	LABEL	PAGE
SECTION Q	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
CG37	MKA NOW IN SCHOOL	DD-2
CG3RC	TYPE OF CHILDCARE	DD-3
CHEDUCA	EDUCATION LEVEL OF MKA	DD-3
FAMT4	FAMILY TYPE (4 LVLS)	DD-4
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-4
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-5
POVLL	POVERTY LEVEL	DD-5
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-6
SRSEX_A	GENDER (ADULT)	DD-6
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-7
SECTION A	DEMOGRAPHICS PART I, HEALTH CONDITIONS	DD-7
SRSEX	GENDER	DD-7
SRAGE_P	AGE (PUF RECODE)	DD-8
BRTHWK_P	WEIGHT AT BIRTH - KILOGRAMS (PUF)	DD-8
BRTHWP_P	WEIGHT AT BIRTH - POUNDS (PUF)	DD-9
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-9
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-10
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-10
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-11
CA42	CHILD ATTEND SCHOOL LAST WEEK	DD-11
CA43	CHILD ATTEND SCHOOL LAST SCHOOL YEAR	DD-12
CA6	GENERAL HEALTH CONDITION	DD-12
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-13
CA31	STILL HAS ASTHMA	DD-13
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-14
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-14
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-15
CA48	VISIT ER FOR ASTHMA - UNABLE TO SEE DR (CURRENT ASTHMATICS)	DD-15
CA44	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA	DD-16
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-16
CA40	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-17
CA41	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-17
CA34_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-18

VARIABLE	LABEL	PAGE
CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-18
CA50	HAVE WRITTEN COPY OF PLAN	DD-19
CA51	CONFIDENT CAN CONTROL ASTHMA	DD-19
CA7	LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS	DD-20
ASTCUR	CURRENT ASTHMA	DD-20
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-21
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-21
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-22
SECTION B	DENTAL HEALTH	DD-22
CC1	CHILD HAS ANY TEETH	DD-22
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-23
CB23_P	MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)	DD-23
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-24
SECTION C	DIET, PHYSICAL ACTIVITY, PARK USE	DD-24
CC10	# OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY	DD-24
CC13	# OF SERVINGS OF FRUIT HAD YESTERDAY	DD-25
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY	DD-25
CC31	# SERVINGS OF VEGETABLES HAD YESTERDAY	DD-26
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY	DD-26
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-27
CC32	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-27
CC29	# OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK	DD-28
CC30	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-28
CC33	COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN	DD-29
CC35	# DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK	DD-29
CC37	BEEN TO PARK LAST 30 DAYS	DD-30
CC36	PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME	DD-30
CC39	CLOSEST PARK SAFE DURING DAY	DD-31
CG10	# OF HRS CHILD PLAYS TV/VIDEO GAMES ON WEEKEND	DD-31
CG11	# OF HRS CHILD USES COMPUTER FOR FUN ON WEEKEND	DD-32
FV5DAY	EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES	DD-32
HHSMK	HOUSEHOLD SMOKING	DD-33
SECTION D	HEALTH CARE ACCESS AND UTILIZATION	DD-33
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-33
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-34
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-34
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-35
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-35
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-36
ER	ER VISIT WITHIN THE PAST YEAR	DD-36
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-37
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-37

VARIABLE	LABEL	PAGE
CD33	CHILD HAS PERSONAL DR AS MAIN PROVIDER	DD-38
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-38
CD34	PAST 12 MOS PHONE DR WITH MED QUESTION	DD-39
CD35	GOT ANSWER TO MED QUESTION SOON	DD-39
CD36	DR COORDINATES CARE WITH OTHER DRS	DD-40
CE1	DELAYED/DIDN•T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-40
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-41
CD37	PRESCRIPTION FOR ASTHMA	DD-41
CE7	DELAYED/DIDN•T GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-42
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-42
CD32	DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM	DD-43
CD30	CHILD HAD FLU SHOT IN PAST 12 MOS	DD-43
CD41	FLU SHOT OR NASAL FLU VACCINE	DD-44
CD42	PLACE CHILD GOT LAST FLU VACCINE	DD-44
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-45
CE11C	CHILD CURRENTLY ON WIC	DD-45
SECTION E	PUBLIC PROGRAMS	DD-46
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-46
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-47
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-47
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-48
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-48
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-49
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-49
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-50
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-50
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-51
SECTION F	PARENTAL INVOLVEMENT, CONCERNS, MENTAL HEALTH	DD-51
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-51
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-52
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-52
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-53
CG26	CONCERN CHILD CAN•T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-53
CF46	PROF REFER TO DEVELOPMENT SPECIALIST	DD-54
CF47	PROF REFER FOR SPEECH, LANGUAGE, HEARING	DD-54
CG28	CHILD IS GENERALLY OBEDIENT	DD-55
CG29	CHILD OFTEN SEEMS WORRIED	DD-55
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-56
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-56
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-57

VARIABLE	LABEL	PAGE
CF30	CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN PAST 6 MOS	DD-57
CF31	CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE	DD-58
CF32	CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-58
CF60	HEARD ABOUT SID: THE SCIENCE KID	DD-59
CF61	CHILD HAS SEEN SID: THE SCIENCE KID	DD-59
CF62	MY KIDS LEARN SCIENCE FROM SID	DD-60
CF63	SID INCREASES PRESCHOOLERS INTEREST IN SCIENCE	DD-60
CF35	KNOWS STATE PROVIDES FREE PARENT KIT	DD-61
CF36	EVER RECEIVED PARENT KIT	DD-61
CF39	USED MATERIALS FROM PARENT KIT	DD-62
CF37	USEFULNESS OF PARENT KIT USING 1 TO 10 SCALE	DD-62
PEDS	RISK OF DEVELOPMENTAL DELAY	DD-63
SDQ	MENTAL HEALTH DEVELOPMENT	DD-63
SECTION G	CHILD CARE, NEIGHBORHOOD COHESION	DD-64
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-64
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-64
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-65
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM	DD-65
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-66
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-66
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-67
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-67
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-68
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-68
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-69
CG39	PEOPLE IN NEIGHBRHD WILLING TO HELP	DD-69
CG40	PEOPLE IN NEIGHBRHD DO NOT GET ALONG	DD-70
CG41	PEOPLE IN NEIGHBRHD CAN BE TRUSTED	DD-70
CG34	ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN	DD-71
CG42	FEEL SAFE IN NEIGHBORHOOD	DD-71
CG43	VOLUNTEER WORK PAST 12 MOS	DD-72
SECTION H	DEMOGRAPHICS, PART II	DD-72
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-73
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-73
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-74
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-74
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-75
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-75
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-76

VARIABLE	LABEL	PAGE
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-76
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-77
SRAS	SELF-REPORTED ASIAN	DD-77
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-77
SRCH	SELF-REPORTED CHINESE	DD-78
SRH	SELF-REPORTED LATINO/HISPANIC	DD-78
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-79
SRKR	SELF-REPORTED KOREAN	DD-79
SRO	SELF-REPORTED OTHER RACE	DD-79
SRPH	SELF-REPORTED FILIPINO	DD-80
SRPI	SELF-REPORTED PI AND NTV HW	DD-80
SRVT	SELF-REPORTED VIETNAMESE	DD-80
SRW	SELF-REPORTED WHITE	DD-81
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-81
CATRIBE	CALIFORNIA TRIBE	DD-82
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-82
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-83
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-83
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-84
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-84
CNTRYF	COUNTRY FATHER BORN IN	DD-85
CNTRYM	COUNTRY MOTHER BORN IN	DD-85
CNTRY S	COUNTRY BORN IN	DD-86
YRUS	YEARS LIVED IN THE US	DD-86
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-87
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-87
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-88
INTVLANG	LANGUAGE OF INTERVIEW	DD-89
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-89
SECTION I	HEALTH INSURANCE	DD-90
AI79	CHILDS HEALTH PLAN DEDUCTIBLE > \$1000	DD-90
AI80	CHILDS HEALTH PLAN DEDUCTIBLE > \$2000	DD-91
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-91
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-92
CF1A	MAIN REASON CHILD NOT ENROLLED IN MEDI-CAL	DD-93
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-94
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-94
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-95
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-95
INS	CURRENTLY INSURED	DD-96
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-96
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-97
INSANY	ANY INS IN LAST 12 MOS	DD-97
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-98

VARIABLE	LABEL	PAGE
INSHF	COVERED BY HEALTHY FAMILIES	DD-98
INSMO	COVERED BY MEDI-CAL	DD-98
INSOG	COVERED BY OTHER GOVT PLANS	DD-99
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-99
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-100
INSTYPE	INSURANCE TYPE	DD-100
MA1	CHILD HAS SAME INS AS SPOUSE	DD-101
MA2_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-101
MA3	MAIN HEALTH PLAN IS HMO	DD-102
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-103
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-104
UNINSANY	UNINSURED IN PAST 12 MOS	DD-105
SECTION O	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC INFORMATION	DD-105
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-105
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-106
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-106
UR_IHS	RURAL AND URBAN - IHS	DD-107
UR_OMB	RURAL AND URBAN - OMB	DD-107
UR_RHP	RURAL AND URBAN - RHP	DD-107
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-108
SECTION P	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-108
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-108
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-109
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-109
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-109
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-110
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-110
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-110
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-111
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-111
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-111
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-112
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-112
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-112
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-113
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-113
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-113
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-114
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-114
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-114
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-115
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-115
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-115
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-116

VARIABLE	LABEL	PAGE
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-116
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-116
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-117
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-117
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-117
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-118
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-118
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-118
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-119
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-119
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-119
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-120
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-120
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-120
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-121
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-121
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-121
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-122
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-122
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-122
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-123
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-123
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-123
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-124
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-124
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-124
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-125
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-125
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-125
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-126
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-126
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-126
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-127
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-127
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-127
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-128
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-128
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-128
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-129
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-129
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-129
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-130
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-130
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-130
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-131

VARIABLE	LABEL	PAGE
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-131
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-131
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-132
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-132
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-132
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-133
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-133
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-133
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-134
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-134
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-134
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-135
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-135

C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	
SCH_LON	SCHOOL LONGITUDE	

6. Data Dictionary

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section Q: Screening Information

VARNAME: PUF_ID QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: PUBLIC USE FILE ID

VALUE:	0-HIGH PERSON #	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: AGEGRP_A QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: AGE GROUP FOR ADULT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
1	<30	1059	11.84
2	30-39	3639	40.68
3	40-49	3345	37.40
4	50-59	741	8.28
5	60+	144	1.61

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: AHEDUC QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	769	8.60
2	GRADE 9-11	610	6.82
3	GRADE 12/H.S. DIPLOMA	1611	18.01
4	SOME COLLEGE	1064	11.89
5	VOCATIONAL SCHOOL	234	2.62
6	AA OR AS DEGREE	596	6.66
7	BA OR BS DEGREE	2338	26.14
8	SOME GRAD. SCHOOL	112	1.25
9	MA OR MS DEGREE	1086	12.14
10	PH.D. OR EQUIVALENT	463	5.18
91	NO FORMAL EDUCATION	62	0.69

UNIVERSE: ALL CHILDREN

INPUT VAR: AH47

NOTES:

VARNAME: CG37 QNAME09: QPAGENUM:
QNAME07: QC07_H25 QNAME05: QC05_G25

LABEL: MKA NOW IN SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3RC QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: TYPE OF CHILDCARE

VALUE:		FREQ	%
-1	INAPPLICABLE	6526	72.96
1	GRANDPAR/OTHER FAM MEMBER	424	4.74
2	HEAD START/STATE PRGM	75	0.84
3	PRESCHOOL OR NURSERY SCHOOL	115	1.29
4	CHILDCARE CENTER	312	3.49
5	NON-FAM MEMB IN OWN HOME	120	1.34
6	NON-FAM MEMB IN HIS/HER HOME	209	2.34
7	OTHER ONE SOURCE	106	1.19
8	MORE THAN ONE SOURCE	1058	11.83

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR: CG3A-CG3F

NOTES:

VARNAME: CHEDUCA QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: EDUCATION LEVEL OF MKA

VALUE:		FREQ	%
1	GRADE 1-8	759	8.49
2	GRADE 9-11	597	6.67
3	GRADE 12 / H.S. DIPLOMA	1555	17.38
4	SOME COLLEGE	1105	12.35
5	VOCATIONAL SCHOOL	223	2.49
6	AA OR AS DEGREE	612	6.84
7	BA OR BS DEGREE	2370	26.50
8	SOME GRAD. SCHOOL	124	1.39
9	MA OR MS DEGREE	1047	11.70
10	PH.D. OR EQUIVALENT	481	5.38
91	NO FORMAL EDUCATION	72	0.80

UNIVERSE: ALL CHILDREN

INPUT VAR: CH22

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	7801	87.21
4	SINGLE WITH KIDS	1144	12.79

UNIVERSE: ALL CHILDREN

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED ADULT R NOT LIVING WITH SPOUSE.

VARNAME: HHSIZE_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS	
N	8945
MIN	2
MAX	7
MEAN	4.28

UNIVERSE: ALL CHILDREN

INPUT VAR: HH_SIZE

NOTES: TOPCODE=7

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: POVGWD_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N 8945
MIN 0
MAX 24
MEAN 3.72

UNIVERSE: ALL CHILDREN

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAM: POVLL QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	1653	18.48
2	100-199% FPL	1634	18.27
3	200-299% FPL	1186	13.26
4	300% FPL AND ABOVE	4472	49.99

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: POVLL2_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS	
N	8945
MIN	0
MAX	24
MEAN	4.08

UNIVERSE: ALL CHILDREN

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARIABLE: SRSEX_A QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: GENDER (ADULT)

VALUE:	-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	FREQ	%
	1	MALE	17	0.19
	2	FEMALE	3123	34.91
			5805	64.90

UNIVERSE: ALL ADULTS

INPUT VAR: SRSEX

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRTENR QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		5459	61.03
2	RENT/SOME OTHER ARRANGEMENT		3486	38.97

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section A: Demographics Part I, Health Conditions

VARNAME: SRSEX QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: GENDER

VALUE:			FREQ	%
1	MALE		4637	51.84
2	FEMALE		4308	48.16

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: BRTHWP_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: WEIGHT AT BIRTH - POUNDS (PUF)

MEAN STATISTICS	
N	8454
MIN	2
MAX	11
MEAN	7.37

UNIVERSE: ALL CHILDREN

INPUT VAR: CA13P CA13O CA13K CA13G

NOTES:

VARNAME: HGHTI_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

MEAN STATISTICS	
N	6978
MIN	19
MAX	65
MEAN	44.57

UNIVERSE: ALL CHILDREN

INPUT VAR: HGHTI

NOTES: TOPCODE=65; BOTTOMCODE=19

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: HGHTM_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: HEIGHT - METERS (PUF RECODE)

	MEAN STATISTICS	
N		6978
MIN		1
MAX		2
MEAN		1.13

UNIVERSE: ALL CHILDREN

INPUT VAR: HGHTM

NOTES: TOPCODE=1.65; BOTTOMCODE=0.5

VARNAME: WGHTK_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: WEIGHT - KILOGRAMS (PUF RECODE)

	MEAN STATISTICS	
N		8380
MIN		3
MAX		68
MEAN		24.28

UNIVERSE: ALL CHILDREN

INPUT VAR: WGHTK

NOTES: TOPCODE=68; BOTTOMCODE=3

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: WEIGHT - POUNDS (PUF RECODE)

MEAN STATISTICS	
N	8380
MIN	7
MAX	150
MEAN	53.53

UNIVERSE: ALL CHILDREN

INPUT VAR: WGHTP

NOTES: TOPCODE=150; BOTTOMCODE=7

VARNAME: CA42 QNAME09: QC09_A7 QPAGENUM: C-6
QNAME07: QC07_A6A QNAME05: QC05_A12A

LABEL: CHILD ATTEND SCHOOL LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	3516	39.31
1	YES	4652	52.01
2	NO	270	3.02
3	ON VACATION	431	4.82
4	HOME SCHOOLED	76	0.85

UNIVERSE: CHILDREN AGE 5 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA43 QNAME09: QC09_A8 QPAGENUM: C-6
QNAME07: QC07_A6B QNAME05: QC05_A12B

LABEL: CHILD ATTEND SCHOOL LAST SCHOOL YEAR

VALUE:			FREQ	%
-1	INAPPLICABLE		8244	92.16
1	YES		571	6.38
2	NO		130	1.45

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO DID NOT ATTEND SCHOOL LAST WEEK

INPUT VAR:

NOTES:

VARNAME: CA6 QNAME09: QC09_A9 QPAGENUM: C-6
QNAME07: QC07_A7 QNAME05: QC05_A10

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		4903	54.81
2	VERY GOOD		2079	23.24
3	GOOD		1517	16.96
4	FAIR		413	4.62
5	POOR		33	0.37

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA12 QNAME09: QC09_A10 QPAGENUM: C-6
QNAME07: QC07_A8 QNAME05: QC05_A17
LABEL: DOCTOR EVER TOLD YOU CHILD HAS ASTHMA
VALUE: 1 YES FREQ 1054 % 11.78
2 NO 7891 88.22
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: CA31 QNAME09: QC09_A11 QPAGENUM: C-7
QNAME07: QC07_A9 QNAME05: QC05_A18
LABEL: STILL HAS ASTHMA
VALUE: -1 INAPPLICABLE FREQ 7891 % 88.22
1 YES 675 7.55
2 NO 379 4.24
UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA32 QNAME09: QC09_A12 QPAGENUM: C-7
QNAME07: QC07_A10 QNAME05: QC05_A19

LABEL: HAD ASTHMA ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	7891	88.22
1	YES	470	5.25
2	NO	584	6.53

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA12B QNAME09: QC09_A13 QPAGENUM: C-7
QNAME07: QC07_A11 QNAME05: QC05_A20

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8217	91.86
1	NOT AT ALL	44	0.49
2	LESS THAN EVERY MONTH	459	5.13
3	EVERY MONTH	138	1.54
4	EVERY WEEK	66	0.74
5	EVERY DAY	21	0.23

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA33 QNAME09: QC09_A14 QPAGENUM: C-7
QNAME07: QC07_A12 QNAME05: QC05_A21

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8217	91.86
1	YES	130	1.45
2	NO	598	6.69

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA48 QNAME09: QC09_A15 QPAGENUM: C-7
QNAME07: NA QNAME05: NA

LABEL: VISIT ER FOR ASTHMA - UNABLE TO SEE DR (CURRENT ASTHMATICS)

VALUE:		FREQ	%
-1	INAPPLICABLE	8815	98.55
1	YES	90	1.01
2	NO	40	0.45

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN THE PAST 12 MONTHS) AND VISITED ER DUE TO ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA44 QNAME09: QC09_A16 QPAGENUM: C-8
QNAME07: QC07_A13 QNAME05: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8217	91.86
1	YES	35	0.39
2	NO	693	7.75

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA12A QNAME09: QC09_A17 QPAGENUM: C-8
QNAME07: QC07_A14 QNAME05: QC05_A22

LABEL: CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	7891	88.22
1	YES	335	3.75
2	NO	719	8.04

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA40 QNAME09: QC09_A18 QPAGENUM: C-8
QNAME07: QC07_A15 QNAME05: QC05_A23

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8619	96.36
1	NOT AT ALL	227	2.54
2	LESS THAN EVERY MONTH	88	0.98
3	EVERY MONTH	8	0.09
4	EVERY WEEK	1	0.01
5	EVERY DAY	2	0.02

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

VARNAME: CA41 QNAME09: QC09_A19 QPAGENUM: C-8
QNAME07: QC07_A16 QNAME05: QC05_A24

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8619	96.36
1	YES	7	0.08
2	NO	319	3.57

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA34_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: # DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)

MEAN STATISTICS

N 1024
MIN 0
MAX 30
MEAN 2.11

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: CA34

NOTES: EXCLUDED VALUE "93" IN CALCULATING THE MEAN

VARNAME: CA35 QNAME09: QC09_A23 QPAGENUM: C-9
QNAME07: QC07_A19 QNAME05: QC05_A26

LABEL: DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD

VALUE:		FREQ	%
-1	INAPPLICABLE	7891	88.22
1	YES	713	7.97
2	NO	341	3.81

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CA50 QNAME09: QC09_A24 QPAGENUM: C-9
QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	8232	92.03
1	YES	281	3.14
2	NO	432	4.83

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

VARNAM: CA51 QNAME09: QC09_A25 QPAGENUM: C-9
QNAME07: NA QNAME05: NA

LABEL: CONFIDENT CAN CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	7891	88.22
1	VERY CONFIDENT	751	8.40
2	SOMEWHAT CONFIDENT	246	2.75
3	NOT TOO CONFIDENT	44	0.49
4	NOT AT ALL CONFIDENT	13	0.15

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA7 QNAME09: QC09_A26 QPAGENUM: C-10
QNAME07: QC07_A23 QNAME05: QC05_A11

LABEL: LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS

VALUE:		FREQ	%
1	YES	374	4.18
2	NO	8571	95.82

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CURRENT ASTHMA

VALUE:		FREQ	%
1	CURRENT ASTHMA	728	8.14
2	NO CURRENT ASTHMA	8217	91.86

UNIVERSE: ALL CHILDREN

INPUT VAR: CA12 CA31 CA32

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

VARNAM:  ASTS                QNAME09:                QPAGENUM:
                                QNAME07:  NA                QNAME05:  NA

LABEL:  ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA

VALUE:   -1      INAPPLICABLE                7891      %
             1      SYMPTOMS                  783       88.22
             2      NO SYMPTOMS              271       8.75
                                               271       3.03

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: CA12B CA40

NOTES:

```

```

VARNAM:  ASTYR                QNAME09:                QPAGENUM:
                                QNAME07:  NA                QNAME05:  NA

LABEL:  ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA

VALUE:   -1      INAPPLICABLE                8217      %
             1      SYMPTOMS                  684       91.86
             2      NO SYMPTOMS              44         7.65
                                               44         0.49

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR: CA12B

NOTES:

```


2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: SCH_TYP QNAME09: NA QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: TYPE OF SCHOOL ATTENDED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	490	5.48
-1	INAPPLICABLE	3734	41.74
1	PUBLIC SCHOOL	4261	47.64
2	PRIVATE SCHOOL	460	5.14

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

Section B: Dental Health

VARNAME: CC1 QNAME09: QC09_B1 QPAGENUM: C-12
 QNAME07: QC07_B1 QNAME05: QC05_B1

LABEL: CHILD HAS ANY TEETH

VALUE:		FREQ	%
-1	INAPPLICABLE	7511	83.97
1	YES	1419	15.86
2	NO	15	0.17

UNIVERSE: CHILDREN AGE 1 AND 2

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC5 QNAME09: QC09_B2 QPAGENUM: C-12
QNAME07: QC07_B2 QNAME05: QC05_B2

LABEL: HOW LONG SINCE CHILD LAST VISITED DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	617	6.90
0	HAS NEVER VISITED	1372	15.34
1	LESS THAN 6 MONTHS AGO	5744	64.21
2	6 MOS TO 1 YR AGO	909	10.16
3	1 TO 2 YRS AGO	228	2.55
4	2 TO 5 YRS AGO	66	0.74
5	MORE THAN 5 YRS AGO	9	0.10

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH

INPUT VAR:

NOTES:

VARNAME: CB23_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	7270	81.27
1	NO REASON TO GO/NO PROBLEMS	457	5.11
2	NOT OLD ENOUGH	630	7.04
3	COULD NOT AFFORD/NO INSURANCE	178	1.99
4	FEAR, DISLIKES GOING	56	0.63
5	DO NOT HAVE/KNOW A DENTIST	22	0.25
91	OTHER	332	3.71

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH AND HAVE NEVER VISITED DENTIST

INPUT VAR: CB23

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: DNVST QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHILD DENTAL VISIT PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	617	6.90
1	YES	6653	74.38
2	NO	1675	18.73

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH

INPUT VAR: SRAGE CC5

NOTES:

Section C: Diet, Physical Activity, Park Use

VARIABLE: CC10 QNAME09: QC09_C1 QPAGENUM: C-13
QNAME07: QC07_C1 QNAME05: QC05_B11

LABEL: # OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY

MEAN STATISTICS	
N	7649
MIN	0
MAX	12
MEAN	1.06

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CC13 QNAME09: QC09_C2 QPAGENUM: C-13
 QNAME07: QC07_C2 QNAME05: QC05_B4

LABEL: # OF SERVINGS OF FRUIT HAD YESTERDAY

MEAN STATISTICS

N	7649
MIN	0
MAX	15
MEAN	1.94

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

 VARNAME: CC14 QNAME09: QC09_C3 QPAGENUM: C-13
 QNAME07: QC07_C3 QNAME05: QC05_B5

LABEL: # OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY

MEAN STATISTICS

N	7649
MIN	0
MAX	5
MEAN	0.14

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC31 QNAME09: QC09_C4 QPAGENUM: C-13

QNAME07: QC07_C4 QNAME05: NA

LABEL: # SERVINGS OF VEGETABLES HAD YESTERDAY

MEAN STATISTICS

N	7649
MIN	0
MAX	8
MEAN	1.38

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CC12 QNAME09: QC09_C5 QPAGENUM: C-14

QNAME07: QC07_C7 QNAME05: QC05_B10

LABEL: # OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY

MEAN STATISTICS

N	7649
MIN	0
MAX	10
MEAN	0.32

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC24 QNAME09: QC09_C6 QPAGENUM: C-14
QNAME07: QC07_C8 QNAME05: QC05_B12

LABEL: # OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY

MEAN STATISTICS

N	7649
MIN	0
MAX	20
MEAN	1.05

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CC32 QNAME09: QC09_C7 QPAGENUM: C-14
QNAME07: QC07_C9 QNAME05: NA

LABEL: # TIMES ATE FAST FOOD DURING PAST WEEK

MEAN STATISTICS

N	7649
MIN	0
MAX	20
MEAN	1.19

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC29 QNAME09: QC09_C8 QPAGENUM: C-15
QNAME07: QC07_C12 QNAME05: QC05_C3

LABEL: # OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK

MEAN STATISTICS

N 5223
MIN 0
MAX 7
MEAN 1.42

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

VARNAME: CC30 QNAME09: QC09_C9 QPAGENUM: C-15
QNAME07: QC07_C13 QNAME05: QC05_C4

LABEL: # OF MINS TO WALK, BIKE, SKATE FROM SCHOOL

MEAN STATISTICS

N 1765
MIN 0
MAX 120
MEAN 13.18

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WK OR LAST YR
AND WALK/BIKE/SKATE FROM SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC33 QNAME09: QC09_C10 QPAGENUM: C-15

QNAME07: QC07_C14 QNAME05: NA

LABEL: COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN

VALUE:		FREQ	%
-1	INAPPLICABLE	5487	61.34
1	YES	1645	18.39
2	NO	1813	20.27

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WK OR LAST YR
AND DO NOT WALK/BIKE/SKATE FROM/TO SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

VARNAME: CC35 QNAME09: QC09_C12 QPAGENUM: C-16

QNAME07: QC07_C17 QNAME05: NA

LABEL: # DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK

MEAN STATISTICS	
N	5429
MIN	0
MAX	7
MEAN	3.83

UNIVERSE: CHILDREN AGE 5 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC37 QNAME09: QC09_C13 QPAGENUM: C-16

QNAME07: QC07_C19 QNAME05: NA

LABEL: BEEN TO PARK LAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	601	6.72
1	YES	6662	74.48
2	NO	1682	18.80

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CC36 QNAME09: QC09_C14 QPAGENUM: C-17

QNAME07: QC07_C18 QNAME05: NA

LABEL: PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	602	6.73
1	YES	6733	75.27
2	NO	1610	18.00

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC39 QNAME09: QC09_C15 QPAGENUM: C-17
QNAME07: NA QNAME05: NA

LABEL: CLOSEST PARK SAFE DURING DAY

VALUE:		FREQ	%
-1	INAPPLICABLE	602	6.73
1	STRONGLY AGREE	3730	41.70
2	AGREE	3849	43.03
3	DISAGREE	633	7.08
4	STRONGLY DISAGREE	131	1.46

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CG10 QNAME09: QC09_C16 QPAGENUM: C-17
QNAME07: NA QNAME05: QC05_C6

LABEL: # OF HRS CHILD PLAYS TV/VIDEO GAMES ON WEEKEND

VALUE:		FREQ	%
-1	INAPPLICABLE	1296	14.49
0	0	7345	82.11
93	DOESN'T HAVE TV	10	0.11
94	> 0, BUT < 1 HOUR	294	3.29

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG11 QNAME09: QC09_C17 QPAGENUM: C-17
 QNAME07: NA QNAME05: QC05_C8
 LABEL: # OF HRS CHILD USES COMPUTER FOR FUN ON WEEKEND
 VALUE: -1 INAPPLICABLE 2760 30.86
 0 0 5240 58.58
 93 NO ACCESS TO A PC 177 1.98
 94 > 0, BUT < 1 HOUR 768 8.59

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAME: FV5DAY QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES
 VALUE: -1 INAPPLICABLE 1296 14.49
 1 EAT 5 OR MORE SERVINGS FRUIT/VEGETABLES 3555 39.74
 2 EAT LESS THAN 5 SERVINGS FRUIT/VEGETABLE 4094 45.77

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR: CC10 CC13 CC14 CC31

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: HHSMK QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: HOUSEHOLD SMOKING

VALUE:		FREQ	%
1	NONE	8755	97.88
2	SOMEDAYS	125	1.40
3	EVERY DAY	65	0.73

UNIVERSE: ALL CHILDREN

INPUT VAR: AC17 AD34

NOTES:

Section D: Health Care Access and Utilization

VARNAME: CD1 QNAME09: QC09_D1 QPAGENUM: C-18
QNAME07: QC07_D1 QNAME05: QC05_D1

LABEL: HAS USUAL PLACE FOR CHILD'S HEALTH CARE

VALUE:		FREQ	%
1	YES	7284	81.43
2	NO	222	2.48
3	DOCTOR/HIS/HER DOCTOR	1139	12.73
4	KAISER	293	3.28
5	MORE THAN ONE USUAL PLACE	7	0.08

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD3 QNAME09: QC09_D2 QPAGENUM: C-18
QNAME07: QC07_D2 QNAME05: QC05_D2

LABEL: KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	222	2.48
1	DOCTORS OFFICE/KAISER/OTHER HMO	6366	71.17
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	2294	25.65
3	EMERGENCY ROOM	27	0.30
4	OTHER HEALTH PROF (NO MD)/ALTERN MED	26	0.29
91	SOME OTHER PLACE	4	0.04
94	NO ONE PLACE	6	0.07

UNIVERSE: CHILDREN WITH USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

VARNAME: USOC QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:		FREQ	%
1	YES	8696	97.22
2	NO	249	2.78

UNIVERSE: ALL CHILDREN

INPUT VAR: USUAL5TP CD1

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE

VALUE:		FREQ	%
1	YES	8723	97.52
2	NO	222	2.48

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1

NOTES:

VARNAME: USUAL5TP QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	6634	74.16
2	COMMUN/GOV CLIN, COMMUN HOSP	2026	22.65
3	EMERGENCY ROOM	27	0.30
4	OTHER PLACE/NO ONE PLACE	36	0.40
5	NO USUAL SOURCE OF CARE	222	2.48

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1 CD3

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD12 QNAME09: QC09_D3 QPAGENUM: C-18
 QNAME07: QC07_D16 QNAME05: QC05_D9

LABEL: CHILD VISITED HOSPITAL ER PAST 12 MOS

VALUE:		FREQ	%
1	YES	1482	16.57
2	NO	7463	83.43

UNIVERSE: CHILDREN WHO HAVE NOT VISITED A HOSPITAL EMERGENCY ROOM OR URGENT CARE FOR ASTHMA IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ER QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:		FREQ	%
1	YES	1482	16.57
2	NO	7463	83.43

UNIVERSE: ALL CHILDREN

INPUT VAR: CD12 CA33 CA41

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ACMDNUM QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:		FREQ	%
0	0 TIME	687	7.68
1	1 TIMES	1952	21.82
2	2 TIMES	2001	22.37
3	3 TIMES	1371	15.33
4	4 TIMES	963	10.77
5	5 TIMES	607	6.79
6	6 TIMES	511	5.71
7	7-8 TIMES	325	3.63
8	9-12 TIMES	365	4.08
9	13-24 TIMES	109	1.22
10	25+ TIMES	54	0.60

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

VARNAME: CD7 QNAME09: QC09_D5 QPAGENUM: C-19
QNAME07: QC07_D4 QNAME05: QC05_D4

LABEL: HOW LONG SINCE LAST SAW MEDICAL DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	8258	92.32
1	ONE YEAR AGO OR LESS	193	2.16
2	1 TO 2 YRS AGO	378	4.23
3	2 TO 3 YRS AGO	66	0.74
4	MORE THAN 3 YRS AGO	40	0.45
5	NEVER	10	0.11

UNIVERSE: CHILDREN WHO HAVE NOT SEEN ANY KIND OF MEDICAL DOCTOR IN THE PAST
12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD33 QNAME09: QC09_D6 QPAGENUM: C-19
QNAME07: NA QNAME05: NA

LABEL: CHILD HAS PERSONAL DR AS MAIN PROVIDER

VALUE:		FREQ	%
-1	INAPPLICABLE	7933	88.69
1	YES	964	10.78
2	NO	48	0.54

UNIVERSE: CHILDREN WHO HAVE ASTHMA OR ASTHMA EPISODE IN PAST 12 MOS OR HAVE OTHER CONDITION THAT LIMIT CHILDREN ACTIVITIES

INPUT VAR:

NOTES:

VARNAME: DOCT_YR QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

VALUE:		FREQ	%
1	YES	8258	92.32
2	NO	687	7.68

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD34 QNAME09: QC09_D7 QPAGENUM: C-20
QNAME07: NA QNAME05: NA

LABEL: PAST 12 MOS PHONE DR WITH MED QUESTION

VALUE:		FREQ	%
-1	INAPPLICABLE	7937	88.73
1	YES	528	5.90
2	NO	480	5.37

UNIVERSE: CHILDREN WHO HAVE ASTHMA OR ASTHMA EPISODE IN PAST 12 MOS OR HAVE DOCTOR VISIT IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CD35 QNAME09: QC09_D8 QPAGENUM: C-20
QNAME07: NA QNAME05: NA

LABEL: GOT ANSWER TO MED QUESTION SOON

VALUE:		FREQ	%
-1	INAPPLICABLE	8417	94.10
1	NEVER	14	0.16
2	SOMETIMES	35	0.39
3	USUALLY	114	1.27
4	ALWAYS	365	4.08

UNIVERSE: CHILDREN WHO HAVE ASTHMA OR ASTHMA EPISODE IN PAST 12 MOS OR HAVE DOCTOR VISIT IN PAST 12 MOS OR CONTACTED DOCTOR'S OFFICE WITH MEDICAL QUESTION IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CD36 QNAME09: QC09_D9 QPAGENUM: C-20
QNAME07: NA QNAME05: NA

LABEL: DR COORDINATES CARE WITH OTHER DRS

VALUE:		FREQ	%
-1	INAPPLICABLE	7981	89.22
1	YES	597	6.67
2	NO	367	4.10

UNIVERSE: CHILDREN WHO HAVE USUAL SOURCE OF CARE OR HAVE ASTHMA OR ASTHMA EPISODE IN PAST 12 MOS OR CONDITION THAT LIMIT ACTIVITIES

INPUT VAR:

NOTES:

VARNAM: CE1 QNAME09: QC09_D10 QPAGENUM: C-20
QNAME07: QC07_D11 QNAME05: QC05_D10

LABEL: DELAYED/DIDN•T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	395	4.42
2	NO	8550	95.58

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE12 QNAME09: QC09_D11 QPAGENUM: C-21
QNAME07: QC07_D12 QNAME05: QC05_D11

LABEL: COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	8550	95.58
1	YES	171	1.91
2	NO	224	2.50

UNIVERSE: CHILDREN WHO DELAYED OR NOT GET PRESCRIBED MEDICINE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CD37 QNAME09: QC09_D12 QPAGENUM: C-21
QNAME07: NA QNAME05: NA

LABEL: PRESCRIPTION FOR ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8902	99.52
1	YES	34	0.38
2	NO	9	0.10

UNIVERSE: CHILDREN WHO HAVE ASTHMA AND DELAYED OR NOT GET PRESCRIBED MEDICINE IN THE PAST 12 MONTHS AND COST OR INSURANCE WAS THE CAUSE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD32 QNAME09: QC09_D18 QPAGENUM: C-22

QNAME07: QC07_D10 QNAME05: NA

LABEL: DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM

VALUE:		FREQ	%
1	YES	6509	72.77
2	NO	2436	27.23

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CD30 QNAME09: QC09_D19 QPAGENUM: C-23

QNAME07: QC07_D15 QNAME05: QC05_D15

LABEL: CHILD HAD FLU SHOT IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	276	3.09
1	YES	4318	48.27
2	NO	4351	48.64

UNIVERSE: CHILDREN AGE 6 MONTHS AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD41 QNAME09: QC09_D20 QPAGENUM: C-23
QNAME07: NA QNAME05: NA

LABEL: FLU SHOT OR NASAL FLU VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	4627	51.73
1	FLU SHOT	2873	32.12
2	NASAL/FLUMIST	1062	11.87
3	BOTH	383	4.28

UNIVERSE: CHILDREN AGE 6 MONTHS AND OLDER AND HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CD42 QNAME09: QC09_D21 QPAGENUM: C-23
QNAME07: NA QNAME05: NA

LABEL: PLACE CHILD GOT LAST FLU VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	4627	51.73
1	DOCTOR'S OFFICE/KAISER/HMO	2778	31.06
2	COMM HLTH CTR/HLTH DEPT CLINIC/OTHER CLI	1061	11.86
3	STORE (MARKET, DRUGSTORE, PHARMACY)	59	0.66
4	WORKPLACE	6	0.07
5	SENIOR/RECREATION/COMMUNITY CENTER	28	0.31
6	HOSPITAL/EMERGENCY ROOM	92	1.03
7	PLACE OF WORSHIP	11	0.12
8	SCHOOL	268	3.00
9	RESIDENCE	7	0.08
11	OTHER	8	0.09

UNIVERSE: CHILDREN AGE 6 MONTHS AND OLDER AND HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CE11 QNAME09: QC09_E1 QPAGENUM: C-24
QNAME07: QC07_E1 QNAME05: QC05_E1

LABEL: CHILD CURRENTLY ON TANF OR CALWORKS

VALUE:		FREQ	%
-1	INAPPLICABLE	4472	49.99
1	YES	416	4.65
2	NO	4057	45.35

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

VARIABLE: CE11C QNAME09: QC09_E3 QPAGENUM: C-24
QNAME07: QC07_E3 QNAME05: QC05_E3

LABEL: CHILD CURRENTLY ON WIC

VALUE:		FREQ	%
-1	INAPPLICABLE	6398	71.53
1	YES	1086	12.14
2	NO	1461	16.33

UNIVERSE: CHILDREN AGE 6 AND YOUNGER IN FAMILY WITH INCOME LESS THAN OR
EQUAL TO 300% FPL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section E: Public Programs

VARNAME: CG14 QNAME09: QC09_F1 QPAGENUM: C-25
QNAME07: QC07_F1 QNAME05: QC05_F1

LABEL: # OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	4682	52.34
1	EVERY DAY	2919	32.63
2	3-6 DAYS	901	10.07
3	1-2 DAYS	286	3.20
4	NEVER	157	1.76

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE11A QNAME09: QC09_E2 QPAGENUM: C-24
QNAME07: QC07_E2 QNAME05: QC05_E2

LABEL: CHILD RECEIVING FOOD STAMP BENEFITS

VALUE:		FREQ	%
-1	INAPPLICABLE	4472	49.99
1	YES	955	10.68
2	NO	3518	39.33

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

VARNAME: CG15 QNAME09: QC09_F2 QPAGENUM: C-25
QNAME07: QC07_F2 QNAME05: QC05_F2

LABEL: # OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	4682	52.34
1	EVERY DAY	2769	30.96
2	3-6 DAYS	947	10.59
3	1-2 DAYS	363	4.06
4	NEVER	184	2.06

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG16 QNAME09: QC09_F3 QPAGENUM: C-25
QNAME07: QC07_F3 QNAME05: QC05_F3

LABEL: # OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE

VALUE:		FREQ	%
-1	INAPPLICABLE	4682	52.34
1	EVERY DAY	1462	16.34
2	3-6 DAYS	1899	21.23
3	1-2 DAYS	807	9.02
4	NEVER	95	1.06

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

VARNAME: CG17 QNAME09: QC09_F4 QPAGENUM: C-26
QNAME07: QC07_F4 QNAME05: QC05_F4

LABEL: CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS

VALUE:		FREQ	%
-1	INAPPLICABLE	8619	96.36
1	A LOT	18	0.20
2	A LITTLE	24	0.27
3	NOT AT ALL	284	3.17

UNIVERSE: CHILDREN BETWEEN 4 AND 9 MONTHS OLD

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG17A QNAME09: QC09_F5 QPAGENUM: C-26
QNAME07: QC07_F5 QNAME05: QC05_F5

LABEL: CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS

VALUE:		FREQ	%
-1	INAPPLICABLE	5169	57.79
1	A LOT	364	4.07
2	A LITTLE	577	6.45
3	NOT AT ALL	2835	31.69

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG18 QNAME09: QC09_F6 QPAGENUM: C-26
QNAME07: QC07_F6 QNAME05: QC05_F6

LABEL: CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY

VALUE:		FREQ	%
-1	INAPPLICABLE	5610	62.72
1	A LOT	351	3.92
2	A LITTLE	256	2.86
3	NOT AT ALL	2728	30.50

UNIVERSE: CHILDREN 18 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG19 QNAME09: QC09_F7 QPAGENUM: C-26
QNAME07: QC07_F7 QNAME05: QC05_F7

LABEL: CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS

VALUE:		FREQ	%
-1	INAPPLICABLE	4843	54.14
1	A LOT	263	2.94
2	A LITTLE	206	2.30
3	NOT AT ALL	3633	40.61

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG20 QNAME09: QC09_F8 QPAGENUM: C-27
QNAME07: QC07_F8 QNAME05: QC05_F8

LABEL: CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS

VALUE:		FREQ	%
-1	INAPPLICABLE	4843	54.14
1	A LOT	259	2.90
2	A LITTLE	173	1.93
3	NOT AT ALL	3670	41.03

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG21 QNAME09: QC09_F9 QPAGENUM: C-27
QNAME07: QC07_F9 QNAME05: QC05_F9

LABEL: CONCERN ABOUT HOW WELL CHILD SEES OR HEARS

VALUE:		FREQ	%
-1	INAPPLICABLE	4843	54.14
1	A LOT	308	3.44
2	A LITTLE	243	2.72
3	NOT AT ALL	3551	39.70

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

Section F: Parental Involvement, Concerns, Mental Health

VARNAME: CG22 QNAME09: QC09_F10 QPAGENUM: C-27
QNAME07: QC07_F10 QNAME05: QC05_F10

LABEL: CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS

VALUE:		FREQ	%
-1	INAPPLICABLE	4512	50.44
1	A LOT	396	4.43
2	A LITTLE	872	9.75
3	NOT AT ALL	3165	35.38

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG23 QNAME09: QC09_F11 QPAGENUM: C-27
QNAME07: QC07_F11 QNAME05: QC05_F11

LABEL: CONCERN ABOUT CHILD'S FEELINGS AND MOODS

VALUE:		FREQ	%
-1	INAPPLICABLE	4512	50.44
1	A LOT	535	5.98
2	A LITTLE	978	10.93
3	NOT AT ALL	2920	32.64

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG24 QNAME09: QC09_F12 QPAGENUM: C-27
QNAME07: QC07_F12 QNAME05: QC05_F12

LABEL: CONCERN ABOUT HOW CHILD BEHAVES

VALUE:		FREQ	%
-1	INAPPLICABLE	4512	50.44
1	A LOT	514	5.75
2	A LITTLE	1098	12.28
3	NOT AT ALL	2821	31.54

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG25 QNAME09: QC09_F13 QPAGENUM: C-28
 QNAME07: QC07_F13 QNAME05: QC05_F13

LABEL: CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF

VALUE:		FREQ	%
-1	INAPPLICABLE	4512	50.44
1	A LOT	443	4.95
2	A LITTLE	527	5.89
3	NOT AT ALL	3463	38.71

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG26 QNAME09: QC09_F14 QPAGENUM: C-28
 QNAME07: QC07_F14 QNAME05: QC05_F14

LABEL: CONCERN CHILD CAN•T DO WHAT OTHER SAME AGE CHILDREN CAN DO

VALUE:		FREQ	%
-1	INAPPLICABLE	4512	50.44
1	A LOT	355	3.97
2	A LITTLE	614	6.86
3	NOT AT ALL	3464	38.73

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CF46 QNAME09: QC09_F15 QPAGENUM: C-28

QNAME07: QC07_F19 QNAME05: NA

LABEL: PROF REFER TO DEVELOPMENT SPECIALIST

VALUE:		FREQ	%
-1	INAPPLICABLE	492	5.50
1	YES	964	10.78
2	NO	7489	83.72

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: CF47 QNAME09: QC09_F16 QPAGENUM: C-28

QNAME07: QC07_F19 QNAME05: NA

LABEL: PROF REFER FOR SPEECH, LANGUAGE, HEARING

VALUE:		FREQ	%
-1	INAPPLICABLE	492	5.50
1	YES	1496	16.72
2	NO	6957	77.78

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG28 QNAME09: QC09_F17 QPAGENUM: C-29
 QNAME07: QC07_F23 QNAME05: QC05_F15

LABEL: CHILD IS GENERALLY OBEDIENT

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	NOT TRUE	203	2.27
2	SOMEWHAT TRUE	1620	18.11
3	CERTAINLY TRUE	4355	48.69

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CG29 QNAME09: QC09_F18 QPAGENUM: C-29
 QNAME07: QC07_F24 QNAME05: QC05_F16

LABEL: CHILD OFTEN SEEMS WORRIED

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	NOT TRUE	4588	51.29
2	SOMEWHAT TRUE	1323	14.79
3	CERTAINLY TRUE	267	2.98

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG30 QNAME09: QC09_F19 QPAGENUM: C-29
 QNAME07: QC07_F25 QNAME05: QC05_F17

LABEL: CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	NOT TRUE	5544	61.98
2	SOMEWHAT TRUE	537	6.00
3	CERTAINLY TRUE	97	1.08

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CG31 QNAME09: QC09_F20 QPAGENUM: C-29
 QNAME07: QC07_F26 QNAME05: QC05_F18

LABEL: CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	NOT TRUE	4563	51.01
2	SOMEWHAT TRUE	1110	12.41
3	CERTAINLY TRUE	505	5.65

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG32 QNAME09: QC09_F21 QPAGENUM: C-30
 QNAME07: QC07_F27 QNAME05: QC05_F19

LABEL: CHILD HAS GOOD ATTENTION SPAN

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	NOT TRUE	653	7.30
2	SOMEWHAT TRUE	2146	23.99
3	CERTAINLY TRUE	3379	37.78

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CF30 QNAME09: QC09_F22 QPAGENUM: C-30
 QNAME07: QC07_F28 QNAME05: QC05_F20

LABEL: CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN PAST 6 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	YES	1451	16.22
2	NO	4727	52.85

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF31 QNAME09: QC09_F23 QPAGENUM: C-30
QNAME07: QC07_F29 QNAME05: QC05_F21

LABEL: CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE

VALUE:		FREQ	%
-1	INAPPLICABLE	7494	83.78
1	MINOR	1010	11.29
2	DEFINITE	356	3.98
3	SEVERE	85	0.95

UNIVERSE: CHILDREN AGE 4 AND OLDER WHO HAVE DIFFICULTIES W/ EMOTIONS,
CONCENTRATION, BEHAVIOR INTERACTIONS WITH PEOPLE

INPUT VAR:

NOTES:

VARNAME: CF32 QNAME09: QC09_F24 QPAGENUM: C-30
QNAME07: QC07_F30 QNAME05: QC05_F22

LABEL: CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	2767	30.93
1	YES	433	4.84
2	NO	5745	64.23

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CF60 QNAME09: QC09_F25 QPAGENUM: C-30
QNAME07: NA QNAME05: NA

LABEL: HEARD ABOUT SID: THE SCIENCE KID

VALUE:		FREQ	%
-1	INAPPLICABLE	612	6.84
1	YES	3660	40.92
2	NO	4673	52.24

UNIVERSE: CHILDREN AGE 1 AND OLDER AND HAVE TELEVISION

INPUT VAR:

NOTES:

VARIABLE: CF61 QNAME09: QC09_F26 QPAGENUM: C-31
QNAME07: NA QNAME05: NA

LABEL: CHILD HAS SEEN SID: THE SCIENCE KID

VALUE:		FREQ	%
-1	INAPPLICABLE	5285	59.08
1	YES	2671	29.86
2	NO	950	10.62
93	DOESN'T WATCH TV	39	0.44

UNIVERSE: CHILDREN AGE 1 AND OLDER AND HAVE TELEVISION

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF62 QNAME09: QC09_F27 QPAGENUM: C-31
QNAME07: NA QNAME05: NA

LABEL: MY KIDS LEARN SCIENCE FROM SID

VALUE:		FREQ	%
-1	INAPPLICABLE	6274	70.14
1	STRONGLY AGREE	385	4.30
2	AGREE	1368	15.29
3	DISAGREE	761	8.51
4	STRONGLY DISAGREE	157	1.76

UNIVERSE: CHILDREN AGE 1 AND OLDER AND HAVE SEEN PBS SHOW "SID THE SCIENCE KID"

INPUT VAR:

NOTES:

VARNAME: CF63 QNAME09: QC09_F28 QPAGENUM: C-31
QNAME07: NA QNAME05: NA

LABEL: SID INCREASES PRESCHOOLERS INTEREST IN SCIENCE

VALUE:		FREQ	%
-1	INAPPLICABLE	6274	70.14
1	STRONGLY AGREE	603	6.74
2	AGREE	1827	20.42
3	DISAGREE	221	2.47
4	STRONGLY DISAGREE	20	0.22

UNIVERSE: CHILDREN AGE 1 AND OLDER AND HAVE SEEN PBS SHOW "SID THE SCIENCE KID"

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF35 QNAME09: QC09_F29 QPAGENUM: C-31
 QNAME07: NA QNAME05: QC05_F25
 LABEL: KNOWS STATE PROVIDES FREE PARENT KIT
 VALUE: 1 YES 2708 30.27
 2 NO 6237 69.73
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: CF36 QNAME09: QC09_F30 QPAGENUM: C-31
 QNAME07: NA QNAME05: QC05_F26
 LABEL: EVER RECEIVED PARENT KIT
 VALUE: -1 INAPPLICABLE 6237 69.73
 1 YES 1463 16.36
 2 NO 1245 13.92
 UNIVERSE: CHILDREN WHOSE PARENTS KNOW ABOUT FIRST 5 CAL FREE PARENT KIT
 INPUT VAR:
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF39 QNAME09: QC09_F31 QPAGENUM: C-32
QNAME07: NA QNAME05: QC05_F26B

LABEL: USED MATERIALS FROM PARENT KIT

VALUE:		FREQ	%
-1	INAPPLICABLE	7482	83.64
1	YES	1081	12.08
2	NO	382	4.27

UNIVERSE: CHILDREN WHOSE PARENTS KNOW ABOUT FIRST 5 CAL FREE PARENT KIT AND RECEIVED ONE

INPUT VAR:

NOTES:

VARNAME: CF37 QNAME09: QC09_F32 QPAGENUM: C-32
QNAME07: NA QNAME05: QC05_F27

LABEL: USEFULNESS OF PARENT KIT USING 1 TO 10 SCALE

MEAN STATISTICS	
N	1081
MIN	1
MAX	10
MEAN	7.01

UNIVERSE: CHILDREN WHOSE PARENTS RECEIVED FIRST 5 CAL FREE PARENT KIT AND USED MATERIALS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: PEDS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RISK OF DEVELOPMENTAL DELAY

VALUE:		FREQ	%
-1	INAPPLICABLE	4843	54.14
1	NO RISK	1754	19.61
2	LOW RISK	800	8.94
3	MODERATE RISK	756	8.45
4	HIGH RISK	792	8.85

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR: CG17A CG17--CG26 SRAGE CAGEMOS

NOTES: PARENTS' EVALUATION OF DEVELOPMENTAL STATUS: [HTTP://PEDSTEST.COM](http://pedstest.com)

VARNAME: SDQ QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MENTAL HEALTH DEVELOPMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	2760	30.86
1	NORMAL	5680	63.50
2	BORDERLINE	227	2.54
3	ABNORMAL	278	3.11

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR: SRAGE CF30 CG28-CG32

NOTES: SHORTENED V. STRENGTHS & DIFFICULTIES QN. [HTTP://WWW.SDQINFO.COM](http://www.sdqinfo.com)

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section G: Child Care, Neighborhood Cohesion

VARIABLE: CG1 QNAME09: QC09_G1 QPAGENUM: C-33
QNAME07: QC07_G1 QNAME05: QC05_F28

LABEL: HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK

VALUE:			FREQ	%
1	YES		2537	28.36
2	NO		6408	71.64

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARIABLE: CG2 QNAME09: QC09_G2 QPAGENUM: C-33
QNAME07: QC07_G2 QNAME05: QC05_F29

LABEL: # OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK

MEAN STATISTICS	
N	2537
MIN	1
MAX	168
MEAN	24.40

UNIVERSE: CHILDREN WHO CURRENTLY HAVE REGULAR CHILD CARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3A QNAME09: QC09_G3 QPAGENUM: C-33
 QNAME07: QC07_G3 QNAME05: QC05_F30

LABEL: RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER

VALUE:		FREQ	%
-1	INAPPLICABLE	6526	72.96
1	YES	948	10.60
2	NO	1471	16.44

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3B QNAME09: QC09_G4 QPAGENUM: C-34
 QNAME07: QC07_G4 QNAME05: QC05_F31

LABEL: RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	7131	79.72
1	YES	238	2.66
2	NO	1576	17.62

UNIVERSE: CHILDREN YOUNGER THAN 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3C QNAME09: QC09_G5 QPAGENUM: C-34
 QNAME07: QC07_G5 QNAME05: QC05_F32

LABEL: RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	7131	79.72
1	YES	772	8.63
2	NO	1042	11.65

UNIVERSE: CHILDREN YOUNGER THAN 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3D QNAME09: QC09_G6 QPAGENUM: C-34
 QNAME07: QC07_G6 QNAME05: QC05_F33

LABEL: RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6526	72.96
1	YES	889	9.94
2	NO	1530	17.10

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3E QNAME09: QC09_G7 QPAGENUM: C-34
QNAME07: QC07_G7 QNAME05: QC05_F34

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6526	72.96
1	YES	376	4.20
2	NO	2043	22.84

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3F QNAME09: QC09_G8 QPAGENUM: C-34
QNAME07: QC07_G8 QNAME05: QC05_F35

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6526	72.96
1	YES	499	5.58
2	NO	1920	21.46

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3G QNAME09: QC09_G9 QPAGENUM: C-35
QNAME07: QC07_G9 QNAME05: QC05_F36

LABEL: CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA

VALUE:		FREQ	%
-1	INAPPLICABLE	7839	87.64
1	YES (ALL LICENSED)	981	10.97
2	NO (NONE LICENSED)	112	1.25
3	SOME LICENSED AND SOME NOT	13	0.15

UNIVERSE: CHILDREN W/ 10 HRS OR MORE REGULAR CHILDCARE PER WEEK AT ONE/MORE OF HEAD START, PRESCHOOL, NURSERY SCHOOL, CHILDCARE CTR NOT IN SOMEONE'S HOME, NONFAMILY WHO CARES AT HIS/HER HOME

INPUT VAR:

NOTES:

VARNAME: CG5 QNAME09: QC09_G10 QPAGENUM: C-35
QNAME07: QC07_G10 QNAME05: QC05_F37

LABEL: COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	495	5.53
2	NO	8450	94.47

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG6 QNAME09: QC09_G11 QPAGENUM: C-35
QNAME07: QC07_G11 QNAME05: QC05_F38

LABEL: MAIN REASON UNABLE TO FIND CHILDCARE

VALUE:		FREQ	%
-1	INAPPLICABLE	8450	94.47
1	COULDN'T AFFORD ANY CHILD CARE	102	1.14
2	COULDN'T FIND A PROVIDER WITH A SPACE	54	0.60
3	HOURS AND LOCATION DIDN'T FIT MY NEEDS	46	0.51
4	COULDN'T AFFORD QUALITY CHILDCARE	26	0.29
5	COULDN'T FIND QUALITY CHILDCARE	74	0.83
91	OTHER REASON	193	2.16

UNIVERSE: CHILDREN WHO COULD NOT FIND CHILDCARE WHEN NEEDED IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CG39 QNAME09: QC09_G12 QPAGENUM: C-36
QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBRHD WILLING TO HELP

VALUE:		FREQ	%
1	STRONGLY AGREE	2222	24.84
2	AGREE	5241	58.59
3	DISAGREE	1235	13.81
4	STRONGLY DISAGREE	247	2.76

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG40 QNAME09: QC09_G13 QPAGENUM: C-36
QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBRHD DO NOT GET ALONG

VALUE:			FREQ	%
1	STRONGLY AGREE		132	1.48
2	AGREE		1027	11.48
3	DISAGREE		5620	62.83
4	STRONGLY DISAGREE		2166	24.21

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CG41 QNAME09: QC09_G14 QPAGENUM: C-36
QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBRHD CAN BE TRUSTED

VALUE:			FREQ	%
1	STRONGLY AGREE		1848	20.66
2	AGREE		5654	63.21
3	DISAGREE		1223	13.67
4	STRONGLY DISAGREE		220	2.46

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG34 QNAME09: QC09_G15 QPAGENUM: C-37
QNAME07: NA QNAME05: NA

LABEL: ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN

VALUE:		FREQ	%
1	STRONGLY AGREE	2056	22.98
2	AGREE	5431	60.72
3	DISAGREE	1186	13.26
4	STRONGLY DISAGREE	218	2.44
5	NOT APPLICABLE	54	0.60

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CG42 QNAME09: QC09_G16 QPAGENUM: C-37
QNAME07: NA QNAME05: NA

LABEL: FEEL SAFE IN NEIGHBORHOOD

VALUE:		FREQ	%
1	ALL OF THE TIME	4442	49.66
2	MOST OF THE TIME	3517	39.32
3	SOME OF THE TIME	875	9.78
4	NONE OF THE TIME	111	1.24

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG43 QNAME09: QC09_G17 QPAGENUM: C-37

QNAME07: NA QNAME05: NA

LABEL: VOLUNTEER WORK PAST 12 MOS

VALUE:		FREQ	%
1	YES	4494	50.24
2	NO	4451	49.76

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section H: Demographics, Part II

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: LATIN9TP QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: LATINO/HISPANIC SUBTYPES - (9 TYPES)

VALUE:		FREQ	%
-1	NON-LATINO	5626	62.90
1	MEXICAN	2718	30.39
2	SALVADORAN	63	0.70
3	GUATEMALAN	63	0.70
4	CENTRAL AMERICAN	30	0.34
5	PUERTO RICAN	25	0.28
6	LATINO EUROPEAN	32	0.36
7	SOUTH AMERICAN	70	0.78
8	OTHER LATINO	34	0.38
9	2+ LATINO TYPES	284	3.17

UNIVERSE: CHILDREN WHO ARE LATINO/HISPANIC

INPUT VAR: SRH

NOTES:

 VARNAME: RACECN_A QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
1	AMERICAN INDIAN/ALASKAN NATIVE	136	1.52
2	ASIAN	1290	14.42
3	AFRICAN AMERICAN	292	3.26
4	WHITE	5127	57.32
5	PI/OTHER SINGLE RACE	1788	19.99
6	MORE THAN ONE RACE	295	3.30

UNIVERSE: ALL CHILDREN

INPUT VAR: RACECEN

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACECN_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	AMERICAN INDIAN/ALASKAN NATIVE	89	0.99
2	ASIAN	1233	13.78
3	AFRICAN AMERICAN	294	3.29
4	WHITE	5029	56.22
5	PI/OTHER SINGLE RACE	1683	18.81
6	MORE THAN ONE RACE	617	6.90

UNIVERSE: ALL CHILDREN

INPUT VAR: RACECEN

NOTES:

VARNAME: RACEDO_A QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
1	LATINO	3062	34.23
2	NON-LATINO AMERICAN INDIAN/ALASKAN	58	0.65
3	NON-LATINO ASIAN	1251	13.99
4	NON-LATINO AFR. AMER.	276	3.09
5	NON-LATINO WHITE	4002	44.74
6	NON-LATINO PI/OTHER, ONE RACE	21	0.23
7	NON-LATINO, TWO+ RACES	258	2.88

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEDOF

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACEDO_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	3319	37.10
2	NON-LATINO AMERICAN INDIAN/ALASKAN	31	0.35
3	NON-LATINO ASIAN	1172	13.10
4	NON-LATINO AFR. AMER.	251	2.81
5	NON-LATINO WHITE	3618	40.45
6	NON-LATINO PI/OTHER, ONE RACE	13	0.15
7	NON-LATINO, TWO+ RACES	541	6.05

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEDOF

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEHP2A QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	2136	23.88
1	LATINO	1584	17.71
2	AIAN	74	0.83
3	ASIAN	918	10.26
4	AFRICAN AMERICAN	247	2.76
5	WHITE	3355	37.51
6	PI/OTHER SINGLE/MULTIPLE RACE	631	7.05

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_A OF PREVIOUS CYCLES

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: RACEHP2P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	2433	27.20
2	AIAN	83	0.93
3	ASIAN	1330	14.87
4	AFRICAN AMERICAN	319	3.57
5	WHITE	4223	47.21
6	PI/OTHER SINGLE/MULTIPLE RACE	557	6.23

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEHPR2

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_P OF PREVIOUS CYCLES

VARNAM: SRAA QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:		FREQ	%
1	YES	469	5.24
2	NO	8476	94.76

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		219	2.45
2	NO		8726	97.55

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		1580	17.66
2	NO		7365	82.34

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		404	4.52
2	NO		8541	95.48

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRCH QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		359	4.01
2	NO		8586	95.99

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRH QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		3319	37.10
2	NO		5626	62.90

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRH_A QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED LATINO/HISPANIC (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
1	YES	3062	34.23
2	NO	5866	65.58

UNIVERSE: ALL CHILDREN

INPUT VAR: SRH

NOTES:

VARNAME: SRKR QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED KOREAN

VALUE:		FREQ	%
1	YES	223	2.49
2	NO	8722	97.51

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRO QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:		FREQ	%
1	YES	1682	18.80
2	NO	7263	81.20

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRPH QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	227	2.54
2	NO	8718	97.46

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRPI QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:		FREQ	%
1	YES	58	0.65
2	NO	8887	99.35

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRVT QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:		FREQ	%
1	YES	495	5.53
2	NO	8450	94.47

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRW QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED WHITE

VALUE:		FREQ	%
1	YES	5596	62.56
2	NO	3349	37.44

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CH5 QNAME09: QC09_H5 QPAGENUM: C-40
QNAME07: QC07_H5 QNAME05: QC05_G5

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	20	0.22
-8	DON'T KNOW	3	0.03
-1	INAPPLICABLE	8726	97.55
1	YES	40	0.45
2	NO	156	1.74

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CATRIBE QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	26	0.29
-1	INAPPLICABLE	8726	97.55
1	CALIFORNIA TRIBAL HERITAGE	62	0.69
2	NON-CALIFORNIA TRIBAL HERITAGE	131	1.46

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR: CH4_1-CH4_10 CH4OS CH6OS

NOTES:

VARNAME: ASIAN8 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	7365	82.34
1	CHINESE	284	3.17
2	JAPANESE	105	1.17
3	KOREAN	198	2.21
4	FILIPINO	184	2.06
5	SOUTH ASIAN	180	2.01
6	VIETNAMESE	438	4.90
7	SOUTHEAST ASIAN	46	0.51
8	OTHER ASIAN/2+ ASIAN TYPES	145	1.62

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:			FREQ	%
-1	NON-ASIAN		7615	85.13
1	CHINESE		243	2.72
2	FILIPINO		112	1.25
3	SOUTH ASIAN		169	1.89
4	JAPANESE		41	0.46
5	KOREAN		184	2.06
6	VIETNAMESE		423	4.73
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE		158	1.77

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: CITIZ2_F QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		5197	58.10
2	NATURALIZED CITIZEN		1733	19.37
3	NON-CITIZEN		2015	22.53

UNIVERSE: ALL CHILDREN

INPUT VAR: CH14 CH14A CH15

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CITIZ2_M QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	5162	57.71
2	NATURALIZED CITIZEN	1568	17.53
3	NON-CITIZEN	2215	24.76

UNIVERSE: ALL CHILDREN

INPUT VAR: CH11 CH11A CH12

NOTES:

VARNAME: CITIZEN2 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	8528	95.34
2	NATURALIZED CITIZEN	155	1.73
3	NON-CITIZEN	262	2.93

UNIVERSE: ALL CHILDREN

INPUT VAR: CH8 CH8A CH9

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CNTRYF QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COUNTRY FATHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		5197	58.10
2	MEXICO		1919	21.45
3	CENTRAL AMERICA		207	2.31
4	OTHER LATIN AMERICA		81	0.91
5	ASIA & PACIFIC ISLANDS		1245	13.92
6	EUROPE		189	2.11
7	OTHER		107	1.20

UNIVERSE: ALL CHILDREN

INPUT VAR: CH14

NOTES:

VARNAME: CNTRYM QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COUNTRY MOTHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		5162	57.71
2	MEXICO		1842	20.59
3	CENTRAL AMERICA		207	2.31
4	OTHER LATIN AMERICA		93	1.04
5	ASIA & PACIFIC ISLANDS		1332	14.89
6	EUROPE		195	2.18
7	OTHER		114	1.27

UNIVERSE: ALL CHILDREN

INPUT VAR: CH11

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CNTRY5 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: COUNTRY BORN IN

VALUE:			FREQ	%
1	UNITED STATES		8528	95.34
2	MEXICO		156	1.74
3	CENTRAL AMERICA		19	0.21
4	OTHER LATIN AMERICA		7	0.08
5	ASIA & PACIFIC ISLANDS		178	1.99
6	EUROPE		34	0.38
7	OTHER		23	0.26

UNIVERSE: ALL CHILDREN

INPUT VAR: CH8

NOTES:

VARNAME: YRUS QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: YEARS LIVED IN THE US

VALUE:			FREQ	%
-1	INAPPLICABLE		8528	95.34
1	<=1 YEAR		60	0.67
2	2-4 YEARS		136	1.52
3	5-9 YEARS		194	2.17
4	10-11 YEARS		27	0.30

UNIVERSE: CHILDREN WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE CH10FMT CH10 CH10YR

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: YRUSF QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: YEARS FATHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	5242	58.60
1	<=1 YEAR	36	0.40
2	2-4 YEARS	126	1.41
3	5-9 YEARS	433	4.84
4	10-14 YEARS	632	7.07
5	15-19 YEARS	632	7.07
6	20-24 YEARS	701	7.84
7	25-29 YEARS	409	4.57
8	30+ YEARS	734	8.21

UNIVERSE: CHILDREN WITH FATHER BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE CH16FMT CH16 CH16YR

NOTES:

VARNAME: YRUSM QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: YEARS MOTHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	5180	57.91
1	<=1 YEAR	50	0.56
2	2-4 YEARS	214	2.39
3	5-9 YEARS	723	8.08
4	10-14 YEARS	873	9.76
5	15-19 YEARS	729	8.15
6	20-24 YEARS	492	5.50
7	25-29 YEARS	248	2.77
8	30+ YEARS	436	4.87

UNIVERSE: CHILDREN WITH MOTHER BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE CH13FMT CH13 CH13YR

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: LANGHOME QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: LANGUAGES SPOKEN AT HOME

VALUE:		FREQ	%
1	ENGLISH	4572	51.11
2	SPANISH	869	9.71
3	CHINESE	45	0.50
4	VIETNAMESE	149	1.67
5	KOREAN	58	0.65
6	OTHER ASIAN LANGUAGE (1 ONLY)	15	0.17
7	OTHER NON-ASIAN LANGUAGE (1 ONLY)	28	0.31
8	ENGLISH & SPANISH	1891	21.14
9	ENGLISH & CHINESE	131	1.46
10	ENGLISH & EUROPEAN LANGUAGE	192	2.15
11	ENGLISH & ANOTHER ASIAN LANGUAGE	580	6.48
12	ENGLISH & ONE OTHER LANGUAGE	161	1.80
13	OTHER LANGUAGES (2+)	254	2.84

UNIVERSE: ALL CHILDREN

INPUT VAR: CH17_1 - CH17_23

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: INTVLANG QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		6759	75.56
2	SPANISH		1817	20.31
3	VIETNAMESE		224	2.50
4	KOREAN		88	0.98
5	CANTONESE		38	0.42
6	MANDARIN		19	0.21

UNIVERSE: ALL CHILDREN

INPUT VAR: ENGLSPAN

NOTES:

VARNAM: CH18 QNAME09: QC09_H23 QPAGENUM: C-48
QNAME07: QC07_H23 QNAME05: QC05_G23

LABEL: HOW WELL MKA SPEAKS ENGLISH

VALUE:			FREQ	%
-1	INAPPLICABLE		4559	50.97
1	VERY WELL		1523	17.03
2	WELL		1026	11.47
3	NOT WELL		1160	12.97
4	NOT AT ALL		677	7.57

UNIVERSE: CHILDREN WHO SPEAK TWO OR MORE LANGUAGES AT HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section I: Health Insurance

VARNAME: AI79 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHILDS HEALTH PLAN DEDUCTIBLE > \$1000

VALUE:		FREQ	%
-9	NOT ASCERTAINED	103	1.15
-8	DON'T KNOW	7	0.08
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	8273	92.49
1	YES	152	1.70
2	NO	391	4.37
3	YES, ONLY WHEN GO OUT OF NETWORK	1	0.01

UNIVERSE: CHILDREN WHO HAVE HEALTH PLANS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: AI80 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHILDS HEALTH PLAN DEDUCTIBLE > \$2000

VALUE:		FREQ	%
-9	NOT ASCERTAINED	103	1.15
-8	DON'T KNOW	8	0.09
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	8273	92.49
1	YES	109	1.22
2	NO	433	4.84
3	YES, ONLY WHEN GO OUT OF NETWORK	1	0.01

UNIVERSE: CHILDREN WHO HAVE HEALTH PLANS

INPUT VAR:

NOTES:

VARNAME: CF10A QNAME09: QPAGENUM:
QNAME07: QA07_I1 QNAME05: QA05_I1

LABEL: CHILD HAS SAME INS AS ADULT RESPONDENT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	1425	15.93
1	YES	6172	69.00
2	NO	1330	14.87

UNIVERSE: ALL CHILDREN WITH ADULT RESPONDENT WHO HAS HEALTH INSURANCE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF14 QNAME09: QPAGENUM:
QNAME07: QA07_I18 QNAME05: QA05_I18

LABEL: CHILD COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	355	3.97
1	YES	8091	90.45
2	NO	481	5.38

UNIVERSE: CHILDREN WHO ARE INSURED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CF1A QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: QA05_I4

LABEL: MAIN REASON CHILD NOT ENROLLED IN MEDI-CAL

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	8574	95.85
1	PAPERWORK TOO DIFFICULT	22	0.25
2	DIDN'T KNOW IF ELIGIBLE	37	0.41
3	INCOME TOO HIGH, NOT ELIGIBLE	111	1.24
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	21	0.23
5	OTHER NOT ELIGIBLE	53	0.59
6	DON'T BELIEVE IN HEALTH INSURANCE	1	0.01
7	DON'T NEED IT BECAUSE HEALTHY	6	0.07
8	ALREADY HAVE INSURANCE	3	0.03
9	DIDN'T KNOW IT EXISTED	9	0.10
10	DON'T LIKE/WANT WELFARE	7	0.08
11	IN PROCESS OF GETTING INSURANCE	27	0.30
12	DON'T KNOW HOW TO APPLY/HAVE NOT APPLIED	26	0.29
13	HAD PUBLIC COVERAGE AND WAS DROPPED/CANC	5	0.06
14	TOO EXPENSIVE	15	0.17
15	OTHER	10	0.11

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
RESPONDENT'S SPOUSE AND CHILD NOT COVERED BY MEDI-CAL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF2 QNAME09: QPAGENUM:
QNAME07: QA07_I5 QNAME05: QA05_I5

LABEL: CHILD COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	7558	84.49
1	YES	721	8.06
2	NO	648	7.24

UNIVERSE: CHILDREN NOT COVERED BY ADULT RESPONDENT'S HEALTH INS, SPOUSE'S HEALTH INSURANCE, OR MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: CF21 QNAME09: QPAGENUM:
QNAME07: QA07_I21 QNAME05: QA05_I21

LABEL: HOW LONG SINCE CHILD LAST HAD HEALTH INS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	8727	97.56
1	1 TO 3 YRS AGO	95	1.06
2	MORE THAN 3 YRS AGO	48	0.54
3	NEVER HAD HEALTH INSURANCE COVERAGE	57	0.64

UNIVERSE: CHILDREN WITH NO HEALTH INSURANCE COVERAGE THROUGHOUT THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	8577	95.89
1	MEDI-CAL (MEDICAID) ELIG.	122	1.36
2	HEALTHY FAM ELIG.	114	1.27
3	NOT ELIG.	132	1.48

UNIVERSE: CHILDREN WHO ARE UNINSURED

INPUT VAR:

NOTES:

VARNAME: IHS QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:		FREQ	%
1	YES	23	0.26
2	NO	8922	99.74

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INS QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CURRENTLY INSURED

VALUE: 1 YES FREQ %
 2 NO 368 4.11

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INS12M QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

 N 8945
 MIN 0
 MAX 12
 MEAN 11.49

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INS64 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:			FREQ	%
1	UNINSURED		368	4.11
2	MEDI-CAL (MEDICAID)		2237	25.01
3	CHIP		634	7.09
5	EMPLOYMENT-BASED		4930	55.11
6	PRIVATELY PURCHASED		520	5.81
7	OTHER PUBLIC		256	2.86

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSANY QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		368	4.11
2	UNINS. ANY PAST 12 MO		246	2.75
3	INSURED ALL PAST 12 MO		8331	93.14

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		5100	57.02
2	NO		3845	42.98

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSHF QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:			FREQ	%
1	YES		769	8.60
2	NO		8176	91.40

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSMD QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDI-CAL

VALUE:			FREQ	%
1	YES		2237	25.01
2	NO		6708	74.99

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSOG QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		122	1.36
2	NO		8823	98.64

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSPR QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		582	6.51
2	NO		8363	93.49

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: INST_12 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
1	MEDI-CAL (MEDICAID) ONLY	2067	23.11
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	4757	53.18
3	PRIVATE COVERAGE ONLY	489	5.47
4	OTHER COVERAGE ONLY	802	8.97
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	216	2.41
6	UNINSURED ONLY	221	2.47
7	UNINSURED + EMPLOYER-BASED ONLY	91	1.02
8	ANY 1 OR MORE TYPES + UNINSURED	302	3.38

UNIVERSE: ALL CHILDREN

INPUT VAR: INSLT12

NOTES:

 VARNAME: INSTYPE QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: INSURANCE TYPE

VALUE:		FREQ	%
1	UNINSURED	368	4.11
5	MEDICAID	2233	24.96
6	HEALTHY FAMILIES	634	7.09
7	EMPLOYMENT-BASED	4930	55.11
8	PRIVATELY PURCHASED	521	5.82
9	OTHER PUBLIC	259	2.90

UNIVERSE: ALL CHILDREN

INPUT VAR: SRAGE INS INSMO INSMC INSEM INSHF INSPR INSMO INSMO INSMO INSMO INSMO
 AI4 AI25 AH49

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: MA1 QNAME09: QPAGENUM:
QNAME07: QA07_I2 QNAME05: QA05_I2

LABEL: CHILD HAS SAME INS AS SPOUSE

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	7883	88.13
1	YES	366	4.09
2	NO	678	7.58

UNIVERSE: CHILDREN NOT COVERED BY ADULT RESPONDENT'S HEALTH INS AND SPOUSE OF ADULT RESPONDENT HAS INSURANCE

INPUT VAR:

NOTES:

VARNAME: MA2_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	132	1.48
-8	DON'T KNOW	852	9.52
-7	REFUSED	61	0.68
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	445	4.97
1	KAISER	1228	13.73
2	BLUE CROSS	1849	20.67
3	PACIFICARE	452	5.05
4	BLUE SHIELD	677	7.57
5	HEALTH NET	512	5.72
6	AETNA	413	4.62
7	CIGNA HEALTH CARE	190	2.12
8	OTHER	2116	23.66

UNIVERSE: CHILDREN WITH HEALTH INSURANCE

INPUT VAR: MA2

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: MA3 QNAME09: QPAGENUM:
QNAME07: QA07_I16 QNAME05: QA05_I17

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-8	DON'T KNOW	5	0.06
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	17	0.19
-2	PROXY SKIPPED	1	0.01
-1	INAPPLICABLE	907	10.14
1	YES	4004	44.76
2	NO	4011	44.84

UNIVERSE: CHILD WHO ARE INSURED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: RSN_UNI2 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: REASON FOR UNINSURED STATUS PAST 12 MOS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	8331	93.14
1	CANT AFFORD/TOO EXPENSIVE	232	2.59
2	NOT ELIGIBLE DUE TO WORKING STATUS	96	1.07
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	14	0.16
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	15	0.17
5	FAMILY SITUATION CHANGED	35	0.39
6	DONT BELIEVE IN INSURANCE	2	0.02
7	SWITCHED INSURANCE COMPANIES, DELAY	35	0.39
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	6	0.07
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	12	0.13
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	39	0.44
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	15	0.17
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	13	0.15
13	NOT OFFERED AT JOB	1	0.01
14	NO NEED - GENERAL	8	0.09
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	34	0.38
16	OTHER	42	0.47
92	R THOUGHT WAS INSURED	15	0.17

UNIVERSE: CHILDREN WHO ARE UNINSURED PAST 12 MOS

INPUT VAR: UNINSANY CF18 CF29

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RSN_UNIN QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	8577	95.89
1	CANT AFFORD/TOO EXPENSIVE	171	1.91
2	NOT ELIGIBLE DUE TO WORKING STATUS	35	0.39
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	9	0.10
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	14	0.16
5	FAMILY SITUATION CHANGED	14	0.16
6	DONT BELIEVE IN INSURANCE	2	0.02
7	SWITCHED INSURANCE COMPANIES, DELAY	12	0.13
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	5	0.06
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	3	0.03
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	21	0.23
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	7	0.08
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	6	0.07
14	NO NEED - GENERAL	6	0.07
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	24	0.27
16	OTHER	24	0.27
92	R THOUGHT WAS INSURED	15	0.17

UNIVERSE: CHILDREN WHO ARE CURRENTLY UNINSURED

INPUT VAR: INS CF18 CF29

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
 CHILD SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:		FREQ	%
1	UNINSURED ALL YEAR	221	2.47
2	UNINSURED PART YEAR	393	4.39
3	INSURED ALL YEAR	8331	93.14

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section O: Demographic Information, Part 3, Geographic Information

VARNAME: UR_BG QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	2592	28.98
2	2ND CITY	2243	25.08
3	SUBURBAN	2283	25.52
4	TOWN AND RURAL	1827	20.42

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: UR_CLRT QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:		FREQ	%
1	URBAN	2893	32.34
2	2ND CITY	2840	31.75
3	SUBURBAN	1777	19.87
4	TOWN AND RURAL	1435	16.04

UNIVERSE: ALL CHILDREN

INPUT VAR: BESTZIP

NOTES:

VARNAME: UR_CLRT2 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:		FREQ	%
1	URBAN	7510	83.96
2	RURAL	1435	16.04

UNIVERSE: ALL CHILDREN

INPUT VAR: UR_CLRT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	5590	62.49
2	RURAL	3355	37.51

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	8416	94.09
2	NON-METROPOLITAN	529	5.91

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	7533	84.21
2	RURAL	1412	15.79

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY TRACT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: UR_TRACT QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:		FREQ	%
1	URBAN	2672	29.87
2	2ND CITY	2360	26.38
3	SUBURBAN	2115	23.64
4	TOWN AND RURAL	1798	20.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section P: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - FULL SAMPLE

VALUE:		FREQ	%
0-HIGH	CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW1 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 1
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW2 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 2
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW3 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 3
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```
-----
VARNAME:   RAKEDW4                QNAME09:                QPAGENUM:
                                   QNAME07:   NA            QNAME05:   NA
LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 4
VALUE:     0-HIGH CONTINUOUS                8945          %
                                                100.00
UNIVERSE:  ALL CHILDREN
INPUT VAR:
NOTES:
-----
```

```
VARNAME:   RAKEDW5                QNAME09:                QPAGENUM:
                                   QNAME07:   NA            QNAME05:   NA
LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 5
VALUE:     0-HIGH CONTINUOUS                8945          %
                                                100.00
UNIVERSE:  ALL CHILDREN
INPUT VAR:
NOTES:
-----
```

```
VARNAME:   RAKEDW6                QNAME09:                QPAGENUM:
                                   QNAME07:   NA            QNAME05:   NA
LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 6
VALUE:     0-HIGH CONTINUOUS                8945          %
                                                100.00
UNIVERSE:  ALL CHILDREN
INPUT VAR:
NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW7 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 7
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW8 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 8
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW9 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 9
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW10 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 10
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW11 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 11
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW12 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 12
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW13 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 13

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW14 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 14

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW15 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 15

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW16 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 16

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW17 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 17

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW18 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 18

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW19 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 19
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW20 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 20
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW21 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 21
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW22 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 22
 VALUE: 0-HIGH CONTINUOUS FREQ %
8945 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW23 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 23
 VALUE: 0-HIGH CONTINUOUS FREQ %
8945 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW24 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 24
 VALUE: 0-HIGH CONTINUOUS FREQ %
8945 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

VARIABLE: RAKEDW25                               QNAME09:                               QPAGENUM:
                                                QNAME07: NA                             QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 25

VALUE: 0-HIGH CONTINUOUS                        8945    100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:
    
```

```

VARIABLE: RAKEDW26                               QNAME09:                               QPAGENUM:
                                                QNAME07: NA                             QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 26

VALUE: 0-HIGH CONTINUOUS                        8945    100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:
    
```

```

VARIABLE: RAKEDW27                               QNAME09:                               QPAGENUM:
                                                QNAME07: NA                             QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 27

VALUE: 0-HIGH CONTINUOUS                        8945    100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:
    
```


2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW28 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 28

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW29 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 29

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW30 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 30

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW31 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 31
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW32 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 32
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW33 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 33
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW34 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 34
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW35 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 35
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW36 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 36
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW37 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 37

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW38 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 38

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW39 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 39

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW40 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 40
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW41 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 41
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW42 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 42
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 49
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW50 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 50
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW51 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 51
VALUE: 0-HIGH CONTINUOUS FREQ %
 8945 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW52 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 52

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW53 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 53

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW54 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 54

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW55 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 55
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
8945 100.00

VARNAME: RAKEDW56 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 56
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
8945 100.00

VARNAME: RAKEDW57 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 57
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
8945 100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

-----
VARNAME:   RAKEDW58                QNAME09:                QPAGENUM:
                                     QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 58

VALUE:     0-HIGH CONTINUOUS                8945      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW59                QNAME09:                QPAGENUM:
                                     QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 59

VALUE:     0-HIGH CONTINUOUS                8945      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW60                QNAME09:                QPAGENUM:
                                     QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 60

VALUE:     0-HIGH CONTINUOUS                8945      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW61 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 61
VALUE: 0-HIGH CONTINUOUS

FREQ	%
8945	100.00

UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW62 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 62
VALUE: 0-HIGH CONTINUOUS

FREQ	%
8945	100.00

UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW63 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 63
VALUE: 0-HIGH CONTINUOUS

FREQ	%
8945	100.00

UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW64 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 64

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW65 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 65

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW66 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 66

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW67 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 67
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW68 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 68
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW69 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 69
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
8945	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW70 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 70

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW71 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 71

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW72 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 72

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	8945	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW73 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 73
 VALUE: 0-HIGH CONTINUOUS FREQ 8945 % 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW74 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 74
 VALUE: 0-HIGH CONTINUOUS FREQ 8945 % 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW75 QNAME09: QPAGENUM:
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 75
 VALUE: 0-HIGH CONTINUOUS FREQ 8945 % 100.00
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

-----
VARNAME:   RAKEDW76           QNAME09:           QPAGENUM:
           QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 76

VALUE:     0-HIGH  CONTINUOUS           8945           %
                                           100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW77           QNAME09:           QPAGENUM:
           QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 77

VALUE:     0-HIGH  CONTINUOUS           8945           %
                                           100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW78           QNAME09:           QPAGENUM:
           QNAME07:   NA           QNAME05:   NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 78

VALUE:     0-HIGH  CONTINUOUS           8945           %
                                           100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW79 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 79
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00

VARNAME: RAKEDW80 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 80
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
8945	100.00