

EXHIBIT 7. PERCENT WITH A PAPTST IN THE PAST THREE YEARS, PERCENT INSURED, AND PERCENT WITH A USUAL SOURCE OF CARE, WOMEN AGE 18 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001

	RECENT PAPTST, WOMEN 18 AND OLDER		INSURED, WOMEN 18 AND OLDER		WITH A USUAL SOURCE OF CARE, WOMEN 18 AND OLDER	
	%	95% CI	%	95% CI	%	95% CI
NORTHERN AND SIERRA COUNTIES	85.3	(83.6 – 87.0)	86.4	(84.8 – 87.9)	86.6	(84.9 – 88.3)
BUTTE	84.7	(80.0 – 89.4)	85.9	(81.6 – 90.1)	79.5	(73.8 – 85.2)
SHASTA	80.3	(74.7 – 85.9)	89.8	(85.8 – 93.9)	81.5	(75.5 – 87.6)
HUMBOLDT, DEL NORTE	88.5	(83.8 – 93.2)	85.5	(80.7 – 90.3)	90.9	(87.6 – 94.2)
SISKIYOU, LASSEN, TRINITY, MODOC	82.0	(76.2 – 87.7)	78.1	(72.3 – 84.0)	91.5	(87.6 – 95.3)
MENDOCINO, LAKE	86.0	(81.3 – 90.8)	85.0	(80.5 – 89.5)	85.8	(81.3 – 90.4)
TEHAMA, GLENN, COLUSA	81.7	(76.0 – 87.3)	83.4	(78.7 – 88.1)	86.5	(81.8 – 91.2)
SUTTER, YUBA	83.9	(78.8 – 89.0)	88.6	(84.4 – 92.8)	90.6	(86.4 – 94.7)
NEVADA, PLUMAS, SIERRA	89.6	(85.5 – 93.6)	87.5	(83.0 – 92.0)	89.2	(85.0 – 93.3)
TUOLOMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	88.6	(84.1 – 93.1)	89.3	(85.1 – 93.6)	89.5	(84.8 – 94.2)
GREATER BAY AREA	87.6	(86.2 – 89.0)	90.5	(89.2 – 91.8)	90.2	(89.1 – 91.3)
SANTA CLARA	86.5	(83.1 – 89.9)	89.5	(86.0 – 93.1)	87.2	(83.9 – 90.5)
ALAMEDA	87.9	(84.5 – 91.3)	90.2	(87.1 – 93.3)	91.7	(89.4 – 94.1)
CONTRA COSTA	89.4	(86.2 – 92.6)	93.5	(91.0 – 96.0)	93.5	(91.1 – 95.9)
SAN FRANCISCO	85.7	(82.7 – 88.7)	87.5	(84.9 – 90.2)	88.2	(85.6 – 90.7)
SAN MATEO	86.3	(81.3 – 91.2)	93.0	(89.9 – 96.2)	90.1	(86.9 – 93.4)
SONOMA	90.3	(85.7 – 94.8)	87.4	(82.8 – 92.0)	91.7	(88.1 – 95.3)
SOLANO	87.3	(84.0 – 90.6)	92.5	(90.0 – 95.0)	91.7	(88.9 – 94.5)
MARIN	92.3	(88.8 – 95.7)	93.5	(90.5 – 96.5)	90.5	(86.9 – 94.2)
NAPA	87.1	(81.9 – 92.4)	90.9	(86.8 – 95.0)	91.4	(87.7 – 95.0)
SACRAMENTO AREA	88.8	(86.3 – 91.4)	90.7	(88.3 – 93.0)	92.2	(90.3 – 94.1)
SACRAMENTO	89.0	(85.4 – 92.5)	90.0	(86.7 – 93.3)	92.1	(89.5 – 94.7)
PLACER	89.5	(85.3 – 93.7)	96.2	(93.8 – 98.6)	94.5	(91.5 – 97.4)
YOLO	86.6	(82.1 – 91.1)	88.4	(84.3 – 92.6)	92.1	(88.5 – 95.6)
EL DORADO	89.8	(85.1 – 94.5)	90.0	(85.9 – 94.2)	89.3	(84.9 – 93.7)

Note: Women diagnosed with cervical cancer or who had a hysterectomy were not included in these analyses.

(continued on next page)

Source: 2001 California Health Interview Survey

low rates of screening, which may again be associated with lower insurance coverage rates (82.9% and 84.4%, respectively) and regularity in source of care (84.5% and 84.6%, respectively). For the Greater Bay Area counties, screening rates as well as coverage rates and regularity of care are among the highest in the state.

EXHIBIT 7. PERCENT WITH A PAP TEST IN THE PAST THREE YEARS, PERCENT INSURED, AND PERCENT WITH A USUAL SOURCE OF CARE, WOMEN AGES 18 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001 (CONTINUED)

	RECENT PAP TEST, WOMEN 18 AND OLDER		INSURED, WOMEN 18 AND OLDER		WITH A USUAL SOURCE OF CARE, WOMEN 18 AND OLDER	
	%	95% CI	%	95% CI	%	95% CI
SAN JOAQUIN VALLEY	84.4	(82.5 – 86.3)	82.8	(81.0 – 84.6)	85.8	(84.0 – 87.6)
FRESNO	82.7	(78.0 – 87.5)	83.7	(79.4 – 88.0)	85.4	(81.0 – 89.8)
KERN	86.3	(82.5 – 90.0)	80.7	(76.3 – 85.1)	83.9	(79.8 – 88.0)
SAN JOAQUIN	84.8	(80.5 – 89.1)	84.0	(79.8 – 88.2)	88.6	(84.8 – 92.5)
STANISLAUS	82.7	(77.4 – 87.9)	85.8	(81.3 – 90.2)	83.2	(78.0 – 88.5)
TULARE	86.1	(81.6 – 90.6)	79.6	(74.5 – 84.8)	87.8	(82.8 – 92.8)
MERCED	82.8	(77.4 – 88.1)	82.9	(78.3 – 87.6)	86.3	(82.4 – 90.2)
KINGS	85.1	(80.1 – 90.1)	82.5	(77.7 – 87.2)	87.1	(82.7 – 91.4)
MADERA	88.1	(83.2 – 93.0)	80.2	(74.6 – 85.9)	86.7	(81.9 – 91.5)
CENTRAL COAST	85.9	(83.6 – 88.3)	83.9	(81.5 – 86.2)	86.8	(85.0 – 88.7)
VENTURA	85.3	(80.3 – 90.3)	85.3	(80.9 – 89.6)	91.2	(88.2 – 94.2)
SANTA BARBARA	85.4	(81.2 – 89.5)	79.7	(74.8 – 84.7)	85.7	(81.6 – 89.8)
SANTA CRUZ	89.1	(85.3 – 92.9)	87.3	(82.4 – 92.2)	88.0	(83.9 – 92.2)
SAN LUIS OBISPO	88.9	(85.1 – 92.7)	86.7	(82.5 – 90.8)	82.4	(77.6 – 87.3)
MONTEREY, SAN BENITO	83.8	(78.1 – 89.5)	81.4	(75.6 – 87.2)	82.3	(77.6 – 86.9)
LOS ANGELES	85.6	(84.3 – 86.9)	79.3	(77.9 – 80.6)	84.6	(83.4 – 85.8)
LOS ANGELES	85.6	(84.3 – 86.9)	79.3	(77.9 – 80.6)	84.6	(83.4 – 85.8)
OTHER SOUTHERN CALIFORNIA	85.8	(84.2 – 87.4)	83.1	(81.6 – 84.6)	86.0	(84.6 – 87.4)
ORANGE	84.3	(81.1 – 87.4)	82.9	(80.0 – 85.9)	84.5	(81.9 – 87.2)
SAN DIEGO	86.5	(83.7 – 89.2)	83.5	(80.7 – 86.3)	88.5	(86.1 – 90.9)
SAN BERNARDINO	87.5	(84.2 – 90.9)	82.5	(79.0 – 86.1)	85.2	(81.9 – 88.5)
RIVERSIDE	85.9	(82.6 – 89.1)	83.2	(79.6 – 86.9)	85.0	(81.4 – 88.5)
IMPERIAL	85.6	(81.1 – 90.0)	84.4	(79.8 – 89.0)	84.6	(80.0 – 89.2)
STATEWIDE	86.2	(85.5 – 86.9)	84.1	(83.5 – 84.8)	86.9	(86.3 – 87.5)

Note: Women diagnosed with cervical cancer or who had a hysterectomy were not included in these analyses.

Source: 2001 California Health Interview Survey

EXHIBIT 14. PERCENT WITH A MAMMOGRAM IN PAST TWO YEARS, PERCENT INSURED, AND PERCENT WITH A USUAL SOURCE OF CARE, WOMEN AGE 40 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001

	RECENT MAMMOGRAM, WOMEN 40 AND OLDER		INSURED, WOMEN 40 AND OLDER		WITH A USUAL SOURCE OF CARE, WOMEN 40 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
NORTHERN AND SIERRA COUNTIES	74.2	(72.4 – 76.1)	91.0	(89.8 – 92.2)	92.6	(91.4 – 93.7)
BUTTE	71.8	(66.1 – 77.4)	92.2	(89.1 – 95.4)	85.7	(80.9 – 90.5)
SHASTA	74.4	(69.1 – 79.7)	92.6	(89.3 – 96.0)	93.3	(89.9 – 96.7)
HUMBOLDT, DEL NORTE	77.4	(71.5 – 83.4)	89.6	(84.6 – 94.6)	93.7	(90.9 – 96.5)
SISKIYOU, LASSEN, TRINITY, MODOC	71.4	(66.1 – 76.7)	86.3	(82.0 – 90.6)	94.5	(91.7 – 97.3)
MENDOCINO, LAKE	69.5	(64.1 – 74.9)	86.6	(82.6 – 90.7)	92.3	(89.1 – 95.4)
TEHAMA, GLENN, COLUSA	74.6	(69.4 – 79.9)	87.6	(83.5 – 91.7)	93.8	(90.8 – 96.8)
SUTTER, YUBA	73.9	(68.0 – 79.8)	91.1	(87.1 – 95.0)	94.6	(91.6 – 97.6)
NEVADA, PLUMAS, SIERRA	75.5	(70.8 – 80.2)	94.8	(92.4 – 97.3)	92.8	(90.0 – 95.7)
TUOLOMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	78.2	(73.4 – 82.9)	94.1	(91.4 – 96.8)	95.1	(92.5 – 97.6)
GREATER BAY AREA	78.4	(76.8 – 80.1)	94.4	(93.4 – 95.4)	94.9	(94.0 – 95.8)
SANTA CLARA	74.7	(70.3 – 79.0)	94.5	(92.2 – 96.8)	93.7	(91.3 – 96.0)
ALAMEDA	80.4	(76.2 – 84.5)	94.8	(92.2 – 97.4)	95.9	(93.8 – 97.9)
CONTRA COSTA	80.1	(75.9 – 84.2)	96.6	(94.6 – 98.5)	96.9	(95.4 – 98.3)
SAN FRANCISCO	78.0	(74.1 – 82.0)	91.6	(88.8 – 94.4)	94.1	(91.8 – 96.3)
SAN MATEO	79.9	(75.1 – 84.6)	94.4	(91.7 – 97.1)	94.3	(91.8 – 96.9)
SONOMA	78.3	(73.0 – 83.5)	90.9	(87.1 – 94.7)	93.9	(90.7 – 97.2)
SOLANO	77.8	(73.5 – 82.0)	94.0	(91.4 – 96.6)	94.6	(92.1 – 97.1)
MARIN	80.2	(74.9 – 85.4)	97.5	(95.8 – 99.2)	95.5	(92.6 – 98.4)
NAPA	80.6	(75.5 – 85.8)	96.2	(93.3 – 99.0)	94.9	(91.8 – 98.1)
SACRAMENTO AREA	78.6	(75.4 – 81.9)	93.5	(91.4 – 95.6)	93.2	(91.0 – 95.4)
SACRAMENTO	77.5	(72.9 – 82.1)	92.6	(89.5 – 95.7)	92.6	(89.4 – 95.8)
PLACER	81.5	(76.6 – 86.3)	97.5	(95.5 – 99.4)	95.9	(93.5 – 98.3)
YOLO	84.5	(79.6 – 89.3)	93.6	(90.4 – 96.7)	95.6	(92.9 – 98.2)
EL DORADO	77.7	(71.2 – 84.2)	93.4	(90.6 – 96.3)	91.4	(87.4 – 95.3)

Note: Women diagnosed with breast cancer were not included in these analyses.

(continued on next page)

Source: 2001 California Health Interview Survey

EXHIBIT 14. PERCENT WITH A MAMMOGRAM IN PAST TWO YEARS, PERCENT INSURED, AND PERCENT WITH A USUAL SOURCE OF CARE, WOMEN AGE 40 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001 (CONTINUED)

	RECENT MAMMOGRAM, WOMEN 40 AND OLDER		INSURED, WOMEN 40 AND OLDER		WITH A USUAL SOURCE OF CARE, WOMEN 40 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
SAN JOAQUIN VALLEY	73.8	(71.6 – 76.0)	89.3	(87.7 – 90.9)	91.5	(90.1 – 92.8)
FRESNO	75.0	(70.2 – 79.8)	90.6	(87.4 – 93.8)	93.6	(91.1 – 96.0)
KERN	69.9	(64.7 – 75.1)	87.3	(83.3 – 91.2)	89.3	(85.6 – 93.0)
SAN JOAQUIN	77.0	(71.6 – 82.3)	92.0	(88.6 – 95.4)	92.9	(90.1 – 95.8)
STANISLAUS	68.1	(61.9 – 74.3)	88.1	(83.4 – 92.8)	88.4	(83.6 – 93.2)
TULARE	76.8	(71.2 – 82.4)	86.0	(81.0 – 91.0)	92.5	(89.0 – 95.9)
MERCED	76.8	(71.4 – 82.2)	89.6	(85.0 – 94.2)	89.0	(85.0 – 93.0)
KINGS	74.5	(68.8 – 80.3)	91.8	(88.0 – 95.6)	94.1	(91.2 – 97.1)
MADERA	78.8	(73.4 – 84.2)	89.5	(85.5 – 93.5)	92.3	(88.9 – 95.8)
CENTRAL COAST	74.1	(71.4-76.8)	89.5	(87.5 – 91.5)	91.6	(89.9 – 93.2)
VENTURA	73.3	(67.9 – 78.7)	90.0	(85.9 – 94.0)	93.2	(90.2 – 96.1)
SANTA BARBARA	73.1	(67.8 – 78.4)	86.1	(81.5 – 90.6)	91.9	(88.2 – 95.6)
SANTA CRUZ	79.1	(74.0 – 84.1)	94.1	(91.2 – 96.9)	95.5	(92.8 – 98.2)
SAN LUIS OBISPO	76.5	(71.4 – 81.5)	90.8	(86.9 – 94.6)	88.4	(84.3 – 92.6)
MONTEREY, SAN BENITO	72.1	(66.3 – 78.0)	88.4	(83.7 – 93.1)	88.1	(83.6 – 92.7)
LOS ANGELES	74.2	(72.6 – 75.7)	86.8	(85.6 – 88.1)	91.3	(90.3 – 92.4)
LOS ANGELES	74.2	(72.6 – 75.7)	86.8	(85.6 – 88.1)	91.3	(90.3 – 92.4)
OTHER SOUTHERN CALIFORNIA	75.0	(73.3-76.7)	91.4	(90.2 – 92.5)	92.3	(91.2 – 93.4)
ORANGE	76.1	(72.9 – 79.3)	91.8	(89.6 – 94.0)	91.5	(89.3 – 93.7)
SAN DIEGO	74.8	(71.8 – 77.8)	92.1	(90.2 – 94.0)	94.2	(92.5 – 95.8)
SAN BERNARDINO	75.9	(72.0 – 79.8)	91.3	(88.5 – 94.0)	91.5	(88.9 – 94.1)
RIVERSIDE	72.4	(68.0 – 76.7)	89.6	(86.5 – 92.7)	91.8	(89.1 – 94.5)
IMPERIAL	76.1	(70.8 – 81.4)	88.2	(84.1 – 92.3)	87.8	(83.6 – 91.9)
STATEWIDE	75.5	(73.4 – 82.9)	90.6	(90.1 – 91.2)	92.6	(92.1 – 93.1)

Note: Women diagnosed with breast cancer were not included in these analyses.

Source: 2001 California Health Interview Survey

EXHIBIT 21. PERCENT WITH RECENT COLORECTAL CANCER SCREENING, PERCENT INSURED AND PERCENT WITH A USUAL SOURCE OF CARE, ADULTS AGE 50 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001

	RECENT CRC SCREENING, ADULTS 50 AND OLDER		INSURED, ADULTS 50 AND OLDER		WITH A USUAL SOURCE OF CARE, ADULTS 50 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
NORTHERN AND SIERRA COUNTIES	49.4	(47.6 – 51.2)	93.1	(92.2 – 94.1)	92.7	(91.7 – 93.7)
BUTTE	51.2	(45.6 – 56.7)	95.7	(93.6 – 97.7)	90.0	(86.5 – 93.4)
SHASTA	50.1	(45.0 – 55.3)	93.3	(90.5 – 96.1)	92.4	(89.5 – 95.3)
HUMBOLDT, DEL NORTE	48.5	(42.7 – 54.3)	93.1	(90.5 – 95.7)	93.3	(90.4 – 96.2)
SISKIYOU, LASSEN, TRINITY, MODOC	45.9	(41.0 – 50.9)	91.5	(88.7 – 94.3)	92.5	(89.7 – 95.3)
MENDOCINO, LAKE	43.8	(38.6 – 49.0)	89.7	(86.5 – 92.9)	94.0	(91.6 – 96.4)
TEHAMA, GLENN, COLUSA	43.8	(38.4 – 49.2)	90.5	(87.2 – 93.9)	93.3	(90.1 – 96.5)
SUTTER, YUBA	51.8	(46.0 – 57.5)	95.2	(92.7 – 97.6)	95.1	(92.6 – 97.5)
NEVADA, PLUMAS, SIERRA	52.5	(47.3 – 57.7)	95.4	(92.7 – 98.0)	93.0	(90.0 – 96.0)
TUOLOMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	52.9	(47.8 – 58.0)	92.6	(89.6 – 95.6)	92.6	(89.8 – 95.4)
GREATER BAY AREA	56.5	(54.6 – 58.3)	95.7	(94.9 – 96.5)	95.5	(94.7 – 96.2)
SANTA CLARA	58.5	(53.9 – 63.1)	95.0	(92.8 – 97.1)	93.3	(91.1 – 95.6)
ALAMEDA	55.3	(50.3 – 60.3)	96.2	(94.0 – 98.4)	96.3	(94.4 – 98.2)
CONTRA COSTA	57.3	(52.6 – 62.1)	97.5	(95.9 – 99.0)	96.1	(94.4 – 97.8)
SAN FRANCISCO	54.9	(50.4 – 59.4)	93.3	(91.1 – 95.5)	95.7	(93.9 – 97.5)
SAN MATEO	59.2	(54.1 – 64.4)	95.2	(92.9 – 97.5)	94.7	(92.5 – 96.9)
SONOMA	48.2	(42.6 – 53.8)	95.5	(93.0 – 98.1)	96.8	(94.8 – 98.8)
SOLANO	57.8	(53.4 – 62.2)	96.5	(94.6 – 98.4)	96.3	(94.4 – 98.2)
MARIN	59.3	(53.8 – 64.9)	98.0	(96.5 – 99.4)	97.9	(96.5 – 99.3)
NAPA	55.4	(50.2 – 60.5)	96.8	(94.6 – 98.9)	94.7	(92.1 – 97.3)
SACRAMENTO AREA	59.1	(55.8 – 62.4)	97.4	(96.3 – 98.6)	96.1	(94.7 – 97.4)
SACRAMENTO	60.0	(55.3 – 64.7)	97.8	(96.2 – 99.5)	96.5	(94.7 – 98.4)
PLACER	60.5	(55.0 – 66.0)	96.5	(94.2 – 98.8)	96.2	(94.0 – 98.3)
YOLO	54.3	(47.8 – 60.9)	97.4	(95.6 – 99.2)	94.9	(91.2 – 98.5)
EL DORADO	54.8	(48.7 – 61.0)	96.2	(94.4 – 98.1)	93.8	(91.0 – 96.6)

Note: Recent CRC screening refers to FOBT in the past year or sigmoidoscopy/colonoscopy in the past five years. Adults diagnosed with colon or rectum cancer were not included in these analyses.

(continued on next page)

Source: 2001 California Health Interview Survey

EXHIBIT 21. PERCENT WITH RECENT COLORECTAL CANCER SCREENING, PERCENT INSURED, AND PERCENT WITH A USUAL SOURCE OF CARE, ADULTS AGE 50 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001 (CONTINUED)

	RECENT CRC SCREENING, ADULTS 50 AND OLDER		INSURED, ADULTS 50 AND OLDER		WITH A USUAL SOURCE OF CARE, ADULTS 50 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
SAN JOAQUIN VALLEY	51.6	(49.4 – 53.9)	93.1	(91.9 – 94.3)	94.1	(93.1 – 95.2)
FRESNO	57.1	(51.8 – 62.4)	93.2	(90.3 – 96.1)	96.6	(94.9 – 98.3)
KERN	51.1	(45.8 – 56.4)	93.8	(91.2 – 96.3)	91.8	(88.7 – 95.0)
SAN JOAQUIN	48.5	(43.2 – 53.8)	93.9	(91.1 – 96.7)	93.2	(90.4 – 96.0)
STANISLAUS	53.2	(47.2 – 59.3)	94.8	(92.4 – 97.3)	95.1	(92.5 – 97.6)
TULARE	45.1	(39.3 – 50.9)	89.3	(85.3 – 93.3)	93.2	(90.2 – 96.2)
MERCED	49.6	(43.7 – 55.4)	90.7	(86.7 – 94.8)	94.3	(91.6 – 96.9)
KINGS	40.3	(33.9 – 46.6)	92.3	(88.6 – 96.0)	92.2	(88.9 – 95.6)
MADERA	58.9	(53.4 – 64.5)	93.9	(91.0 – 96.8)	94.8	(92.1 – 97.6)
CENTRAL COAST	54.4	(51.7 – 57.1)	93.1	(91.7 – 94.6)	92.2	(90.8 – 93.7)
VENTURA	51.4	(46.1 – 56.6)	93.4	(90.5 – 96.3)	92.2	(89.4 – 95.0)
SANTA BARBARA	59.0	(53.6 – 64.3)	92.7	(89.6 – 95.9)	93.6	(90.6 – 96.5)
SANTA CRUZ	53.3	(46.9 – 59.6)	92.2	(88.8 – 95.6)	91.4	(87.7 – 95.1)
SAN LUIS OBISPO	59.2	(53.8 – 64.6)	93.0	(89.9 – 96.1)	91.7	(88.6 – 94.9)
MONTEREY, SAN BENITO	52.6	(46.4 – 58.8)	93.7	(90.5 – 96.9)	91.8	(88.4 – 95.3)
LOS ANGELES	50.1	(48.4 – 51.8)	89.8	(88.8 – 90.9)	92.2	(91.2 – 93.1)
LOS ANGELES	50.1	(48.4 – 51.8)	89.8	(88.8 – 90.9)	92.2	(91.2 – 93.1)
OTHER SOUTHERN CALIFORNIA	53.2	(51.3 – 55.0)	93.9	(93.0 – 94.8)	93.3	(92.3 – 94.2)
ORANGE	54.8	(51.4 – 58.2)	94.2	(92.5 – 95.9)	92.7	(90.8 – 94.6)
SAN DIEGO	54.4	(51.1 – 57.6)	94.2	(92.7 – 95.8)	94.2	(92.6 – 95.7)
SAN BERNARDINO	46.0	(41.4 – 50.6)	92.8	(90.3 – 95.2)	93.6	(91.3 – 95.9)
RIVERSIDE	55.7	(51.3 – 60.1)	94.0	(92.0 – 95.9)	92.6	(90.4 – 94.8)
IMPERIAL	40.1	(33.6 – 46.7)	91.8	(88.2 – 95.3)	90.2	(86.6 – 93.9)
STATEWIDE	53.2	(52.3 – 54.0)	93.3	(92.8 – 93.7)	93.6	(93.2 – 94.0)

Note: Recent CRC screening refers to FOBT in the past year or sigmoidoscopy/colonoscopy in the past five years. Adults diagnosed with colon or rectum cancer were not included in these analyses.

Source: 2001 California Health Interview Survey

EXHIBIT 28. PERCENT WITH A PSA TEST IN THE PAST YEAR, PERCENT INSURED AND PERCENT WITH A USUAL SOURCE OF CARE, MEN AGE 50 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001

	RECENT PSA TEST, MEN 50 AND OLDER		INSURED, MEN 50 AND OLDER		WITH A USUAL SOURCE OF CARE, MEN 50 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
NORTHERN AND SIERRA COUNTIES	42.0	(39.0 – 45.0)	91.9	(90.3 – 93.6)	90.7	(88.9 – 92.5)
BUTTE	43.3	(33.5 – 53.1)	97.2	(94.4 – 100.0)	88.1	(81.7 – 94.4)
SHASTA	44.2	(28.5 – 46.1)	93.1	(89.2 – 97.1)	92.9	(88.0 – 97.8)
SISKIYOU, LASSEN, TRINITY, MODOC	43.5	(35.6 – 51.5)	90.9	(86.1 – 95.6)	90.3	(85.4 – 95.2)
MENDOCINO, LAKE	40.1	(31.9 – 48.2)	88.2	(83.0 – 93.4)	93.3	(89.4 – 97.2)
TEHAMA, GLENN, COLUSA	32.0	(23.6 – 40.5)	89.0	(83.2 – 94.7)	91.8	(86.2 – 97.3)
SUTTER, YUBA	42.2	(33.3 – 51.1)	93.5	(89.3 – 97.6)	92.5	(87.8 – 97.1)
NEVADA, PLUMAS, SIERRA	42.1	(33.7 – 50.5)	92.7	(87.3 – 98.2)	91.9	(86.3 – 97.5)
TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	47.4	(38.9 – 55.9)	87.9	(82.1 – 93.8)	87.0	(81.3 – 92.6)
GREATER BAY AREA	40.8	(37.9 – 43.8)	95.2	(93.8 – 96.5)	94.7	(93.3 – 96.0)
SANTA CLARA	39.0	(31.8 – 46.2)	94.2	(90.4 – 98.0)	91.7	(87.5 – 95.9)
ALAMEDA	40.4	(32.3 – 48.5)	95.4	(91.5 – 99.3)	97.2	(94.7 – 99.7)
CONTRA COSTA	39.7	(32.1 – 47.3)	97.0	(95.0 – 99.0)	93.9	(90.3 – 97.6)
SAN FRANCISCO	37.8	(30.7 – 44.9)	93.1	(89.7 – 96.5)	93.7	(90.2 – 97.3)
SAN MATEO	47.4	(38.6 – 56.2)	94.0	(89.8 – 98.2)	94.7	(91.3 – 98.1)
SONOMA	39.8	(30.8 – 48.9)	95.2	(91.1 – 99.3)	96.7	(94.0 – 99.5)
SOLANO	36.2	(29.7 – 42.7)	97.8	(95.9 – 99.7)	96.4	(93.8 – 98.9)
MARIN	51.4	(42.5 – 60.3)	96.7	(93.9 – 99.5)	98.4	(96.6 – 100.0)
NAPA	47.1	(38.8 – 55.3)	96.9	(94.4 – 99.4)	92.6	(88.6 – 96.6)
SACRAMENTO AREA	36.4	(31.3 – 41.6)	97.8	(95.8 – 99.8)	95.4	(93.2 – 97.7)
SACRAMENTO	33.9	(26.6 – 41.2)	98.4	(95.5 – 100.0)	96.1	(92.9 – 99.3)
PLACER	42.8	(33.8 – 51.8)	94.4	(89.8 – 99.1)	96.2	(92.7 – 99.7)
YOLO	33.5	(24.2 – 42.8)	100.0		94.7	(87.8 – 100.0)
EL DORADO	44.3	(34.9 – 53.7)	97.4	(95.3 – 99.6)	91.2	(86.0 – 96.4)

Note: Men diagnosed with prostate cancer were not included in these analyses.
Source: 2001 California Health Interview Survey

(continued on next page)

EXHIBIT 28. PERCENT WITH A PSA TEST IN THE PAST YEAR, PERCENT INSURED AND PERCENT WITH A USUAL SOURCE OF CARE, MEN AGE 50 AND OLDER, CALIFORNIA COUNTIES OR COUNTY GROUPS, 2001 (CONTINUED)

	RECENT PSA TEST, MEN 50 AND OLDER		INSURED, MEN 50 AND OLDER		WITH A USUAL SOURCE OF CARE, MEN 50 AND OLDER	
	%	(95% CI)	%	(95% CI)	%	(95% CI)
SAN JOAQUIN VALLEY	41.9	(38.4 – 45.5)	93.8	(92.1 – 95.5)	94.0	(92.4 – 95.6)
FRESNO	47.2	(38.6 – 55.7)	93.0	(88.2 – 97.9)	97.5	(95.1 – 99.9)
KERN	38.8	(30.4 – 47.1)	95.2	(92.0 – 98.5)	91.1	(86.2 – 96.0)
SAN JOAQUIN	39.4	(31.3 – 47.5)	95.0	(90.7 – 99.2)	92.6	(87.9 – 97.3)
STANISLAUS	35.1	(26.1 – 44.1)	97.1	(94.8 – 99.5)	97.0	(94.5 – 99.5)
TULARE	43.4	(33.9 – 52.8)	88.7	(82.7 – 94.8)	90.7	(85.2 – 96.2)
MERCED	51.2	(42.1 – 60.3)	88.8	(82.3 – 95.2)	93.6	(89.4 – 97.7)
KINGS	42.5	(31.1 – 53.9)	92.2	(86.4 – 98.0)	91.7	(86.3 – 97.1)
MADERA	44.0	(35.2 – 52.9)	95.2	(90.8 – 99.6)	94.1	(89.6 – 98.5)
CENTRAL COAST	49.7	(45.4 – 54.0)	92.9	(90.9 – 95.0)	92.0	(89.9 – 94.1)
VENTURA	53.3	(44.9 – 61.7)	95.0	(91.2 – 98.8)	93.8	(90.3 – 97.4)
SANTA BARBARA	50.9	(42.0 – 59.8)	93.6	(89.4 – 97.9)	92.8	(88.5 – 97.1)
SANTA CRUZ	42.8	(33.0 – 52.6)	89.1	(82.9 – 95.2)	88.8	(82.3 – 95.2)
SAN LUIS OBISPO	40.9	(32.5 – 49.4)	90.1	(84.8 – 95.3)	89.7	(84.5 – 94.9)
MONTEREY, SAN BENITO	52.9	(42.6 – 63.2)	93.2	(88.7 – 97.8)	91.9	(86.5 – 97.3)
LOS ANGELES	41.7	(39.0 – 44.4)	89.1	(87.3 – 90.9)	89.8	(88.2 – 91.5)
LOS ANGELES	41.7	(39.0 – 44.4)	89.1	(87.3 – 90.9)	89.8	(88.2 – 91.5)
OTHER SOUTHERN CALIFORNIA	46.3	(43.2 – 49.3)	93.8	(92.3 – 95.2)	92.4	(90.9 – 94.0)
ORANGE	46.4	(40.9 – 51.9)	93.8	(91.1 – 96.5)	92.5	(89.6 – 95.3)
SAN DIEGO	42.2	(37.1 – 47.4)	94.5	(92.2 – 96.9)	92.8	(90.2 – 95.4)
SAN BERNARDINO	49.3	(41.6 – 57.1)	92.2	(88.1 – 96.3)	92.1	(87.7 – 96.5)
RIVERSIDE	51.0	(43.8 – 58.2)	94.2	(91.1 – 97.2)	92.3	(88.6 – 96.0)
IMPERIAL	40.0	(29.0 – 51.1)	87.7	(80.6 – 94.7)	89.2	(82.9 – 95.4)
STATEWIDE	43.0	(41.6 – 44.3)	92.9	(92.2 – 93.6)	92.4	(91.7 – 93.1)

Note: Men diagnosed with prostate cancer were not included in these analyses.

Source: 2001 California Health Interview Survey