

STANISLAUS COUNTY

Health Insurance Coverage, the Lack of Coverage, and Demographic Characteristics

Based on Data from the 2003 California Health Interview Survey

Approximately **91,000** children and adults who were uninsured for all or part of the year reside in Stanislaus County, out of a total of 6.6 million uninsured Californians statewide. Approximately **16,000** uninsured children and **75,000** uninsured nonelderly adults reside in this county.

	STANISLAUS COUNTY	CALIFORNIA
NONELDERLY POPULATION (AGES 0-64), 2003	433,000	31,315,000
CHILDREN (AGES 0-17)	145,000	9,488,000
ADULTS (AGES 18-64)	288,000	21,827,000
HEALTH INSURANCE COVERAGE OF THE NONELDERLY		
% UNINSURED ALL OR PART YEAR (95% RANGE)	21.0% (17.0 - 25.0)	21.0%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	52.0% (47.1 - 56.9)	53.8%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	16.7% (12.8 - 20.6)	15.5%
% INSURED ALL YEAR, OTHER (95% RANGE)	10.3% (7.1 - 13.5)	9.3%
HEALTH INSURANCE COVERAGE OF CHILDREN		
% UNINSURED ALL OR PART YEAR (95% RANGE)	11.3% (6.2 - 16.4)	10.2%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	51.0% (42.0 - 60.0)	52.1%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	24.9% (16.9 - 32.9)	29.4%
% INSURED ALL YEAR, OTHER (95% RANGE)	12.8% (6.1 - 19.4)	8.3%
HEALTH INSURANCE COVERAGE OF NONELDERLY ADULTS		
% UNINSURED ALL OR PART YEAR (95% RANGE)	25.9% (20.6 - 31.1)	25.7%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	52.5% (46.7 - 58.3)	54.5%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	12.5% (8.4 - 16.7)	9.5%
% INSURED ALL YEAR, OTHER (95% RANGE)	9.1% (5.6 - 12.6)	10.3%
PERCENT OF UNINSURED NONELDERLY WITH ANNUAL FAMILY INCOMES OF LESS THAN 300% FPL[†]	47.5%	47.0%
RACE/ETHNICITY DISTRIBUTION OF THE NONELDERLY POPULATION		
WHITE	58.6%	45.4%
LATINO	28.0%	30.6%
ASIAN AMERICAN AND PACIFIC ISLANDER	3.4%	11.4%
AFRICAN AMERICAN	4.5%	6.9%

[†] FPL = Federal Poverty Level

Note: The "95% range" (more commonly called a "confidence interval") provides a more reliable estimate of the uninsured rate for persons in the population group than does the "point estimate." Point estimates with narrower 95% ranges are more precise or reliable than those with wider ranges.



Source: 2003 California Health Interview Survey
 UCLA Center for Health Policy Research, February 2005
 Available at www.healthpolicy.ucla.edu