

## SUTTER AND YUBA COUNTIES

### Health Insurance Coverage, the Lack of Coverage, and Demographic Characteristics

*Based on Data from the 2003 California Health Interview Survey*

Approximately **28,000** children and adults who were uninsured for all or part of the year reside in Sutter and Yuba Counties, out of a total of 6.6 million uninsured Californians statewide. Approximately \*\*\* uninsured children and **24,000** uninsured nonelderly adults reside in these counties.

	SUTTER AND YUBA COUNTIES	CALIFORNIA
<b>NONELDERLY POPULATION (AGES 0-64), 2003</b>	129,000	31,315,000
CHILDREN (AGES 0-17)	43,000	9,488,000
ADULTS (AGES 18-64)	86,000	21,827,000
<b>HEALTH INSURANCE COVERAGE OF THE NONELDERLY</b>		
% UNINSURED ALL OR PART YEAR (95% RANGE)	21.5% (17.1 - 25.9)	21.0%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	47.5% (42.3 - 52.7)	53.8%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	23.6% (18.7 - 28.4)	15.5%
% INSURED ALL YEAR, OTHER (95% RANGE)	7.4% (4.7 - 10.1)	9.3%
<b>HEALTH INSURANCE COVERAGE OF CHILDREN</b>		
% UNINSURED ALL OR PART YEAR (95% RANGE)	***% (***)	10.2%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	44.7% (34.8 - 54.5)	52.1%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	40.2% (29.9 - 50.5)	29.4%
% INSURED ALL YEAR, OTHER (95% RANGE)	***% (***)	8.3%
<b>HEALTH INSURANCE COVERAGE OF NONELDERLY ADULTS</b>		
% UNINSURED ALL OR PART YEAR (95% RANGE)	28.4% (22.6 - 34.1)	25.7%
% INSURED ALL YEAR, EMPLOYMENT-BASED (95% RANGE)	49.0% (43.0 - 55.0)	54.5%
% INSURED ALL YEAR, MEDI-CAL/HEALTHY FAMILIES (95% RANGE)	15.2% (10.8 - 19.6)	9.5%
% INSURED ALL YEAR, OTHER (95% RANGE)	7.4% (4.5 - 10.3)	10.3%
<b>PERCENT OF UNINSURED NONELDERLY WITH ANNUAL FAMILY INCOMES OF LESS THAN 300% FPL<sup>†</sup></b>	33.8%	47.0%
<b>RACE/ETHNICITY DISTRIBUTION OF THE NONELDERLY POPULATION</b>		
WHITE	61.4%	45.4%
LATINO	18.6%	30.6%
ASIAN AMERICAN AND PACIFIC ISLANDER	10.8%	11.4%
AFRICAN AMERICAN	***%	6.9%

<sup>†</sup> FPL = Federal Poverty Level

\*\*\* The estimate is not statistically stable (coefficient of variation is over 30%).

Note: The "95% range" (more commonly called a "confidence interval") provides a more reliable estimate of the uninsured rate for persons in the population group than does the "point estimate." Point estimates with narrower 95% ranges are more precise or reliable than those with wider ranges.



Source: 2003 California Health Interview Survey  
 UCLA Center for Health Policy Research, February 2005  
 Available at [www.healthpolicy.ucla.edu](http://www.healthpolicy.ucla.edu)