

**ATTACHMENT 1
SCHOOL READINESS MEASURES IN CHIS 2001**

SCHOOL READINESS MEASURES IN CHIS 2001	INFANT (LESS THAN 1 YEAR)	TODDLER (1-2 YEARS)	PRESCHOOLER (3-4 YEARS)	PRE-KINDERGARTNER (5 YEARS)	OVERALL (0-5 YEARS)
1. GOOD HEALTH					
A. HEALTH STATUS					
IN EXCELLENT OR VERY GOOD HEALTH	80.6%	73.2%	74.8%	74.0%	75.1%
PHYSICAL, MENTAL, OR BEHAVIORAL CONDITION THAT LIMITS ABILITY TO DO CHILDHOOD ACTIVITIES NORMAL FOR AGE	1.1%	2.9%	5.0%	4.8%	3.7%
EVER DIAGNOSED WITH ASTHMA*	–	9.5%	10.5%	12.0%	10.5%
B. CHRONIC DISEASE MANAGEMENT					
TAKING PRESCRIPTION MEDICINE TO CONTROL ASTHMA, AMONG DIAGNOSED CHILDREN*	–	54.7%	49.9%	49.6%	51.5%
HAD ER VISIT DUE TO ASTHMA, AMONG DIAGNOSED CHILDREN*	–	33.6%	19.2%	11.5%	22.3%
HAD HOSPITAL STAY DUE TO ASTHMA, AMONG DIAGNOSED CHILDREN*	–	7.0%	2.5%	2.9%	4.1%
C. NUTRITION AND SEDENTARY ACTIVITY					
OVERWEIGHT (WEIGHT ABOVE 95TH PERCENTILE NATIONALLY)	17.8%	17.3%	14.3%	8.8%	14.8%
RECOMMENDED MILK INTAKE (AT LEAST 2 SERVINGS)**	–	73.5%	64.7%	64.1%	66.6%
RECOMMENDED FRUIT INTAKE (AT LEAST 2 SERVINGS)**	–	89.0%	87.2%	81.4%	86.1%
RECOMMENDED VEGETABLE INTAKE (AT LEAST 3 SERVINGS)**	–	20.4%	17.7%	15.4%	17.7%
ANY DAILY SODA INTAKE**	–	18.8%	25.0%	29.4%	24.7%
TWO OR MORE HOURS OF TV/VIDEO GAMES DAILY (WEEKDAYS)*****	–	–	67.1%	65.4%	66.2%
MORE THAN TWO HOURS OF TV/VIDEO GAMES AND/OR COMPUTER USE (WEEKDAYS)*****	–	–	31.2%	33.7%	32.5%

*Excludes children younger than age 1

**Excludes children younger than age 2

***Excludes children 2 years and younger who do not yet have teeth

****Percentage for subsample of children

*****Among children spending at least 10 hours weekly in care by someone other than the parent

*****Excludes children younger than age 4

*****Excludes children younger than age 3

continued on next page

**ATTACHMENT 1
SCHOOL READINESS MEASURES IN CHIS 2001 (CONTINUED)**

SCHOOL READINESS MEASURES IN CHIS 2001	INFANT (LESS THAN 1 YEAR)	TODDLER (1-2 YEARS)	PRESCHOOLER (3-4 YEARS)	PRE-KINDERGARTNER (5 YEARS)	OVERALL (0-5 YEARS)
D. HEALTH CARE ACCESS					
INSURED	94.7%	94.3%	91.3%	93.8%	93.2%
CURRENTLY UNINSURED OR ANY COVERAGE GAP IN THE PAST YEAR	9.8%	10.1%	12.9%	10.0%	11.0%
ELIGIBLE FOR MEDI-CAL OR HEALTHY FAMILIES, AMONG UNINSURED	96.9%	73.8%	78.8%	68.1%	77.8%
ELIGIBLE FOR MEDI-CAL, AMONG UNINSURED	82.5%	54.7%	62.6%	40.6%	59.2%
ELIGIBLE FOR HEALTHY FAMILIES, AMONG UNINSURED	14.4%	19.1%	16.1%	27.6%	18.6%
HAVE USUAL SOURCE OF HEALTH CARE	99.0%	98.0%	97.1%	98.6%	97.9%
AT LEAST ONE PHYSICIAN VISIT IN PAST YEAR	99.6%	99.1%	96.1%	95.2%	97.4%
ANY EMERGENCY ROOM VISIT IN PAST YEAR	21.6%	30.3%	19.3%	15.0%	22.4%
HAVE OFFICIAL HAND-HELD IMMUNIZATION RECORD	87.1%	95.3%	95.0%	95.7%	94.0%
ANY DIFFICULTIES IN GETTING SHOTS	2.7%	3.6%	2.3%	2.6%	2.9%
DELAY IN GETTING PRESCRIPTION	2.5%	3.1%	3.1%	3.0%	3.0%
DELAY IN GETTING TEST OR TREATMENT	0.7%	2.4%	2.0%	1.5%	1.4%
DELAY IN GETTING OTHER NEEDED MEDICAL CARE	1.4%	3.6%	2.6%	4.4%	3.1%
E. DENTAL HEALTH					
EVER VISITED DENTIST/ DENTAL HYGIENIST**	–	21.3%	60.1%	85.7%	58.2%
VISITED DENTIST/DENTAL HYGIENIST IN PAST YEAR**	–	20.6%	55.6%	81.0%	54.6%
DENTAL INSURANCE**	–	75.8%	75.5%	78.7%	76.4%
USE A FREE COMMUNITY OR PUBLIC DENTAL PROGRAM IF UNINSURED**	–	5.9%	6.0%	16.2%	8.4%
USE TOOTHPASTE WHEN BRUSHING TEETH***	16.2%	74.8%	97.3%	97.2%	83.4%
TAKE FLUORIDE SUPPLEMENT OR VITAMINS****	25.1%	24.5%	22.3%	22.3%	23.3%

*Excludes children younger than age 1

**Excludes children younger than age 2

***Excludes children 2 years and younger who do not yet have teeth

****Percentage for subsample of children

*****Among children spending at least 10 hours weekly in care by someone other than the parent

*****Excludes children younger than age 4

*****Excludes children younger than age 3

continued on next page

**ATTACHMENT 1
SCHOOL READINESS MEASURES IN CHIS 2001 (CONTINUED)**

SCHOOL READINESS MEASURES IN CHIS 2001	INFANT (LESS THAN 1 YEAR)	TODDLER (1-2 YEARS)	PRESCHOOLER (3-4 YEARS)	PRE-KINDERGARTNER (5 YEARS)	OVERALL (0-5 YEARS)
F. EXPOSURE TO TOXIC SUBSTANCES					
PARENT SMOKES****	12.8%	17.3%	14.1%	14.6%	15.0%
PARENT HAD 5 OR MORE ALCOHOLIC DRINKS AT ONE TIME (PAST MONTH)****	11.2%	14.2%	13.5%	15.4%	13.7%
CHILD USES SUNSCREEN (SP15+) SOMETIMES OR ALWAYS ON A SUNNY DAY	44.4%	68.9%	72.7%	76.2%	67.8%
2. SAFETY AND SURVIVAL					
A. EXPOSURE TO VIOLENCE IN HOME AND COMMUNITY					
PARENT BEEN A VICTIM OF GUN VIOLENCE****	0.3%	0.9%	1.3%	1.7%	1.1%
B. INJURY					
INJURY IN PAST YEAR THAT REQUIRED MEDICAL TREATMENT	1.6%	7.8%	7.5%	8.6%	6.9%
C. ENVIRONMENTAL SAFETY					
FIREARM IN THE HOUSEHOLD****	14.8%	15.7%	16.2%	16.2%	15.8%
HAVE AT LEAST ONE HANDGUN, AMONG HOUSEHOLDS WITH ANY FIREARMS****	64.2%	61.0%	68.0%	69.1	65.5%
3. ECONOMIC WELL-BEING					
A. FAMILY INCOME					
HOUSEHOLD INCOME BELOW 100% FPL	24.3%	22.5%	26.3%	18.8%	23.4%
B. FOOD SECURITY FOR HOUSEHOLDS LESS THAN 200% FPL					
OFTEN OR SOMETIMES COULDN'T AFFORD TO EAT BALANCED MEAL ****	35.1%	28.0%	38.9%	40.1%	34.9%
RECEIVING FOOD STAMPS (CHILD), IN FAMILIES BELOW 300% FPL	16.8%	18.4%	22.7%	15.5%	19.0%
RECEIVING TANF/CALWORKS	3.8%	5.9%	8.0%	4.0%	5.9%
RECEIVING WIC	45.8%	35.0%	28.5%	2.3%	28.6%
4. SOCIAL AND EMOTIONAL WELL-BEING					
A. FAMILY STRUCTURE					
MARRIED OR LIVING WITH PARTNER****	83.8%	83.0%	80.0%	81.0%	81.7%
PARENT HAS LIMITED ENGLISH PROFICIENCY	35.6%	32.4%	36.2%	26.3%	33.0%

*Excludes children younger than age 1

**Excludes children younger than age 2

***Excludes children 2 years and younger who do not yet have teeth

****Percentage for subsample of children

*****Among children spending at least 10 hours weekly in care by someone other than the parent

*****Excludes children younger than age 4

*****Excludes children younger than age 3

continued on next page

**ATTACHMENT 1
SCHOOL READINESS MEASURES IN CHIS 2001 (CONTINUED)**

SCHOOL READINESS MEASURES IN CHIS 2001	INFANT (LESS THAN 1 YEAR)	TODDLER (1-2 YEARS)	PRESCHOOLER (3-4 YEARS)	PRE-KINDERGARTNER (5 YEARS)	OVERALL (0-5 YEARS)
B. SOCIALIZATION AND NURTURING					
FAMILY GETS TOGETHER WITH FRIENDS AND RELATIVES AT LEAST BIWEEKLY	81.0%	82.6%	82.9%	82.5%	82.4%
PARENT READS 7+ TIMES WEEKLY WITH CHILD	29.9%	45.5%	47.5%	45.0%	43.6%
PARENT DOES NOT READ TO CHILD	25.7%	9.4%	3.8%	3.0%	8.9%
C. EARLY CHILDHOOD EDUCATION/CHILDCARE					
IN CHILD CARE ARRANGEMENT (10+ HOURS WEEKLY)	23.7%	36.7%	41.9%	34.9%	36.1%
40 OR MORE HOURS IN CHILD CARE	11.6%	18.8%	19.8%	11.4%	16.6%
IN LICENSED CHILD CARE ARRANGEMENT(S)*****	73.7%	75.8%	89.0%	87.8%	84.0%
SOMEWHAT OR NOT AT ALL SATISFIED WITH CHILD CARE ARRANGEMENTS	20.7%	21.6%	18.2%	19.1%	19.8%
ENROLLED IN HEAD START, PRESCHOOL, OR NURSERY SCHOOL*****	-	-	25.2%	17.0%	22.4%
ENROLLED IN CHILD CARE CENTER	2.4%	5.5%	16.0%	12.9%	9.9%
ELIGIBLE CHILDREN (LESS THAN 100% FPL) ENROLLED IN HEAD START OR STATE PRESCHOOL*****	-	-	9.4%	3.7%	7.8%

*Excludes children younger than age 1

**Excludes children younger than age 2

***Excludes children 2 years and younger who do not yet have teeth

****Percentage for subsample of children

*****Among children spending at least 10 hours weekly in care by someone other than the parent

*****Excludes children younger than age 4

*****Excludes children younger than age 3

**ATTACHMENT 2
COMPARISON OF SCHOOL READINESS INDICATORS IN CALIFORNIA AND NATIONAL DATA**

SCHOOL READINESS MEASURES	NATIONAL DATA	CALIFORNIA CHIS 2001 DATA
GOOD HEALTH		
HEALTH STATUS		
IN EXCELLENT OR VERY GOOD HEALTH	85.0% ⁱ	75.1%
PHYSICAL, MENTAL, OR BEHAVIORAL CONDITION THAT LIMITS ABILITY TO DO CHILDHOOD ACTIVITIES NORMAL FOR AGE	3.0% ⁱ	3.7%
DIAGNOSED WITH ASTHMA	4.7% ⁱⁱ	10.0%*
HEALTH CARE ACCESS		
INSURED	88.9% ⁱⁱⁱ	93.8%
HAVE USUAL SOURCE OF HEALTH CARE	95.4% ^{iv}	97.9%
AT LEAST ONE PHYSICIAN VISIT IN PAST YEAR	93.7% ⁱ	97.4%
ANY EMERGENCY ROOM VISIT IN PAST YEAR	16.8% ^v	22.4%
DENTAL HEALTH		
EVER VISITED DENTIST/DENTAL HYGIENIST	48% ^{vi}	58.2% [†]
VISITED DENTIST/DENTAL HYGIENIST IN PAST YEAR	36.5% ^{vii}	54.6% [†]
NUTRITIONAL AND SEDENTARY ACTIVITY		
OVERWEIGHT (WEIGHT ABOVE 95TH PERCENTILE NATIONALLY)	3.4% (AGE 2-3) 7.9% (AGE 4-5) ^{viii}	14.8%
RECOMMENDED MILK INTAKE (AT LEAST 2 SERVINGS)*	75.7% ^{ix}	66.6% [†]
RECOMMENDED FRUIT INTAKE (AT LEAST 2 SERVINGS)*	44.5% ^{ix}	86.1% [†]
RECOMMENDED VEGETABLE INTAKE (AT LEAST 3 SERVINGS)*	23.0% ^{ix}	17.7% [†]
ANY DAILY SODA INTAKE	26.6% ^{ix}	24.7% [†]
TWO OR MORE HOURS OF TV DAILY (WEEKDAY)	44.5% ^x	66.2% [‡]

*1-4 years, † 2-5 years, ‡ 4-5 years

continued on next page

- i Federal Interagency Forum on Child and Family Statistics, *America's Children: Key National Indicators of Well-Being, 2002*. Washington, DC: U.S. Government Printing Office.
- ii National indicator is children, age 0-4 years, ever diagnosed with asthma by a doctor, with at least one episode in past year. California CHIS indicator is children age 1-4 years ever diagnosed with asthma by a doctor, with current symptoms at least monthly. Akinbami L, Schoendorf K. (2002) Trends in childhood asthma: Prevalence, health care utilization, and mortality. *Pediatrics*. 110(2): 315-322.
- iii U.S. Census Bureau, Current Population Survey, March 2000 and 2001, accessed April 2003 www.census.gov/hhes/hlthins/hlthin00/dtable4.html
- iv Newacheck P, Hung YY, Hochstein M, Halfon N. (2000). Access to health care for disadvantaged young children. *Journal of Early Intervention*; 25(1): 1-11.
- v Elixhauser A, Machlin S, Zodet, et al. (2002). Health Care for Children and Youth in the United States: 2001 Annual Report on Access, Utilization, Quality and Expenditures, *Ambulatory Pediatrics*. 2(6): 419-37.

- vi Bloom B. and Tothnat L. Summary Health Statistics for US Children: National Health Interview Survey, 1997 Vital Health Statistics 10(203). 2002. Percent is number of 2-4 year olds that have ever seen a dentist, or within the last 3 years.
- vii The Third National Health and Nutrition Examination Survey (NHANES III) 1988-1994, National Center for Health Statistics, Centers for Disease Control and Prevention.
- viii Ogden C, Troiano R, Briefel R. (1997). Prevalence of Overweight Among Preschool Children in the United States, 1971 Through 1994, *Pediatrics* 99(4): E1, 1-7.
- ix U.S. Department Of Agriculture, Agricultural Research Service. 1999. Food and Nutrition Intakes by Children 1994-96, 1998.
- x Certain L and Kahn R. (2002). Prevalence, correlates, and trajectory of television viewing among infants and toddlers. *Pediatrics*. 109(4): 634-42.

**ATTACHMENT 2
COMPARISON OF SCHOOL READINESS INDICATORS IN CALIFORNIA AND NATIONAL DATA (CONTINUED)**

SCHOOL READINESS MEASURES	NATIONAL DATA	CALIFORNIA CHIS DATA
ENVIRONMENTAL EXPOSURES		
CHILD USES SUNSCREEN (SPF15+) SOMETIMES OR ALWAYS ON A SUNNY DAY	58% (AGE 3-4)	72.7%
ECONOMIC WELL-BEING		
FAMILY INCOME		
HOUSEHOLD INCOME BELOW 100% FPL	19% ^{xi}	23.4%
SOCIAL AND EMOTIONAL WELL-BEING		
SOCIALIZATION AND NURTURING		
PARENT READS 7+ TIMES WEEKLY WITH CHILD	58% ^{xii}	46.6% [†]
EARLY CHILDHOOD EDUCATION/CHILDCARE		
ENROLLED IN CHILD CARE CENTER	28% ^{xiii}	9.9%

*1-4 years, † 2-5 years, ‡ 4-5 years

xi National Center for Children in Poverty, <http://www.nccp.org/YCPfact0303.pdf>, accessed April 2003.

xii For children 3-5 years old, not yet in Kindergarten; Childtrends Databank, <http://www.childtrendsdatabank.org/family/thefamily/5ReadingtoYoungChildren.htm>, accessed April 2003.

xiii For children 0-4 years old. Freya L. Sonenstein, Gary Gates, Stefanie R. Schmidt, Natalya Bolshun Primary Child Care Arrangements of Employed Parents Findings from the 1999 National Survey of America's Families, <http://www.urban.org/url.cfm?ID=310487> accessed April 21, 2003.

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS**

	HEALTH EXCELLENT OR VERY GOOD	ASTHMA DIAGNOSIS % (95% CI)	UNINSURED % (95% CI)	UNINSURED AND/OR COVERAGE GAP % (95% CI)	INSURED BY MEDICAID % (95% CI)	USUAL CARE SOURCE; COMMUNITY HEALTH CENTER % (95% CI)
NORTHERN AND SIERRA COUNTIES	81.3 (77.2-85.5)	7.6 (4.9-10.4)	6.8 (4.4-9.2)	13.1 (9.9-16.2)	27.3 (22.7-31.9)	27.3 (22.9-31.7)
BUTTE	88.4 (78.8-98.0)	**	**	**	**	**
SHASTA	82.9 (70.0-95.9)	**	**	**	33.5 (17.8-49.2)	29.2 (15.0-43.3)
HUMBOLDT, DEL NORTE	71.5 (54.8-88.3)	**	**	**	**	**
SISKIYOU, LASSEN, TRINITY, MODOC	82.8 (71.4-94.2)	**	**	**	24.7 (13.2-36.2)	26.1 (14.2-38.0)
MENDOCINO, LAKE	75.5 (61.7-89.3)	**	**	**	**	26.2 (11.8-40.6)
TEHAMA, GLENN, COLUSA	74.0 (63.4-84.6)	**	**	**	36.3 (24.3-48.3)	42.6 (30.2-55.0)
SUTTER, YUBA	80.0 (68.9-91.0)	**	**	**	33.7 (20.2-47.2)	39.4 (25.7-53.1)
NEVADA, PLUMAS, SIERRA	92.3 (83.4-100)	**	**	**	**	20.0 (7.1-32.7)
TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	85.2 (73.5-96.9)	**	**	**	25.2 (11.1-39.3)	31.4 (16.7-46.0)
GREATER BAY AREA	76.6 (72.7-80.5)	12.5 (9.3-15.7)	2.1 (1.1-3.2)	5.6 (3.4-7.7)	16.7 (13.1-20.4)	14.1 (10.8-17.5)
SANTA CLARA	69.1 (59.4-78.7)	**	**	2.4 (0.0-5.2)	17.1 (9.5-24.7)	13.5 (5.7-21.2)
ALAMEDA	83.4 (76.7-90.2)	**	**	**	16.2 (8.1-24.4)	17.8 (9.4-26.3)
CONTRA COSTA	77.8 (68.3-87.3)	**	**	**	18.8 (9.1-28.5)	**
SAN FRANCISCO	66.8 (54.4-79.3)	**	**	**	17.0 (7.5-26.6)	**
SAN MATEO	76.3 (64.4-88.2)	**	**	**	26.7 (11.1-42.2)	**
SONOMA	83.4 (72.0-94.8)	**	**	**	**	**
SOLANO	78.7 (71.0-86.5)	10.8 (5.4-16.2)	**	**	**	20.2 (13.2-27.3)
MARIN	90.1 (80.3-99.9)	**	**	**	**	**
NAPA	81.0 (70.2-91.7)	**	**	**	**	**
SACRAMENTO AREA	82.4 (75.7-89.0)	13.0 (7.8-18.1)	**	7.7 (4.6-10.9)	18.3 (11.5-25.0)	7.8 (4.1-11.6)
SACRAMENTO	81.2 (72.0-90.4)	13.2 (6.1-20.2)	**	6.5 (2.4-10.5)	20.5 (11.2-29.7)	6.7 (1.6-11.8)
PLACER	84.8 (74.6-94.9)	**	**	**	**	1.2 (0.0-3.8)
YOLO	83.2 (74.2-92.2)	**	**	**	**	21.0 (11.4-30.6)
EL DORADO	88.7 (79.9-97.5)	**	**	23.2 (10.6-35.9)	**	14.7 (3.9-25.5)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	HEALTH EXCELLENT OR VERY GOOD	ASTHMA DIAGNOSIS % (95% CI)	UNINSURED % (95% CI)	UNINSURED AND/OR COVERAGE GAP % (95% CI)	INSURED BY MEDICAID % (95% CI)	USUAL CARE SOURCE; COMMUNITY HEALTH CENTER % (95% CI)
SAN JOAQUIN VALLEY	67.7 (62.9-72.5)	15.0 (10.9-19.0)	7.8 (5.4-10.1)	13.2 (9.9-16.5)	38.0(33.1-42.9)	22.5 (18.4-26.6)
FRESNO	64.3 (51.1-77.6)	24.0 (11.6-36.5)	**	**	45.8 (32.7-58.8)	**
KERN	70.9 (62.2-79.6)	**	**	15.7 (8.3-23.1)	36.1 (26.0-46.2)	27.2 (18.0-36.5)
SAN JOAQUIN	66.8 (56.5-77.1)	11.5 (3.9-19.1)	**	11.8 (5.2-18.4)	31.2 (20.3-42.1)	15.9 (8.2-23.5)
STANISLAUS	74.0 (60.8-87.2)	**	**	**	**	**
TULARE	59.4 (47.2-71.7)	16.7 (7.1-26.3)	**	**	44.7 (32.5-56.9)	24.6 (13.9-35.2)
MERCED	72.3 (58.7-85.9)	**	**	17.0 (7.6-26.3)	35.2 (22.8-47.6)	35.3 (21.8-48.9)
KINGS	76.9 (68.0-85.9)	21.5 (11.8-31.2)	**	18.6 (9.9-27.3)	37.5 (27.1-48.0)	35.6 (25.2-46.1)
MADERA	63.5 (50.0-76.9)	**	**	**	34.7 (21.7-47.7)	28.4 (16.3-40.5)
CENTRAL COAST	73.9 (67.3-80.5)	7.9 (4.3-11.6)	7.8 (3.6-12.0)	13.3 (8.5-18.2)	26.3 (19.9-32.7)	25.2 (19.1-31.4)
VENTURA	71.1 (57.6-84.5)	**	**	**	32.4 (19.2-45.6)	**
SANTA BARBARA	81.8 (72.7-90.8)	1.4 (0.0-4.1)	**	8.8 (2.9-14.8)	30.6 (19.2-42.0)	24.3 (13.3-35.4)
SANTA CRUZ	76.7 (65.0-88.3)	**	**	**	**	25.0 (12.4-37.5)
SAN LUIS OBISPO	91.3 (84.5-98.0)	**	**	**	24.4 (10.7-38.1)	**
MONTEREY, SAN BENITO	65.4 (51.6-79.2)	**	**	14.9 (5.9-23.9)	**	42.7 (28.8-56.7)
LOS ANGELES	73.1 (69.9-76.2)	8.5 (6.5-10.5)	8.5 (6.5-10.5)	11.5 (86.3-90.7)	34.3 (30.7-38.0)	23.2 (20.2-26.5)
LOS ANGELES	73.1 (69.9-76.2)	8.5 (6.5-10.5)	8.5 (6.5-10.5)	11.5 (86.3-90.7)	34.3 (30.7-38.0)	23.2 (20.2-26.5)
OTHER SOUTHERN CALIFORNIA AREAS	77.4 (73.8-81.0)	9.9 (7.3-12.5)	8.0 (5.9-10.0)	12.8 (10.2-15.4)	26.7 (22.4-30.9)	18.6 (15.2-22.0)
ORANGE	74.8 (68.4-81.2)	**	5.7 (2.4-9.0)	10.2 (5.9-14.6)	22.6 (15.4-30.0)	12.0 (7.0-17.1)
SAN DIEGO	82.4 (76.6-88.3)	9.6 (5.2-13.9)	10.2 (5.7-14.7)	14.6 (9.4-19.7)	21.5 (13.9-29.0)	27.9 (21.2-34.7)
SAN BERNARDINO	78.2 (69.1-87.2)	17.6 (9.5-25.7)	7.7 (3.3-12.2)	11.4 (5.7-17.1)	35.7 (25.0-46.4)	18.0 (9.2-26.9)
RIVERSIDE	73.7 (64.0-83.4)	**	**	15.2 (8.5-21.9)	31.3 (21.4-41.2)	15.8 (8.4-23.2)
IMPERIAL	68.9 (54.6-83.2)	**	**	22.1 (10.9-33.3)	31.5 (17.4-45.5)	18.6 (9.6-27.5)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	EVER HAD DENTAL VISIT % (95% CI)	HAVE DENTAL INSURANCE % (95% CI)	DRINK SODA % (95% CI)	RECEIVE MILK RDA % (95% CI)	RECEIVE FRUIT RDA % (95% CI)
NORTHERN AND SIERRA COUNTIES	55.0 (48.8-61.2)	73.2 (67.5-78.8)	20.3 (15.5-25.1)	62.2 (56.3-68.0)	90.1 (86.6-93.6)
BUTTE	65.6 (45.7-85.4)	69.7 (51.2-88.3)	**	69.4 (51.2-87.6)	98.3 (95.7-100.0)
SHASTA	57.5 (38.6-76.5)	68.1 (48.5-87.7)	**	70.8 (54.7-87.0)	94.8 (87.4-100.0)
HUMBOLDT, DEL NORTE	47.6 (28.4-66.7)	69.7 (53.3-86.0)	**	68.5 (51.9-85.0)	81.5 (68.3-94.6)
SISKIYOU, LASSEN, TRINITY, MODOC	58.4 (41.7-75.0)	89.0 (78.6-99.3)	**	55.2 (37.6-72.7)	85.6 (75.2-95.9)
MENDOCINO, LAKE	48.4 (28.5-68.4)	65.5 (46.4-84.5)	**	38.1 (19.4-56.8)	94.6 (87.1-100.0)
TEHAMA, GLENN, COLUSA	48.2 (33.2-63.2)	74.2 (62.2-86.1)	**	70.5 (57.2-83.9)	86.1 (74.3-97.8)
SUTTER, YUBA	57.9 (40.9-74.8)	78.3 (64.0-92.6)	24.7 (12.0-37.3)	62.6 (46.8-78.3)	87.9 (74.1-100.0)
NEVADA, PLUMAS, SIERRA	71.6 (54.6-88.5)	77.7 (62.3-93.0)	**	47.7 (28.1-66.7)	88.8 (76.9-100.0)
TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	43.0 (22.9-63.0)	76.2 (58.4-93.9)	**	64.7 (46.2-83.1)	89.7 (78.7-100.0)
GREATER BAY AREA	61.6 (56.4-66.8)	84.1 (80.6-87.5)	17.7 (13.6-21.8)	62.3 (57.2-67.5)	80.8 (76.6-85.1)
SANTA CLARA	55.7 (44.6-66.7)	88.2 (82.1-94.2)	18.4 (8.4-28.3)	58.5 (47.3-69.7)	76.6 (67.7-85.6)
ALAMEDA	67.5 (55.4-79.5)	86.8 (77.7-95.8)	20.6 (10.5-30.6)	62.6 (50.5-74.6)	79.8 (70.0-90.0)
CONTRA COSTA	60.3 (47.2-73.5)	80.9 (71.3-90.4)	**	60.3 (46.6-74.0)	79.2 (65.7-92.7)
SAN FRANCISCO	70.6 (57.8-83.4)	80.7 (71.4-90.1)	**	72.7 (61.0-84.4)	83.8 (73.6-94.0)
SAN MATEO	60.5 (38.3-82.7)	94.1 (86.7-100.0)	**	68.8 (50.4-87.3)	84.6 (71.0-98.2)
SONOMA	54.1 (36.8-71.3)	66.0 (49.7-82.3)	**	59.5 (42.5-76.4)	86.1 (76.6-95.7)
SOLANO	66.2 (55.9-76.6)	91.6 (86.2-97.1)	26.8 (16.8-36.9)	62.8 (52.2-73.4)	88.9 (82.8-94.9)
MARIN	73.9 (57.8-90.0)	57.3 (37.9-76.6)	13.9 (1.1-27.7)	67.7 (51.1-84.4)	82.5 (68.1-97.0)
NAPA	46.9 (27.9-65.8)	75.5 (60.1-90.8)	20.2 (6.7-33.6)	58.5 (40.0-77.0)	90.3 (80.0-100.0)
SACRAMENTO AREA	64.4 (56.0-72.8)	85.6 (80.1-91.0)	17.7 (10.7-24.7)	66.8 (58.3-75.4)	87.4 (81.8-92.9)
SACRAMENTO	64.9 (53.2-76.7)	89.1 (81.8-96.3)	19.9 (9.8-30.0)	66.1 (54.0-78.1)	88.0 (80.4-95.7)
PLACER	61.0 (44.4-77.6)	75.7 (61.4-90.0)	**	75.3 (60.1-90.4)	88.6 (78.3-99.0)
YOLO	64.9 (50.1-79.6)	86.8 (78.3-95.3)	**	69.2 (55.9-82.6)	79.6 (66.7-92.5)
EL DORADO	64.3 (47.9-80.8)	71.8 (56.2-87.3)	**	57.3 (39.4-75.2)	88.9 (78.1-99.8)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	EVER HAD DENTAL VISIT % (95% CI)	HAVE DENTAL INSURANCE % (95% CI)	DRINK SODA % (95% CI)	RECEIVE MILK RDA % (95% CI)	RECEIVE FRUIT RDA % (95% CI)
SAN JOAQUIN VALLEY	55.3 (49.5-61.0)	74.4 (68.9-80.0)	28.2 (23.0-33.5)	66.1 (60.5-71.8)	84.7 (80.0-89.5)
FRESNO	69.3 (55.6-83.0)	69.3 (53.3-85.3)	31.6 (16.4-46.8)	60.6 (44.0-77.1)	78.9 (64.0-93.9)
KERN	55.8 (43.4-68.0)	72.8 (61.2-84.4)	24.0 (14.0-34.0)	62.6 (25.9-48.9)	81.2 (70.4-91.9)
SAN JOAQUIN	51.8 (39.0-64.5)	76.3 (65.3-87.2)	25.6 (14.9-36.2)	69.8 (58.3-81.3)	88.3 (81.6-95.0)
STANISLAUS	36.1 (18.8-53.3)	84.6 (73.4-95.7)	24.6 (11.0-38.1)	72.1 (58.0-86.2)	90.3 (80.4-100.0)
TULARE	49.1 (34.6-63.6)	69.3 (54.4-84.2)	28.5 (14.6-42.4)	67.1 (54.0-80.3)	88.9 (80.0-97.9)
MERCED	52.2 (37.3-69.2)	84.0 (74.0-94.0)	38.6 (22.6-54.5)	74.1 (61.3-86.8)	91.7 (85.2-98.2)
KINGS	62.2 (50.6-73.7)	81.5 (72.1-90.8)	28.9 (17.9-37.8)	65.5 (53.5-77.5)	82.9 (74.0-91.9)
MADERA	49.4 (33.6-65.3)	69.4 (55.1-83.7)	32.2 (17.0-47.3)	72.0 (58.5-85.4)	84.5 (74.6-94.4)
CENTRAL COAST	61.5 (54.0-69.0)	74.5 (67.1-81.9)	21.2 (15.1-27.3)	68.6 (61.7-75.6)	90.9 (87.1-94.6)
VENTURA	57.2 (42.5-71.8)	68.5 (53.9-83.0)	16.4 (7.1-25.8)	66.7 (53.2-80.2)	92.7 (87.1-98.4)
SANTA BARBARA	62.4 (48.7-76.2)	88.6 (80.4-96.7)	31.3 (16.7-46.0)	77.9 (67.3-88.5)	92.4 (86.0-98.8)
SANTA CRUZ	63.3 (48.4-78.2)	79.5 (66.8-92.2)	**	56.2 (40.2-72.1)	88.1 (73.4-100.0)
SAN LUIS OBISPO	57.8 (38.6-77.0)	83.2 (71.2-95.3)	**	67.2 (48.0-86.4)	86.0 (74.0-97.9)
MONTEREY, SAN BENITO	68.4 (53.0-83.8)	70.2 (54.3-86.1)	27.8 (12.0-42.5)	71.0 (57.0-85.1)	89.1 (80.2-98.1)
LOS ANGELES	60.0 (55.5-64.5)	73.1 (59.1-77.2)	30.7 (26.3-35.0)	70.0 (25.9-34.4)	86.1 (82.8-89.4)
LOS ANGELES	60.0 (55.5-64.5)	73.1 (59.1-77.2)	30.7 (26.3-35.0)	70.0 (25.9-34.4)	86.1 (82.8-89.4)
OTHER SOUTHERN CALIFORNIA AREAS	54.0 (49.1-58.9)	75.1 (71.0-79.2)	23.8 (19.8-27.9)	65.8 (61.3-70.4)	88.2 (8.9-14.8)
ORANGE	54.5 (45.5-63.5)	77.3 (70.1-84.5)	21.0 (14.1-27.9)	72.4 (64.9-80.0)	89.4 (84.4-94.4)
SAN DIEGO	55.1 (46.7-63.5)	72.0 (64.5-79.5)	25.9 (17.9-33.9)	59.7 (51.3-68.2)	90.3 (85.7-95.0)
SAN BERNARDINO	51.6 (39.4-63.7)	78.1 (68.9-87.2)	21.2 (12.0-30.3)	63.1 (51.6-74.7)	86.1 (79.2-92.9)
RIVERSIDE	53.9 (42.0-65.7)	73.8 (63.0-84.7)	26.4 (16.9-35.9)	67.3 (56.7-78.0)	85.3 (76.0-94.6)
IMPERIAL	55.6 (39.6-71.5)	68.0 (53.1-82.8)	48.6 (32.9-64.3)	63.6 (48.9-78.3)	78.5 (64.4-92.6)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	2+ HOURS OF TV DAILY % (95% CI)	> 2 HOURS OF MEDIA DAILY % (95% CI)	DAILY READING % (95% CI)	SOCIAL EVENTS AT LEAST TWICE A MONTH % (95% CI)
NORTHERN AND SIERRA COUNTIES	63.4 (55.0-71.8)	64.3 (55.9-72.7)	56.0 (51.0-61.0)	82.1 (78.1-86.0)
BUTTE	**	**	52.9 (37.8-68.0)	88.1 (79.6-96.6)
SHASTA	68.6 (42.5-94.7)	68.6 (42.5-94.7)	58.9 (42.9-74.9)	74.1 (58.8-89.3)
HUMBOLDT, DEL NORTE	58.7 (34.2-83.1)	58.7 (34.2-83.1)	56.3 (40.0-72.6)	81.3 (71.0-91.6)
SISKIYOU, LASSEN, TRINITY, MODOC	61.8 (35.1-88.5)	61.8 (35.1-88.5)	62.0 (48.7-75.2)	82.2 (72.0-92.5)
MENDOCINO, LAKE	75.4 (49.3-100.0)	75.4 (49.3-100.0)	49.1 (33.2-64.9)	80.3 (68.1-92.5)
TEHAMA, GLENN, COLUSA	71.5 (52.1-91.0)	73.3 (54.0-92.6)	40.0 (28.1-51.9)	81.1 (69.7-92.5)
SUTTER, YUBA	70.6 (47.2-94.0)	70.6 (47.2-94.0)	65.7 (53.3-78.0)	87.3 (76.6-98.0)
NEVADA, PLUMAS, SIERRA	54.0 (30.4-77.5)	54.0 (30.4-77.5)	63.9 (49.3-78.5)	78.2 (64.2-92.2)
TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	55.6 (17.4-93.7)	66.0 (28.7-100.0)	55.8 (40.2-71.4)	82.1 (69.4-94.8)
GREATER BAY AREA	64.7 (57.9-71.4)	67.3 (60.7-73.9)	52.2 (48.0-56.5)	85.2 (82.4-88.0)
SANTA CLARA	66.9 (53.3-80.5)	68.9 (55.7-82.2)	45.0 (36.2-53.8)	82.4 (76.1-88.8)
ALAMEDA	72.8 (56.5-89.0)	75.0 (59.0-91.0)	52.3 (42.7-62.0)	88.2 (82.5-94.0)
CONTRA COSTA	50.2 (31.0-69.3)	50.2 (31.0-69.3)	52.3 (41.6-62.9)	84.7 (77.2-92.3)
SAN FRANCISCO	61.4 (43.3-79.6)	68.8 (52.2-85.4)	59.6 (48.1-71.0)	78.6 (68.2-88.9)
SAN MATEO	62.4 (36.7-88.1)	65.5 (40.3-90.8)	60.8 (45.9-75.8)	91.1 (84.7-97.4)
SONOMA	68.7 (45.3-92.1)	73.1 (50.4-95.7)	64.3 (50.1-78.6)	87.6 (78.1-97.1)
SOLANO	68.6 (55.4-81.8)	72.0 (59.2-84.8)	45.6 (50.1-78.6)	81.0 (74.1-88.0)
MARIN	77.9 (58.6-97.1)	82.4 (65.5-99.3)	60.4 (44.9-75.9)	86.5 (74.1-99.0)
NAPA	50.3 (22.0-78.7)	50.3 (22.0-78.7)	49.5 (35.4-63.5)	90.5 (83.0-98.0)
SACRAMENTO AREA	61.2 (48.9-73.5)	62.6 (50.4-74.8)	**	78.5 (71.9-85.1)
SACRAMENTO	63.1 (46.1-80.0)	63.1 (46.1-80.0)	48.3 (38.1-58.4)	77.4 (68.4-86.4)
PLACER	46.3 (20.0-72.7)	56.5 (30.3-82.6)	70.9 (59.5-82.3)	78.8 (67.5-90.0)
YOLO	56.2 (22.5-65.1)	57.5 (36.1-79.0)	69.7 (36.9-61.3)	88.7 (81.8-95.5)
EL DORADO	72.5 (50.5-94.5)	72.5 (50.5-95.0)	25.9 (56.5-82.9)	76.9 (64.1-90.0)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	2+ HOURS OF TV DAILY % (95% CI)	> 2 HOURS OF MEDIA DAILY % (95% CI)	DAILY READING % (95% CI)	SOCIAL EVENTS AT LEAST TWICE A MONTH % (95% CI)
SAN JOAQUIN VALLEY	75.0 (67.4-82.6)	75.6 (68.0-83.2)	40.0 (35.4-44.7)	81.5 (77.7-85.2)
FRESNO	80.0 (58.9-100.0)	81.2 (60.0-100.0)	40.8 (28.3-53.2)	84.4 (75.6-93.1)
KERN	78.5 (65.0-92.0)	78.5 (65.0-92.0)	33.8 (24.4-43.1)	77.2 (68.2-86.2)
SAN JOAQUIN	76.1 (61.3-90.8)	76.1 (61.3-90.8)	42.2 (31.3-53.0)	73.7 (63.2-84.2)
STANISLAUS	68.8 (45.0-92.6)	68.8 (45.0-93.0)	36.9 (24.3-49.5)	85.8 (76.7-95.0)
TULARE	70.3 (53.2-87.4)	71.2 (54.3-88.1)	43.9 (32.1-55.7)	86.9 (78.1-95.6)
MERCED	65.9 (43.1-88.6)	65.9 (43.1-88.6)	51.4 (38.6-64.2)	80.0 (68.1-92.0)
KINGS	64.5 (46.2-82.8)	68.1 (50.0-86.2)	47.8 (37.2-58.4)	84.0 (76.8-91.2)
MADERA	72.9 (53.0-92.8)	72.9 (53.0-92.8)	29.1 (17.0-41.1)	88.2 (80.4-96.0)
CENTRAL COAST	64.2 (51.9-76.5)	66.8 (54.5-79.1)	44.4 (38.1-50.8)	82.1 (76.9-87.3)
VENTURA	61.0 (37.4-84.6)	64.7 (41.0-88.4)	43.9 (31.5-56.3)	82.1 (72.7-91.4)
SANTA BARBARA	68.1 (48.9-87.3)	70.9 (52.1-89.7)	46.0 (34.0-58.0)	91.3 (84.8-97.9)
SANTA CRUZ	68.7 (45.8-91.6)	69.7 (47.0-92.5)	54.0 (40.8-67.1)	78.8 (66.3-91.3)
SAN LUIS OBISPO	71.2 (47.0-95.4)	77.7 (55.5-100.0)	45.5 (31.0-60.0)	85.8 (76.6-95.1)
MONTEREY, SAN BENITO	63.8 (39.3-88.2)	63.8 (39.3-88.2)	39.7 (26.8-52.5)	75.5 (62.4-88.6)
LOS ANGELES	61.6 (55.0-68.1)	62.6 (56.1-69.2)	36.7 (33.3-40.1)	82.8 (80.1-85.5)
LOS ANGELES	61.6 (55.0-68.1)	62.6 (56.1-69.2)	36.7 (33.3-40.1)	82.8 (80.1-85.5)
OTHER SOUTHERN CALIFORNIA AREAS	69.7 (63.6-75.8)	70.4 (64.3-76.4)	45.1 (37.8-52.4)	81.6 (78.3-84.8)
ORANGE	78.7 (69.1-88.3)	79.3 (69.7-88.8)	45.1 (37.8-52.4)	85.5 (80.2-90.9)
SAN DIEGO	72.0 (62.3-81.6)	73.8 (64.4-83.2)	46.7 (39.5-53.8)	79.4 (73.4-85.3)
SAN BERNARDINO	62.3 (47.0-77.7)	62.3 (47.0-77.7)	41.0 (31.2-50.9)	80.6 (73.3-87.8)
RIVERSIDE	57.3 (39.7-75.0)	57.3 (39.7-75.0)	42.4 (32.4-52.3)	79.2 (70.3-88.1)
IMPERIAL	74.6 (58.1-91.2)	74.6 (58.1-91.2)	25.9 (15.0-36.8)	82.3 (72.4-92.1)

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	IN CHILD CARE % (95% CI)	IN PRESCHOOL (AGE 3-5) % (95% CI)	BELOW 100% FPL % (95% CI)	LIMITED ENGLISH PROFICIENCY % (95% CI)
NORTHERN AND SIERRA COUNTIES	37.6 (32.8-42.4)	25.4 (19.1-31.0)	20.7 (16.2-25.2)	19.9 (28.3-21.5)
BUTTE	41.2 (26.4-56.0)	**	**	**
SHASTA	28.2 (13.6-42.8)	**	**	**
HUMBOLDT, DEL NORTE	40.5 (25.5-55.5)	**	**	**
SISKIYOU, LASSEN, TRINITY, MODOC	39.6 (26.0-53.2)	**	**	**
MENDOCINO, LAKE	34.7 (20.2-49.3)	**	28.2 (13.1-43.3)	**
TEHAMA, GLENN, COLUSA	43.5 (31.2-55.8)	**	20.3 (10.6-30.0)	47.3 (23.6-71.0)
SUTTER, YUBA	30.1 (18.3-42.0)	**	30.9 (17.3-44.6)	19.7 (0.4-39.1)
NEVADA, PLUMAS, SIERRA	48.3 (33.0-42.0)	47.0 (25.7-68.3)	**	**
TUOLUMNE, CALAVERAS, AMADOR, INYO, MARIPOSA, MONO, ALPINE	39.8 (24.4-55.3)	**	**	**
GREATER BAY AREA	38.5 (34.5-42.5)	31.2 (25.7-36.7)	12.3 (8.8-15.8)	32.1 (24.3-39.9)
SANTA CLARA	33.2 (25.3-41.1)	30.2 (18.5-41.9)	15.2 (6.3-24.0)	37.1 (21.6-52.6)
ALAMEDA	35.0 (25.8-44.1)	28.0 (15.4-40.6)	12.1 (4.7-19.7)	25.3 (11.5-39.2)
CONTRA COSTA	41.3 (30.7-51.8)	33.0 (18.2-47.7)	**	32.8 (13.0-52.7)
SAN FRANCISCO	56.8 (45.8-67.8)	38.2 (21.9-54.4)	**	**
SAN MATEO	41.6 (26.8-56.3)	**	**	**
SONOMA	39.8 (25.9-53.7)	39.2 (19.2-59.3)	**	**
SOLANO	38.7 (50.4-47.1)	30.6 (17.7-43.5)	7.9 (3.0-12.8)	40.5 (20.0-61.0)
MARIN	40.0 (25.3-54.8)	44.8 (21.0-68.5)	**	**
NAPA	39.8 (26.3-53.3)	43.8 (21.2-66.5)	6.7 (0.0-15.2)	**
SACRAMENTO AREA	37.6 (30.5-44.7)	27.3 (19.0-35.6)	11.0 (5.8-16.2)	20.5 (6.1-34.9)
SACRAMENTO	39.5 (29.8-49.2)	25.4 (14.4-36.3)	12.4 (5.2-19.6)	**
PLACER	31.5 (19.1-43.9)	31.7 (12.5-50.8)	**	**
YOLO	37.6 (25.9-49.2)	32.8 (15.3-50.3)	**	31.7 (15.9-47.6)
EL DORADO	30.6 (17.6-43.5)	**	**	**

**This percentage is not reliable due to small sample size.

continued on next page

**ATTACHMENT 3
COUNTY SCHOOL READINESS INDICATORS (CONTINUED)**

	IN CHILD CARE % (95% CI)	IN PRESCHOOL (AGE 3-5) % (95% CI)	BELOW 100% FPL % (95% CI)	LIMITED ENGLISH PROFICIENCY % (95% CI)
SAN JOAQUIN VALLEY	32.8 (28.4-37.2)	17.1 (12.4-15.5)	32.7 (27.8-37.6)	42.8 (35.1-50.4)
FRESNO	30.8 (18.9-42.6)	**	33.4 (20.5-46.2)	37.3 (16.3-58.3)
KERN	27.1 (18.6-35.6)	**	38.1 (27.7-48.5)	43.0 (25.2-60.7)
SAN JOAQUIN	36.1 (25.8-46.4)	28.9 (13.5-44.2)	25.7 (14.4-37.0)	41.7 (23.3-60.1)
STANISLAUS	33.8 (21.2-46.3)	**	26.2 (12.3-40.0)	**
TULARE	38.4 (27.1-49.6)	23.4 (10.7-36.3)	**	51.6 (33.1-70.1)
MERCED	35.3 (23.5-47.1)	**	33.9 (21.5-46.3)	42.0 (23.9-60.2)
KINGS	41.0 (30.5-51.4)	24.7 (12.3-37.2)	32.0 (21.3-42.7)	39.0 (22.2-55.8)
MADERA	28.4 (16.7-40.0)	**	37.3 (21.6-53.1)	60.3 (37.8-82.8)
CENTRAL COAST	37.4 (31.4-43.5)	26.7 (19.0-34.4)	20.2 (13.9-26.5)	29.3 (19.2-39.4)
VENTURA	39.3 (27.3-51.2)	27.1 (12.9-41.3)	**	**
SANTA BARBARA	47.4 (35.3-59.5)	29.5 (13.4-45.6)	20.8 (10.3-31.3)	**
SANTA CRUZ	25.5 (15.8-19.1)	24.1 (9.9-38.2)	**	44.4 (18.9-70.0)
SAN LUIS OBISPO	25.7 (14.3-37.2)	**	**	**
MONTEREY, SAN BENITO	36.6 (23.9-49.3)	26.2 (10.6-41.8)	**	38.0 (17.2-58.7)
LOS ANGELES	36.1 (32.7-39.5)	19.4 (15.2-23.6)	29.1 (25.5-32.7)	33.3 (28.4-38.1)
LOS ANGELES	36.1 (32.7-39.5)	19.4 (15.2-23.6)	29.1 (25.5-32.7)	33.3 (28.4-38.1)
OTHER SOUTHERN CALIFORNIA AREAS	35.2 (31.5-38.9)	19.9 (15.7-24.0)	23.6 (19.4-27.7)	32.2 (25.1-39.2)
ORANGE	30.2 (23.9-36.3)	16.9 (10.0-23.9)	18.9 (11.8-26.0)	29.9 (16.1-43.7)
SAN DIEGO	44.6 (37.3-51.9)	25.9 (17.2-34.6)	23.4 (15.6-31.1)	39.9 (26.6-53.2)
SAN BERNARDINO	34.3 (25.6-42.9)	18.5 (9.6-27.4)	36.0 (25.4-46.6)	**
RIVERSIDE	29.8 (21.6-37.9)	17.0 (7.3-28.7)	17.7 (9.6-25.7)	36.4 (19.4-53.4)
IMPERIAL	35.9 (23.4-48.5)	**	23.9 (12.6-35.3)	**

**This percentage is not reliable due to small sample size.