



california
health
interview
survey

CHIS 2013 DATA DICTIONARY

Public Use File

Teen Survey

September 2015



california
health
interview
survey

CHIS 2013 DATA DICTIONARY

Teen Survey

Public Use File

September 2015

teen.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2015 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2013 Teen Survey. UCLA Center for Health Policy Research. Los Angeles, CA: September 2015.

TABLE OF CONTENTS

| | |
|---|-----------|
| 1. Introduction | 2 |
| 1.1 CHIS 2013 Teen Survey Data File | 2 |
| 1.2 Accompanying Files | 2 |
| 2. What’s New in CHIS 2013-14..... | 2 |
| 3. CHIS 2013-2014 Design and Methodology Summary | 4 |
| 3.1 Overview | 4 |
| 3.2 Switch to a Continuous Survey | 5 |
| 3.3 Sample Design Objectives..... | 6 |
| 3.4 Data Collection | 8 |
| 3.5 Response Rates..... | 9 |
| 3.6 Weighting the Sample | 10 |
| 3.7 Imputation Methods..... | 11 |
| 4. How to Use the Data Dictionary..... | 13 |
| 5. Sample Code for Analysis and Pooling of CHIS data..... | 14 |
| 6. Data Dictionary Variable Listings | 15 |
| A. Variable Name (Alphabetical)..... | 15 |
| B. Variable name (by Location in CHIS 2013-14 Teen Questionnaire) | 22 |
| C. Restricted Variables | 28 |
| 7. Data Dictionary..... | 29 |
| Section Q: Screening Information | 29 |
| Section A: Demographics, Part I | 35 |
| Section B: Health Status and Health Conditions | 37 |
| Section C: Diet, Nutrition and Food Environment | 44 |
| Section D: Physical Activity..... | 53 |
| Section E: Cigarette, Alcohol and Drug Use | 60 |
| Section F: Emotional Functioning..... | 61 |
| Section H: Health Care Utilization and Access..... | 63 |
| Section I: Dental or Oral Health..... | 79 |
| Section J: Demographic Information Part Ii & Geographic Information | 80 |
| Section L: Adult Supervision, Role Models, Civic Engagement, And Resiliency | 88 |
| Section M: Public Program Participation | 99 |
| Section N: Bullying, Personal Safety, Social Cohesion & Physical Environment..... | 99 |
| Section P: Full Design and Replicate Weight Series 0-80 | 101 |

1. Introduction

1.1 CHIS 2013 Teen Survey Data File

The 2013 California Health Interview Survey (CHIS 2013) Teen Data File consists of individual records obtained from the 2013 data collection period of the CHIS 2013-2014 Teen survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 11-000068) and the California Committee for the Protection of Human Subjects (00-04-04). In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** teen.sas7bdat, teen.sav, teen.dta
- b. **Proc format file:** TEEN_PROC_FORMAT.SAS
- c. **Format file:** TEEN_FORMAT.SAS
- d. **Label file:** TEEN_LABEL.SAS
- e. **Imputation flag file:** teenf.sas7bdat, teenf.sav, teenf.dta
See Section 3.7 for descriptions of imputation flag variables and values.
- f. **Others:** TEEN.XPT, TEENF.XPT

2. What's New in CHIS 2013-14

As an ongoing cross-sectional survey of California's population, each CHIS two-year data cycle has its own unique features. **This document describes the main cycle-specific methodological changes that were implemented in CHIS 2013-2014.** It is recommended that CHIS data users review the information below and detailed online documentation as necessary before analyzing or reporting CHIS data.

CHIS Methodological Documentation Online:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>

- 1) **One-Year Data File Release** – CHIS 2013 and 2014 public use files (PUFs) were released as separate, one-year data files (one file for each year), which is different from the combined two-year data files released in the past. The switch to single-year data files was facilitated by continuous data collection, which began in the CHIS 2011-2012 data collection cycle. The CHIS 2013-2014 data collection cycle includes interviews conducted between February 2013 and early January 2015 with approximately half of the interviews conducted during calendar year 2013 and the other half during calendar year 2014. We will re-release CHIS 2011 and 2012 data files as separate, one-year files later in 2015 for researchers who want to make single year estimates across

this four-year timespan. Two-year data files for the CHIS 2013-2014 cycle can be requested later this year via our Data Access Center (DAC, see <http://healthpolicy.ucla.edu/chis/data/Pages/GetCHISData.aspx>).

As of the CHIS 2013 and 2014 data file release (August 2015), AskCHIS (<http://ask.chis.ucla.edu>) included individual year data for CHIS 2011, 2012, 2013, and 2014, so users can produce single-year estimates. In future years, we anticipate releasing one-year PUFs and updating AskCHIS annually, which will provide CHIS users with much more timely data and greater flexibility in structuring their analyses. Users should be cautious examining indicators for small populations (such as child, teen, or racial/ethnic groups) due to the smaller sample sizes of the one-year data; pooling two or more cycles of one-year data is generally advised.

Users who need more information about pooling/trending data over time should review the Analyze CHIS Data website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx> or go to the Analyze CHIS Data user forum at <http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>.

- 2) **Measuring Modified Adjusted Gross Income (MAGI) and Medi-Cal Eligibility** – CHIS has always included adult survey questions to estimate eligibility for California’s Medicaid program, Medi-Cal. The 2010 Patient Protection and Affordable Care Act (ACA) included numerous changes to Medi-Cal eligibility. Effective January 1, 2014, income-based eligibility for Medi-Cal and Healthy Families (California’s Children’s Health Insurance Program) participation is determined by Modified Adjusted Gross Income (MAGI). CHIS 2014 (and CHIS 2013, but most relevant to 2014) included the following changes to approximate a respondent’s MAGI.
- a. Added two questions to identify households receiving workers’ compensation in the past month and the amount received in order to exclude workers’ compensation income from total income (AL32, AL33);
 - b. Modified questions on child support to eliminate “other” income sources (government or veterans’ programs) (AL15, AL16) to exclude child support income from total income;
 - c. Added two questions clarifying whether there is anyone else not living in the household, but living in the U.S., who is supported by the total household income reported (AK32, AK33).

The MAGI approximation informed the construction of the CHIS 2014 variable, **ELGMAGI3**, capturing uninsured individuals who are “newly eligible” for Medi-Cal under the ACA. **ELGMAGI3** also categorizes many uninsured individuals eligible for Healthy Families as *Medi-Cal eligible* due to the transition of Healthy Families enrollees into the Targeted Low Income Medicaid Program.

Detailed documentation about the MAGI variable is forthcoming. See the Analyze CHIS Data forum for more information (<http://healthpolicy.ucla.edu/forum/Pages/Forum.aspx>).

- 3) **New and Updated Survey Questions** – Most CHIS questions are included in every CHIS cycle, but some are added or removed depending on both stake-holder input on public health importance and funding availability. Noteworthy changes include:
- a. New content CHIS 2013-2014:
 - i. 2014 only: Questions to determine Covered California (the state health insurance marketplace) participation and experience shopping for coverage in the individual market.

- ii. 2013-2014: Contraception use, access to general and specialty care, dental insurance, industry and occupation (forthcoming), teen and child sedentary behavior, and teen grade level and organizational involvement.
 - b. Removed content: falls among older adults; moderate and vigorous activity in the past week; fruit and vegetable consumption in the past month; mammography; teen drug use/sexual behavior and STI testing; and, bullying and interpersonal violence among teens.
- 4) **Japanese American Oversample and Tagalog Interviewing** – A special oversample of Japanese Americans was conducted using telephone numbers associated with Japanese first and last names. These phone numbers were used to increase the yield of Californians of Japanese descent for an oversample of about 130 Japanese Americans. The *CHIS 2013-2014 Methodology Report 1 – Sample Design* includes more information about this oversample. CHIS continued to oversample Koreans and Vietnamese as well. CHIS 2013-2014 also includes interviews in Tagalog, in addition to its usual languages: English, Spanish, Chinese (Cantonese and Mandarin dialects), Korean and Vietnamese.
- 5) **County Oversamples** – As before, some counties funded additional interviews. In CHIS 2013-2014, approximately 1,600 additional households were sampled in San Diego County to provide sub-county estimates (as has been done since 2005). Three other counties also included supplemental oversamples (Calaveras, Siskiyou, and Tuolumne) of about 400 additional households each. An address-based sample was used in Sonoma County to complete interviews in about 500 additional households.
- 6) **Dual-Frame Cell Phone & Landline RDD Sample** – In CHIS 2013-2014, 7,752 adult interviews were conducted from the cell phone sample (19.3% of adult interviews). In CHIS 2011-2012, 9,151 adult interviews were conducted from the cell phone sample (21.3% of adult interviews). CHIS 2009 had 3,047 (6.4% of adult interviews) interviews conducted from the cell phone sample. Like CHIS 2011-2012, CHIS 2013-2014 used county-level goals for the cell phone RDD sample. The complete sample design is in *CHIS 2013-2014 Methodology Report 5 – Sample Design* (to be released Fall 2015). For more about cell phone sampling from the American Association for Public Opinion Research see http://www.aapor.org/Cell_Phone_Task_Force_Report.htm

3. CHIS 2013-2014 Design and Methodology Summary

3.1 Overview

A series of five methodology reports will be available with more detail about the methods used in CHIS 2013-2014:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at CHIS@ucla.edu.

The CHIS is a population-based telephone survey of California's population conducted every other year since 2001 and continually beginning in 2011. CHIS is the largest state health survey and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health and the Department of Health Care Services. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues.

The sample is designed to meet and optimize two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (visit UCLA-CHPR's publication page at: http://healthpolicy.ucla.edu/publications/Pages/default.aspx_for_examples_of_CHIS_studies).

3.2 Switch to a Continuous Survey

From the first CHIS cycle in 2001 through 2009, CHIS data was collected during a 7-9 month period every other year. Beginning in 2011, CHIS data have been collected continually over a 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

CHIS 2013-2014 data were collected between February 2013 and early January 2015. Approximately half of the interviews were conducted during the 2013 calendar year and half during the 2014 calendar year. As in previous CHIS cycles, weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc.) and thus not eligible to participate in CHIS. When the weights are applied to the data, the results represent California's residential population during that year for the age group corresponding to the data file in use (adult, adolescent, or child).

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample code, is available at: <http://healthpolicy.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in CHIS Methods Report #5—Weighting and Variance Estimation, available at:

<http://healthpolicy.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle year.

3.3 Sample Design Objectives

The CHIS 2013-2014 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed a dual-frame, multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. The random-digit-dial (RDD) sample was designed to achieve completed adult interviews with approximately 80% landline and 20% cellular phone numbers. For the landline RDD sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The Los Angeles County stratum included 8 sub-strata for Service Planning Areas, and the San Diego County stratum included 6 sub-strata for Health Service Districts. Approximately 1,600 additional households were sampled in San Diego County to obtain the sub-county estimates. Most of the strata (39 of 44) are made up of a single county with no sub-strata (counties 3-41 in Table 1-1), with three multi-county strata comprised of the 17 remaining counties (see Table 1-1). CHIS 2013-2014 also included supplemental geographic oversamples of landlines in 3 small counties (Calaveras, Siskiyou, and Tuolumne) that were part of multi-county strata (about 400 additional households for each county). An address-based sample of an additional 500 households was conducted in Sonoma County and oversamples of about 130 Japanese Americans, 104 Korean Americans, and 120 Vietnamese Americans were completed using list samples. A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective—to provide health estimates for adults at the local level. The same landline geographic stratification of the state has been used since CHIS 2005.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

The RDD CHIS sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). However, given the smaller sample sizes of one-year data files, two or more pooled cycles of CHIS data are generally required to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, teens, etc. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames, drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. Surname and given name lists were used similarly to increase the yield of Californians of Japanese descent.

Table 3-1. California county and county group strata used in the CHIS 2013-2014 sample design

| | | |
|-------------------------|---------------------|--|
| 1. Los Angeles | 7. Alameda | 27. Shasta |
| 1.1 Antelope Valley | 8. Sacramento | 28. Yolo |
| 1.2 San Fernando Valley | 9. Contra Costa | 29. El Dorado |
| 1.3 San Gabriel Valley | 10. Fresno | 30. Imperial |
| 1.4 Metro | 11. San Francisco | 31. Napa |
| 1.5 West | 12. Ventura | 32. Kings |
| 1.6 South | 13. San Mateo | 33. Madera |
| 1.7 East | 14. Kern | 34. Monterey |
| 1.8 South Bay | 15. San Joaquin | 35. Humboldt |
| 2. San Diego | 16. Sonoma | 36. Nevada |
| 2.1 N. Coastal | 17. Stanislaus | 37. Mendocino |
| 2.2 N. Central | 18. Santa Barbara | 38. Sutter |
| 2.3 Central | 19. Solano | 39. Yuba |
| 2.4 South | 20. Tulare | 40. Lake |
| 2.5 East | 21. Santa Cruz | 41. San Benito |
| 2.6 N. Inland | 22. Marin | 42. Colusa, Glen, Tehama |
| 3. Orange | 23. San Luis Obispo | 43. Plumas, Sierra, Siskiyou, Lassen, Modoc, Trinity, Del Norte |
| 4. Santa Clara | 24. Placer | 44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo |
| 5. San Bernardino | 25. Merced | |
| 6. Riverside | 26. Butte | |

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2013-2014, the goal was to complete approximately 8,000 interviews (20% of all RDD interviews statewide) with adults from the cell phone sample. Although the geographic information available for cell phone numbers is not as precise as that for landlines, cell phone numbers were assigned to the same 44 strata (i.e., 41 strata defined by a single county and 3 strata created by multiple counties). The cell phone stratification closely resembles that of the landline sample and has the same stratum names, though the cell phone strata represent slightly different geographic areas than the landline strata. As in CHIS 2011-2012, if a sampled cell number was shared by two or more adult members of a household, one household member was selected for the adult interview; otherwise the adult owner of the sampled number was selected. Cell numbers used exclusively by children under 18 were considered ineligible. About 480 teen interviews and 1,250 child interviews were completed from the cell phone sample in CHIS 2013-2014.

The cell phone sampling method used in CHIS has evolved since its first implementation in 2007 when only cell numbers belonging to adults in cell-only households were eligible for sampling adults. There have been two significant changes to the cell phone sample since 2009. First, all cell phone sample numbers used for non-business purposes by adults living in California were eligible for the extended interview. Thus, adults in households with landlines who had their own cell phones or shared one with another adult household member could have been selected through either the cell or landline sample. The second change was the inclusion of child and adolescent extended interviews.

The cell phone sample design and targets by stratum of the cell phone sample have also changed throughout the cycles of the survey. In CHIS 2007 a non-overlapping dual-frame design was implemented where cell phone only users were screened and interviewed in the cell phone sample. Beginning in 2009, an

overlapping dual-frame design has been implemented. In this design, dual phone users (e.g., those with both cell and landline service) can be selected and interviewed from either the landline or cellphone samples.

The number of strata has also evolved as more information about cell numbers has become available. In CHIS 2007 the cell phone frame was stratified into 7 geographic sampling strata created using telephone area codes. In CHIS 2009 and 2011-2012, the number of cell phone strata was increased to 28. These strata were created using both area codes and the geographic information assigned to the number. In CHIS 2011-2013, with the availability of more detailed geographic information, the number of strata was increased to 44 geographic areas that correspond to single and grouped counties similar to the landline strata.

3.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, Korean, and, for the first time, Tagalog. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted CHIS 2013-2014 data collection under contract with the UCLA Center for Health Policy Research. For all samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. Children and adolescents were generally sampled at the end of the adult interview. In landline, list, and ABS sample households with children where the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview for child-first cases, the final data contain completed child and adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2013-2014 by the type of sample (landline RDD, surname list, cell RDD, and Sonoma ABS). These numbers are provided in greater detail in *CHIS 2013-2014 Methodology Series: Report 2 – Data Collection*. Note that these figures were accurate as of data collection completion and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://healthpolicy.ucla.edu/chis/design/Pages/sample.aspx>.

Table 3-2. Number of completed CHIS 2013-2014 interviews by type of sample and instrument

| Type of sample | Adult* | Child | Adolescent |
|-------------------|---------------------|-------|------------|
| Total all samples | 40,240 ¹ | 5,512 | 2,253 |
| Landline RDD | 31,615 | 4,164 | 1,738 |
| Surname list | 392 | 50 | 18 |
| Cell RDD | 7,752 | 1,256 | 482 |
| Sonoma ABS | 481 | 42 | 15 |

*Includes interviews meeting the criteria as partially complete

Source: UCLA Center for Health Policy Research, 2013-2014 California Health Interview Survey.

Interviews in all languages were administered using Westat's computer-assisted telephone interviewing (CATI) system. The average adult interview took about 36 minutes to complete. The average child and adolescent interviews took about 16 minutes and 23 minutes, respectively. For "child-first" interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 11 percent of the adult interviews were completed in a language other than English, as were about 23 percent of all child (parent proxy) interviews and 5 percent of all adolescent interviews.

3.5 Response Rates

The overall response rate for CHIS 2013-2014 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 50.7 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business or nonworking numbers, and for 82.2 percent of surname list sample numbers. Addresses were not available for the cell sample. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2013-2014 advance letter to encourage cooperation.

The CHIS 2013-2014 screener response rate for the landline/list sample was 28.8 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener response rate was 30.7 percent. The extended interview response rate for the landline/list sample varied across the adult (44.8 percent), child (68.9 percent) and adolescent (40.2 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview response rate for the cell sample was 52.1 percent, the child rate was 72.2 percent, and the adolescent rate 41.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2013-2014, the landline/list sample household response rate was 14.8 percent (the product of the screener response rate and the extended interview response rate at the household level of 51.4 percent). The cell sample household response rate was 16.6

¹Numbers in this table represent the data publically released and available through our Data Access Center. Total sample sizes may differ for specific calculations within the five methodology reports, or for specific analyses based on CHIS data.

percent, incorporating a household-level extended interview response rate of 53.9 percent. All of the household and person level response rates vary by sampling stratum.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. However, comparing the CHIS and BRFSS response rates requires recomputing the CHIS response rates so they match the BRFSS response rate calculation methods. The 2013 California BRFSS landline response rate is 38.9 percent, the cell phone response rate is 39.3 percent, and the combined landline and cell phone rate is 39.0 percent.² Recalculating the CHIS response rates using the BRFSS method, the CHIS 2013-2014 landline response rate is 39.5, cell phone response rate is 32.1 percent, and the combined landline and cell phone response rate is 37.2 percent. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. For example, based on the last reported BRFSS refusal rates in 2011; the refusal rate for California (31.4%) was the highest in the nation and was twice the national median (16.0%). Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. For more information about the CHIS 2013-2014 response rates please see *CHIS 2013-2014 Methodology Series: Report 4 – Response Rates*.

Further information about CHIS data quality and nonresponse bias is available at <http://healthpolicy.ucla.edu/chis/design/Pages/data-quality.aspx>.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data (see section 2.6 on imputation methods for more information).

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically-ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. For 248 adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

3.6 Weighting the Sample

To produce population estimates from CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2013-2014 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;

² As reported in the Behavioral Risk Factor Surveillance System: 2013 Summary Data Quality Report. Retrieved May 22, 2015, available online at http://www.cdc.gov/brfss/annual_data/2013/pdf/2013_dqr.pdf

- Adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using an iterative proportional fitting method, or “raking” as it is commonly called, so that CHIS estimates are consistent with the marginal population control totals. This iterative procedure forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a pre-specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2013-2014 were created primarily from the California Department of Finance’s (DOF) 2014 Population Estimates and 2014 Population Projections. The raking procedure used 12 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

The 2014 DOF control totals used to create the CHIS 2013-2014 weights are based on 2010 Census counts, as were those used for the 2011-2012 cycle. Please pay close attention when comparing estimates using CHIS 2013-2014 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the US population count is conducted (every 10 years). Population-based surveys like CHIS must use estimates and projections based on the decennial population count data between Censuses. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information. See *CHIS 2013-2014 Methodology Series: Report 5 – Weighting and Variance Estimation* for more information on the weighting process.

3.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is one of the most commonly used methods for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents who answer a survey item form a pool of donors, while the item non-respondents form a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Westat used hot deck imputation to impute the same items in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2013-2014 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponds to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match. Among the standard list of control variables, gender, age, race/ethnicity and region of California were imputed by Westat. UCLA-CHPR begins their imputation process by imputing household income and educational attainment, so that these characteristics are available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent’s value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2013 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009 and CHIS 2011-12 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnaires.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME13:** The names of the 2013-14 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QNAME11:** The names of 2011-12 survey items identical or similar to the 2013-14 items.
- **QNAME09:** The names of 2009 survey items identical or similar to the 2013-14 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

5. Sample Code for Analysis and Pooling of CHIS data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

6. Data Dictionary Variable Listings

A. Variable Name (Alphabetical)

| VARIABLE | LABEL | PAGE |
|-------------|---|-------|
| ACMDMT_P1 | # OF DOCTOR VISITS PAST YEAR (PUF 1 YR RECODE) | DD-38 |
| AGEGPA_P1 | AGE GROUP OF ADULT (PUF 1 YR RECODE) | DD-7 |
| AHEDTC_P1 | ADULT EDUCATIONAL ATTAINMENT (PUF 1-YR RECODE) | DD-1 |
| ASTCUR | CURRENT ASTHMA | DD-14 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | DD-12 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | DD-56 |
| DOCT_YR | VISITED A DOCTOR DURING PAST 12 MOS | DD-38 |
| DSTRSTN_P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | DD-33 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-37 |
| FAMSIZE2_P1 | FAMILY SIZE: INCL ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1-YR RECODE) | DD-2 |
| FAMT4 | FAMILY TYPE (4 LVLS) | DD-3 |
| FPG | FEDERAL POVERTY GUIDELINE: ACA MAGI ELIGIBILITY (CATEGORICAL) | DD-4 |
| FV5DAY | 5+ FRUIT/VEGS. A DAY | DD-17 |
| HGHTI_P | HEIGHT - INCHES (PUF RECODE) | DD-10 |
| HGHTM_P | HEIGHT - METERS (PUF RECODE) | DD-10 |
| HHSIZE_P1 | HOUSEHOLD SIZE (PUF 1-YR RECODE) | DD-3 |
| HMO | HMO STATUS | DD-48 |
| HSSTUD | HIGH SCHOOL STUDENT | DD-60 |
| IAP2 | RECEIVING FOOD STAMP BENEFITS | DD-71 |
| INS | CURRENTLY INSURED | DD-44 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-45 |
| INS64 | TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65 | DD-45 |
| INSANY | ANY INS IN LAST 12 MOS | DD-46 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-46 |
| INSMD | COVERED BY MEDI-CAL | DD-46 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-47 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-47 |
| INSTYPE_P1 | INSURANCE TYPE (PUF 1 YR RECODE) | DD-49 |
| INTVLNGT_P1 | LANGUAGE OF INTERVIEW (PUF 1-YR RECODE) | DD-2 |
| LNGHMT_P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | DD-54 |
| MA7_P | NAME OF HEALTH PLAN (PUF RECODE) | DD-50 |
| MA8 | MAIN HEALTH PLAN IS HMO | DD-48 |
| OMBSRTN_P1 | OMB/CURRENT DOB RACE - ETHNICITY (PUF 1 YR RECODE) | DD-52 |
| OVRWT2 | OVERWEIGHT OR OBESE (CDC 2010 RECOMMENDATIONS) | DD-13 |
| POVGWD_P | FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE) | DD-4 |
| POVLL | POVERTY LEVEL | DD-5 |
| POVLL_ACA | FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS) | DD-5 |
| PUF1Y_ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | DD-1 |

| VARIABLE | LABEL | PAGE |
|-----------------|--|-------------|
| RACECNT P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | DD-52 |
| RACEDFT P1 | RACE - FORMER DOF RACE-ETHNICITY (PUF 1 YR RECODE) | DD-53 |
| RACEH2T P1 | RACE - UCLA CHPR DEFINITION (PUF RACEHPR2 1 YR RECODE) | DD-53 |
| RAKEDW0 | CHIS2013 RAKED WEIGHT - FULL SAMPLE | DD-73 |
| RAKEDW1 | CHIS2013 RAKED WEIGHT - REPLICATE 1 | DD-74 |
| RAKEDW10 | CHIS2013 RAKED WEIGHT - REPLICATE 10 | DD-77 |
| RAKEDW11 | CHIS2013 RAKED WEIGHT - REPLICATE 11 | DD-77 |
| RAKEDW12 | CHIS2013 RAKED WEIGHT - REPLICATE 12 | DD-77 |
| RAKEDW13 | CHIS2013 RAKED WEIGHT - REPLICATE 13 | DD-78 |
| RAKEDW14 | CHIS2013 RAKED WEIGHT - REPLICATE 14 | DD-78 |
| RAKEDW15 | CHIS2013 RAKED WEIGHT - REPLICATE 15 | DD-78 |
| RAKEDW16 | CHIS2013 RAKED WEIGHT - REPLICATE 16 | DD-79 |
| RAKEDW17 | CHIS2013 RAKED WEIGHT - REPLICATE 17 | DD-79 |
| RAKEDW18 | CHIS2013 RAKED WEIGHT - REPLICATE 18 | DD-79 |
| RAKEDW19 | CHIS2013 RAKED WEIGHT - REPLICATE 19 | DD-80 |
| RAKEDW2 | CHIS2013 RAKED WEIGHT - REPLICATE 2 | DD-74 |
| RAKEDW20 | CHIS2013 RAKED WEIGHT - REPLICATE 20 | DD-80 |
| RAKEDW21 | CHIS2013 RAKED WEIGHT - REPLICATE 21 | DD-80 |
| RAKEDW22 | CHIS2013 RAKED WEIGHT - REPLICATE 22 | DD-81 |
| RAKEDW23 | CHIS2013 RAKED WEIGHT - REPLICATE 23 | DD-81 |
| RAKEDW24 | CHIS2013 RAKED WEIGHT - REPLICATE 24 | DD-81 |
| RAKEDW25 | CHIS2013 RAKED WEIGHT - REPLICATE 25 | DD-82 |
| RAKEDW26 | CHIS2013 RAKED WEIGHT - REPLICATE 26 | DD-82 |
| RAKEDW27 | CHIS2013 RAKED WEIGHT - REPLICATE 27 | DD-82 |
| RAKEDW28 | CHIS2013 RAKED WEIGHT - REPLICATE 28 | DD-83 |
| RAKEDW29 | CHIS2013 RAKED WEIGHT - REPLICATE 29 | DD-83 |
| RAKEDW3 | CHIS2013 RAKED WEIGHT - REPLICATE 3 | DD-74 |
| RAKEDW30 | CHIS2013 RAKED WEIGHT - REPLICATE 30 | DD-83 |
| RAKEDW31 | CHIS2013 RAKED WEIGHT - REPLICATE 31 | DD-84 |
| RAKEDW32 | CHIS2013 RAKED WEIGHT - REPLICATE 32 | DD-84 |
| RAKEDW33 | CHIS2013 RAKED WEIGHT - REPLICATE 33 | DD-84 |
| RAKEDW34 | CHIS2013 RAKED WEIGHT - REPLICATE 34 | DD-85 |
| RAKEDW35 | CHIS2013 RAKED WEIGHT - REPLICATE 35 | DD-85 |
| RAKEDW36 | CHIS2013 RAKED WEIGHT - REPLICATE 36 | DD-85 |
| RAKEDW37 | CHIS2013 RAKED WEIGHT - REPLICATE 37 | DD-86 |
| RAKEDW38 | CHIS2013 RAKED WEIGHT - REPLICATE 38 | DD-86 |
| RAKEDW39 | CHIS2013 RAKED WEIGHT - REPLICATE 39 | DD-86 |
| RAKEDW4 | CHIS2013 RAKED WEIGHT - REPLICATE 4 | DD-75 |
| RAKEDW40 | CHIS2013 RAKED WEIGHT - REPLICATE 40 | DD-87 |
| RAKEDW41 | CHIS2013 RAKED WEIGHT - REPLICATE 41 | DD-87 |
| RAKEDW42 | CHIS2013 RAKED WEIGHT - REPLICATE 42 | DD-87 |
| RAKEDW43 | CHIS2013 RAKED WEIGHT - REPLICATE 43 | DD-88 |
| RAKEDW44 | CHIS2013 RAKED WEIGHT - REPLICATE 44 | DD-88 |
| RAKEDW45 | CHIS2013 RAKED WEIGHT - REPLICATE 45 | DD-88 |
| RAKEDW46 | CHIS2013 RAKED WEIGHT - REPLICATE 46 | DD-89 |

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| RAKEDW47 | CHIS2013 RAKED WEIGHT - REPLICATE 47 | DD-89 |
| RAKEDW48 | CHIS2013 RAKED WEIGHT - REPLICATE 48 | DD-89 |
| RAKEDW49 | CHIS2013 RAKED WEIGHT - REPLICATE 49 | DD-90 |
| RAKEDW5 | CHIS2013 RAKED WEIGHT - REPLICATE 5 | DD-75 |
| RAKEDW50 | CHIS2013 RAKED WEIGHT - REPLICATE 50 | DD-90 |
| RAKEDW51 | CHIS2013 RAKED WEIGHT - REPLICATE 51 | DD-90 |
| RAKEDW52 | CHIS2013 RAKED WEIGHT - REPLICATE 52 | DD-91 |
| RAKEDW53 | CHIS2013 RAKED WEIGHT - REPLICATE 53 | DD-91 |
| RAKEDW54 | CHIS2013 RAKED WEIGHT - REPLICATE 54 | DD-91 |
| RAKEDW55 | CHIS2013 RAKED WEIGHT - REPLICATE 55 | DD-92 |
| RAKEDW56 | CHIS2013 RAKED WEIGHT - REPLICATE 56 | DD-92 |
| RAKEDW57 | CHIS2013 RAKED WEIGHT - REPLICATE 57 | DD-92 |
| RAKEDW58 | CHIS2013 RAKED WEIGHT - REPLICATE 58 | DD-93 |
| RAKEDW59 | CHIS2013 RAKED WEIGHT - REPLICATE 59 | DD-93 |
| RAKEDW6 | CHIS2013 RAKED WEIGHT - REPLICATE 6 | DD-75 |
| RAKEDW60 | CHIS2013 RAKED WEIGHT - REPLICATE 60 | DD-93 |
| RAKEDW61 | CHIS2013 RAKED WEIGHT - REPLICATE 61 | DD-94 |
| RAKEDW62 | CHIS2013 RAKED WEIGHT - REPLICATE 62 | DD-94 |
| RAKEDW63 | CHIS2013 RAKED WEIGHT - REPLICATE 63 | DD-94 |
| RAKEDW64 | CHIS2013 RAKED WEIGHT - REPLICATE 64 | DD-95 |
| RAKEDW65 | CHIS2013 RAKED WEIGHT - REPLICATE 65 | DD-95 |
| RAKEDW66 | CHIS2013 RAKED WEIGHT - REPLICATE 66 | DD-95 |
| RAKEDW67 | CHIS2013 RAKED WEIGHT - REPLICATE 67 | DD-96 |
| RAKEDW68 | CHIS2013 RAKED WEIGHT - REPLICATE 68 | DD-96 |
| RAKEDW69 | CHIS2013 RAKED WEIGHT - REPLICATE 69 | DD-96 |
| RAKEDW7 | CHIS2013 RAKED WEIGHT - REPLICATE 7 | DD-76 |
| RAKEDW70 | CHIS2013 RAKED WEIGHT - REPLICATE 70 | DD-97 |
| RAKEDW71 | CHIS2013 RAKED WEIGHT - REPLICATE 71 | DD-97 |
| RAKEDW72 | CHIS2013 RAKED WEIGHT - REPLICATE 72 | DD-97 |
| RAKEDW73 | CHIS2013 RAKED WEIGHT - REPLICATE 73 | DD-98 |
| RAKEDW74 | CHIS2013 RAKED WEIGHT - REPLICATE 74 | DD-98 |
| RAKEDW75 | CHIS2013 RAKED WEIGHT - REPLICATE 75 | DD-98 |
| RAKEDW76 | CHIS2013 RAKED WEIGHT - REPLICATE 76 | DD-99 |
| RAKEDW77 | CHIS2013 RAKED WEIGHT - REPLICATE 77 | DD-99 |
| RAKEDW78 | CHIS2013 RAKED WEIGHT - REPLICATE 78 | DD-99 |
| RAKEDW79 | CHIS2013 RAKED WEIGHT - REPLICATE 79 | DD-100 |
| RAKEDW8 | CHIS2013 RAKED WEIGHT - REPLICATE 8 | DD-76 |
| RAKEDW80 | CHIS2013 RAKED WEIGHT - REPLICATE 80 | DD-100 |
| RAKEDW9 | CHIS2013 RAKED WEIGHT - REPLICATE 9 | DD-76 |
| RBMI | AGE AND GENDER SPECIFIC BMI (4 LEVELS) | DD-12 |
| SECTION A | DEMOGRAPHICS, PART I | DD-7 |
| SECTION B | HEALTH STATUS AND HEALTH CONDITIONS | DD-9 |
| SECTION C | DIET, NUTRITION AND FOOD ENVIRONMENT | DD-16 |
| SECTION D | PHYSICAL ACTIVITY | DD-25 |
| SECTION E | CIGARETTE, ALCOHOL AND DRUG USE | DD-32 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| SECTION F | EMOTIONAL FUNCTIONING | DD-33 |
| SECTION H | HEALTH CARE UTILIZATION AND ACCESS | DD-35 |
| SECTION I | DENTAL OR ORAL HEALTH | DD-51 |
| SECTION J | DEMOGRAPHIC INFORMATION PART II & GEOGRAPHIC INFORMATION | DD-52 |
| SECTION L | ADULT SUPERVISION, ROLE MODELS, CIVIC ENGAGEMENT, AND RESILIENCY | DD-60 |
| SECTION M | PUBLIC PROGRAM PARTICIPATION | DD-71 |
| SECTION N | BULLYING, PERSONAL SAFETY, SOCIAL COHESION & PHYSICAL ENVIRONMENT | DD-71 |
| SECTION P | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-73 |
| SECTION Q | SCREENING INFORMATION | DD-1 |
| SOCHS P1 | SOCIAL COHESION NEIGHBORHOOD SCALE (PUF 1 YR RECODE) | DD-73 |
| SRAGE P | AGE (PUF RECODE) | DD-7 |
| SRAS | SELF-REPORTED ASIAN | DD-55 |
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-55 |
| SRH A | SELF-REPORTED LATINO/HISPANIC ORIGIN OF ADULT | DD-54 |
| SRO | SELF-REPORTED OTHER RACE | DD-55 |
| SRSEX | SELF-REPORTED GENDER | DD-8 |
| SRSEX A | SELF-REPORTED GENDER OF ADULT | DD-6 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-6 |
| SRW | SELF-REPORTED WHITE | DD-56 |
| TA10 P1 | GRADES RECEIVED ON LAST REPORT CARD (PUF 1 YR RECODE) | DD-60 |
| TA14 | HIGH SCHOOL ACTIVITY: ARTS-RELATED | DD-61 |
| TA16 | HIGH SCHOOL ACTIVITY: HONORS SOCIETY | DD-61 |
| TA4 | ATTENDED SCHOOL LAST WEEK | DD-8 |
| TA6 P1 | # TIMES CHANGED SCHOOLS IN PAST 3 YEARS (PUF 1 YR RECODE) | DD-9 |
| TA8 P1 | CURRENT SCHOOL GRADE LEVEL (PUF 1 YR RECODE) | DD-62 |
| TB1 P1 | GENERAL HEALTH CONDITION (PUF 1 YR RECODE) | DD-9 |
| TB20 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-14 |
| TB32 | HAVE WRITTEN COPY OF ASTHMA PLAN | DD-15 |
| TB33 | CONFIDENT CAN MANAGE ASTHMA | DD-15 |
| TB4 | # OF DAYS OF SCHOOL MISSED FOR HEALTH PROBLEM PAST MO | DD-13 |
| TB5 | DOCTOR EVER TOLD HAS ASTHMA | DD-14 |
| TC10 | SCHOOL SERVES FAST FOOD FROM RESTAURANTS | DD-19 |
| TC25 P1 | NEARBY PARK/PLAYGROUND SAFE DURING DAY (PUF 1 YR RECODE) | DD-71 |
| TC28A P1 | # CANS OF SODA W/SUGAR DRUNK YESTERDAY (PUF 1 YR RECODE) | DD-17 |
| TC28B P1 | # CANS OF SWEET FRUIT/SPORT DRUNK YESTERDAY (PUF 1 YR RECODE) | DD-18 |
| TC38 | EVER SMOKED CIGARETTES | DD-32 |
| TC42 | PARK/PLAYGRND WALKING DISTANCE FROM HOME | DD-27 |
| TC46 | SCHOOL OFFER FREE WATER AT LUNCH | DD-20 |
| TC47 | SCHOOL FREE WATER AT LUNCH-FOUNTAINS | DD-20 |
| TC48 | SCHOOL FREE WATER AT LUNCH-PITCHERS | DD-21 |

| VARIABLE | LABEL | PAGE |
|----------|--|-------|
| TC49 | SCHOOL FREE WATER AT LUNCH-WALL SPOUT | DD-21 |
| TC50 | SCHOOL FREE WATER AT LUNCH-WATER COOLER | DD-22 |
| TC51 | SCHOOL FREE WATER AT LUNCH-BOTTLED | DD-22 |
| TC52 | SCHOOL FREE WATER AT LUNCH-FREE CUPS | DD-23 |
| TC53 | # GLASSES OF WATER DRANK YESTERDAY | DD-23 |
| TC54 | # GLASSES OF WATER DRANK LAST DAY AT SCHOOL | DD-24 |
| TC55 P1 | # GLASSES DRANK NO/LOW-FAT MILK YESTERDAY (PUF 1 YR RECODE) | DD-24 |
| TC56 | # CUPS DRANK COFFEE/TEA W/SUGAR YESTERDAY | DD-25 |
| TD24 P1 | # TIMES ATE LUNCH IN CAFETERIA PAST WK (PUF 1 YR RECODE) | DD-19 |
| TD25 P1 | # TIMES ATE FAST FOOD DURING PAST WEEK (PUF 1 YR RECODE) | DD-18 |
| TD27 P | # DAYS WALK HOME FROM SCHOOL PAST WK (PUF RECODE) | DD-28 |
| TD27 P1 | # DAYS WALK HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE) | DD-28 |
| TD28 P1 | # MINS TAKES TO WALK HOME FROM SCHOOL (PUF 1 YR RECODE) | DD-29 |
| TD29 | ABLE TO WALK HOME FROM SCHOOL IN 30 MINUTES | DD-29 |
| TD30 P1 | # DAYS BIKE/SKATE HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE) | DD-30 |
| TD31 P1 | # MINS TAKES TO BIKE/SKATE HOME FROM SCHOOL (PUF 1 YR RECODE) | DD-30 |
| TD32 | ABLE TO BIKE/SKATE HOME IN 30 MINUTES | DD-31 |
| TD38 | TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS) AFTER SCHOOL | DD-31 |
| TD39 | TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS) WEEKENDS | DD-32 |
| TE22 | EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK | DD-33 |
| TE49 | # OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE | DD-26 |
| TE4 P1 | # OF SERVINGS OF FRUIT ATE YESTERDAY (PUF 1 YR RECODE) | DD-16 |
| TE57 | CURRENTLY TAKING PE AT SCHOOL | DD-26 |
| TE62 | HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS | DD-27 |
| TE63 | WAS PHYSICALLY ACTIVE LAST TIME AT PARK | DD-27 |
| TE64 | FEEL SAFE IN NEIGHBORHOOD | DD-72 |
| TE65 | FEEL SAFE AT YOUR SCHOOL | DD-72 |
| TE6 P1 | # OF SERVINGS OF VEGETABLES ATE YESTERDAY (PUF 1 YR RECODE) | DD-16 |
| TE8 | # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE | DD-25 |
| TF1 | HAS USUAL SOURCE OF HEALTH CARE | DD-35 |
| TF11 | RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS | DD-34 |
| TF14 P1 | HOW LONG SINCE LAST VISIT TO DENTIST (PUF 1 YR RECODE) | DD-51 |
| TF22 | COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD | DD-44 |
| TF3 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-37 |
| TF5 | LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP | DD-39 |
| TF5 P1 | LAST TIME SAW DR FOR ROUTINE EXAM OR CHECK-UP (PUF 1 | DD-39 |

| VARIABLE | LABEL | PAGE |
|----------|--|-------|
| | YR RECODE) | |
| TF8H | TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM | DD-40 |
| TF8I | TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM | DD-40 |
| TH21 | DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS | DD-62 |
| TH49 | ATTEMPTED TO GET DR APPT IN 2 DAYS IN PAST 12 MOS | DD-49 |
| TI11 | NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS | DD-34 |
| TI14 | HAVE PERSONAL DR WHO IS MAIN PROVIDER | DD-41 |
| TI15 | PHONE/E-MAIL DR W/QUESTION IN PAST 12 MOS | DD-41 |
| TI16 | HOW OFTEN GET ANSWER AS SOON AS NEEDED | DD-42 |
| TI17 | DR/CLINIC COORDINATE CARE WITH OTHERS | DD-42 |
| TI18 | DELAY GETTING PRESCRIPTION IN PAST 12 MO | DD-43 |
| TI21 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-43 |
| TL10 | PARTICIPATE IN CLUBS/ORGS OUTSIDE SCHOOL PAST YR | DD-63 |
| TL12 | PARTICIPATED IN ORG/GRP TO MAKE DIFFERENCE SINCE START OF HIGH SCHOOL | DD-63 |
| TL13 P1 | # OF ORGS/GRPS INVOLVED IN TO MAKE DIFF SINCE START HS (PUF 1 YR RECODE) | DD-64 |
| TL14 | HIGH SCHOOL ACTIVITY: RELIGIOUS GRP/ORG | DD-64 |
| TL16 | HIGH SCHOOL ACTIVITY: POLITICAL GRP/ORG | DD-65 |
| TL17 | INVOLVEMENT IN GRP/ORG: HELPED MAKE DECISIONS | DD-65 |
| TL18 | INVOLVEMENT IN GRP/ORG: HELPED OUTREACH | DD-66 |
| TL19 | PARTICIPATED IN OTHER ACTIVITIES SINCE START HIGH SCHOOL | DD-66 |
| TL21 | OTH HIGH SCHOOL ACTIVITIES: HELP MAKE DECISIONS | DD-67 |
| TL22 | OTH HIGH SCHOOL ACTIVITIES: HELP WITH OUTREACH | DD-67 |
| TL24 | PARENT/GUARDIAN FOLLOWS GOVT OR PUBLIC AFFAIRS | DD-68 |
| TL25 | CARES DEEPLY ABOUT ISSUES IN COMMUNITY | DD-68 |
| TL26 | CARES DEEPLY ABOUT HLTH ISSUES IN COMMUNITY | DD-69 |
| TL27 | BELIEVES CAN MAKE A DIFFERENCE IN THE COMMUNITY | DD-69 |
| TL28 | FEELS CONNECTED TO OTHERS WHOSE WORK IMPROVES SOCIETY | DD-70 |
| TL29 P1 | BELIEVES ALL HAVE EQUAL CHANCE TO SUCCEED IN U.S. (PUF 1 YR RECODE) | DD-70 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-51 |
| UR BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-57 |
| UR CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-57 |
| UR CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-58 |
| UR IHS | RURAL AND URBAN - IHS | DD-58 |
| UR OMB | RURAL AND URBAN - OMB | DD-58 |
| UR RHP | RURAL AND URBAN - RHP | DD-59 |
| UR TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-59 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-35 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-36 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | DD-36 |
| WGHTK P | WEIGHT - KILOGRAMS (PUF RECODE) | DD-11 |

| VARIABLE | LABEL | PAGE |
|-----------------|------------------------------|-------------|
| WGHTP P | WEIGHT - POUNDS (PUF RECODE) | DD-11 |

B. Variable name (by Location in CHIS 2013-14 Teen Questionnaire)

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| SECTION Q | SCREENING INFORMATION | DD-1 |
| PUF1Y_ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | DD-1 |
| AHEDTC P1 | ADULT EDUCATIONAL ATTAINMENT (PUF 1-YR RECODE) | DD-1 |
| FAMSIZE2 P1 | FAMILY SIZE: INCL ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1-YR RECODE) | DD-2 |
| INTVLNGT P1 | LANGUAGE OF INTERVIEW (PUF 1-YR RECODE) | DD-2 |
| FAMT4 | FAMILY TYPE (4 LVLS) | DD-3 |
| HHSIZE P1 | HOUSEHOLD SIZE (PUF 1-YR RECODE) | DD-3 |
| POVGWD P | FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE) | DD-4 |
| FPG | FEDERAL POVERTY GUIDELINE: ACA MAGI ELIGIBILITY (CATEGORICAL) | DD-4 |
| POVLL | POVERTY LEVEL | DD-5 |
| POVLL ACA | FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS) | DD-5 |
| SRSEX A | SELF-REPORTED GENDER OF ADULT | DD-6 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-6 |
| SECTIONA | DEMOGRAPHICS, PART I | DD-7 |
| AGEGPA P1 | AGE GROUP OF ADULT (PUF 1 YR RECODE) | DD-7 |
| SRAGE P | AGE (PUF RECODE) | DD-7 |
| SRSEX | SELF-REPORTED GENDER | DD-8 |
| TA4 | ATTENDED SCHOOL LAST WEEK | DD-8 |
| TA6 P1 | # TIMES CHANGED SCHOOLS IN PAST 3 YEARS (PUF 1 YR RECODE) | DD-9 |
| SECTION B | HEALTH STATUS AND HEALTH CONDITIONS | DD-9 |
| TB1 P1 | GENERAL HEALTH CONDITION (PUF 1 YR RECODE) | DD-9 |
| HGHTI P | HEIGHT - INCHES (PUF RECODE) | DD-10 |
| HGHTM P | HEIGHT - METERS (PUF RECODE) | DD-10 |
| WGHTK P | WEIGHT - KILOGRAMS (PUF RECODE) | DD-11 |
| WGHTP P | WEIGHT - POUNDS (PUF RECODE) | DD-11 |
| BMI P | BODY MASS INDEX (PUF RECODE) | DD-12 |
| RBMI | AGE AND GENDER SPECIFIC BMI (4 LEVELS) | DD-12 |
| OVRWT2 | OVERWEIGHT OR OBESE (CDC 2010 RECOMMENDATIONS) | DD-13 |
| TB4 | # OF DAYS OF SCHOOL MISSED FOR HEALTH PROBLEM PAST MO | DD-13 |
| TB5 | DOCTOR EVER TOLD HAS ASTHMA | DD-14 |
| ASTCUR | CURRENT ASTHMA | DD-14 |
| TB20 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-14 |
| TB32 | HAVE WRITTEN COPY OF ASTHMA PLAN | DD-15 |
| TB33 | CONFIDENT CAN MANAGE ASTHMA | DD-15 |
| SECTION C | DIET, NUTRITION AND FOOD ENVIRONMENT | DD-16 |
| TE4 P1 | # OF SERVINGS OF FRUIT ATE YESTERDAY (PUF 1 YR RECODE) | DD-16 |
| TE6 P1 | # OF SERVINGS OF VEGETABLES ATE YESTERDAY (PUF 1 YR RECODE) | DD-16 |
| FV5DAY | 5+ FRUIT/VEGS. A DAY | DD-17 |
| TC28A P1 | # CANS OF SODA W/SUGAR DRUNK YESTERDAY (PUF 1 YR RECODE) | DD-17 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| TC28B P1 | # CANS OF SWEET FRUIT/SPORT DRUNK YESTERDAY (PUF 1 YR RECODE) | DD-18 |
| TD25 P1 | # TIMES ATE FAST FOOD DURING PAST WEEK (PUF 1 YR RECODE) | DD-18 |
| TD24 P1 | # TIMES ATE LUNCH IN CAFETERIA PAST WK (PUF 1 YR RECODE) | DD-19 |
| TC10 | SCHOOL SERVES FAST FOOD FROM RESTAURANTS | DD-19 |
| TC46 | SCHOOL OFFER FREE WATER AT LUNCH | DD-20 |
| TC47 | SCHOOL FREE WATER AT LUNCH-FOUNTAINS | DD-20 |
| TC48 | SCHOOL FREE WATER AT LUNCH-PITCHERS | DD-21 |
| TC49 | SCHOOL FREE WATER AT LUNCH-WALL SPOUT | DD-21 |
| TC50 | SCHOOL FREE WATER AT LUNCH-WATER COOLER | DD-22 |
| TC51 | SCHOOL FREE WATER AT LUNCH-BOTTLED | DD-22 |
| TC52 | SCHOOL FREE WATER AT LUNCH-FREE CUPS | DD-23 |
| TC53 | # GLASSES OF WATER DRANK YESTERDAY | DD-23 |
| TC54 | # GLASSES OF WATER DRANK LAST DAY AT SCHOOL | DD-24 |
| TC55 P1 | # GLASSES DRANK NO/LOW-FAT MILK YESTERDAY (PUF 1 YR RECODE) | DD-24 |
| TC56 | # CUPS DRANK COFFEE/TEA W/SUGAR YESTERDAY | DD-25 |
| SECTION D | PHYSICAL ACTIVITY | DD-25 |
| TE8 | # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE | DD-25 |
| TE49 | # OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE | DD-26 |
| TE57 | CURRENTLY TAKING PE AT SCHOOL | DD-26 |
| TE62 | HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS | DD-27 |
| TE63 | WAS PHYSICALLY ACTIVE LAST TIME AT PARK | DD-27 |
| TC42 | PARK/PLAYGRND WALKING DISTANCE FROM HOME | DD-27 |
| TD27 P | # DAYS WALK HOME FROM SCHOOL PAST WK (PUF RECODE) | DD-28 |
| TD27 P1 | # DAYS WALK HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE) | DD-28 |
| TD28 P1 | # MINS TAKES TO WALK HOME FROM SCHOOL (PUF 1 YR RECODE) | DD-29 |
| TD29 | ABLE TO WALK HOME FROM SCHOOL IN 30 MINUTES | DD-29 |
| TD30 P1 | # DAYS BIKE/SKATE HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE) | DD-30 |
| TD31 P1 | # MINS TAKES TO BIKE/SKATE HOME FROM SCHOOL (PUF 1 YR RECODE) | DD-30 |
| TD32 | ABLE TO BIKE/SKATE HOME IN 30 MINUTES | DD-31 |
| TD38 | TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS) AFTER SCHOOL | DD-31 |
| TD39 | TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS) WEEKENDS | DD-32 |
| SECTION E | CIGARETTE, ALCOHOL AND DRUG USE | DD-32 |
| TC38 | EVER SMOKED CIGARETTES | DD-32 |
| TE22 | EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK | DD-33 |
| SECTION F | EMOTIONAL FUNCTIONING | DD-33 |
| DSTRSTN P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | DD-33 |
| TI11 | NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS | DD-34 |

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| TF11 | RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS | DD-34 |
| SECTION H | HEALTH CARE UTILIZATION AND ACCESS | DD-35 |
| TF1 | HAS USUAL SOURCE OF HEALTH CARE | DD-35 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-35 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-36 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | DD-36 |
| TF3 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-37 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-37 |
| ACMDMT P1 | # OF DOCTOR VISITS PAST YEAR (PUF 1 YR RECODE) | DD-38 |
| DOCT YR | VISITED A DOCTOR DURING PAST 12 MOS | DD-38 |
| TF5 | LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP | DD-39 |
| TF5 P1 | LAST TIME SAW DR FOR ROUTINE EXAM OR CHECK-UP (PUF 1 YR RECODE) | DD-39 |
| TF8H | TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM | DD-40 |
| TF8I | TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM | DD-40 |
| TI14 | HAVE PERSONAL DR WHO IS MAIN PROVIDER | DD-41 |
| TI15 | PHONE/E-MAIL DR W/QUESTION IN PAST 12 MOS | DD-41 |
| TI16 | HOW OFTEN GET ANSWER AS SOON AS NEEDED | DD-42 |
| TI17 | DR/CLINIC COORDINATE CARE WITH OTHERS | DD-42 |
| TI18 | DELAY GETTING PRESCRIPTION IN PAST 12 MO | DD-43 |
| TI21 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-43 |
| TF22 | COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD | DD-44 |
| INS | CURRENTLY INSURED | DD-44 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-45 |
| INS64 | TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65 | DD-45 |
| INSANY | ANY INS IN LAST 12 MOS | DD-46 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-46 |
| INSMD | COVERED BY MEDI-CAL | DD-46 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-47 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-47 |
| MA8 | MAIN HEALTH PLAN IS HMO | DD-48 |
| HMO | HMO STATUS | DD-48 |
| INSTYPE P1 | INSURANCE TYPE (PUF 1 YR RECODE) | DD-49 |
| TH49 | ATTEMPTED TO GET DR APPT IN 2 DAYS IN PAST 12 MOS | DD-49 |
| MA7 P | NAME OF HEALTH PLAN (PUF RECODE) | DD-50 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-51 |
| SECTION I | DENTAL OR ORAL HEALTH | DD-51 |
| TF14 P1 | HOW LONG SINCE LAST VISIT TO DENTIST (PUF 1 YR RECODE) | DD-51 |
| SECTION J | DEMOGRAPHIC INFORMATION PART II & GEOGRAPHIC INFORMATION | DD-52 |
| OMBSRTN P1 | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | DD-52 |
| RACECNT P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | DD-52 |
| RACEDFT P1 | RACE - FORMER DOF RACE-ETHNICITY (PUF 1 YR RECODE) | DD-53 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| RACEH2T P1 | RACE - UCLA CHPR DEFINITION (PUF RACEHPR2 1 YR RECODE) | DD-53 |
| SRH A | SELF-REPORTED LATINO/HISPANIC ORIGIN OF ADULT | DD-54 |
| LNGHMT P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | DD-54 |
| SRAS | SELF-REPORTED ASIAN | DD-55 |
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-55 |
| SRO | SELF-REPORTED OTHER RACE | DD-55 |
| SRW | SELF-REPORTED WHITE | DD-56 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | DD-56 |
| UR BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-57 |
| UR CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-57 |
| UR CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-58 |
| UR IHS | RURAL AND URBAN - IHS | DD-58 |
| UR OMB | RURAL AND URBAN - OMB | DD-58 |
| UR RHP | RURAL AND URBAN - RHP | DD-59 |
| UR TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-59 |
| SECTION L | ADULT SUPERVISION, ROLE MODELS, CIVIC ENGAGEMENT, AND RESILIENCY | DD-60 |
| HSSTUD | HIGH SCHOOL STUDENT | DD-60 |
| TA10 P1 | GRADES RECEIVED ON LAST REPORT CARD (PUF 1 YR RECODE) | DD-60 |
| TA14 | HIGH SCHOOL ACTIVITY: ARTS-RELATED | DD-61 |
| TA16 | HIGH SCHOOL ACTIVITY: HONORS SOCIETY | DD-61 |
| TA8 P1 | CURRENT SCHOOL GRADE LEVEL (PUF 1 YR RECODE) | DD-62 |
| TH21 | DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS | DD-62 |
| TL10 | PARTICIPATE IN CLUBS/ORGS OUTSIDE SCHOOL PAST YR | DD-63 |
| TL12 | PARTICIPATED IN ORG/GRP TO MAKE DIFFERENCE SINCE START OF HIGH SCHOOL | DD-63 |
| TL13 P1 | # OF ORGS/GRPS INVOLVED IN TO MAKE DIFF SINCE START HS (PUF 1 YR RECODE) | DD-64 |
| TL14 | HIGH SCHOOL ACTIVITY: RELIGIOUS GRP/ORG | DD-64 |
| TL16 | HIGH SCHOOL ACTIVITY: POLITICAL GRP/ORG | DD-65 |
| TL17 | INVOLVEMENT IN GRP/ORG: HELPED MAKE DECISIONS | DD-65 |
| TL18 | INVOLVEMENT IN GRP/ORG: HELPED OUTREACH | DD-66 |
| TL19 | PARTICIPATED IN OTHER ACTIVITIES SINCE START HIGH SCHOOL | DD-66 |
| TL21 | OTH HIGH SCHOOL ACTIVITIES: HELP MAKE DECISIONS | DD-67 |
| TL22 | OTH HIGH SCHOOL ACTIVITIES: HELP WITH OUTREACH | DD-67 |
| TL24 | PARENT/GUARDIAN FOLLOWS GOVT OR PUBLIC AFFAIRS | DD-68 |
| TL25 | CARES DEEPLY ABOUT ISSUES IN COMMUNITY | DD-68 |
| TL26 | CARES DEEPLY ABOUT HLTH ISSUES IN COMMUNITY | DD-69 |
| TL27 | BELIEVES CAN MAKE A DIFFERENCE IN THE COMMUNITY | DD-69 |
| TL28 | FEELS CONNECTED TO OTHERS WHOSE WORK IMPROVES SOCIETY | DD-70 |
| TL29 P1 | BELIEVES ALL HAVE EQUAL CHANCE TO SUCCEED IN U.S. (PUF 1 YR RECODE) | DD-70 |
| SECTION M | PUBLIC PROGRAM PARTICIPATION | DD-71 |
| IAP2 | RECEIVING FOOD STAMP BENEFITS | DD-71 |
| SECTION N | BULLYING, PERSONAL SAFETY, SOCIAL COHESION & PHYSICAL | DD-71 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| | ENVIRONMENT | |
| TC25 P1 | NEARBY PARK/PLAYGROUND SAFE DURING DAY (PUF 1 YR RECODE) | DD-71 |
| TE64 | FEEL SAFE IN NEIGHBORHOOD | DD-72 |
| TE65 | FEEL SAFE AT YOUR SCHOOL | DD-72 |
| SOCHS P1 | SOCIAL COHESION NEIGHBORHOOD SCALE (PUF 1 YR RECODE) | DD-73 |
| SECTION P | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-73 |
| RAKEDW0 | CHIS2013 RAKED WEIGHT - FULL SAMPLE | DD-73 |
| RAKEDW1 | CHIS2013 RAKED WEIGHT - REPLICATE 1 | DD-74 |
| RAKEDW2 | CHIS2013 RAKED WEIGHT - REPLICATE 2 | DD-74 |
| RAKEDW3 | CHIS2013 RAKED WEIGHT - REPLICATE 3 | DD-74 |
| RAKEDW4 | CHIS2013 RAKED WEIGHT - REPLICATE 4 | DD-75 |
| RAKEDW5 | CHIS2013 RAKED WEIGHT - REPLICATE 5 | DD-75 |
| RAKEDW6 | CHIS2013 RAKED WEIGHT - REPLICATE 6 | DD-75 |
| RAKEDW7 | CHIS2013 RAKED WEIGHT - REPLICATE 7 | DD-76 |
| RAKEDW8 | CHIS2013 RAKED WEIGHT - REPLICATE 8 | DD-76 |
| RAKEDW9 | CHIS2013 RAKED WEIGHT - REPLICATE 9 | DD-76 |
| RAKEDW10 | CHIS2013 RAKED WEIGHT - REPLICATE 10 | DD-77 |
| RAKEDW11 | CHIS2013 RAKED WEIGHT - REPLICATE 11 | DD-77 |
| RAKEDW12 | CHIS2013 RAKED WEIGHT - REPLICATE 12 | DD-77 |
| RAKEDW13 | CHIS2013 RAKED WEIGHT - REPLICATE 13 | DD-78 |
| RAKEDW14 | CHIS2013 RAKED WEIGHT - REPLICATE 14 | DD-78 |
| RAKEDW15 | CHIS2013 RAKED WEIGHT - REPLICATE 15 | DD-78 |
| RAKEDW16 | CHIS2013 RAKED WEIGHT - REPLICATE 16 | DD-79 |
| RAKEDW17 | CHIS2013 RAKED WEIGHT - REPLICATE 17 | DD-79 |
| RAKEDW18 | CHIS2013 RAKED WEIGHT - REPLICATE 18 | DD-79 |
| RAKEDW19 | CHIS2013 RAKED WEIGHT - REPLICATE 19 | DD-80 |
| RAKEDW20 | CHIS2013 RAKED WEIGHT - REPLICATE 20 | DD-80 |
| RAKEDW21 | CHIS2013 RAKED WEIGHT - REPLICATE 21 | DD-80 |
| RAKEDW22 | CHIS2013 RAKED WEIGHT - REPLICATE 22 | DD-81 |
| RAKEDW23 | CHIS2013 RAKED WEIGHT - REPLICATE 23 | DD-81 |
| RAKEDW24 | CHIS2013 RAKED WEIGHT - REPLICATE 24 | DD-81 |
| RAKEDW25 | CHIS2013 RAKED WEIGHT - REPLICATE 25 | DD-82 |
| RAKEDW26 | CHIS2013 RAKED WEIGHT - REPLICATE 26 | DD-82 |
| RAKEDW27 | CHIS2013 RAKED WEIGHT - REPLICATE 27 | DD-82 |
| RAKEDW28 | CHIS2013 RAKED WEIGHT - REPLICATE 28 | DD-83 |
| RAKEDW29 | CHIS2013 RAKED WEIGHT - REPLICATE 29 | DD-83 |
| RAKEDW30 | CHIS2013 RAKED WEIGHT - REPLICATE 30 | DD-83 |
| RAKEDW31 | CHIS2013 RAKED WEIGHT - REPLICATE 31 | DD-84 |
| RAKEDW32 | CHIS2013 RAKED WEIGHT - REPLICATE 32 | DD-84 |
| RAKEDW33 | CHIS2013 RAKED WEIGHT - REPLICATE 33 | DD-84 |
| RAKEDW34 | CHIS2013 RAKED WEIGHT - REPLICATE 34 | DD-85 |
| RAKEDW35 | CHIS2013 RAKED WEIGHT - REPLICATE 35 | DD-85 |
| RAKEDW36 | CHIS2013 RAKED WEIGHT - REPLICATE 36 | DD-85 |
| RAKEDW37 | CHIS2013 RAKED WEIGHT - REPLICATE 37 | DD-86 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW38 | CHIS2013 RAKED WEIGHT - REPLICATE 38 | DD-86 |
| RAKEDW39 | CHIS2013 RAKED WEIGHT - REPLICATE 39 | DD-86 |
| RAKEDW40 | CHIS2013 RAKED WEIGHT - REPLICATE 40 | DD-87 |
| RAKEDW41 | CHIS2013 RAKED WEIGHT - REPLICATE 41 | DD-87 |
| RAKEDW42 | CHIS2013 RAKED WEIGHT - REPLICATE 42 | DD-87 |
| RAKEDW43 | CHIS2013 RAKED WEIGHT - REPLICATE 43 | DD-88 |
| RAKEDW44 | CHIS2013 RAKED WEIGHT - REPLICATE 44 | DD-88 |
| RAKEDW45 | CHIS2013 RAKED WEIGHT - REPLICATE 45 | DD-88 |
| RAKEDW46 | CHIS2013 RAKED WEIGHT - REPLICATE 46 | DD-89 |
| RAKEDW47 | CHIS2013 RAKED WEIGHT - REPLICATE 47 | DD-89 |
| RAKEDW48 | CHIS2013 RAKED WEIGHT - REPLICATE 48 | DD-89 |
| RAKEDW49 | CHIS2013 RAKED WEIGHT - REPLICATE 49 | DD-90 |
| RAKEDW50 | CHIS2013 RAKED WEIGHT - REPLICATE 50 | DD-90 |
| RAKEDW51 | CHIS2013 RAKED WEIGHT - REPLICATE 51 | DD-90 |
| RAKEDW52 | CHIS2013 RAKED WEIGHT - REPLICATE 52 | DD-91 |
| RAKEDW53 | CHIS2013 RAKED WEIGHT - REPLICATE 53 | DD-91 |
| RAKEDW54 | CHIS2013 RAKED WEIGHT - REPLICATE 54 | DD-91 |
| RAKEDW55 | CHIS2013 RAKED WEIGHT - REPLICATE 55 | DD-92 |
| RAKEDW56 | CHIS2013 RAKED WEIGHT - REPLICATE 56 | DD-92 |
| RAKEDW57 | CHIS2013 RAKED WEIGHT - REPLICATE 57 | DD-92 |
| RAKEDW58 | CHIS2013 RAKED WEIGHT - REPLICATE 58 | DD-93 |
| RAKEDW59 | CHIS2013 RAKED WEIGHT - REPLICATE 59 | DD-93 |
| RAKEDW60 | CHIS2013 RAKED WEIGHT - REPLICATE 60 | DD-93 |
| RAKEDW61 | CHIS2013 RAKED WEIGHT - REPLICATE 61 | DD-94 |
| RAKEDW62 | CHIS2013 RAKED WEIGHT - REPLICATE 62 | DD-94 |
| RAKEDW63 | CHIS2013 RAKED WEIGHT - REPLICATE 63 | DD-94 |
| RAKEDW64 | CHIS2013 RAKED WEIGHT - REPLICATE 64 | DD-95 |
| RAKEDW65 | CHIS2013 RAKED WEIGHT - REPLICATE 65 | DD-95 |
| RAKEDW66 | CHIS2013 RAKED WEIGHT - REPLICATE 66 | DD-95 |
| RAKEDW67 | CHIS2013 RAKED WEIGHT - REPLICATE 67 | DD-96 |
| RAKEDW68 | CHIS2013 RAKED WEIGHT - REPLICATE 68 | DD-96 |
| RAKEDW69 | CHIS2013 RAKED WEIGHT - REPLICATE 69 | DD-96 |
| RAKEDW70 | CHIS2013 RAKED WEIGHT - REPLICATE 70 | DD-97 |
| RAKEDW71 | CHIS2013 RAKED WEIGHT - REPLICATE 71 | DD-97 |
| RAKEDW72 | CHIS2013 RAKED WEIGHT - REPLICATE 72 | DD-97 |
| RAKEDW73 | CHIS2013 RAKED WEIGHT - REPLICATE 73 | DD-98 |
| RAKEDW74 | CHIS2013 RAKED WEIGHT - REPLICATE 74 | DD-98 |
| RAKEDW75 | CHIS2013 RAKED WEIGHT - REPLICATE 75 | DD-98 |
| RAKEDW76 | CHIS2013 RAKED WEIGHT - REPLICATE 76 | DD-99 |
| RAKEDW77 | CHIS2013 RAKED WEIGHT - REPLICATE 77 | DD-99 |
| RAKEDW78 | CHIS2013 RAKED WEIGHT - REPLICATE 78 | DD-99 |
| RAKEDW79 | CHIS2013 RAKED WEIGHT - REPLICATE 79 | DD-100 |
| RAKEDW80 | CHIS2013 RAKED WEIGHT - REPLICATE 80 | DD-100 |

C. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|---|
| LATITUDE | LATITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| LONGIT | LONGITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| CBLK | CENSUS BLOCK INCLUDING CENSUS TRACT | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS. |

Teen and child restricted variables

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|--|
| SCH_BLK | SCHOOL CENSUS TRACT INCLUDING BLOCK | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS. |
| SCH_CDS | STATE SCHOOL ID NUMBER | |
| SCH_LAT | SCHOOL LATITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |
| SCH_LON | SCHOOL LONGITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |

7. Data Dictionary

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section Q: Screening Information

VARNAME: PUF1Y_ID QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES

| VALUE: | | FREQ | % |
|--------|----------|------|--------|
| . | 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: AHEDTC_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: ADULT EDUCATIONAL ATTAINMENT (PUF 1-YR RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------------------------|------|-------|
| 1 | NO FORMAL EDUCATION OR GRADE 1-8 | 144 | 11.99 |
| 2 | GRADE 9-11 | 97 | 8.08 |
| 3 | GRADE 12/H.S. DIPLOMA | 195 | 16.24 |
| 4 | AA/AS DEGREE OR VOCATIONAL DEGREE | 177 | 14.74 |
| 6 | AA OR AS DEGREE | 95 | 7.91 |
| 7 | BA OR BS DEGREE | 292 | 24.31 |
| 9 | MA OR MS DEGREE | 149 | 12.41 |
| 10 | PH.D. OR EQUIVALENT | 52 | 4.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FAMSIZE2_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: FAMILY SIZE: INCL ALL PEOPLE SUPPORTED BY HH INCOME (PUF 1-YR RECODE)
 MEAN STATISTICS
 N 1201
 MIN 2
 MAX 8
 MEAN 3.97
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES: TOPCODE = 8

VARNAME: INTVLNGT_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: LANGUAGE OF INTERVIEW (PUF 1-YR RECODE)
 VALUE: 1 ENGLISH 1146 95.42
 2 OTHER LANGUAGE 55 4.58
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR: ENGLSPAN
 NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: FAMILY TYPE (4 LVLS)

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| 3 | MARRIED WITH KIDS | 934 | 77.77 |
| 4 | SINGLE WITH KIDS | 267 | 22.23 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED ADULT R NOT LIVING WITH SPOUSE.

VARNAME: HHSIZE_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: HOUSEHOLD SIZE (PUF 1-YR RECODE)

| MEAN STATISTICS | |
|-----------------|------|
| N | 1201 |
| MIN | 2 |
| MAX | 8 |
| MEAN | 4.32 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: ADLTCNT + KIDCNT; TOPCODE = 8

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

| | |
|------|------|
| N | 1201 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 4.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: FPG QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: FEDERAL POVERTY GUIDELINE: ACA MAGI ELIGIBILITY (CATEGORICAL)

| VALUE: | | FREQ | % |
|--------|----------------|------|-------|
| 1 | FPG 0 TO 138 | 386 | 32.14 |
| 2 | FPG 139 TO 200 | 117 | 9.74 |
| 3 | FPG 201 TO 400 | 282 | 23.48 |
| 4 | FPG 400+ | 416 | 34.64 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVGWD

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: POVLL QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: POVERTY LEVEL

| VALUE: | | FREQ | % |
|--------|--------------------|------|-------|
| 1 | 0-99% FPL | 220 | 18.32 |
| 2 | 100-199% FPL | 262 | 21.82 |
| 3 | 200-299% FPL | 143 | 11.91 |
| 4 | 300% FPL AND ABOVE | 576 | 47.96 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: POVLL_ACA QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)

| VALUE: | | FREQ | % |
|--------|--------------------|------|-------|
| 1 | 0-138% FPL | 348 | 28.98 |
| 2 | 139-249% FPL | 204 | 16.99 |
| 3 | 250-399% FPL | 205 | 17.07 |
| 4 | 400% FPL AND ABOVE | 444 | 36.97 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVLL2

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: SRSEX_A QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED GENDER OF ADULT

| VALUE: | | FREQ | % |
|--------|------------------------------------|------|-------|
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | 11 | 0.92 |
| 1 | MALE | 413 | 34.39 |
| 2 | FEMALE | 777 | 64.70 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRSEX

NOTES:

 VARNAME: SRTENR QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

| VALUE: | | FREQ | % |
|--------|-----------------------------|------|-------|
| 1 | OWN | 763 | 63.53 |
| 2 | RENT/SOME OTHER ARRANGEMENT | 438 | 36.47 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: AGEGPA_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: AGE GROUP OF ADULT (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|------|-------|
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | | 11 | 0.92 |
| 1 | <39 | | 202 | 16.82 |
| 3 | 40-49 | | 568 | 47.29 |
| 4 | 50-59 | | 348 | 28.98 |
| 5 | 60+ | | 72 | 6.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

Section A: Demographics, Part I

VARNAME: SRAGE_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: AGE (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 1201 |
| MIN | 12 |
| MAX | 17 |
| MEAN | 14.71 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED GENDER

| VALUE: | | | FREQ | % |
|--------|--------|--|------|-------|
| 1 | MALE | | 631 | 52.54 |
| 2 | FEMALE | | 570 | 47.46 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TA4 QNAME13: QT13_A5
QNAME11: QT11_A5 QNAME09: QT09_A5

LABEL: ATTENDED SCHOOL LAST WEEK

| VALUE: | | | FREQ | % |
|--------|---------------|--|------|-------|
| 1 | YES | | 844 | 70.27 |
| 2 | NO | | 153 | 12.74 |
| 3 | ON VACATION | | 183 | 15.24 |
| 4 | HOME SCHOOLED | | 21 | 1.75 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA6_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # TIMES CHANGED SCHOOLS IN PAST 3 YEARS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 3 | 0.25 |
| 0 | 0 TIMES | | 969 | 80.68 |
| 1 | 1 TIME | | 141 | 11.74 |
| 2 | 2+ TIMES | | 88 | 7.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TA6

NOTES:

Section B: Health Status and Health Conditions

VARNAME: TB1_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: GENERAL HEALTH CONDITION (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| 1 | EXCELLENT | | 292 | 24.31 |
| 2 | VERY GOOD | | 484 | 40.30 |
| 3 | GOOD | | 322 | 26.81 |
| 4 | FAIR OR POOR | | 103 | 8.58 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: HGHTI_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 1201 |
| MIN | 45 |
| MAX | 77 |
| MEAN | 64.83 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: HEIGHT - METERS (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|------|
| N | 1201 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.64 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: WGHTK_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT - KILOGRAMS (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 1201 |
| MIN | 23 |
| MAX | 109 |
| MEAN | 60.59 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK

NOTES: TOPCODE=109

VARNAME: WGHTP_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: WEIGHT - POUNDS (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|--------|
| N | 1201 |
| MIN | 50 |
| MAX | 240 |
| MEAN | 133.58 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTP

NOTES: TOPCODE=240

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BODY MASS INDEX (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 1201 |
| MIN | 10 |
| MAX | 45 |
| MEAN | 22.32 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK_P HGHTM_P

NOTES: TOPCODE=52

VARNAME: RBMI QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: AGE AND GENDER SPECIFIC BMI (4 LEVELS)

| VALUE: | | FREQ | % |
|--------|---|------|-------|
| 1 | UNDERWEIGHT (LOWEST 5TH PERCENTILE) | 26 | 2.16 |
| 2 | NORMAL (5TH UP TO 85TH PERCENTILE) | 796 | 66.28 |
| 3 | OVERWEIGHT (85TH UP TO 95TH PERCENTILE) | 220 | 18.32 |
| 4 | OBESE (HIGHEST 5TH PERCENTILE) | 159 | 13.24 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: OVRWT2 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: OVERWEIGHT OR OBESE (CDC 2010 RECOMMENDATIONS)

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 379 | 31.56 |
| 2 | NO | | 822 | 68.44 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BMIPCT

NOTES: NOT TO BE TRENDED WITH OVRWT FOUND IN PREVIOUS CHIS CYCLES. BASED ON CDC 2010 RECOMMENDATIONS

VARIABLE: TB4 QNAME13: QT13_B4
QNAME11: QT11_B6 QNAME09: QT09_B4

LABEL: # OF DAYS OF SCHOOL MISSED FOR HEALTH PROBLEM PAST MO

| MEAN STATISTICS | |
|-----------------|------|
| N | 865 |
| MIN | 0 |
| MAX | 13 |
| MEAN | 0.56 |

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL, OR WERE HOME SCHOOLED, LAST WEEK

INPUT VAR:

NOTES: NOT TRENDABLE WITH PREVIOUS CHIS CYCLES

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB5 QNAME13: QT13_B5
QNAME11: QT11_B7 QNAME09: QT09_B5

LABEL: DOCTOR EVER TOLD HAS ASTHMA

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 238 | 19.82 |
| 2 | NO | | 963 | 80.18 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: ASTCUR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CURRENT ASTHMA

| VALUE: | | | FREQ | % |
|--------|-------------------|--|------|-------|
| 1 | CURRENT ASTHMA | | 146 | 12.16 |
| 2 | NO CURRENT ASTHMA | | 1055 | 87.84 |

UNIVERSE: ADOLESCENTS WHO HAVE EVER BEEN DIAGNOSED WITH ASTHMA

INPUT VAR: TB5 TB17 TB18

NOTES:

VARNAME: TB20 QNAME13: QT13_B18
QNAME11: QT11_B20 QNAME09: QT09_B18

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 963 | 80.18 |
| 1 | YES | | 115 | 9.58 |
| 2 | NO | | 123 | 10.24 |

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ATHMA OR HAD ATTACK IN LAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB32 QNAME13: QT13_B19
QNAME11: QT11_B21 QNAME09: QT09_B19

LABEL: HAVE WRITTEN COPY OF ASTHMA PLAN

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 1086 | 90.42 |
| 1 | YES | 17 | 1.42 |
| 2 | NO | 98 | 8.16 |

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA AND HAVE DOCTORS DEVELOPED A CARE PLAN FOR ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB33 QNAME13: QT13_B20
QNAME11: QT11_B22 QNAME09: QT09_B20

LABEL: CONFIDENT CAN MANAGE ASTHMA

| VALUE: | | FREQ | % |
|--------|--------------------|------|-------|
| -1 | INAPPLICABLE | 963 | 80.18 |
| 1 | VERY CONFIDENT | 187 | 15.57 |
| 2 | SOMEWHAT CONFIDENT | 47 | 3.91 |
| 3 | NOT TOO CONFIDENT | 4 | 0.33 |

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA OR HAD ATTACK IN PAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section C: Diet, Nutrition and Food Environment

VARNAME: TE4_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF SERVINGS OF FRUIT ATE YESTERDAY (PUF 1 YR RECODE)

| VALUE: | 0-20 | NUMBER | FREQ | % |
|--------|------|--------|------|--------|
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE4

NOTES:

VARNAME: TE6_P1 QNAME13: NA

QNAME11: NA QNAME09: NA

LABEL: # OF SERVINGS OF VEGETABLES ATE YESTERDAY (PUF 1 YR RECODE)

| VALUE: | 0-20 | NUMBER | FREQ | % |
|--------|------|--------|------|--------|
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE6

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FV5DAY QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: 5+ FRUIT/VEGS. A DAY

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| 1 | EAT 5 OR MORE SERVINGS FRUIT/VEGETABLES | 328 | 27.31 |
| 2 | EAT LESS THAN 5 SERVINGS FRUIT/VEGETABLE | 873 | 72.69 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE4 TE6

NOTES:

VARNAME: TC28A_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # CANS OF SODA W/SUGAR DRUNK YESTERDAY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------|------|-------|
| 0 | 0 CANS | 804 | 66.94 |
| 1 | 1 CAN | 277 | 23.06 |
| 2 | 2 CANS | 92 | 7.66 |
| 3 | 3+ CANS | 28 | 2.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC28A

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TC28B_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: # CANS OF SWEET FRUIT/SPORT DRUNK YESTERDAY (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|---------|--|------|-------|
| 0 | 0 CANS | | 752 | 62.61 |
| 1 | 1 CAN | | 290 | 24.15 |
| 2 | 2 CANS | | 107 | 8.91 |
| 3 | 3+ CANS | | 52 | 4.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC28B

NOTES:

VARNAME: TD25_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: # TIMES ATE FAST FOOD DURING PAST WEEK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------|--|------|-------|
| 0 | 0 TIMES | | 314 | 26.14 |
| 1 | 1 TIME | | 415 | 34.55 |
| 2 | 2 TIMES | | 241 | 20.07 |
| 3 | 3 TIMES | | 136 | 11.32 |
| 4 | 4 TIMES | | 58 | 4.83 |
| 5 | 5+ TIMES | | 37 | 3.08 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD25

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TD24_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: # TIMES ATE LUNCH IN CAFETERIA PAST WK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 15 | 1.25 |
| 0 | 0 TIMES | | 500 | 41.63 |
| 1 | 1-2 TIMES | | 228 | 18.98 |
| 3 | 3-4 TIMES | | 173 | 14.40 |
| 5 | 5 TIMES | | 285 | 23.73 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD24

NOTES:

VARNAME: TC10 QNAME13: QT13_C8
 QNAME11: QT11_C7 QNAME09: NA

LABEL: SCHOOL SERVES FAST FOOD FROM RESTAURANTS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 15 | 1.25 |
| 1 | YES | | 186 | 15.49 |
| 2 | NO | | 1000 | 83.26 |

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC46 QNAME13: QT13_C10
QNAME11: NA QNAME09: NA

LABEL: SCHOOL OFFER FREE WATER AT LUNCH

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 25 | 2.08 |
| 1 | YES | | 902 | 75.10 |
| 2 | NO | | 274 | 22.81 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAME: TC47 QNAME13: QT13_C11
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-FOUNTAINS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 299 | 24.90 |
| 1 | YES | | 862 | 71.77 |
| 2 | NO | | 40 | 3.33 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC48 QNAME13: QT13_C12
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-PITCHERS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 299 | 24.90 |
| 1 | YES | | 149 | 12.41 |
| 2 | NO | | 753 | 62.70 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

VARNAME: TC49 QNAME13: QT13_C13
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-WALL SPOUT

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 299 | 24.90 |
| 1 | YES | | 440 | 36.64 |
| 2 | NO | | 462 | 38.47 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC50 QNAME13: QT13_C14
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-WATER COOLER

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 299 | 24.90 |
| 1 | YES | | 168 | 13.99 |
| 2 | NO | | 734 | 61.12 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

VARNAME: TC51 QNAME13: QT13_C15
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-BOTTLED

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 299 | 24.90 |
| 1 | YES | | 87 | 7.24 |
| 2 | NO | | 815 | 67.86 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC52 QNAME13: QT13_C16
QNAME11: NA QNAME09: NA

LABEL: SCHOOL FREE WATER AT LUNCH-FREE CUPS

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 307 | 25.56 |
| 1 | YES | 206 | 17.15 |
| 2 | NO | 688 | 57.29 |

UNIVERSE: ALL ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND OFFERED FREE WATER AT SCHOOL

INPUT VAR:

NOTES:

VARNAME: TC53 QNAME13: QT13_C17
QNAME11: NA QNAME09: NA

LABEL: # GLASSES OF WATER DRANK YESTERDAY

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| -1 | INAPPLICABLE | 25 | 2.08 |
| 0-28 | GLASSES | 1162 | 96.75 |
| 99 | LESS THAN 1 GLASS (SIPS FROM A FOUNTAIN) | 14 | 1.17 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC54 QNAME13: QT13_C18
QNAME11: NA QNAME09: NA

LABEL: # GLASSES OF WATER DRANK LAST DAY AT SCHOOL

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| -1 | INAPPLICABLE | 364 | 30.31 |
| 0-16 | GLASSES | 755 | 62.86 |
| 99 | LESS THAN 1 GLASS (SIPS FROM A FOUNTAIN) | 82 | 6.83 |

UNIVERSE: ALL ADOLESCENTS WHO ATTENDED SCHOOL LAST WEEK

INPUT VAR:

NOTES:

VARNAME: TC55_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # GLASSES DRANK NO/LOW-FAT MILK YESTERDAY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|------------|------|-------|
| 0 | 0 GLASSES | 674 | 56.12 |
| 1 | 1 GLASS | 274 | 22.81 |
| 2 | 2 GLASSES | 173 | 14.40 |
| 3 | 3+ GLASSES | 80 | 6.66 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC55

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TC56 QNAME13: QT13_C6
 QNAME11: QT13_C5 QNAME09: NA
 LABEL: # CUPS DRANK COFFEE/TEA W/SUGAR YESTERDAY

MEAN STATISTICS

| | |
|------|------|
| N | 1201 |
| MIN | 0 |
| MAX | 5 |
| MEAN | 0.23 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section D: Physical Activity

VARNAME: TE8 QNAME13: QT13_D1
 QNAME11: QT11_D1 QNAME09: QT09_E1
 LABEL: # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

| | |
|------|------|
| N | 1201 |
| MIN | 0 |
| MAX | 7 |
| MEAN | 3.62 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE49 QNAME13: QT13_D2
QNAME11: QT11_D2 QNAME09: QT09_E2

LABEL: # OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

| | |
|------|------|
| N | 1201 |
| MIN | 0 |
| MAX | 7 |
| MEAN | 3.74 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE57 QNAME13: QT13_D3
QNAME11: QT11_D3 QNAME09: QT09_E3

LABEL: CURRENTLY TAKING PE AT SCHOOL

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 22 | 1.83 |
| 1 | YES | 755 | 62.86 |
| 2 | NO | 424 | 35.30 |

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE62 QNAME13: QT13_D10
QNAME11: QT11_D12 QNAME09: QT09_E11

LABEL: HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 869 | 72.36 |
| 2 | NO | | 332 | 27.64 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE63 QNAME13: QT13_D12
QNAME11: QT11_D14 QNAME09: NA

LABEL: WAS PHYSICALLY ACTIVE LAST TIME AT PARK

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 1071 | 89.18 |
| 2 | NO | | 130 | 10.82 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC42 QNAME13: QT13_D11
QNAME11: QT11_D13 QNAME09: QT09_E12

LABEL: PARK/PLAYGRND WALKING DISTANCE FROM HOME

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 1020 | 84.93 |
| 2 | NO | | 181 | 15.07 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD27_P QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # DAYS WALK HOME FROM SCHOOL PAST WK (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 25 | 2.08 |
| 0 | 0 | | 698 | 58.12 |
| 1 | 1 | | 78 | 6.49 |
| 2 | 2 | | 46 | 3.83 |
| 3 | 3 | | 50 | 4.16 |
| 4 | 4 | | 40 | 3.33 |
| 5 | 5 OR MORE | | 264 | 21.98 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD27_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # DAYS WALK HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 25 | 2.08 |
| 0 | 0 DAYS | | 698 | 58.12 |
| 1 | 1-2 DAYS | | 124 | 10.32 |
| 3 | 3-4 DAYS | | 90 | 7.49 |
| 5 | 5 DAYS | | 264 | 21.98 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD28_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # MINS TAKES TO WALK HOME FROM SCHOOL (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------------|------|-------|
| -1 | INAPPLICABLE | 723 | 60.20 |
| 10 | 1-10 MINUTES | 150 | 12.49 |
| 11 | 11-20 MINUTES | 184 | 15.32 |
| 21 | 21+ MINUTES | 144 | 11.99 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD28

NOTES:

VARNAME: TD29 QNAME13: QT13_D6
QNAME11: QT11_D8 QNAME09: NA

LABEL: ABLE TO WALK HOME FROM SCHOOL IN 30 MINUTES

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 503 | 41.88 |
| 1 | YES | 250 | 20.82 |
| 2 | NO | 448 | 37.30 |

UNIVERSE: ADOLESCENTS WHO DID NOT WALK HOME FROM SCHOOL AT LEAST ONCE DURING A TYPICAL WEEK

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD30_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # DAYS BIKE/SKATE HOME FROM SCHOOL PAST WK (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 25 | 2.08 |
| 0 | 0 DAYS | 1075 | 89.51 |
| 1 | 1-2 DAYS | 39 | 3.25 |
| 3 | 3-5 DAYS | 62 | 5.16 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD31_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # MINS TAKES TO BIKE/SKATE HOME FROM SCHOOL (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------------|------|-------|
| -1 | INAPPLICABLE | 1100 | 91.59 |
| 1 | 1-10 MINUTES | 59 | 4.91 |
| 11 | 11-20 MINUTES | 26 | 2.16 |
| 21 | 21+ MINUTES | 16 | 1.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TD32 QNAME13: QT13_D9
 QNAME11: QT11_D11 QNAME09: NA

LABEL: ABLE TO BIKE/SKATE HOME IN 30 MINUTES

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 722 | 60.12 |
| 1 | YES | | 184 | 15.32 |
| 2 | NO | | 295 | 24.56 |

UNIVERSE: ADOLESCENTS WHO WALK/ COULD WALK HOME IN LONGER THAN 30 MIN

INPUT VAR:

NOTES:

 VARNAME: TD38 QNAME13: QT13_D20
 QNAME11: QT13_D20 QNAME09: NA

LABEL: TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS) AFTER SCHOOL

| MEAN STATISTICS | |
|-----------------|--------|
| N | 1201 |
| MIN | 0 |
| MAX | 6000 |
| MEAN | 306.19 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD38HR TD38MIN

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD39 QNAME13: QT13_D19
QNAME11: QT13_D19 QNAME09: NA
LABEL: TIME DOING SITTING ACTIVITIES (TV, COMP GAMES, TALK W/ FRIENDS)
WEEKENDS

MEAN STATISTICS

| | |
|------|--------|
| N | 1201 |
| MIN | 0 |
| MAX | 1440 |
| MEAN | 249.80 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD39HR TD39MIN

NOTES:

Section E: Cigarette, Alcohol and Drug Use

VARNAME: TC38 QNAME13: QT13_E1
QNAME11: QT11_E1 QNAME09: QT09_F1
LABEL: EVER SMOKED CIGARETTES

| VALUE: | | FREQ | % |
|--------|-----|------|-------|
| 1 | YES | 116 | 9.66 |
| 2 | NO | 1085 | 90.34 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE22 QNAME13: QT13_E4
QNAME11: QT11_E4 QNAME09: QT09_F4

LABEL: EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 305 | 25.40 |
| 2 | NO | | 896 | 74.60 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section F: Emotional Functioning

VARNAME: DSTRSTN_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|------|
| N | 1201 |
| MIN | 0 |
| MAX | 11 |
| MEAN | 4.12 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TG11-TG16

NOTES: TOPCODE = 11

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI11 QNAME13: QT13_F7
QNAME11: QT11_F7 QNAME09: QT09_I18

LABEL: NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 211 | 17.57 |
| 2 | NO | | 990 | 82.43 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF11 QNAME13: QT13_F8
QNAME11: QT11_F8 QNAME09: QT09_I19

LABEL: RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 153 | 12.74 |
| 2 | NO | | 1048 | 87.26 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section H: Health Care Utilization and Access

VARNAME: TF1 QNAME13: QT13_H1
QNAME11: QT11_H1 QNAME09: QT09_I1

LABEL: HAS USUAL SOURCE OF HEALTH CARE

| VALUE: | | | FREQ | % |
|--------|---------------------|--|------|-------|
| 1 | YES | | 910 | 75.77 |
| 2 | NO | | 178 | 14.82 |
| 3 | DOCTOR/MY DOCTOR | | 83 | 6.91 |
| 4 | KAISER | | 28 | 2.33 |
| 5 | MORE THAN ONE PLACE | | 2 | 0.17 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: USOC QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 1000 | 83.26 |
| 2 | NO | | 201 | 16.74 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: USUAL5TP TF1

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 1023 | 85.18 |
| 2 | NO | | 178 | 14.82 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1

NOTES:

VARNAME: USUAL5TP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|------|-------|
| 1 | DOC OFFICE/HMO/KAISER | | 663 | 55.20 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | | 328 | 27.31 |
| 3 | EMERGENCY ROOM/URGENT CARE | | 23 | 1.92 |
| 4 | OTHER PLACE/NO ONE PLACE | | 9 | 0.75 |
| 5 | NO USUAL SOURCE OF CARE | | 178 | 14.82 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1 TF2

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF3 QNAME13: QT13_H3
 QNAME11: QT11_H3 QNAME09: QT09_I3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 246 | 20.48 |
| 2 | NO | | 955 | 79.52 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: ER QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 246 | 20.48 |
| 2 | NO | | 955 | 79.52 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF3 TB19 TB28

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ACMDMT_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF DOCTOR VISITS PAST YEAR (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-----|-------|------|-------|
| 0 | 0 | TIMES | 163 | 13.57 |
| 1 | 1 | TIME | 315 | 26.23 |
| 2 | 2 | TIMES | 299 | 24.90 |
| 3 | 3 | TIMES | 164 | 13.66 |
| 4 | 4 | TIMES | 83 | 6.91 |
| 5 | 5 | TIMES | 68 | 5.66 |
| 6 | 6-8 | TIMES | 86 | 7.16 |
| 9 | 9+ | TIMES | 23 | 1.92 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: DOCT_YR QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---|-----|------|-------|
| 1 | 1 | YES | 1038 | 86.43 |
| 2 | 2 | NO | 163 | 13.57 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF5 QNAME13: QT13_H5
QNAME11: QT11_H5 QNAME09: QT09_I5

LABEL: LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP

| VALUE: | | FREQ | % |
|--------|---------------------------|------|-------|
| 0 | HAVE NEVER HAD A PHYSICAL | 17 | 1.42 |
| 1 | LESS THAN 3 MONTHS AGO | 463 | 38.55 |
| 2 | 3 TO 6 MONTHS AGO | 298 | 24.81 |
| 3 | 6 TO 12 MONTHS AGO | 291 | 24.23 |
| 4 | 1 TO 2 YRS AGO | 102 | 8.49 |
| 5 | 2 OR MORE YRS AGO | 30 | 2.50 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF5_P1 QNAME13: NA
QNAME11: NA QNAME09:

LABEL: LAST TIME SAW DR FOR ROUTINE EXAM OR CHECK-UP (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------------------------|------|-------|
| 0 | HAVE NEVER HAD A PHYSICAL | 17 | 1.42 |
| 1 | LESS THAN 3 MONTHS AGO | 463 | 38.55 |
| 2 | 3 TO 6 MONTHS AGO | 298 | 24.81 |
| 3 | 6 TO 12 MONTHS AGO | 291 | 24.23 |
| 4 | 1 OR MORE YRS AGO | 132 | 10.99 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF5

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF8H QNAME13: QT13_H6
QNAME11: QT11_H6 QNAME09: QT09_I6

LABEL: TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 47 | 3.91 |
| 1 | YES | | 734 | 61.12 |
| 2 | NO | | 420 | 34.97 |

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

VARNAME: TF8I QNAME13: QT13_H7
QNAME11: QT11_H7 QNAME09: QT09_I7

LABEL: TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 47 | 3.91 |
| 1 | YES | | 736 | 61.28 |
| 2 | NO | | 418 | 34.80 |

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI14 QNAME13: QT13_H8
QNAME11: QT11_H8 QNAME09: QT09_I8

LABEL: HAVE PERSONAL DR WHO IS MAIN PROVIDER

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 178 | 14.82 |
| 1 | YES | | 808 | 67.28 |
| 2 | NO | | 215 | 17.90 |

UNIVERSE: ADOLESCENTS WHO HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: TI15 QNAME13: QT13_H9
QNAME11: QT11_H9 QNAME09: QT09_I9

LABEL: PHONE/E-MAIL DR W/QUESTION IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 61 | 5.08 |
| 1 | YES | | 255 | 21.23 |
| 2 | NO | | 885 | 73.69 |

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TI16 QNAME13: QT13_H10
 QNAME11: QT11_H10 QNAME09: QT09_I10

LABEL: HOW OFTEN GET ANSWER AS SOON AS NEEDED

| VALUE: | | FREQ | % |
|--------|-----------------|------|-------|
| -9 | NOT ASCERTAINED | 13 | 1.08 |
| -8 | DON'T KNOW | 5 | 0.42 |
| -1 | INAPPLICABLE | 946 | 78.77 |
| 1 | NEVER | 1 | 0.08 |
| 2 | SOMETIMES | 19 | 1.58 |
| 3 | USUALLY | 69 | 5.75 |
| 4 | ALWAYS | 148 | 12.32 |

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR AND CONTACTED THE DOCTOR'S OFFICE WITH MEDICAL QUESTION IN PAST 12 MOS

INPUT VAR:

NOTES:

 VARNAME: TI17 QNAME13: QT13_H15
 QNAME11: QT11_H16 QNAME09: QT09_I11

LABEL: DR/CLINIC COORDINATE CARE WITH OTHERS

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 1094 | 91.09 |
| 1 | YES | 70 | 5.83 |
| 2 | NO | 37 | 3.08 |

UNIVERSE: ADOLESCENTS WHO HAVE ASTHMA CURRENTLY OR HAS ASTHMA EPISODE IN LAST 12 MONTHS AND HAVE USUAL SOURCE OF CARE AND PERSONAL DOCTOR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI18 QNAME13: QT13_H16
QNAME11: QT11_H17 QNAME09: QT09_I12

LABEL: DELAY GETTING PRESCRIPTION IN PAST 12 MO

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 91 | 7.58 |
| 2 | NO | | 1110 | 92.42 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TI21 QNAME13: QT13_H17
QNAME11: QT11_H18 QNAME09: QT09_I13

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 1110 | 92.42 |
| 1 | YES | | 17 | 1.42 |
| 2 | NO | | 74 | 6.16 |

UNIVERSE: ADOLESCENTS WHO DELAYED OR NOT GET PRESCRIBED MEDICINE IN PAST 12 MOS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF22 QNAME13: QT13_H21
QNAME11: QT11_H21 QNAME09: QT09_I16

LABEL: COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 1130 | 94.09 |
| 1 | YES | | 18 | 1.50 |
| 2 | NO | | 53 | 4.41 |

UNIVERSE: ADOLESCENTS WHO DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: INS QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 1143 | 95.17 |
| 2 | NO | | 58 | 4.83 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSANY QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: ANY INS IN LAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|------------------------|--|------|-------|
| 1 | CURRENTLY UNINSURED | | 58 | 4.83 |
| 2 | UNINS. ANY PAST 12 MO | | 32 | 2.66 |
| 3 | INSURED ALL PAST 12 MO | | 1111 | 92.51 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INSEM QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 690 | 57.45 |
| 2 | NO | | 511 | 42.55 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INSMD QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 353 | 29.39 |
| 2 | NO | | 848 | 70.61 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA8 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: MAIN HEALTH PLAN IS HMO

| VALUE: | | FREQ | % |
|--------|------------------------------------|------|-------|
| -8 | DON'T KNOW | 1 | 0.08 |
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | 11 | 0.92 |
| -1 | INAPPLICABLE | 50 | 4.16 |
| 1 | YES | 558 | 46.46 |
| 2 | NO | 581 | 48.38 |

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE HAS PLAN MISSED

INPUT VAR:

NOTES:

VARNAME: HMO QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HMO STATUS

| VALUE: | | FREQ | % |
|--------|-----------|------|-------|
| 1 | HMO | 581 | 48.38 |
| 2 | NON-HMO | 563 | 46.88 |
| 3 | UNINSURED | 57 | 4.75 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH49 QNAME13: QT13_H13
QNAME11: QT11_H13 QNAME09: NA

LABEL: ATTEMPTED TO GET DR APPT IN 2 DAYS IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 178 | 14.82 |
| 1 | YES | 327 | 27.23 |
| 2 | NO | 696 | 57.95 |

UNIVERSE: ADOLESCENTS WHO ARE INSURED OR HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

VARNAME: INSTYPE_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: INSURANCE TYPE (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|----------------------------------|------|-------|
| 1 | UNINSURED | 58 | 4.83 |
| 5 | MEDICAID | 353 | 29.39 |
| 6 | HEALTHY FAMILIES OR OTHER PUBLIC | 61 | 5.08 |
| 7 | EMPLOYMENT-BASED | 671 | 55.87 |
| 8 | PRIVATELY PURCHASED | 58 | 4.83 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE INS INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: MA7_P QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|---------------------------------------|------|-------|
| -8 | DON'T KNOW | 18 | 1.50 |
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | 11 | 0.92 |
| -1 | INAPPLICABLE | 56 | 4.66 |
| 1 | KAISER | 211 | 17.57 |
| 2 | BLUE CROSS | 260 | 21.65 |
| 3 | UNITED HEALTHCARE (FORMER PACIFICARE) | 57 | 4.75 |
| 4 | BLUE SHIELD | 100 | 8.33 |
| 5 | HEALTH NET | 64 | 5.33 |
| 6 | AETNA | 48 | 4.00 |
| 7 | CIGNA HEALTH CARE | 34 | 2.83 |
| 8 | OTHER | 342 | 28.48 |

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE WHO HAS PLAN MISSED

INPUT VAR:

NOTES: CATEGORY CHANGE; CHIS 2013-14 NOW INCORPORATES UPCODING OF
 OTHER-SPECIFY RESPONSES INTO THE PRE-EXISTING MA2 CATEGORIES (DID
 NOT APPLY IN CHIS 2011 AND PRIOR)

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: UNINSURED IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|---------------------|------|-------|
| 1 | UNINSURED ALL YEAR | 36 | 3.00 |
| 2 | UNINSURED PART YEAR | 55 | 4.58 |
| 3 | INSURED ALL YEAR | 1110 | 92.42 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section I: Dental or Oral Health

VARNAME: TF14_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HOW LONG SINCE LAST VISIT TO DENTIST (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------|------|-------|
| 0 | HAVE NEVER VISITED | 15 | 1.25 |
| 1 | LESS THAN 6 MONTHS AGO | 958 | 79.77 |
| 2 | 6 MONTHS TO 1 YR AGO | 158 | 13.16 |
| 3 | 1 TO 2 YRS AGO | 38 | 3.16 |
| 4 | 2 OR MORE YRS AGO | 32 | 2.66 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF14

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section J: Demographic Information Part II & Geographic Information

VARNAME: OMSRSTN_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------|------|-------|
| 1 | HISPANIC | 536 | 44.63 |
| 2 | WHITE, NON-HISPANIC (NH) | 478 | 39.80 |
| 3 | OTHER RACE | 45 | 3.75 |
| 5 | ASIAN ONLY, NH | 77 | 6.41 |
| 7 | TWO OR MORE RACES, NH | 65 | 5.41 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RACECNT_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------|------|-------|
| 3 | ASIAN | 88 | 7.33 |
| 5 | WHITE | 723 | 60.20 |
| 6 | OTHER SINGLE RACE | 302 | 25.15 |
| 7 | MORE THAN ONE RACE | 88 | 7.33 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACECEN

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: RACEDFT_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------|------|-------|
| 1 | LATINO | 536 | 44.63 |
| 4 | NON-LATINO ASIAN | 77 | 6.41 |
| 6 | NON-LATINO WHITE | 478 | 39.80 |
| 7 | NON-LATINO OTH. ONE RACE | 45 | 3.75 |
| 8 | NON-LATINO, TWO+ RACES | 65 | 5.41 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEDOF

NOTES:

VARNAME: RACEH2T_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: RACE - UCLA CHPR DEFINITION (PUF RACEHPR2 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|----------------------------|------|-------|
| 1 | LATINO | 339 | 28.23 |
| 4 | ASIAN | 82 | 6.83 |
| 6 | WHITE | 525 | 43.71 |
| 7 | OTHER SINGLE/MULTIPLE RACE | 255 | 21.23 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEHPR2

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRH_A QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED LATINO/HISPANIC ORIGIN OF ADULT

| VALUE: | | FREQ | % |
|--------|------------------------------------|------|-------|
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | 11 | 0.92 |
| 1 | YES | 477 | 39.72 |
| 2 | NO | 713 | 59.37 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRH

NOTES:

VARNAME: LNGHMT_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------------------|------|-------|
| -9 | NOT ASCERTAINED | 2 | 0.17 |
| 1 | ENGLISH | 690 | 57.45 |
| 2 | SPANISH OR OTHER ONE LANGUAGE ONLY | 61 | 5.08 |
| 8 | ENGLISH & SPANISH | 366 | 30.47 |
| 9 | ENGLISH AND ONE OTHER LANGUAGE | 73 | 6.08 |
| 13 | OTHER LANGUAGES (2+) | 9 | 0.75 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI7_1-TI7_23

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRAS QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED ASIAN

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 121 | 10.07 |
| 2 | NO | | 1080 | 89.93 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRH QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 536 | 44.63 |
| 2 | NO | | 665 | 55.37 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED OTHER RACE

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 220 | 18.32 |
| 2 | NO | | 981 | 81.68 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRW QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: SELF-REPORTED WHITE

| VALUE: | | | FREQ | % |
|--------|-----|--|------|-------|
| 1 | YES | | 802 | 66.78 |
| 2 | NO | | 399 | 33.22 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: CITIZEN2 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

| VALUE: | | | FREQ | % |
|--------|---------------------|--|------|-------|
| 1 | US-BORN CITIZEN | | 1086 | 90.42 |
| 2 | NATURALIZED CITIZEN | | 49 | 4.08 |
| 3 | NON-CITIZEN | | 66 | 5.50 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI3-TI5

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: UR_BG QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

| VALUE: | | FREQ | % |
|--------|----------------|------|-------|
| 1 | URBAN | 415 | 34.55 |
| 2 | 2ND CITY | 238 | 19.82 |
| 3 | SUBURBAN | 269 | 22.40 |
| 4 | TOWN AND RURAL | 279 | 23.23 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: UR_CLRT QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

| VALUE: | | FREQ | % |
|--------|----------------|------|-------|
| 1 | URBAN | 437 | 36.39 |
| 2 | 2ND CITY | 320 | 26.64 |
| 3 | SUBURBAN | 223 | 18.57 |
| 4 | TOWN AND RURAL | 221 | 18.40 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BESTZIP

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_CLRT2 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

| VALUE: | | | FREQ | % |
|--------|-------|--|------|-------|
| 1 | URBAN | | 980 | 81.60 |
| 2 | RURAL | | 221 | 18.40 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: UR_CLRT

NOTES:

VARNAME: UR_IHS QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - IHS

| VALUE: | | | FREQ | % |
|--------|-------|--|------|-------|
| 1 | URBAN | | 698 | 58.12 |
| 2 | RURAL | | 503 | 41.88 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - OMB

| VALUE: | | | FREQ | % |
|--------|------------------|--|------|-------|
| 1 | METROPOLITAN | | 1117 | 93.01 |
| 2 | NON-METROPOLITAN | | 84 | 6.99 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_RHP QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - RHP

| VALUE: | | | FREQ | % |
|--------|-------|--|------|-------|
| 1 | URBAN | | 1029 | 85.68 |
| 2 | RURAL | | 172 | 14.32 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY TRACT

NOTES:

VARNAME: UR_TRACT QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

| VALUE: | | | FREQ | % |
|--------|----------------|--|------|-------|
| 1 | URBAN | | 418 | 34.80 |
| 2 | 2ND CITY | | 247 | 20.57 |
| 3 | SUBURBAN | | 269 | 22.40 |
| 4 | TOWN AND RURAL | | 267 | 22.23 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section L: Adult Supervision, Role Models, Civic Engagement, And Resiliency

VARNAME: HSSTUD QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: HIGH SCHOOL STUDENT

| VALUE: | | FREQ | % |
|--------|---|------|-------|
| -1 | INAPPLICABLE | 420 | 34.97 |
| 1 | HIGH SCHOOL STUDENT (TA8 OR TA9=4, 5, 6, 7) | 781 | 65.03 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TA8 TA9

NOTES:

VARNAME: TA10_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: GRADES RECEIVED ON LAST REPORT CARD (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | MOSTLY CS, DS, OR LOWER | 87 | 7.24 |
| 4 | MOSTLY BS OR CS | 129 | 10.74 |
| 5 | MOSTLY BS | 86 | 7.16 |
| 6 | MOSTLY AS OR BS | 302 | 25.15 |
| 7 | MOSTLY AS | 182 | 15.15 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR: TA10

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA14 QNAME13: QT13_A18
QNAME11: QT13_A18 QNAME09: NA

LABEL: HIGH SCHOOL ACTIVITY: ARTS-RELATED

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 415 | 34.55 |
| 1 | YES | | 311 | 25.90 |
| 2 | NO | | 475 | 39.55 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

VARNAME: TA16 QNAME13: QT13_A20
QNAME11: QT13_A20 QNAME09: NA

LABEL: HIGH SCHOOL ACTIVITY: HONORS SOCIETY

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 415 | 34.55 |
| 1 | YES | | 133 | 11.07 |
| 2 | NO | | 653 | 54.37 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA8_P1 QNAME13: NA

QNAME11: NA QNAME09:

LABEL: CURRENT SCHOOL GRADE LEVEL (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 174 | 14.49 |
| 1 | 6TH GRADE OR LESS | 31 | 2.58 |
| 2 | 7TH GRADE | 126 | 10.49 |
| 3 | 8TH GRADE | 163 | 13.57 |
| 4 | 9TH GRADE | 168 | 13.99 |
| 5 | 10TH GRADE | 196 | 16.32 |
| 6 | 11TH GRADE | 181 | 15.07 |
| 7 | 12TH GRADE | 161 | 13.41 |
| 91 | OTHER (SPECIFY) | 1 | 0.08 |

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL LAST WEEK/USUALLY ATTEND SCHOOL

INPUT VAR: TA8

NOTES:

VARNAME: TH21 QNAME13: QT13_A40

QNAME11: QT11_L5 QNAME09: QT09_J10

LABEL: DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 3 | 0.25 |
| 1 | YES | 704 | 58.62 |
| 2 | NO | 494 | 41.13 |

UNIVERSE: ADOLESCENTS IN SCHOOL LAST YEAR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL10 QNAME13: QT13_A41
QNAME11: QT13_A41 QNAME09: NA

LABEL: PARTICIPATE IN CLUBS/ORGS OUTSIDE SCHOOL PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 3 | 0.25 |
| 1 | YES | | 342 | 28.48 |
| 2 | NO | | 856 | 71.27 |

UNIVERSE: ADOLESCENTS IN SCHOOL LAST YEAR

INPUT VAR:

NOTES:

VARNAME: TL12 QNAME13: QT13_A26
QNAME11: QT13_A26 QNAME09: NA

LABEL: PARTICIPATED IN ORG/GRP TO MAKE DIFFERENCE SINCE START OF HIGH SCHOOL

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 415 | 34.55 |
| 1 | YES | | 341 | 28.39 |
| 2 | NO | | 445 | 37.05 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL13_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: # OF ORGS/GRPS INVOLVED IN TO MAKE DIFF SINCE START HS (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------------------|------|-------|
| -1 | INAPPLICABLE | 860 | 71.61 |
| 1 | 1 ORGANIZATION TO MAKE DIFF | 172 | 14.32 |
| 2 | 2+ ORGANIZATIONS TO MAKE DIFF | 169 | 14.07 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL IN ORG/GRP THAT MAKES DIFFERENCE

INPUT VAR: TL13

NOTES:

VARNAME: TL14 QNAME13: QT13_A24
QNAME11: QT13_A24 QNAME09: NA

LABEL: HIGH SCHOOL ACTIVITY: RELIGIOUS GRP/ORG

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | YES | 139 | 11.57 |
| 2 | NO | 647 | 53.87 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL16 QNAME13: QT13_A25
QNAME11: QT13_A25 QNAME09: NA

LABEL: HIGH SCHOOL ACTIVITY: POLITICAL GRP/ORG

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 415 | 34.55 |
| 1 | YES | | 22 | 1.83 |
| 2 | NO | | 764 | 63.61 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL

INPUT VAR:

NOTES:

VARNAME: TL17 QNAME13: QT13_A28
QNAME11: QT13_A28 QNAME09: NA

LABEL: INVOLVEMENT IN GRP/ORG: HELPED MAKE DECISIONS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 860 | 71.61 |
| 1 | YES | | 222 | 18.48 |
| 2 | NO | | 119 | 9.91 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL IN ORG/GRP THAT MAKES DIFFERENCE

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL18 QNAME13: QT13_A29
QNAME11: QT13_A29 QNAME09: NA

LABEL: INVOLVEMENT IN GRP/ORG: HELPED OUTREACH

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 860 | 71.61 |
| 1 | YES | | 259 | 21.57 |
| 2 | NO | | 82 | 6.83 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL IN ORG/GRP THAT MAKES DIFFERENCE

INPUT VAR:

NOTES:

VARNAME: TL19 QNAME13: QT13_A30
QNAME11: QT13_A30 QNAME09: NA

LABEL: PARTICIPATED IN OTHER ACTIVITIES SINCE START HIGH SCHOOL

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 982 | 81.77 |
| 1 | YES | | 115 | 9.58 |
| 2 | NO | | 104 | 8.66 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL AND DID NOT PARTICIPATE IN COMMON H.S. ACTIVITIES/GROUPS THAT MAKE A DIFFERENCE.

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL21 QNAME13: QT13_A32
QNAME11: QT13_A32 QNAME09: NA

LABEL: OTH HIGH SCHOOL ACTIVITIES: HELP MAKE DECISIONS

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 1086 | 90.42 |
| 1 | YES | | 46 | 3.83 |
| 2 | NO | | 69 | 5.75 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL AND PARTICIPATED IN OTHER H.S. OR EXTRACURRICULAR ACTIVITIES.

INPUT VAR:

NOTES:

VARNAME: TL22 QNAME13: QT13_A33
QNAME11: QT13_A33 QNAME09: NA

LABEL: OTH HIGH SCHOOL ACTIVITIES: HELP WITH OUTREACH

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 1086 | 90.42 |
| 1 | YES | | 71 | 5.91 |
| 2 | NO | | 44 | 3.66 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL AND PARTICIPATED IN OTHER H.S. OR EXTRACURRICULAR ACTIVITIES.

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL24 QNAME13: QT13_A34
QNAME11: QT13_A34 QNAME09: NA

LABEL: PARENT/GUARDIAN FOLLOWS GOVT OR PUBLIC AFFAIRS

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | STRONGLY DISAGREE | 42 | 3.50 |
| 2 | SOMEWHAT DISAGREE | 95 | 7.91 |
| 3 | SOMEWHAT AGREE | 368 | 30.64 |
| 4 | STRONGLY AGREE | 281 | 23.40 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

VARNAME: TL25 QNAME13: QT13_A35
QNAME11: QT13_A35 QNAME09: NA

LABEL: CARES DEEPLY ABOUT ISSUES IN COMMUNITY

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | STRONGLY DISAGREE | 15 | 1.25 |
| 2 | SOMEWHAT DISAGREE | 45 | 3.75 |
| 3 | SOMEWHAT AGREE | 383 | 31.89 |
| 4 | STRONGLY AGREE | 343 | 28.56 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TL26 QNAME13: QT13_A36
 QNAME11: QT13_A36 QNAME09: NA

LABEL: CARES DEEPLY ABOUT HLTH ISSUES IN COMMUNITY

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | STRONGLY DISAGREE | 13 | 1.08 |
| 2 | SOMEWHAT DISAGREE | 39 | 3.25 |
| 3 | SOMEWHAT AGREE | 359 | 29.89 |
| 4 | STRONGLY AGREE | 375 | 31.22 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

 VARNAME: TL27 QNAME13: QT13_A37
 QNAME11: QT13_A37 QNAME09: NA

LABEL: BELIEVES CAN MAKE A DIFFERENCE IN THE COMMUNITY

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | STRONGLY DISAGREE | 17 | 1.42 |
| 2 | SOMEWHAT DISAGREE | 64 | 5.33 |
| 3 | SOMEWHAT AGREE | 360 | 29.98 |
| 4 | STRONGLY AGREE | 345 | 28.73 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TL28 QNAME13: QT13_A38
QNAME11: QT13_A38 QNAME09: NA

LABEL: FEELS CONNECTED TO OTHERS WHOSE WORK IMPROVES SOCIETY

| VALUE: | | FREQ | % |
|--------|-------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | STRONGLY DISAGREE | 33 | 2.75 |
| 2 | SOMEWHAT DISAGREE | 135 | 11.24 |
| 3 | SOMEWHAT AGREE | 391 | 32.56 |
| 4 | STRONGLY AGREE | 227 | 18.90 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

VARNAME: TL29_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: BELIEVES ALL HAVE EQUAL CHANCE TO SUCCEED IN U.S. (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------------------------|------|-------|
| -1 | INAPPLICABLE | 415 | 34.55 |
| 1 | SOMEWHAT AGREE | 57 | 4.75 |
| 2 | STRONGLY AGREE | 102 | 8.49 |
| 3 | SOMEWHAT DISAGREE/STRONGLY DISAGREE | 627 | 52.21 |

UNIVERSE: ADOLESCENTS IN HIGH SCHOOL (CURRENT OR PAST YEAR)

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section M: Public Program Participation

VARNAME: IAP2 QNAME13: QA13_L4
QNAME11: QA11_L4 QNAME09: QA09_L4

LABEL: RECEIVING FOOD STAMP BENEFITS

| VALUE: | | FREQ | % |
|--------|------------------------------------|------|-------|
| -5 | ADULT/HOUSEHOLD INFO NOT COLLECTED | 83 | 6.91 |
| -1 | INAPPLICABLE | 528 | 43.96 |
| 1 | YES | 122 | 10.16 |
| 2 | NO | 468 | 38.97 |

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

Section N: Bullying, Personal Safety, Social Cohesion & Physical Environment

VARNAME: TC25_P1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: NEARBY PARK/PLAYGROUND SAFE DURING DAY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-------------------------------------|------|-------|
| 1 | SOMEWHAT AGREE | 634 | 52.79 |
| 2 | STRONGLY AGREE | 497 | 41.38 |
| 3 | SOMEWHAT DISAGREE/STRONGLY DISAGREE | 70 | 5.83 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TE64 QNAME13: QT13_D14
 QNAME11: QT11_D17 QNAME09: QT09_E15

LABEL: FEEL SAFE IN NEIGHBORHOOD

| VALUE: | | FREQ | % |
|--------|------------------|------|-------|
| 1 | ALL OF THE TIME | 559 | 46.54 |
| 2 | MOST OF THE TIME | 498 | 41.47 |
| 3 | SOME OF THE TIME | 137 | 11.41 |
| 4 | NONE OF THE TIME | 7 | 0.58 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TE65 QNAME13: QT13_D15
 QNAME11: QT11_N7 QNAME09: QT09_E16

LABEL: FEEL SAFE AT YOUR SCHOOL

| VALUE: | | FREQ | % |
|--------|------------------|------|-------|
| 1 | ALL OF THE TIME | 729 | 60.70 |
| 2 | MOST OF THE TIME | 381 | 31.72 |
| 3 | SOME OF THE TIME | 85 | 7.08 |
| 4 | NONE OF THE TIME | 6 | 0.50 |

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: SOCHS_P1 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: SOCIAL COHESION NEIGHBORHOOD SCALE (PUF 1 YR RECODE)

MEAN STATISTICS

| | |
|------|------|
| N | 1201 |
| MIN | 3 |
| MAX | 10 |
| MEAN | 5.35 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TD34, TD36, TD37

NOTES: TOPCODE = 10; SCORE BASED ON SUM OF TD34, TD36, TD37. HIGHER SCORE
INDICATES GREATER SOCIAL COHESION. SEE DOI: 10.1093/aje/kwm040.

Section P: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - FULL SAMPLE

| VALUE: | | FREQ | % |
|--------|----------|------|--------|
| . | 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW1 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 1

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW2 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 2

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW3 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 3

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW4 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 4

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW5 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 5

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW6 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 6

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW7 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 7

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW8 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 8

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW9 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 9

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW10 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 10

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW11 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 11

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW12 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 12

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW13 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 13
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW14 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 14
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW15 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 15
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW16 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 16

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW17 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 17

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW18 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 18

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW19 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 19

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW20 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 20

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW21 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 21

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW22 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 22

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW23 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 23

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW24 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 24

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW25 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 25

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW26 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 26

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW27 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 27

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW28 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 28
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW29 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 29
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW30 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 30
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW31 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 31

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW32 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 32

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW33 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 33

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW37 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 37

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW38 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 38

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW39 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 39

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW40 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 40

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW41 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 41

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW42 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 42

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW43 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 43
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW44 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 44
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW45 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 45
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW46 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 46

| VALUE: | FREQ | % |
|------------|------|--------|
| . 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW47 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 47

| VALUE: | FREQ | % |
|------------|------|--------|
| . 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW48 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 48

| VALUE: | FREQ | % |
|------------|------|--------|
| . 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 49

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW50 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 50

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW51 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 51

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW52 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 52
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW53 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 53
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW54 QNAME13: NA
 QNAME11: NA QNAME09: NA
 LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 54
 VALUE: . 0 - HIGH FREQ %
1201 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW55 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 55

| VALUE: | | FREQ | % |
|--------|----------|------|--------|
| . | 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW56 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 56

| VALUE: | | FREQ | % |
|--------|----------|------|--------|
| . | 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW57 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 57

| VALUE: | | FREQ | % |
|--------|----------|------|--------|
| . | 0 - HIGH | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW58 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 58

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW59 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 59

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW60 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 60

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW61 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 61

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW62 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 62

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW63 QNAME13: NA
 QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 63

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW64 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 64

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW65 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 65

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW66 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 66

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW67 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 67

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW68 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 68

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW69 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 69

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW70 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 70

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW71 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 71

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW72 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 72

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW73 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 73

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW74 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 74

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW75 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 75

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2013 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW76 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 76

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW77 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 77

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW78 QNAME13: NA
QNAME11: NA QNAME09: NA

LABEL: CHIS2013 RAKED WEIGHT - REPLICATE 78

| | | | | |
|--------|---|----------|------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 1201 | 100.00 |

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:
