



CHIS 2003 Data Dictionary

Public Use File

Child Survey

May 2010

Contact:
California Health Interview Survey
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2010 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2003 Child Public Use File, Release 3 [computer file].
Los Angeles, CA: UCLA Center for Health Policy Research, May 2010.

TABLE OF CONTENTS

1. About the CHIS 2003 Child Survey Public Use File.....	1
2. CHIS 2003 Design and Methodology Summary	2
2.1 Overview.....	2
2.2 Sample Design Objectives	2
2.3 Data Collection	4
2.4 Response Rate.....	5
2.5 Weighting the Random Digit Dial Sample	6
2.6 Imputation Methods.....	8
2.7 Methodology Report Series	9
3. How to Use the Data Dictionary	10
4. Data Dictionary Variable Listings	11
A. Alphabetical Listings by Variable Name	11
B. Listing by Location in CHIS 2003 Child Questionnaire, Version 6.0.....	19
5. Data Dictionary	DD-1
Section S: Screening Information	DD-1
Section A: Demographic Health and Conditions, Part 1	DD-8
Section B: Injuries and Prevention	DD-28
Section C: Dental and Health Behaviors	DD-35
Section D: Access and Utilization	DD-46
Section E: Delays in Care and Public Program Participation	DD-54
Section F: Child Care Parenting and Neighborhood Context.....	DD-58
Section G: Demographic Health and Conditions, Part2	DD-76
Section H: Health Insurance	DD-94
Section I: Demographic Information, Part 3, Geographic Location.....	DD-113
Section J: Full Design and Replicate Weight Series 0-80	DD-116

1. About the CHIS 2003 Child Survey Public Use File

The CHIS 2003 Child Survey Public Use File (PUF) is a data file consisting of individual records from the child component of the 2003 California Health Interview Survey. It is a free product provided by the CHIS project to researchers and data analysts for use in health-related research.

Users of the Child Survey PUF must register and also sign a confidentiality agreement before the file can be downloaded or delivered by mail. This agreement commits the user to make appropriate use of these data and take precautions to protect respondent confidentiality.

The Child Survey PUF can be used only for statewide and urban-rural estimates and not for local-level (sub-state) estimates. County identification and zip code information has been intentionally excluded to reduce the risk of respondents being identified. Additional confidential survey information that is not accessible in the Child Survey PUF is available through the Data Access Center. Such confidential information includes sub-state geographic variables (e.g., county), highly sensitive variables (e.g., sexual behavior), and household identifiers to link the adult, child and adolescent files.

CHIS sample weights (based on the 2003 California Department of Finance population projections) are included in the files. The imputation flags for CHIS source variables are also included in a separate data file. A complete data dictionary with a description of survey methods and a description of how to use the sample weights accompanies these files. Limited technical assistance is also available from CHIS - please [send an email](#) to chis@ucla.edu.

2. CHIS 2003 Design and Methodology Summary

2.1 Overview

The 2003 California Health Interview Survey (CHIS 2003) is a collaborative project of the UCLA Center for Health Policy Research, the California Department of Health Services, and the Public Health Institute. CHIS collects extensive information on health status, health conditions, health-related behaviors, health insurance coverage and access to health care services. CHIS is a population-based, random-digit dial (RDD) telephone survey of California households. Within each household, separate interviews were conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2003 is the second CHIS data collection cycle (following CHIS 2001) and was conducted between August 2003 and February 2004.

Many State agencies, local public health agencies and organizations, federal agencies, advocacy and community organizations and agencies, foundations and researchers use CHIS data and results. They use these data in their own analyses and publications to assess public health and health care needs, to develop health policies, and to develop and advocate policies to meet those needs (for examples of these extensive uses, visit www.chis.ucla.edu/promo). Many researchers throughout California and the rest of the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: www.chis.ucla.edu/rc).

CHIS 2003 received funding from the California Department of Health Services, The California Endowment, the National Cancer Institute, the Robert Wood Johnson Foundation, the Centers for Disease Control and Prevention, the California Office of Patient Advocate, the LA Care Health Plan, Kaiser Permanente, and the Alameda County Health Care Services Agency.

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: 1) provide estimates for counties and groupings of counties; and 2) provide estimates for California's overall population and its larger race/ethnic groups, as well as for several smaller ethnic groups.

To achieve its sample objectives, CHIS relied on a complex sample design. The state was divided into 41 geographic sampling strata, including 33 single-county strata and eight additional strata comprised of 25 primarily small counties. Within each geographic stratum, telephone numbers were sampled using a random-digit dial (RDD) method. Table 1-1 shows the 41 geographic CHIS sampling strata. A sufficient amount of sample was allocated to each stratum to support the first sample design objective. These strata were also used for the CHIS 2001 sample and allow for a comparison of population trends. Due to funding limitations, the sample sizes allocated to most strata for CHIS 2003 were smaller than in the 2001 administration.

Table 1-1. California County and County-Group Strata in CHIS 2003 Sample Design

1. Los Angeles	15. San Joaquin	29. El Dorado
2. San Diego	16. Sonoma	30. Imperial
3. Orange	17. Stanislaus	31. Napa
4. Santa Clara	18. Santa Barbara	32. Kings
5. San Bernardino	19. Solano	33. Madera
6. Riverside	20. Tulare	34. Monterey, San Benito
7. Alameda	21. Santa Cruz	35. Del Norte, Humboldt
8. Sacramento	22. Marin	36. Lassen, Modoc, Siskiyou, Trinity
9. Contra Costa	23. San Luis Obispo	37. Lake, Mendocino
10. Fresno	24. Placer	38. Colusa, Glen, Tehama
11. San Francisco	25. Merced	39. Sutter, Yuba
12. Ventura	26. Butte	40. Plumas, Nevada, Sierra
13. San Mateo	27. Shasta	41. Alpine, Amador, Calaveras, Inyo
14. Kern	28. Yolo	Mariposa, Mono, Tuolumne

Source: UCLA Center for Health Policy Research, 2003 California Health Interview Survey.

The samples in Los Angeles and Alameda Counties were enhanced through additional, county-specific funding to allow sub-county geographic estimates. Specifically, LA Care Health Plan funded additional sampling in Los Angeles at the Service Planning Area (SPA) level; and the Alameda County Public Health Department funded an oversampling in Alameda, for the cities of Oakland and Hayward, as well as the remainder of the county. These samples were incorporated into the design of the statewide RDD sample.

To accomplish the second objective, sufficient sample sizes were allocated to the more urban counties, where the majority of the state's Latino, African-American and Asian ethnic populations reside. To increase the precision of estimates for Koreans and Vietnamese, these two groups were over-sampled using a combination of geographic targeting and a surname-listed sample.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese and Korean. These languages were chosen based on research that identified the languages that would cover the largest number of Californians in the CHIS sampling frame that did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2003 data collection. Westat staff interviewed one randomly-selected adult in each sampled household. In those households with children (under age 12) or adolescents (ages 12-17) associated with the sampled adult, one child and/or one adolescent were randomly selected, so up to three interviews could have been completed in each sampled household. The sampled adult was interviewed, and the parent or guardian most knowledgeable about the health and care of the sampled child was interviewed. The sampled adolescent responded for him or herself after a parent or guardian gave permission for the interview.

Proxy interviews were also allowed for frail and ill persons over the age of 60. For 171 elderly adults, either the spouse/partner or adult child of these elderly adults completed a proxy interview. Only a subset of questions identified as appropriate for a proxy respondent were administered.

Prior to the interview contact, telephone numbers for which addresses could be found were mailed advance letters to inform household members about the survey. Table 1-2 shows the number of completed adult, child and adolescent interviews in CHIS 2003, by the type of sample (RDD or supplemental sample).

Table 1-2. Number of Completed CHIS 2003 Interviews by Type of Sample Instrument

Type of Sample	Adult	Adolescent	Child
RDD	41,818	3,996	8,480
Supplemental Samples:			
Korean	112	6	24
Vietnamese	114	8	22
Total RDD + Supplemental Samples	42,044	4,010	8,526

Source: UCLA Center for Health Policy Research, 2003 California Health Interview Survey.

Interviews done in all languages were administered using Westat's computer-assisted telephone interviewing (CATI) system. The average adult interview took 33 minutes to complete. The average child and adolescent interviews took 14 and 21 minutes, respectively. Interviews in the non-English languages generally took longer to complete. Approximately 11% of the adult interviews were completed in a language other than English, as were 21% of the child (parent proxy) interviews and 7% of the adolescent interviews.

2.4 Response Rate

As a multi-stage survey, several response rates can be calculated, including the screener response rate, adult response rate, child response rate, adolescent response rate and overall response rate. The CHIS 2003 response rates were calculated using the American Association for Public Opinion Research (AAPOR) methods. The screener response rate is the proportion of eligible residential households in which a screener interview was completed. This rate is calculated and weighted to account for differential sampling rates within geographic stratum and for the sub-sampling of households for refusal conversion. The number of eligible residential households is based on an estimate using the "survival" method and produces a conservative response rate. Statewide rates are subsequently calculated using weighted averages of the response rate for each stratum. Using these methods, the CHIS 2003 screener response rate was 55.9%.

The extended interview response rate is the proportion of selected respondents within households who successfully completed the interview. If an adult finished at least 80% of the questionnaire, then that was counted as a completed interview. For CHIS 2003, the adult extended interview response rate was 60%. For the child sample, the extended interview response rate was 81.4% and for the adolescent extended interview it was 57.3%. For the adolescent interview, if those who did not respond because their parents did not give permission were excluded, the rate rises 26 percentage points to 83.3%. The overall response rate for CHIS 2003 administration is calculated by multiplying the screener response rate by the adult extended response rate and is 33.5%. Response rates varied by sampling stratum and were slightly higher in households that received an advanced letter.

The CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) survey. Comparing survey response rates is, however, complicated and confusing as a result of the use of different definitions and varying methods of calculation. Professional groups such as the Council of American Survey Research Organizations (CASRO) and the American Association for Public Opinion Research have attempted to standardize the concepts and methods of calculating response rates. Despite this, there are numerous methods to calculate response rates, with each equation potentially delivering a different answer. Furthermore, California as a whole, and the

state's urban areas in particular, are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California.

While important, the response rate of a survey is not the only, or even the best, measure of its quality. One approach to examining survey quality and potential bias is to examine how well the survey respondents match the demographic characteristics of the population. CHIS 2003 data are being benchmarked to California Department of Finance 2003 data. See www.chis.ucla.edu for further information.

An additional way to assess whether a survey is representative is to compare its findings with those of other similar surveys, or to benchmark CHIS data. CHIS 2003 data are being benchmarked to National Health Interview Survey data, Medical Expenditure Panel Survey data, and BRFSS data for California to better assess how representative it is compared to other widely accepted population surveys. Some of these other surveys, such as NHIS or MEPS, are administered in person and have higher response rates. See www.chis.ucla.edu for additional information.

2.5 Weighting the Random Digit Dial Sample

To produce population estimates for the CHIS samples, CHIS 2003 data were statistically weighted to account for the differential chance of selecting a person into the sample, and the weights were then adjusted to more closely match the actual non-institutionalized California population for each geographic sampling stratum statewide. Specifically, sample weighting was carried out in CHIS 2003 to accomplish the following objectives:

- To compensate for differential probabilities of selection for households and persons (Note: telephone numbers for which addresses could be found and advance letters mailed were assigned a higher probability of selection than those without addresses)
- To reduce biases occurring because non-respondents may have different characteristics than respondents
- To adjust, to the extent possible, for under-coverage in the sampling frames and in the conduct of the survey
- To reduce the variance of the estimates by using auxiliary information

One set of weights was created for each CHIS 2003 data file (adult, child and adolescent). Each data file includes the RDD and Korean and Vietnamese surname list samples. These weights can be used to produce estimates at the state and stratum (county or group of counties) level. The weight variable for every case is the result of a series of sequential adjustments made, using the base weights.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” or the inverse of the probability of selection of the telephone number and adjustment factors computed for the following weight adjustments:

- Sub-sampling for numbers with addresses
- Multiple chances of being selected in the RDD and supplemental samples
- Unknown residential status
- Sub-sampling screener refusals for conversion attempt
- Screener interview non-response
- Multiple telephone numbers
- Household post-stratification

The resulting post-stratified household weight was used to compute a person-level weight. This person-level weight includes weight adjustments for the within-household sampling of persons and non-response.

The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals for the state, and for each geographic stratum in which samples were drawn. Raking is an iterative procedure that forces the CHIS weights to sum to known totals based on external data sources. The procedure requires iteration to make sure all the control totals or dimensions of raking are simultaneously satisfied (within a specified tolerance). The control totals or raking dimensions used in CHIS 2003 were created from the 2003 California Department of Finance estimates of the numbers of persons by age, race, and sex, and from the 2000 Census of Population counts from the U.S. Census Bureau. Seven variables were used in the post-stratification procedure to determine the final person weight: age, gender, race, ethnicity, geographic stratum (i.e., city, county, strata and state), education and home ownership. The 14 raking dimensions are combinations of demographic variables (age, sex, race and ethnicity), geographic variables (county, city and, in Los Angeles County, Service Planning Area), household composition (presence of children and adolescents in the household) and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases that are associated with excluding households without a telephone number from the survey.

2.6 Imputation Methods

There are two imputation procedures used by Westat to fill in missing responses for items in CHIS 2003 that are essential for weighting the data. The first imputation technique is a completely random selection from the observed distribution of the respondents. This method is used only for a few items when the percentage of the missing items is very small. For example, when imputing the missing values for self-reported age—which had a very low item non-response rate—the distributions of the responses for age by type of interview (adult, child or adolescent) are used to randomly assign an age using probabilities associated with these distributions.

The second technique is hotdeck imputation without replacement. The hotdeck approach is probably the most commonly used method for assigning values for missing responses in large-scale household surveys. With a hotdeck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. To carry out hotdeck imputation, the respondents to an item form a pool of donors, while the non-respondents are a group of recipients. A recipient is matched to the subset pool of donors, with the same household structure. The recipient is then randomly imputed the same value for the variable from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors. Hotdeck imputation was used to impute race, ethnicity, home ownership and education in CHIS 2003.

To address the missing values due to item non-response for other variables, the UCLA Center for Health Policy Research staff imputed nearly all the missing values through hierarchical sequential hotdecking with donor replacement. This method rank orders the control variables from the most essential to the least essential. It then allows the control variables to be dropped if the imputation conditions (such as minimal number of donors or no missing values in control variables) are not met in the imputation process. The control variables are dropped one at a time or sequentially, starting from the least essential. The imputation flags for CHIS source variables are included in a separate data file. CHIS incorporates an automated data quality control check both before and after the imputation process.

2.7 Methodology Report Series

A series of five methodology reports are available with detailed descriptions about the methods used in CHIS 2003:

- Report 1 - Sample Design
- Report 2 - Data Collection Methods
- Report 3 - Data Processing Procedures
- Report 4 - Response Rates
- Report 5 - Weighting and Variance Estimation

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at www.CHIS.ucla.edu or contact CHIS at CHIS@ucla.edu.

3. How to Use the Data Dictionary

The Data Dictionary describes the variables in the CHIS 2003 Child Survey Public Use File.

The index of the data dictionary includes two variable lists: 1) the variables sorted alphabetically by variable name; and 2) the variables arranged in the order of the Child Survey Questionnaire Version 6.0. The table of contents lists the topic areas in the order they are found in the questionnaire. Please note that identical variable names appearing in the CHIS 2001 and CHIS 2003 data files is not a guarantee of identical question wording or universe; please consult the questionnaires and data dictionaries to assess comparability. A printable version of the child questionnaire can be found on the California Health Interview Survey web site at www.CHIS.ucla.edu.

The data dictionary contains the following fields:

- **Variable (VARNAME).** This field stores the names of the variables in the Public Use File. Generally, the first letter of the variable name corresponds to the letter assigned to the topic section in which the variable or question can be found. Variable names beginning with “ISR” or ending with “_X” are imputation flags.**
- **Questionnaire Item (QNAME03).** This field stores the names of the 2003 survey items in the Public Use File. A blank field in Questionnaire Item means the variable is derived (constructed) from survey items.
- **Questionnaire Item in 2001 (QNAME01).** This field stores the names of 2001 survey items that are identical to 2003 survey items in the Public Use File.
- **Questionnaire Location (QPAGENUM).** This field in the dictionary represents the location of the variable in the CHIS 2003 Child Questionnaire.
- **Description (LABEL).** This field provides a unique description (or label) of the variable. The descriptions are often shortened versions of the corresponding questions in the questionnaire.
- **Value (VALUE).** This field lists the response categories or levels (values) of the variable. Both the numeric values and the corresponding descriptive labels are provided.
- **Universe (UNIVERSE).** The universe of a variable indicates which respondents are eligible for the corresponding question. The default for the CHIS 2003 Child Survey Public Use File is all respondents, ages 0 - 11. For some variables (or questions), certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex). In addition, the universe field in the dictionary provides information on how certain variables were constructed.

** The imputation flags for CHIS source variables are contained in a separate data file. The imputation flags indicate the missing values (don't know, refused, not ascertained) that have been imputed for each record.

4. Data Dictionary Variable Listings

A. Alphabetical Listings by Variable Name

ALPHABETICAL LISTINGS BY VARIABLE NAME		
VARIABLE NAME	DESCRIPTION	PAGE NUMBER
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-50
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-83
ASNHPR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-84
ASTYR	'ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-24
BIRTHWK	WGHT AT BIRTH - KILOGRAMS	DD-9
BIRTHWP	WGHT AT BIRTH - POUNDS	DD-9
BRSTFD	AGE IN MOS WHEN STOPPED BREASTFEEDING (PUF RECODE)	DD-10
CA11	DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD	DD-21
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-21
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-25
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-23
CA14	EVER BREASTFED OR FED BREAST MILK	DD-10
CA16	AGE WHEN STARTED SOLID FOODS	DD-11
CA17	CURRENTLY NEEDS OR USES PRESCRIPTION MEDICINE	DD-14
CA18	NEEDS PRESCRIPTION MEDICINE FOR HEALTH CONDITION	DD-14
CA19	HEALTH CONDITION REQUIRING PRESCRIPTION LASTED 12 MOS OR MORE	DD-15
CA20	NEEDS MORE MEDICAL CARE THAN USUAL FOR AGE	DD-15
CA21	NEEDS MEDICAL CARE FOR HEALTH CONDITION	DD-16
CA22	HEALTH CONDITION REQUIRING MEDICAL CARE LASTED 12 MOS OR MORE	DD-16
CA23	NEEDS OR GETS SPECIAL THERAPY	DD-17
CA24	NEEDS THERAPY FOR HEALTH CONDITION	DD-17
CA25	HEALTH CONDITION REQUIRING SPECIAL THERAPY LASTED 12+ MOS	DD-18
CA26	LIMITATION BECAUSE OF HEALTH CONDITION	DD-19
CA27	LIMITATION LAST 12 MOS OR MORE	DD-19
CA28	HAS PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR NEEDING TREATMENT	DD-20
CA29	PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR LASTED 12 MOS OR MORE	DD-20
CA30	CHILD AGE WHEN TOLD BY DOCTOR CHILD HAS ASTHMA	DD-22
CA31	STILL HAS ASTHMA	DD-22
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-23
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-24
CA34	# OF DAYS MISSED SCHOOL BECAUSE ASTHMA IN PAST 12 MOS	DD-25

CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-26
CA36	WHEEZING/WHISTLING SOUND IN CHEST IN PAST 12 MOS	DD-26
CA37	# OF WHEEZING/WHISTLING ATTACKS IN PAST 12 MOS	DD-27
CA38	# OF TIMES SOUGHT HELP FOR BREATHING PROBLEM IN PAST 12 MOS	DD-27
CA39	DAYS MISSED SCHOOL FOR BREATHING PROBLEM IN PAST 12 MOS	DD-28
CA6	GENERAL HEALTH CONDITION	DD-13
CA7	LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS	DD-18
CATRIBE	CALIFORNIA TRIBE	DD-80
CB1	INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-28
CB10	BABY GATES, WINDOW GUARDS, OTHER BARRIERS FOR CHILD SAFETY	DD-32
CB11	LOCKS, SAFETY LATCH ON CABINETS WITH CLEANING SUPPLIES	DD-33
CB12	PADDING AROUND SHARP EDGES OF FURNITURE	DD-33
CB13	COVERED ELECTRICAL OUTLETS	DD-34
CB14	TURNED DOWN TEMPERATURE OF HOT WATER HEATER	DD-34
CB5	REDUCED PHYSICAL ACTIVITY BECAUSE OF SERIOUS INJURY	DD-30
CB6	RIDDEN A BIKE IN PAST YEAR	DD-30
CB7	FREQUENCY OF WEARING HELMET WHEN RIDING BICYCLE	DD-31
CC1	CHILD HAS ANY TEETH	DD-35
CC10	# OF SERVINGS OF 100% FRUIT JUICE CHILD DRANK YESTERDAY	DD-42
CC11	# OF SERVINGS OF MILK CHILD DRANK YESTERDAY	DD-41
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK CHILD DRANK YESTERDAY	DD-41
CC13	# OF SERVINGS OF FRUIT CHILD HAD YESTERDAY	DD-42
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATOE CHILD HAD YESTERDAY	DD-43
CC15	# OF SERVINGS OF VEGETABLES CHILD HAD YESTERDAY	DD-43
CC16	CHILD HAS USUAL DENTIST	DD-36
CC17	COULDN'T AFFORD NEEDED DENTAL CARE IN PAST 12 MOS	DD-37
CC18	MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS	DD-38
CC19	DAYS MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS	DD-38
CC21	MEDI-CAL COVERS DENTAL CARE FOR CHILD	DD-40
CC22	HEALTHY FAMILIES PROGRAM COVERS DENTAL CARE FOR CHILD	DD-40
CC23	# OF TIMES ATE FAST-FOOD YESTERDAY	DD-44
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-45
CC25	PHYSICAL ACTIVITY LEVEL COMPARED TO OTHER SAME AGE CHILDREN	DD-45
CC26	# OF DAYS PLAYED ACTIVE ENOUGH TO BREATHE HARD IN PAST WEEK	DD-46
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-35
CC6	REASON FOR LAST DENTAL VISIT	DD-37
CC7A	HAS INS THAT PAYS FOR CHILD'S DENTAL CARE	DD-39
CC7ANEW	DENTAL CARE EDITED FOR MEDICAL/HF	DD-39
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-46
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-53
CD24	CHILD HAS PERSONAL DOCTOR OR NURSE	DD-49
CD25	HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME	DD-51

CD26	DOCTOR SPOKE A DIFFERENT LANGUAGE	DD-51
CD27	NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR	DD-52
CD28	WHO HELPED TO UNDERSTAND DOCTOR	DD-52
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-48
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-50
CD8	RECVD REMINDERS FROM DOCTOR OR CLINIC ABOUT CHILD'S SHOTS	DD-53
CE1	DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-54
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-57
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-57
CE11C	CHILD CURRENTLY ON WIC	DD-58
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-54
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-56
CE2AST	PRESCRIPTION RELATED TO ASTHMA	DD-55
CE7	DELAYED OR DID NOT GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-55
CE8AST	DELAYED/DID NOT GET MEDICAL CARE CHILD NEEDED IN PAST 12 MOS	DD-56
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-94
CF11	CHILD'S HEALTH PLAN REQUIRES PRIMARY DOCTOR/CLINIC	DD-98
CF12	CHILD'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALISTS	DD-99
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-101
CF14NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-102
CF15	COVERED FOR EYE EXAMS	DD-102
CF15NEW	EYE EXAM COVERAGE EDITED FOR MEDICAL/HF	DD-103
CF16	COVERED FOR GLASSES	DD-103
CF16NEW	EYE GLASSES COVERAGE EDITED FOR MEDICAL/HF	DD-104
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-96
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-105
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-58
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-64
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-65
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-65
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-66
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-66
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-67
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-67
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-59
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-68
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-68
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-69
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-69
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-70
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-70

CG26	CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-71
CG27	CONCERN ABOUT HOW CHILD LEARNING PRESCHOOL OR SCHOOL SKILLS	DD-71
CG28	CHILD IS GENERALLY OBEДИENT	DD-72
CG29	CHILD OFTEN SEEMS WORRIED	DD-72
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-73
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-73
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-74
CG33	ADULTS IN NEIGHBORHOOD THAT CHILDREN LOOK UP TO	DD-74
CG34	ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN	DD-75
CG35	ADULTS IN NEIGHBORHOOD KNOW LOCAL CHILDREN	DD-75
CG36	FREQUENCY OF VISITS WITH PEOPLE IN NEIGHBORHOOD	DD-76
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-59
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM	DD-60
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-60
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-61
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-61
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-62
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-63
CG3RC	TYPE OF CHILDCARE	DD-62
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-63
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-64
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-92
CH24	ANOTHER ADULT IN HOUSEHOLD RESPONSIBLE FOR CHILD	DD-93
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-80
CHEDUCA	EDUCATION OF ADULT RESPONDENT	DD-92
CHEDUCA1	EDUCATION: OTHER RESPONSIBLE ADULT (1)	DD-93
CHINESE	CHINESE	DD-82
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-89
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-88
CITIZEN2	CITIZENSHIP AND IMMIGRATION STATUS (3 LVLS)	DD-86
CNTRYF	COUNTRY FATHER BORN IN	DD-89
CNTRYM	COUNTRY MOTHER BORN IN	DD-87
CNTRYS	COUNTRY BORN IN	DD-86
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-36
DOCT_YR	CHILDREN VISITED DOCTOR DURING PAST 12 MOS	DD-49
ELIGPRG3	UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS	DD-112
FAMT4	FAMILY TYPE (4 LVLS)	DD-112
FILIPINO	FILIPINO	DD-81
FV5DAY	CHILDREN EATING 'FIVE-A-DAY' FRUITS AND VEGETABLES PAST 24 HRS	DD-44
HELMET	HOW OFTEN WEARS A HELMET WHEN RIDING A BICYCLE	DD-31
HELMUSE	WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS	DD-32
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-11

HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-12
HHCRWD	HOUSEHOLD CROWDING	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-3
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-106
INJCA	CAUSE OF INJURY	DD-29
INS	CURRENTLY INSURED	DD-105
INS12M	MOS COVERED BY HEALTH INS IN PAST 12 MOS	DD-106
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-107
INSANY	ANY INS IN LAST 12 MOS	DD-107
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-108
INSHF	COVERED BY HEALTHY FAMILIES	DD-108
INSMD	COVERED BY MEDI-CAL	DD-110
INSOG	COVERED BY SOME OTHER GOVT PLANS	DD-111
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-111
INSTYPE	INSURANCE TYPE	DD-109
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-109
INTVLANG	LANGUAGE OF INTERVIEW	DD-7
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-91
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-77
MA1	CHILD HAS SAME INS AS SPOUSE	DD-94
MA2_P	NAME OF CHILD'S MAIN HEALTH PLAN (PUF RECODE)	DD-100
MA3	CHILD'S HEALTH PLAN IS HMO	DD-101
MA4	RATING OF CHILD'S HEALTH CARE IN PAST 12 MOS	DD-104
MANAGE	MANAGED CARE	DD-98
MD	MUST SIGN UP W/ PRIMARY CARE DOCTOR, GROUP, OR CLINIC	DD-99
POVLL	POVERTY LEVEL	DD-115
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-115
PUF_ID	PUBLIC USE FILE ID	DD-4
RACECN_A	RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION	DD-4
RACECN_P	RACE - CENSUS 2000 DEFINITION	DD-84
RACEDO_A	RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION	DD-5
RACEDO_P	RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)	DD-85
RACEHP_A	RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION	DD-5
RACEHP_P	RACE- UCLA CHPR DEFINITION (PUF RECODE)	DD-85
RAKEDW0	CHIS2003 RAKED WEIGHT - FULL SAMPLE	DD-116
RAKEDW1	CHIS2003 RAKED WEIGHT - REPLICATE 1	DD-116
RAKEDW10	CHIS2003 RAKED WEIGHT - REPLICATE 10	DD-119
RAKEDW11	CHIS2003 RAKED WEIGHT - REPLICATE 11	DD-120
RAKEDW12	CHIS2003 RAKED WEIGHT - REPLICATE 12	DD-120
RAKEDW13	CHIS2003 RAKED WEIGHT - REPLICATE 13	DD-120
RAKEDW14	CHIS2003 RAKED WEIGHT - REPLICATE 14	DD-121
RAKEDW15	CHIS2003 RAKED WEIGHT - REPLICATE 15	DD-121
RAKEDW16	CHIS2003 RAKED WEIGHT - REPLICATE 16	DD-121
RAKEDW17	CHIS2003 RAKED WEIGHT - REPLICATE 17	DD-122
RAKEDW18	CHIS2003 RAKED WEIGHT - REPLICATE 18	DD-122
RAKEDW19	CHIS2003 RAKED WEIGHT - REPLICATE 19	DD-122
RAKEDW2	CHIS2003 RAKED WEIGHT - REPLICATE 2	DD-117
RAKEDW20	CHIS2003 RAKED WEIGHT - REPLICATE 20	DD-123
RAKEDW21	CHIS2003 RAKED WEIGHT - REPLICATE 21	DD-123

RAKEDW22	CHIS2003 RAKED WEIGHT - REPLICATE 22	DD-123
RAKEDW23	CHIS2003 RAKED WEIGHT - REPLICATE 23	DD-124
RAKEDW24	CHIS2003 RAKED WEIGHT - REPLICATE 24	DD-124
RAKEDW25	CHIS2003 RAKED WEIGHT - REPLICATE 25	DD-124
RAKEDW26	CHIS2003 RAKED WEIGHT - REPLICATE 26	DD-125
RAKEDW27	CHIS2003 RAKED WEIGHT - REPLICATE 27	DD-125
RAKEDW28	CHIS2003 RAKED WEIGHT - REPLICATE 28	DD-125
RAKEDW29	CHIS2003 RAKED WEIGHT - REPLICATE 29	DD-126
RAKEDW3	CHIS2003 RAKED WEIGHT - REPLICATE 3	DD-117
RAKEDW30	CHIS2003 RAKED WEIGHT - REPLICATE 30	DD-126
RAKEDW31	CHIS2003 RAKED WEIGHT - REPLICATE 31	DD-126
RAKEDW32	CHIS2003 RAKED WEIGHT - REPLICATE 32	DD-127
RAKEDW33	CHIS2003 RAKED WEIGHT - REPLICATE 33	DD-127
RAKEDW34	CHIS2003 RAKED WEIGHT - REPLICATE 34	DD-127
RAKEDW35	CHIS2003 RAKED WEIGHT - REPLICATE 35	DD-128
RAKEDW36	CHIS2003 RAKED WEIGHT - REPLICATE 36	DD-128
RAKEDW37	CHIS2003 RAKED WEIGHT - REPLICATE 37	DD-128
RAKEDW38	CHIS2003 RAKED WEIGHT - REPLICATE 38	DD-129
RAKEDW39	CHIS2003 RAKED WEIGHT - REPLICATE 39	DD-129
RAKEDW4	CHIS2003 RAKED WEIGHT - REPLICATE 4	DD-117
RAKEDW40	CHIS2003 RAKED WEIGHT - REPLICATE 40	DD-129
RAKEDW41	CHIS2003 RAKED WEIGHT - REPLICATE 41	DD-130
RAKEDW42	CHIS2003 RAKED WEIGHT - REPLICATE 42	DD-130
RAKEDW43	CHIS2003 RAKED WEIGHT - REPLICATE 43	DD-130
RAKEDW44	CHIS2003 RAKED WEIGHT - REPLICATE 44	DD-131
RAKEDW45	CHIS2003 RAKED WEIGHT - REPLICATE 45	DD-131
RAKEDW46	CHIS2003 RAKED WEIGHT - REPLICATE 46	DD-131
RAKEDW47	CHIS2003 RAKED WEIGHT - REPLICATE 47	DD-132
RAKEDW48	CHIS2003 RAKED WEIGHT - REPLICATE 48	DD-132
RAKEDW49	CHIS2003 RAKED WEIGHT - REPLICATE 49	DD-132
RAKEDW5	CHIS2003 RAKED WEIGHT - REPLICATE 5	DD-118
RAKEDW50	CHIS2003 RAKED WEIGHT - REPLICATE 50	DD-133
RAKEDW51	CHIS2003 RAKED WEIGHT - REPLICATE 51	DD-133
RAKEDW52	CHIS2003 RAKED WEIGHT - REPLICATE 52	DD-133
RAKEDW53	CHIS2003 RAKED WEIGHT - REPLICATE 53	DD-134
RAKEDW54	CHIS2003 RAKED WEIGHT - REPLICATE 54	DD-134
RAKEDW55	CHIS2003 RAKED WEIGHT - REPLICATE 55	DD-134
RAKEDW56	CHIS2003 RAKED WEIGHT - REPLICATE 56	DD-135
RAKEDW57	CHIS2003 RAKED WEIGHT - REPLICATE 57	DD-135
RAKEDW58	CHIS2003 RAKED WEIGHT - REPLICATE 58	DD-135
RAKEDW59	CHIS2003 RAKED WEIGHT - REPLICATE 59	DD-136
RAKEDW6	CHIS2003 RAKED WEIGHT - REPLICATE 6	DD-118
RAKEDW60	CHIS2003 RAKED WEIGHT - REPLICATE 60	DD-136
RAKEDW61	CHIS2003 RAKED WEIGHT - REPLICATE 61	DD-136
RAKEDW62	CHIS2003 RAKED WEIGHT - REPLICATE 62	DD-137
RAKEDW63	CHIS2003 RAKED WEIGHT - REPLICATE 63	DD-137
RAKEDW64	CHIS2003 RAKED WEIGHT - REPLICATE 64	DD-137
RAKEDW65	CHIS2003 RAKED WEIGHT - REPLICATE 65	DD-138
RAKEDW66	CHIS2003 RAKED WEIGHT - REPLICATE 66	DD-138
RAKEDW67	CHIS2003 RAKED WEIGHT - REPLICATE 67	DD-138
RAKEDW68	CHIS2003 RAKED WEIGHT - REPLICATE 68	DD-139
RAKEDW69	CHIS2003 RAKED WEIGHT - REPLICATE 69	DD-139
RAKEDW7	CHIS2003 RAKED WEIGHT - REPLICATE 7	DD-118
RAKEDW70	CHIS2003 RAKED WEIGHT - REPLICATE 70	DD-139

RAKEDW71	CHIS2003 RAKED WEIGHT - REPLICATE 71	DD-140
RAKEDW72	CHIS2003 RAKED WEIGHT - REPLICATE 72	DD-140
RAKEDW73	CHIS2003 RAKED WEIGHT - REPLICATE 73	DD-140
RAKEDW74	CHIS2003 RAKED WEIGHT - REPLICATE 74	DD-141
RAKEDW75	CHIS2003 RAKED WEIGHT - REPLICATE 75	DD-141
RAKEDW76	CHIS2003 RAKED WEIGHT - REPLICATE 76	DD-141
RAKEDW77	CHIS2003 RAKED WEIGHT - REPLICATE 77	DD-142
RAKEDW78	CHIS2003 RAKED WEIGHT - REPLICATE 78	DD-142
RAKEDW79	CHIS2003 RAKED WEIGHT - REPLICATE 79	DD-142
RAKEDW8	CHIS2003 RAKED WEIGHT - REPLICATE 8	DD-119
RAKEDW80	CHIS2003 RAKED WEIGHT - REPLICATE 80	DD-143
RAKEDW9	CHIS2003 RAKED WEIGHT - REPLICATE 9	DD-119
RSN_NOHF	REASONS FOR THE UNINSURED NOT HAVING HEALTHY FAMILIES	DD-96
RSN_NOMC	REASONS FOR THE UNINSURED NOT HAVING MEDI-CAL	DD-95
RSN_UNIN	REASON CHILD IS UNINSURED	DD-97
SECTION A	DEMOGRAPHIC HEALTH AND CONDITIONS, PART 1	DD-8
SECTION B	INJURIES AND PREVENTION	DD-28
SECTION C	DENTAL AND HEALTH BEHAVIORS	DD-35
SECTION D	ACCESS AND UTILIZATION	DD-46
SECTION E	DELAYS IN CARE AND PUBLIC PROGRAM PARTICIPATION	DD-54
SECTION F	CHILD CARE PARENTING AND NEIGHBORHOOD CONTEXT	DD-58
SECTION G	DEMOGRAPHIC HEALTH AND CONDITIONS, PART2	DD-76
SECTION H	HEALTH INSURANCE	DD-94
SECTION I	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC LOCATION	DD-113
SECTION J	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-116
SECTION S	SCREENING INFORMATION	DD-1
SPEC	PLAN REQUIRES APPROVAL TO SEE SPECIALIST	DD-100
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-78
SRAGE_P	AGE (PUF RECODE)	DD-8
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-78
SRAS	SELF-REPORTED ASIAN	DD-78
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-83
SRCH	SELF-REPORTED CHINESE	DD-82
SRH	SELF-REPORTED LATINO/HISPANIC	DD-76
SRH_A	ADULT SELF-REPORTED LATINO/HISPANIC	DD-6
SRKR	SELF-REPORTED KOREAN	DD-81
SRO	SELF-REPORTED OTHER RACE	DD-79
SRO2	SELF-REPORTED 2ND OTHER RACE	DD-79
SRPH	SELF-REPORTED FILIPINO	DD-81
SRPI	SELF-REPORTED PI AND NTV HW	DD-77
SRSEX	GENDER	DD-8
SRSEX_A	ADULT GENDER	DD-6
SRTENR	SELF-REPORTED HOUSE TENURE	DD-7
SRVT	SELF-REPORTED VIETNAMESE	DD-82
SRW	SELF-REPORTED WHITE	DD-79
TC_INJN	# OF TIMES SERIOUSLY INJURED	DD-29
UNINSANY	UNINSURED IN PAST 12 MOS	DD-110
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-113
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-113
UR_IHS	RURAL AND URBAN - IHS	DD-114
UR_OMB	RURAL AND URBAN - OMB	DD-114
UR_RHP	RURAL AND URBAN - RHP	DD-114

USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-48
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-47
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-47
WGHTK_P	WGHT - KILOGRAMS (PUF RECODE)	DD-13
WGHTP_P	WGHT - POUNDS (PUF RECODE)	DD-12
YRUS	YEARS LIVED IN THE US	DD-87
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-90
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-88

B. Listing by Location in CHIS 2003 Child Questionnaire, Version 6.0

LISTING BY LOCATION IN CHIS 2003 CHILD QUESTIONNAIRE, VERSION 6.0		
VARIABLE NAME	DESCRIPTION	PAGE NUMBER
SECTION S	SCREENING INFORMATION	DD-1
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
HHCRWD	HOUSEHOLD CROWDING	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-3
PUF_ID	PUBLIC USE FILE ID	DD-4
RACECN_A	RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION	DD-4
RACEDO_A	RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION	DD-5
RACEHP_A	RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION	DD-5
SRH_A	ADULT SELF-REPORTED LATINO/HISPANIC	DD-6
SRSEX_A	ADULT GENDER	DD-6
SRTENR	SELF-REPORTED HOUSE TENURE	DD-7
INTVLANG	LANGUAGE OF INTERVIEW	DD-7
SECTION A	DEMOGRAPHIC HEALTH AND CONDITIONS, PART 1	DD-8
SRSEX	GENDER	DD-8
SRAGE_P	AGE (PUF RECODE)	DD-8
BIRTHWP	WGHT AT BIRTH - POUNDS	DD-9
BIRTHWK	WGHT AT BIRTH - KILOGRAMS	DD-9
CA14	EVER BREASTFED OR FED BREAST MILK	DD-10
BRSTFD	AGE IN MOS WHEN STOPPED BREASTFEEDING (PUF RECODE)	DD-10
CA16	AGE WHEN STARTED SOLID FOODS	DD-11
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-11
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-12
WGHTP_P	WGHT - POUNDS (PUF RECODE)	DD-12
WGHTK_P	WGHT - KILOGRAMS (PUF RECODE)	DD-13
CA6	GENERAL HEALTH CONDITION	DD-13
CA17	CURRENTLY NEEDS OR USES PRESCRIPTION MEDICINE	DD-14
CA18	NEEDS PRESCRIPTION MEDICINE FOR HEALTH CONDITION	DD-14
CA19	HEALTH CONDITION REQUIRING PRESCRIPTION LASTED 12 MOS OR MORE	DD-15
CA20	NEEDS MORE MEDICAL CARE THAN USUAL FOR AGE	DD-15
CA21	NEEDS MEDICAL CARE FOR HEALTH CONDITION	DD-16
CA22	HEALTH CONDITION REQUIRING MEDICAL CARE LASTED 12 MOS OR MORE	DD-16
CA23	NEEDS OR GETS SPECIAL THERAPY	DD-17
CA24	NEEDS THERAPY FOR HEALTH CONDITION	DD-17
CA25	HEALTH CONDITION REQUIRING SPECIAL THERAPY LASTED 12+ MOS	DD-18
CA7	LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS	DD-18
CA26	LIMITATION BECAUSE OF HEALTH CONDITION	DD-19
CA27	LIMITATION LAST 12 MOS OR MORE	DD-19

CA28	HAS PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR NEEDING TREATMENT	DD-20
CA29	PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR LASTED 12 MOS OR MORE	DD-20
CA11	DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD	DD-21
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-21
CA30	CHILD AGE WHEN TOLD BY DOCTOR CHILD HAS ASTHMA	DD-22
CA31	STILL HAS ASTHMA	DD-22
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-23
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-23
ASTYR	'ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-24
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-24
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-25
CA34	# OF DAYS MISSED SCHOOL BECAUSE ASTHMA IN PAST 12 MOS	DD-25
CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-26
CA36	WHEEZING/WHISTLING SOUND IN CHEST IN PAST 12 MOS	DD-26
CA37	# OF WHEEZING/WHISTLING ATTACKS IN PAST 12 MOS	DD-27
CA38	# OF TIMES SOUGHT HELP FOR BREATHING PROBLEM IN PAST 12 MOS	DD-27
CA39	DAYS MISSED SCHOOL FOR BREATHING PROBLEM IN PAST 12 MOS	DD-28
SECTION B	INJURIES AND PREVENTION	DD-28
CB1	INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS	DD-28
TC_INJN	# OF TIMES SERIOUSLY INJURED	DD-29
INJCA	CAUSE OF INJURY	DD-29
CB5	REDUCED PHYSICAL ACTIVITY BECAUSE OF SERIOUS INJURY	DD-30
CB6	RIDDEN A BIKE IN PAST YEAR	DD-30
CB7	FREQUENCY OF WEARING HELMET WHEN RIDING BICYCLE	DD-31
HELMET	HOW OFTEN WEARS A HELMET WHEN RIDING A BICYCLE	DD-31
HELMUSE	WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS	DD-32
CB10	BABY GATES, WINDOW GUARDS, OTHER BARRIERS FOR CHILD SAFETY	DD-32
CB11	LOCKS, SAFETY LATCH ON CABINETS WITH CLEANING SUPPLIES	DD-33
CB12	PADDING AROUND SHARP EDGES OF FURNITURE	DD-33
CB13	COVERED ELECTRICAL OUTLETS	DD-34
CB14	TURNED DOWN TEMPERATURE OF HOT WATER HEATER	DD-34
SECTION C	DENTAL AND HEALTH BEHAVIORS	DD-35
CC1	CHILD HAS ANY TEETH	DD-35
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-35
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-36
CC16	CHILD HAS USUAL DENTIST	DD-36
CC17	COULDN'T AFFORD NEEDED DENTAL CARE IN PAST 12 MOS	DD-37
CC6	REASON FOR LAST DENTAL VISIT	DD-37
CC18	MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS	DD-38
CC19	DAYS MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS	DD-38
CC7A	HAS INS THAT PAYS FOR CHILD'S DENTAL CARE	DD-39

CC7ANEW	DENTAL CARE EDITED FOR MEDICAL/HF	DD-39
CC21	MEDI-CAL COVERS DENTAL CARE FOR CHILD	DD-40
CC22	HEALTHY FAMILIES PROGRAM COVERS DENTAL CARE FOR CHILD	DD-40
CC11	# OF SERVINGS OF MILK CHILD DRANK YESTERDAY	DD-41
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK CHILD DRANK YESTERDAY	DD-41
CC10	# OF SERVINGS OF 100% FRUIT JUICE CHILD DRANK YESTERDAY	DD-42
CC13	# OF SERVINGS OF FRUIT CHILD HAD YESTERDAY	DD-42
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATOE CHILD HAD YESTERDAY	DD-43
CC15	# OF SERVINGS OF VEGETABLES CHILD HAD YESTERDAY	DD-43
FV5DAY	CHILDREN EATING 'FIVE-A-DAY' FRUITS AND VEGETABLES PAST 24 HRS	DD-44
CC23	# OF TIMES ATE FAST-FOOD YESTERDAY	DD-44
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-45
CC25	PHYSICAL ACTIVITY LEVEL COMPARED TO OTHER SAME AGE CHILDREN	DD-45
CC26	# OF DAYS PLAYED ACTIVE ENOUGH TO BREATHE HARD IN PAST WEEK	DD-46
SECTION D	ACCESS AND UTILIZATION	DD-46
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-46
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-47
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-47
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-48
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-48
CD24	CHILD HAS PERSONAL DOCTOR OR NURSE	DD-49
DOCT_YR	CHILDREN VISITED DOCTOR DURING PAST 12 MOS	DD-49
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-50
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-50
CD25	HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME	DD-51
CD26	DOCTOR SPOKE A DIFFERENT LANGUAGE	DD-51
CD27	NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR	DD-52
CD28	WHO HELPED TO UNDERSTAND DOCTOR	DD-52
CD8	RECVD REMINDERS FROM DOCTOR OR CLINIC ABOUT CHILD'S SHOTS	DD-53
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-53
SECTION E	DELAYS IN CARE AND PUBLIC PROGRAM PARTICIPATION	DD-54
CE1	DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-54
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-54
CE2AST	PRESCRIPTION RELATED TO ASTHMA	DD-55
CE7	DELAYED OR DID NOT GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-55
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-56
CE8AST	DELAYED/DID NOT GET MEDICAL CARE CHILD NEEDED IN PAST 12 MOS	DD-56
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-57
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-57
CE11C	CHILD CURRENTLY ON WIC	DD-58

SECTION F	CHILD CARE PARENTING AND NEIGHBORHOOD CONTEXT	DD-58
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-58
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-59
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-59
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM	DD-60
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-60
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-61
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-61
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-62
CG3RC	TYPE OF CHILDCARE	DD-62
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-63
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-63
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-64
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-64
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-65
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-65
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-66
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-66
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-67
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-67
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-68
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-68
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-69
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-69
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-70
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-70
CG26	CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-71
CG27	CONCERN ABOUT HOW CHILD LEARNING PRESCHOOL OR SCHOOL SKILLS	DD-71
CG28	CHILD IS GENERALLY OBEDIENT	DD-72
CG29	CHILD OFTEN SEEMS WORRIED	DD-72
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-73
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-73
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-74
CG33	ADULTS IN NEIGHBORHOOD THAT CHILDREN LOOK UP TO	DD-74
CG34	ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN	DD-75
CG35	ADULTS IN NEIGHBORHOOD KNOW LOCAL CHILDREN	DD-75
CG36	FREQUENCY OF VISITS WITH PEOPLE IN NEIGHBORHOOD	DD-76
SECTION G	DEMOGRAPHIC HEALTH AND CONDITIONS, PART2	DD-76
SRH	SELF-REPORTED LATINO/HISPANIC	DD-76
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-77

SRPI	SELF-REPORTED PI AND NTV HW	DD-77
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-78
SRAS	SELF-REPORTED ASIAN	DD-78
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-78
SRW	SELF-REPORTED WHITE	DD-79
SRO	SELF-REPORTED OTHER RACE	DD-79
SRO2	SELF-REPORTED 2ND OTHER RACE	DD-79
CATRIBE	CALIFORNIA TRIBE	DD-80
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-80
SRPH	SELF-REPORTED FILIPINO	DD-81
FILIPINO	FILIPINO	DD-81
SRKR	SELF-REPORTED KOREAN	DD-81
SRCH	SELF-REPORTED CHINESE	DD-82
CHINESE	CHINESE	DD-82
SRVT	SELF-REPORTED VIETNAMESE	DD-82
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-83
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-83
ASNHR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-84
RACECN_P	RACE - CENSUS 2000 DEFINITION	DD-84
RACEDO_P	RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)	DD-85
RACEHP_P	RACE- UCLA CHPR DEFINITION (PUF RECODE)	DD-85
CNTRYS	COUNTRY BORN IN	DD-86
CITIZEN2	CITIZENSHIP AND IMMIGRATION STATUS (3 LVLS)	DD-86
YRUS	YEARS LIVED IN THE US	DD-87
CNTRYM	COUNTRY MOTHER BORN IN	DD-87
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-88
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-88
CNTRYF	COUNTRY FATHER BORN IN	DD-89
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-89
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-90
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-91
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-92
CHEDUCA	EDUCATION OF ADULT RESPONDENT	DD-92
CH24	ANOTHER ADULT IN HOUSEHOLD RESPONSIBLE FOR CHILD	DD-93
CHEDUCA1	EDUCATION: OTHER RESPONSIBLE ADULT (1)	DD-93
SECTION H	HEALTH INSURANCE	DD-94
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-94
MA1	CHILD HAS SAME INS AS SPOUSE	DD-94
RSN_NOMC	REASONS FOR THE UNINSURED NOT HAVING MEDI-CAL	DD-95
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-96
RSN_NOHF	REASONS FOR THE UNINSURED NOT HAVING HEALTHY FAMILIES	DD-96
RSN_UNIN	REASON CHILD IS UNINSURED	DD-97
CF11	CHILD'S HEALTH PLAN REQUIRES PRIMARY DOCTOR/CLINIC	DD-98
MANAGE	MANAGED CARE	DD-98
MD	MUST SIGN UP W/ PRIMARY CARE DOCTOR, GROUP, OR CLINIC	DD-99
CF12	CHILD'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALISTS	DD-99
SPEC	PLAN REQUIRES APPROVAL TO SEE SPECIALIST	DD-100
MA2_P	NAME OF CHILD'S MAIN HEALTH PLAN (PUF RECODE)	DD-100

MA3	CHILD'S HEALTH PLAN IS HMO	DD-101
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-101
CF14NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-102
CF15	COVERED FOR EYE EXAMS	DD-102
CF15NEW	EYE EXAM COVERAGE EDITED FOR MEDICAL/HF	DD-103
CF16	COVERED FOR GLASSES	DD-103
CF16NEW	EYE GLASSES COVERAGE EDITED FOR MEDICAL/HF	DD-104
MA4	RATING OF CHILD'S HEALTH CARE IN PAST 12 MOS	DD-104
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-105
INS	CURRENTLY INSURED	DD-105
INS12M	MOS COVERED BY HEALTH INS IN PAST 12 MOS	DD-106
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-106
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-107
INSANY	ANY INS IN LAST 12 MOS	DD-107
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-108
INSHF	COVERED BY HEALTHY FAMILIES	DD-108
INSTYPE	INSURANCE TYPE	DD-109
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-109
UNINSANY	UNINSURED IN PAST 12 MOS	DD-110
INSMD	COVERED BY MEDI-CAL	DD-110
INSOG	COVERED BY SOME OTHER GOVT PLANS	DD-111
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-111
ELIGPRG3	UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS	DD-112
FAMT4	FAMILY TYPE (4 LVLS)	DD-112
SECTION I	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC LOCATION	DD-113
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-113
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-113
UR_IHS	RURAL AND URBAN - IHS	DD-114
UR_OMB	RURAL AND URBAN - OMB	DD-114
UR_RHP	RURAL AND URBAN - RHP	DD-114
POVLL	POVERTY LEVEL	DD-115
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-115
SECTION J	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-116
RAKEDW0	CHIS2003 RAKED WEIGHT - FULL SAMPLE	DD-116
RAKEDW1	CHIS2003 RAKED WEIGHT - REPLICATE 1	DD-116
RAKEDW2	CHIS2003 RAKED WEIGHT - REPLICATE 2	DD-117
RAKEDW3	CHIS2003 RAKED WEIGHT - REPLICATE 3	DD-117
RAKEDW4	CHIS2003 RAKED WEIGHT - REPLICATE 4	DD-117
RAKEDW5	CHIS2003 RAKED WEIGHT - REPLICATE 5	DD-118
RAKEDW6	CHIS2003 RAKED WEIGHT - REPLICATE 6	DD-118
RAKEDW7	CHIS2003 RAKED WEIGHT - REPLICATE 7	DD-118
RAKEDW8	CHIS2003 RAKED WEIGHT - REPLICATE 8	DD-119
RAKEDW9	CHIS2003 RAKED WEIGHT - REPLICATE 9	DD-119
RAKEDW10	CHIS2003 RAKED WEIGHT - REPLICATE 10	DD-119
RAKEDW11	CHIS2003 RAKED WEIGHT - REPLICATE 11	DD-120
RAKEDW12	CHIS2003 RAKED WEIGHT - REPLICATE 12	DD-120
RAKEDW13	CHIS2003 RAKED WEIGHT - REPLICATE 13	DD-120
RAKEDW14	CHIS2003 RAKED WEIGHT - REPLICATE 14	DD-121
RAKEDW15	CHIS2003 RAKED WEIGHT - REPLICATE 15	DD-121
RAKEDW16	CHIS2003 RAKED WEIGHT - REPLICATE 16	DD-121
RAKEDW17	CHIS2003 RAKED WEIGHT - REPLICATE 17	DD-122
RAKEDW18	CHIS2003 RAKED WEIGHT - REPLICATE 18	DD-122

RAKEDW19	CHIS2003 RAKED WEIGHT - REPLICATE 19	DD-122
RAKEDW20	CHIS2003 RAKED WEIGHT - REPLICATE 20	DD-123
RAKEDW21	CHIS2003 RAKED WEIGHT - REPLICATE 21	DD-123
RAKEDW22	CHIS2003 RAKED WEIGHT - REPLICATE 22	DD-123
RAKEDW23	CHIS2003 RAKED WEIGHT - REPLICATE 23	DD-124
RAKEDW24	CHIS2003 RAKED WEIGHT - REPLICATE 24	DD-124
RAKEDW25	CHIS2003 RAKED WEIGHT - REPLICATE 25	DD-124
RAKEDW26	CHIS2003 RAKED WEIGHT - REPLICATE 26	DD-125
RAKEDW27	CHIS2003 RAKED WEIGHT - REPLICATE 27	DD-125
RAKEDW28	CHIS2003 RAKED WEIGHT - REPLICATE 28	DD-125
RAKEDW29	CHIS2003 RAKED WEIGHT - REPLICATE 29	DD-126
RAKEDW30	CHIS2003 RAKED WEIGHT - REPLICATE 30	DD-126
RAKEDW31	CHIS2003 RAKED WEIGHT - REPLICATE 31	DD-126
RAKEDW32	CHIS2003 RAKED WEIGHT - REPLICATE 32	DD-127
RAKEDW33	CHIS2003 RAKED WEIGHT - REPLICATE 33	DD-127
RAKEDW34	CHIS2003 RAKED WEIGHT - REPLICATE 34	DD-127
RAKEDW35	CHIS2003 RAKED WEIGHT - REPLICATE 35	DD-128
RAKEDW36	CHIS2003 RAKED WEIGHT - REPLICATE 36	DD-128
RAKEDW37	CHIS2003 RAKED WEIGHT - REPLICATE 37	DD-128
RAKEDW38	CHIS2003 RAKED WEIGHT - REPLICATE 38	DD-129
RAKEDW39	CHIS2003 RAKED WEIGHT - REPLICATE 39	DD-129
RAKEDW40	CHIS2003 RAKED WEIGHT - REPLICATE 40	DD-129
RAKEDW41	CHIS2003 RAKED WEIGHT - REPLICATE 41	DD-130
RAKEDW42	CHIS2003 RAKED WEIGHT - REPLICATE 42	DD-130
RAKEDW43	CHIS2003 RAKED WEIGHT - REPLICATE 43	DD-130
RAKEDW44	CHIS2003 RAKED WEIGHT - REPLICATE 44	DD-131
RAKEDW45	CHIS2003 RAKED WEIGHT - REPLICATE 45	DD-131
RAKEDW46	CHIS2003 RAKED WEIGHT - REPLICATE 46	DD-131
RAKEDW47	CHIS2003 RAKED WEIGHT - REPLICATE 47	DD-132
RAKEDW48	CHIS2003 RAKED WEIGHT - REPLICATE 48	DD-132
RAKEDW49	CHIS2003 RAKED WEIGHT - REPLICATE 49	DD-132
RAKEDW50	CHIS2003 RAKED WEIGHT - REPLICATE 50	DD-133
RAKEDW51	CHIS2003 RAKED WEIGHT - REPLICATE 51	DD-133
RAKEDW52	CHIS2003 RAKED WEIGHT - REPLICATE 52	DD-133
RAKEDW53	CHIS2003 RAKED WEIGHT - REPLICATE 53	DD-134
RAKEDW54	CHIS2003 RAKED WEIGHT - REPLICATE 54	DD-134
RAKEDW55	CHIS2003 RAKED WEIGHT - REPLICATE 55	DD-134
RAKEDW56	CHIS2003 RAKED WEIGHT - REPLICATE 56	DD-135
RAKEDW57	CHIS2003 RAKED WEIGHT - REPLICATE 57	DD-135
RAKEDW58	CHIS2003 RAKED WEIGHT - REPLICATE 58	DD-135
RAKEDW59	CHIS2003 RAKED WEIGHT - REPLICATE 59	DD-136
RAKEDW60	CHIS2003 RAKED WEIGHT - REPLICATE 60	DD-136
RAKEDW61	CHIS2003 RAKED WEIGHT - REPLICATE 61	DD-136
RAKEDW62	CHIS2003 RAKED WEIGHT - REPLICATE 62	DD-137
RAKEDW63	CHIS2003 RAKED WEIGHT - REPLICATE 63	DD-137
RAKEDW64	CHIS2003 RAKED WEIGHT - REPLICATE 64	DD-137
RAKEDW65	CHIS2003 RAKED WEIGHT - REPLICATE 65	DD-138
RAKEDW66	CHIS2003 RAKED WEIGHT - REPLICATE 66	DD-138
RAKEDW67	CHIS2003 RAKED WEIGHT - REPLICATE 67	DD-138
RAKEDW68	CHIS2003 RAKED WEIGHT - REPLICATE 68	DD-139
RAKEDW69	CHIS2003 RAKED WEIGHT - REPLICATE 69	DD-139
RAKEDW70	CHIS2003 RAKED WEIGHT - REPLICATE 70	DD-139
RAKEDW71	CHIS2003 RAKED WEIGHT - REPLICATE 71	DD-140
RAKEDW72	CHIS2003 RAKED WEIGHT - REPLICATE 72	DD-140

RAKEDW73	CHIS2003 RAKED WEIGHT - REPLICATE 73	DD-140
RAKEDW74	CHIS2003 RAKED WEIGHT - REPLICATE 74	DD-141
RAKEDW75	CHIS2003 RAKED WEIGHT - REPLICATE 75	DD-141
RAKEDW76	CHIS2003 RAKED WEIGHT - REPLICATE 76	DD-141
RAKEDW77	CHIS2003 RAKED WEIGHT - REPLICATE 77	DD-142
RAKEDW78	CHIS2003 RAKED WEIGHT - REPLICATE 78	DD-142
RAKEDW79	CHIS2003 RAKED WEIGHT - REPLICATE 79	DD-142
RAKEDW80	CHIS2003 RAKED WEIGHT - REPLICATE 80	DD-143

5. Data Dictionary

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section S: Screening Information

VARNAME: AGEGRP_A QNAME03: QPAGENUM:
QNAME01:

LABEL: AGE GROUP FOR ADULT

VALUE:			FREQ	%
1	<30		1533	17.98
2	30-39		3785	44.39
3	40-49		2662	31.22
4	50-59		452	5.30
5	60+		94	1.10

UNIVERSE: ALL CHILDREN

INPUT VAR: SRAGE OF ADULT

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: AHEDUC QNAME03: QPAGENUM:
 QNAME01: QNAME01:

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	759	8.90
2	GRADE 9-11	710	8.33
3	GRADE 12 / H.S. DIPLOMA	1932	22.66
4	SOME COLLEGE	1268	14.87
5	VOCATIONAL SCHOOL	263	3.08
6	AA OR AS DEGREE	656	7.69
7	BA OR BS DEGREE	1754	20.57
8	SOME GRAD. SCHOOL	101	1.18
9	MA OR MS DEGREE	764	8.96
10	PH.D. OR EQUIVALENT	258	3.03
91	NO FORMAL EDUCATION	61	0.72

UNIVERSE: ALL CHILDREN

INPUT VAR: AH47

NOTES:

 VARNAME: HHCRWD QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD CROWDING

VALUE:		FREQ	%
1	CROWDED	2903	34.05
2	NOT CROWDED	5623	65.95

UNIVERSE: ALL CHILDREN

INPUT VAR: HH_SIZE AK24

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: HHSIZE_P QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS

N	8526
MIN	2
MAX	7
MEAN	4.22

UNIVERSE: ALL CHILDREN

INPUT VAR: TOPCODE OF HH_SIZE

NOTES:

VARNAME: HHSMK QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: HOUSEHOLD SMOKING

VALUE:		FREQ	%
1	NONE	8134	95.40
2	SOMEDAYS	168	1.97
3	EVERY DAY	224	2.63

UNIVERSE: ALL CHILDREN

INPUT VAR: AD33 AD34

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: PUF_ID QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: PUBLIC USE FILE ID

VALUE: 0-HIGH PERSON # FREQ %
8526 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RACECN_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:CENSUS 2000 DEFINITION

VALUE:		FREQ	%
1	AIAN	234	2.74
2	ASIAN	803	9.42
3	AFRICAN AMERICAN	483	5.67
4	WHITE	5041	59.13
5	PI/OTHER SINGLE RACE	1693	19.86
6	MORE THAN ONE RACE	272	3.19

UNIVERSE: ALL CHILDREN

INPUT VAR: ADULT RACECEN

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACEDO_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:DEPARTMENT OF FINANCE DEFINITION

VALUE:		FREQ	%
1	LATINO	2939	34.47
2	NON-LATINO AIAN	62	0.73
3	NON-LATINO ASIAN	784	9.20
4	NON-LATINO AFR. AMER.	461	5.41
5	NON-LATINO WHITE	4038	47.36
6	NON-LATINO PI/OTH. ONE RACE	37	0.43
7	NON-LATINO TWO+ RACES	205	2.40

UNIVERSE: ALL CHILDREN

INPUT VAR: ADULT RACEDOF

NOTES:

VARNAME: RACEHP_A QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE OF ADULT RESPONDENT:UCLA CHPR DEFINITION

VALUE:		FREQ	%
1	LATINO	2573	30.18
2	AIAN	118	1.38
3	ASIAN	807	9.47
4	AFRICAN AMERICAN	492	5.77
5	WHITE	4302	50.46
6	PI/OTHER SINGLE/MULTIPLE RACE	234	2.74

UNIVERSE: ALL CHILDREN

INPUT VAR: ADULT RACEHPR

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: SRH_A QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: ADULT SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		2939	34.47
2	NO		5587	65.53

UNIVERSE: ALL CHILDREN

INPUT VAR: SRH OF ADULT

NOTES:

VARNAME: SRSEX_A QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: ADULT GENDER

VALUE:			FREQ	%
1	MALE		3212	37.67
2	FEMALE		5314	62.33

UNIVERSE: ALL CHILDREN

INPUT VAR: SRSEX OF ADULT

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: SRTENR QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED HOUSE TENURE

VALUE:		FREQ	%
1	RENT	4990	58.53
2	OWN	3329	39.05
3	OTHER ARRANGEMENT	207	2.43

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: INTVLANG QNAME03: NA QPAGENUM: NA
 QNAME01: INTVLANG QNAME01: INTVLANG

LABEL: LANGUAGE OF INTERVIEW

VALUE:		FREQ	%
1	ENGLISH	6695	78.52
2	SPANISH	1595	18.71
3	VIETNAMESE	82	0.96
4	KOREAN	73	0.86
5	CANTONESE	42	0.49
6	MANDARIN	39	0.46

UNIVERSE: ALL CHILDREN

INPUT VAR: ENGLSPAN

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section A: Demographic Health and Conditions, Part 1

VARNAME: SRSEX QNAME03: NA QPAGENUM: NA
QNAME01: SRSEX QNAME01: SRSEX

LABEL: GENDER

VALUE:			FREQ	%
1	MALE		4259	49.95
2	FEMALE		4267	50.05

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAGE_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS	
N	8526
MIN	0
MAX	11
MEAN	5.76

UNIVERSE: ALL CHILDREN

INPUT VAR: TOPCODE OF SRAGE

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: BIRTHWP QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: WGHT AT BIRTH - POUNDS

MEAN STATISTICS

N	8526
MIN	2
MAX	11
MEAN	7.19

UNIVERSE: ALL CHILDREN

INPUT VAR: CA13P CA13O CA13K CA13G

NOTES:

VARNAME: BIRTHWK QNAME03: QPAGENUM:

QNAME01: QNAME01:

LABEL: WGHT AT BIRTH - KILOGRAMS

MEAN STATISTICS

N	8526
MIN	1
MAX	5
MEAN	3.26

UNIVERSE: ALL CHILDREN

INPUT VAR: CA13P CA13O CA13K CA13G

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA14 QNAME03: QC03_5 QPAGENUM: C-1
QNAME01: NA QNAME01: NA

LABEL: EVER BREASTFED OR FED BREAST MILK

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	2341	27.46
2	NO	352	4.13

UNIVERSE: CHILDREN 3 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: BRSTFD QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: AGE IN MOS WHEN STOPPED BREASTFEEDING (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE--AGE>3 YRS	6185	72.54
1	0-1 MONTH	278	3.26
2	1.1-3 MONTH	326	3.82
3	3.1-6 MONTH	398	4.67
4	6.1-9 MONTH	262	3.07
5	9.1-12 MONTH	329	3.86
6	12.1-18 MONTH	185	2.17
7	>18 MONTH	111	1.30
93	STILL BREASTFEEDING	452	5.30

UNIVERSE: CHILDREN 3 OR YOUNGER WHO WERE BREASTFED

INPUT VAR: CA15UNT CA15NUM

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA16 QNAME03: QC03_7 QPAGENUM: C-2

QNAME01: NA QNAME01: NA

LABEL: AGE WHEN STARTED SOLID FOODS

MEAN STATISTICS

N	2693
MIN	1
MAX	93
MEAN	12.14

UNIVERSE: CHILDREN 3 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: HGHTI_P QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

MEAN STATISTICS

N	6883
MIN	9
MAX	65
MEAN	44.13

UNIVERSE: ALL CHILDREN

INPUT VAR: TOPCODE OF HGHTI

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: WGHTK_P QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: WGHT - KILOGRAMS (PUF RECODE)

MEAN STATISTICS

N	8151
MIN	3
MAX	79
MEAN	24.61

UNIVERSE: ALL CHILDREN

INPUT VAR: TOPCODE OF WGHTK

NOTES:

VARNAME: CA6 QNAME03: QC03_10 QPAGENUM: C-2
 QNAME01: CA6 QNAME01: CA6

LABEL: GENERAL HEALTH CONDITION

VALUE:		FREQ	%
1	EXCELLENT	4222	49.52
2	VERY GOOD	2124	24.91
3	GOOD	1623	19.04
4	FAIR	500	5.86
5	POOR	57	0.67

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA17 QNAME03: QC03_11 QPAGENUM: C-2

QNAME01: NA QNAME01: NA

LABEL: CURRENTLY NEEDS OR USES PRESCRIPTION MEDICINE

VALUE:		FREQ	%
1	YES	1343	15.75
2	NO	7183	84.25

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CA18 QNAME03: QC03_12 QPAGENUM: C-3

QNAME01: NA QNAME01: NA

LABEL: NEEDS PRESCRIPTION MEDICINE FOR HEALTH CONDITION

VALUE:		FREQ	%
-1	INAPPLICABLE	7183	84.25
1	YES	1180	13.84
2	NO	163	1.91

UNIVERSE: CHILDREN WHO NEED OR USE PRESCRIPTION MEDICATION

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA19 QNAME03: QC03_13 QPAGENUM: C-3

QNAME01: NA QNAME01: NA

LABEL: HEALTH CONDITION REQUIRING PRESCRIPTION LASTED 12 MOS OR MORE

VALUE:		FREQ	%
-1	INAPPLICABLE	7346	86.16
1	YES	902	10.58
2	NO	278	3.26

UNIVERSE: CHILDREN WHO NEED PRESCRIPTION MEDICATION BECAUSE OF A HEALTH CONDITION

INPUT VAR:

NOTES:

VARNAME: CA20 QNAME03: QC03_14 QPAGENUM: C-3

QNAME01: NA QNAME01: NA

LABEL: NEEDS MORE MEDICAL CARE THAN USUAL FOR AGE

VALUE:		FREQ	%
1	YES	1012	11.87
2	NO	7514	88.13

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA21 QNAME03: QC03_15 QPAGENUM: C-3
 QNAME01: NA QNAME01: NA

LABEL: NEEDS MEDICAL CARE FOR HEALTH CONDITION

VALUE:		FREQ	%
-1	INAPPLICABLE	7514	88.13
1	YES	798	9.36
2	NO	214	2.51

UNIVERSE: CHILDREN WHO NEED OR USE MORE MEDICAL CARE THAN USUAL FOR HIS/HER AGE

INPUT VAR:

NOTES:

 VARNAME: CA22 QNAME03: QC03_16 QPAGENUM: C-3
 QNAME01: NA QNAME01: NA

LABEL: HEALTH CONDITION REQUIRING MEDICAL CARE LASTED 12 MOS OR MORE

VALUE:		FREQ	%
-1	INAPPLICABLE	7728	90.64
1	YES	719	8.43
2	NO	79	0.93

UNIVERSE: CHILDREN WHO NEED OR USE MORE MEDICAL CARE THAN USUAL FOR HIS/HER AGE BECAUSE OF A HEALTH CONDITION

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA23 QNAME03: QC03_17 QPAGENUM: C-3
 QNAME01: NA QNAME01: NA

LABEL: NEEDS OR GETS SPECIAL THERAPY

VALUE:		FREQ	%
1	YES	513	6.02
2	NO	8013	93.98

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: CA24 QNAME03: QC03_18 QPAGENUM: C-3
 QNAME01: NA QNAME01: NA

LABEL: NEEDS THERAPY FOR HEALTH CONDITION

VALUE:		FREQ	%
-1	INAPPLICABLE	8013	93.98
1	YES	308	3.61
2	NO	205	2.40

UNIVERSE: CHILDREN WHO NEED OR GET SPECIAL THERAPY

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA25 QNAME03: QC03_19 QPAGENUM: C-3
 QNAME01: NA QNAME01: NA

LABEL: HEALTH CONDITION REQUIRING SPECIAL THERAPY LASTED 12+ MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	8218	96.39
1	YES	289	3.39
2	NO	19	0.22

UNIVERSE: CHILDREN WHO NEED OR GET SPECIAL THERAPY BECAUSE OF A HEALTH
CONDITION

INPUT VAR:

NOTES:

 VARNAME: CA7 QNAME03: QC03_20 QPAGENUM: C-4
 QNAME01: CA7 QNAME01: CA7

LABEL: LIMITED IN ABILITY TO DO AGE-APPROPRIATE THINGS

VALUE:		FREQ	%
1	YES	400	4.69
2	NO	8126	95.31

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA26 QNAME03: QC03_21 QPAGENUM: C-4
QNAME01: NA QNAME01: NA

LABEL: LIMITATION BECAUSE OF HEALTH CONDITION

VALUE:			FREQ	%
-1	INAPPLICABLE		8126	95.31
1	YES		331	3.88
2	NO		69	0.81

UNIVERSE: CHILDREN WITH LIMITED ABILITY TO DO THINGS FOR HIS/HER AGE

INPUT VAR:

NOTES:

VARNAME: CA27 QNAME03: QC03_22 QPAGENUM: C-4
QNAME01: NA QNAME01: NA

LABEL: LIMITATION LAST 12 MOS OR MORE

VALUE:			FREQ	%
-1	INAPPLICABLE		8195	96.12
1	YES		320	3.75
2	NO		11	0.13

UNIVERSE: CHILDREN WITH LIMITED ABILITY TO DO THINGS FOR HIS/HER AGE BECAUSE OF A HEALTH CONDITION

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA28 QNAME03: QC03_23 QPAGENUM: C-4
 QNAME01: NA QNAME01: NA

LABEL: HAS PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR NEEDING TREATMENT

VALUE:		FREQ	%
1	YES	537	6.30
2	NO	7989	93.70

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: CA29 QNAME03: QC03_24 QPAGENUM: C-4
 QNAME01: NA QNAME01: NA

LABEL: PROB W/ EMOTION, DEVELOPMENT, BEHAVIOR LASTED 12 MOS OR MORE

VALUE:		FREQ	%
-1	INAPPLICABLE	8019	94.05
1	YES	425	4.98
2	NO	82	0.96

UNIVERSE: CHILDREN OVER 3 YEARS OLD WHO NEED TREATMENT OR COUNSELING FOR EMOTIONAL, DEVELOPMENTAL, OR BEHAVIORAL PROBLEM

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA11 QNAME03: QC03_25 QPAGENUM: C-4
QNAME01: CA11 QNAME01: CA11

LABEL: DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD

VALUE:		FREQ	%
-1	INAPPLICABLE	2010	23.57
1	YES	273	3.20
2	NO	6243	73.22

UNIVERSE: CHILDREN 3 OR OLDER

INPUT VAR:

NOTES:

VARNAME: CA12 QNAME03: QC03_26 QPAGENUM: C-5
QNAME01: CA12 QNAME01: CA12

LABEL: DOCTOR EVER TOLD YOU CHILD HAS ASTHMA

VALUE:		FREQ	%
1	YES	1111	13.03
2	NO	7415	86.97

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA30 QNAME03: QC03_27 QPAGENUM: C-5
QNAME01: NA QNAME01: NA

LABEL: CHILD AGE WHEN TOLD BY DOCTOR CHILD HAS ASTHMA

MEAN STATISTICS

N 1111
MIN 0
MAX 11
MEAN 2.78

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA31 QNAME03: QC03_28 QPAGENUM: C-5
QNAME01: NA QNAME01: NA

LABEL: STILL HAS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	7415	86.97
1	YES	698	8.19
2	NO	413	4.84

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA32 QNAME03: QC03_29 QPAGENUM: C-5
QNAME01: NA QNAME01: NA

LABEL: HAD ASTHMA ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	7415	86.97
1	YES	527	6.18
2	NO	584	6.85

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA12B QNAME03: QC03_30 QPAGENUM: C-5
QNAME01: CA12B QNAME01: CA12B

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	7778	91.23
1	NOT AT ALL	50	0.59
2	LESS THAN EVERY MONTH	501	5.88
3	EVERY MONTH	135	1.58
4	EVERY WEEK	46	0.54
5	EVERY DAY	16	0.19

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN THE PAST 12 MONTHS)

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ASTYR QNAME03: NA QPAGENUM: NA
 QNAME01: AST_YR QNAME01: AST_YR

LABEL: 'ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		7778	91.23
1	SYMPTOMS		698	8.19
2	NO SYMPTOMS		50	0.59

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: CA12B

NOTES:

VARNAME: CA33 QNAME03: QC03_31 QPAGENUM: C-6
 QNAME01: NA QNAME01: NA

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		7778	91.23
1	YES		227	2.66
2	NO		521	6.11

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN THE PAST 12 MONTHS)

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA12A QNAME03: QC03_32 QPAGENUM: C-6
 QNAME01: CA12A QNAME01: CA12A

LABEL: CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	7778	91.23
1	YES	278	3.26
2	NO	470	5.51

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN THE PAST 12 MONTHS)

INPUT VAR:

NOTES:

 VARNAME: CA34 QNAME03: QC03_33 QPAGENUM: C-6
 QNAME01: NA QNAME01: NA

LABEL: # OF DAYS MISSED SCHOOL BECAUSE ASTHMA IN PAST 12 MOS

MEAN STATISTICS	
N	748
MIN	0
MAX	93
MEAN	6.72

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN THE PAST 12 MONTHS)

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CA35 QNAME03: QC03_34 QPAGENUM: C-6
QNAME01: NA QNAME01: NA

LABEL: DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD

VALUE:		FREQ	%
-1	INAPPLICABLE	7415	86.97
1	YES	543	6.37
2	NO	568	6.66

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARIABLE: CA36 QNAME03: QC03_35 QPAGENUM: C-6
QNAME01: NA QNAME01: NA

LABEL: WHEEZING/WHISTLING SOUND IN CHEST IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	1111	13.03
1	YES	812	9.52
2	NO	6603	77.45

UNIVERSE: CHILDREN WHO HAVE NOT BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA37 QNAME03: QC03_36 QPAGENUM: C-6

QNAME01: NA QNAME01: NA

LABEL: # OF WHEEZING/WHISTLING ATTACKS IN PAST 12 MOS

MEAN STATISTICS

N	812
MIN	0
MAX	150
MEAN	2.84

UNIVERSE: CHILDREN WHO HAVE NOT BEEN TOLD HAVE ASTHMA BUT HAD
WHEEZING/WHISTLING IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: CA38 QNAME03: QC03_37 QPAGENUM: C-6

QNAME01: NA QNAME01: NA

LABEL: # OF TIMES SOUGHT HELP FOR BREATHING PROBLEM IN PAST 12 MOS

MEAN STATISTICS

N	812
MIN	0
MAX	104
MEAN	1.75

UNIVERSE: CHILDREN WHO HAVE NOT BEEN TOLD HAVE ASTHMA BUT HAD
WHEEZING/WHISTLING IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CA39 QNAME03: QC03_38 QPAGENUM: C-7
 QNAME01: NA QNAME01: NA

LABEL: DAYS MISSED SCHOOL FOR BREATHING PROBLEM IN PAST 12 MOS

MEAN STATISTICS

N	812
MIN	0
MAX	93
MEAN	11.59

UNIVERSE: CHILDREN WHO HAVE NOT BEEN TOLD HAVE ASTHMA BUT HAD
WHEEZING/WHISTLING IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

Section B: Injuries and Prevention

VARNAME: CB1 QNAME03: QC03_39 QPAGENUM: C-8
 QNAME01: CB1 QNAME01: CB1

LABEL: INJURED ENOUGH TO GET TREATMENT IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	818	9.59
2	NO	7708	90.41

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: TC_INJN QNAME03: NA QPAGENUM: NA
QNAME01: TC_INJN QNAME01: TC_INJN

LABEL: # OF TIMES SERIOUSLY INJURED

VALUE:		FREQ	%
0	NOT SERIOUSLY INJURED	7708	90.41
1	1 TIME	684	8.02
2	2 TIMES	100	1.17
3	3 TIMES	19	0.22
4	4+ TIMES	15	0.18

UNIVERSE: ALL CHILDREN

INPUT VAR: CB1 CB2

NOTES:

VARNAME: INJCA QNAME03: NA QPAGENUM: NA
QNAME01: INJCA QNAME01: INJCA

LABEL: CAUSE OF INJURY

VALUE:		FREQ	%
-1	SKIPPED	7708	90.41
1	VEHICLE-RELATED	19	0.22
2	BICYCLE-RELATED	36	0.42
3	ACCIDENTAL FALL	330	3.87
4	SPORTS-RELATED	113	1.33
5	OTHER	320	3.75

UNIVERSE: CHILDREN INJURED SERIOUSLY ENOUGH TO GET MEDICAL ADVICE/TREATMENT
IN THE PAST 12 MONTHS

INPUT VAR: CB3

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CB5 QNAME03: QC03_42 QPAGENUM: C-8
 QNAME01: CB5 QNAME01: CB5

LABEL: REDUCED PHYSICAL ACTIVITY BECAUSE OF SERIOUS INJURY

VALUE:		FREQ	%
-1	INAPPLICABLE	7708	90.41
1	YES	393	4.61
2	NO	425	4.98

UNIVERSE: CHILDREN INJURED SERIOUSLY ENOUGH TO GET MEDICAL ADVICE/TREATMENT
IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

 VARNAME: CB6 QNAME03: QC03_43 QPAGENUM: C-8
 QNAME01: CB6 QNAME01: CB6

LABEL: RIDDEN A BIKE IN PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	2693	31.59
1	YES	5131	60.18
2	NO	702	8.23

UNIVERSE: CHILDREN OVER 3 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB7 QNAME03: QC03_44 QPAGENUM: C-9
QNAME01: CB7 QNAME01: CB7

LABEL: FREQUENCY OF WEARING HELMET WHEN RIDING BICYCLE

VALUE:		FREQ	%
-1	INAPPLICABLE	3395	39.82
1	ALWAYS	3362	39.43
2	USUALLY	678	7.95
3	SOMETIMES	671	7.87
4	NEVER	420	4.93

UNIVERSE: CHILDREN OVER 3 YEARS OLD WHO HAVE RIDDEN A BIKE IN THE PAST YEAR

INPUT VAR:

NOTES:

VARNAME: HELMET QNAME03: NA QPAGENUM: NA
QNAME01: HELMET QNAME01: HELMET

LABEL: HOW OFTEN WEARS A HELMET WHEN RIDING A BICYCLE

VALUE:		FREQ	%
-1	INAPPLICABLE	2693	31.59
1	ALWAYS	3362	39.43
2	USUALLY	678	7.95
3	SOMETIMES	671	7.87
4	NEVER	420	4.93
5	DO NOT RIDE BICYCLES (4YRS+)	702	8.23

UNIVERSE: CHILDREN OVER 3 YEARS OLD WHO HAVE RIDDEN A BIKE IN THE PAST YEAR

INPUT VAR: CB6

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: HELMUSE QNAME03: NA QPAGENUM: NA
 QNAME01: HELMUSE QNAME01: HELMUSE
 LABEL: WORE HELMET WHILE RIDING BICYCLE IN PAST 12 MOS
 VALUE: -1 SKIPPED FOR CHILD AGE< 4 YR OR NOT RIDIN FREQ %
 1 ALWAYS OR USUALLY WEAR HELMETS 4040 47.38
 2 SOMETIMES OR NEVER WEAR HELMETS 1091 12.80

UNIVERSE: CHILDREN OVER 3 YEARS OLD WHO HAVE RIDDEN A BIKE IN THE PAST YEAR
 INPUT VAR: SRAGE CB7 CB6

NOTES:

VARNAME: CB10 QNAME03: QC03_45 QPAGENUM: C-9
 QNAME01: NA QNAME01: NA
 LABEL: BABY GATES, WINDOW GUARDS, OTHER BARRIERS FOR CHILD SAFETY
 VALUE: -1 INAPPLICABLE FREQ %
 1 YES 1760 20.64
 2 NO 933 10.94

UNIVERSE: CHILDREN UNDER 4 YEARS OLD
 INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB11 QNAME03: QC03_46 QPAGENUM: C-9
QNAME01: NA QNAME01: NA

LABEL: LOCKS, SAFETY LATCH ON CABINETS WITH CLEANING SUPPLIES

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	2078	24.37
2	NO	615	7.21

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

VARNAME: CB12 QNAME03: QC03_47 QPAGENUM: C-9
QNAME01: NA QNAME01: NA

LABEL: PADDING AROUND SHARP EDGES OF FURNITURE

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	1220	14.31
2	NO	1473	17.28

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB13 QNAME03: QC03_48 QPAGENUM: C-9
QNAME01: NA QNAME01: NA

LABEL: COVERED ELECTRICAL OUTLETS

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	2409	28.25
2	NO	284	3.33

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

VARNAME: CB14 QNAME03: QC03_49 QPAGENUM: C-9
QNAME01: NA QNAME01: NA

LABEL: TURNED DOWN TEMPERATURE OF HOT WATER HEATER

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	1299	15.24
2	NO	1394	16.35

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section C: Dental and Health Behaviors

VARNAME: CC1 QNAME03: QC03_50 QPAGENUM: C-10
QNAME01: CC1 QNAME01: CC1

LABEL: CHILD HAS ANY TEETH

VALUE:		FREQ	%
-1	INAPPLICABLE	6516	76.43
1	YES	1624	19.05
2	NO	386	4.53

UNIVERSE: CHILDREN UNDER 3 YEARS OLD

INPUT VAR:

NOTES:

VARNAME: CC5 QNAME03: QC03_51 QPAGENUM: C-10
QNAME01: CC5 QNAME01: CC5

LABEL: HOW LONG SINCE CHILD LAST VISITED DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	386	4.53
0	HAS NEVER VISITED	2009	23.56
1	LESS THAN 6 MONTHS AGO	4179	49.01
2	6 MONTHS UP TO 1 YEAR AGO	1418	16.63
3	1 YEAR UP TO 2 YEARS AGO	384	4.50
4	2 YEARS UP TO 5 YEARS AGO	131	1.54
5	MORE THAN 5 YEARS AGO	19	0.22

UNIVERSE: CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: DNVST QNAME03: NA QPAGENUM: NA
QNAME01: VISDENT QNAME01: VISDENT

LABEL: CHILD DENTAL VISIT PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	386	4.53
1	YES	5597	65.65
2	NO	2543	29.83

UNIVERSE: (CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH) WHO
HAVE EVER BEEN TO A DENTIST

INPUT VAR: CC5 SRAGE

NOTES:

VARNAME: CC16 QNAME03: QC03_52 QPAGENUM: C-10
QNAME01: NA QNAME01: NA

LABEL: CHILD HAS USUAL DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	2395	28.09
1	YES	5463	64.07
2	NO	668	7.83

UNIVERSE: (CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH) WHO
HAVE EVER BEEN TO A DENTIST

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC17 QNAME03: QC03_53 QPAGENUM: C-10

QNAME01: NA QNAME01: NA

LABEL: COULDN'T AFFORD NEEDED DENTAL CARE IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	386	4.53
1	YES	671	7.87
2	NO	7469	87.60

UNIVERSE: CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH

INPUT VAR:

NOTES:

VARNAME: CC6 QNAME03: QC03_54 QPAGENUM: C-10

QNAME01: CC6 QNAME01: CC6

LABEL: REASON FOR LAST DENTAL VISIT

VALUE:		FREQ	%
-1	INAPPLICABLE	7855	92.13
1	ROUTINE CHECK-UP OR CLEANING	281	3.30
2	HAD A DENTAL PROBLEM	323	3.79
3	BOTH	67	0.79

UNIVERSE: (CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH) WHO NEEDED DENTAL CARE IN THE PAST 12 MONTHS BUT COULDN'T AFFORD IT

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC18 QNAME03: QC03_55 QPAGENUM: C-10
QNAME01: NA QNAME01: NA

LABEL: MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	3335	39.12
1	YES	329	3.86
2	NO	4862	57.03

UNIVERSE: CHILDREN OVER 4 YEARS OLD

INPUT VAR:

NOTES:

VARNAME: CC19 QNAME03: QC03_56 QPAGENUM: C-11
QNAME01: NA QNAME01: NA

LABEL: DAYS MISSED SCHOOL FOR DENTAL PROBLEM IN PAST 12 MOS

MEAN STATISTICS

N	329
MIN	0
MAX	10
MEAN	1.41

UNIVERSE: CHILDREN OVER 4 YEARS OLD WHO MISSED SCHOOL FOR A DENTAL PROBLEM
IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC7A QNAME03: QC03_57 QPAGENUM: C-11
QNAME01: CC7A QNAME01: CC7A

LABEL: HAS INS THAT PAYS FOR CHILD'S DENTAL CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	386	4.53
1	YES	6494	76.17
2	NO	1646	19.31

UNIVERSE: CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH

INPUT VAR:

NOTES:

VARNAME: CC7ANEW QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: DENTAL CARE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	SKIPPED	386	4.53
1	HAVE DENTAL VIA HF OR MEDICAL	6736	79.01
2	NO	1404	16.47

UNIVERSE: CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH

INPUT VAR: INSMD INSHF CC1 CC7A

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC21 QNAME03: QC03_59 QPAGENUM: C-11

QNAME01: NA QNAME01: NA

LABEL: MEDI-CAL COVERS DENTAL CARE FOR CHILD

VALUE:		FREQ	%
-8	DON'T KNOW	52	0.61
-1	INAPPLICABLE	8300	97.35
1	YES	90	1.06
2	NO	84	0.99

UNIVERSE: (CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH) WHO HAVE NO DENTAL INSURANCE BUT HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: CC22 QNAME03: QC03_60 QPAGENUM: C-11

QNAME01: NA QNAME01: NA

LABEL: HEALTHY FAMILIES PROGRAM COVERS DENTAL CARE FOR CHILD

VALUE:		FREQ	%
-8	DON'T KNOW	16	0.19
-1	INAPPLICABLE	8474	99.39
1	YES	25	0.29
2	NO	11	0.13

UNIVERSE: (CHILDREN OVER 2 YEARS OLD OR YOUNGER CHILDREN WITH TOOTH) WHO HAVE NO DENTAL INSURANCE, NO MEDI-CAL DENTAL COVERAGE BUT HAVE HEALTHY FAMILIES PROGRAM

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CC11 QNAME03: QC03_61 QPAGENUM: C-12

QNAME01: CC11 QNAME01: CC11

LABEL: # OF SERVINGS OF MILK CHILD DRANK YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	10
MEAN	2.01

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

 VARNAME: CC12 QNAME03: QC03_62 QPAGENUM: C-12

QNAME01: CC12 QNAME01: CC12

LABEL: # OF SERVINGS OF SODA/SWEETENED DRINK CHILD DRANK YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	10
MEAN	0.77

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC10 QNAME03: QC03_63 QPAGENUM: C-12
QNAME01: CC10 QNAME01: CC10

LABEL: # OF SERVINGS OF 100% FRUIT JUICE CHILD DRANK YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	20
MEAN	1.03

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

VARNAME: CC13 QNAME03: QC03_64 QPAGENUM: C-12
QNAME01: CC13 QNAME01: CC13

LABEL: # OF SERVINGS OF FRUIT CHILD HAD YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	12
MEAN	1.66

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC14 QNAME03: QC03_65 QPAGENUM: C-12
QNAME01: CC14 QNAME01: CC14

LABEL: # OF SERVINGS FRENCH FRY/FRIED POTATOE CHILD HAD YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	6
MEAN	0.20

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

VARNAME: CC15 QNAME03: QC03_66 QPAGENUM: C-12
QNAME01: CC15 QNAME01: CC15

LABEL: # OF SERVINGS OF VEGETABLES CHILD HAD YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	10
MEAN	1.39

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: FV5DAY QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHILDREN EATING 'FIVE-A-DAY' FRUITS AND VEGETABLES PAST 24 HRS

VALUE:		FREQ	%
-1	INAPPLICABLE	1382	16.21
1	FIVE-A-DAY	2986	35.02
2	NONE OR LESS THAN FIVE-A-DAY	4158	48.77

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR: CC1 CC10 CC13 CC14 CC15 SRAGE

NOTES:

VARNAME: CC23 QNAME03: QC03_67 QPAGENUM: C-12
 QNAME01: NA QNAME01: NA

LABEL: # OF TIMES ATE FAST-FOOD YESTERDAY

MEAN STATISTICS	
N	7144
MIN	0
MAX	4
MEAN	0.38

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CC24 QNAME03: QC03_68 QPAGENUM: C-13
 QNAME01: NA QNAME01: NA

LABEL: # OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY

MEAN STATISTICS

N	7144
MIN	0
MAX	10
MEAN	1.14

UNIVERSE: CHILDREN 2 OR OLDER

INPUT VAR:

NOTES:

 VARNAME: CC25 QNAME03: QC03_69 QPAGENUM: C-13
 QNAME01: NA QNAME01: NA

LABEL: PHYSICAL ACTIVITY LEVEL COMPARED TO OTHER SAME AGE CHILDREN

VALUE:		FREQ	%
-1	INAPPLICABLE	3335	39.12
1	ABOUT THE SAME	2326	27.28
2	A LOT LESS	117	1.37
3	A LITTLE LESS	462	5.42
4	A LITTLE MORE PHYSICALLY ACTIVE	1267	14.86
5	A LOT MORE	1019	11.95

UNIVERSE: CHILDREN OVER 4 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC26 QNAME03: QC03_70 QPAGENUM: C-13

QNAME01: NA QNAME01: NA

LABEL: # OF DAYS PLAYED ACTIVE ENOUGH TO BREATH HARD IN PAST WEEK

MEAN STATISTICS

N	5191
MIN	0
MAX	7
MEAN	4.28

UNIVERSE: CHILDREN OVER 4 YEARS OLD

INPUT VAR:

NOTES:

Section D: Access and Utilization

VARNAME: CD1 QNAME03: QC03_71 QPAGENUM: C-14

QNAME01: CD1 QNAME01: CD1

LABEL: HAS USUAL PLACE FOR CHILD'S HEALTH CARE

VALUE:		FREQ	%
1	YES	7462	87.52
2	NO	259	3.04
3	DOCTOR / HIS/HER DOCTOR	528	6.19
4	KAISER	260	3.05
5	MORE THAN ONE USUAL PLACE	17	0.20

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME03: NA QPAGENUM: NA
QNAME01: USOURCE QNAME01: USOURCE

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE

VALUE:		FREQ	%
1	YES	8267	96.96
2	NO	259	3.04

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1

NOTES:

VARNAME: USUAL5TP QNAME03: NA QPAGENUM: NA
QNAME01: USUAL5TP QNAME01: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	6037	70.81
2	COMMUN/GOV CLIN, COMMUN HOSP	2137	25.06
3	EMERGENCY ROOM/URGENT CARE	59	0.69
4	OTHER PLACE/NO ONE PLACE	34	0.40
5	NO USUAL SOURCE OF CARE	259	3.04

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1 CD3

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: USOC QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:		FREQ	%
1	YES	8208	96.27
2	NO	318	3.73

UNIVERSE: ALL CHILDREN

INPUT VAR: USUAL5TP CD1

NOTES:

VARNAME: CD3 QNAME03: QC03_72 QPAGENUM: C-14
QNAME01: CD3 QNAME01: CD3

LABEL: KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	259	3.04
1	DOCTORS OFFICE / KAISER / OTHER HMO	5910	69.32
2	CLINIC / HEALTH CENTER / HOSPITAL CLINIC	2261	26.52
3	EMERGENCY ROOM	61	0.72
4	OTHER HEALTH PROFESSIONAL (NOT MD)/ALTER	17	0.20
5	OTHER	10	0.12
94	NO ONE PLACE	8	0.09

UNIVERSE: CHILDREN WITH USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD24 QNAME03: QC03_73 QPAGENUM: C-14
QNAME01: NA QNAME01: NA

LABEL: CHILD HAS PERSONAL DOCTOR OR NURSE

VALUE:		FREQ	%
-1	INAPPLICABLE	355	4.16
1	YES	7236	84.87
2	NO	935	10.97

UNIVERSE: CHILDREN WHO GET USUAL SOURCE OF HEALTH CARE AT DOCTOR'S OFFICE/KAISER/OTHER HMO OR CLINIC/HEALTH CENTER/HOSPITAL CLINIC

INPUT VAR:

NOTES:

VARNAME: DOCT_YR QNAME03: NA QPAGENUM: NA
QNAME01: DOCT_YR QNAME01: DOCT_YR

LABEL: CHILDREN VISITED DOCTOR DURING PAST 12 MOS

VALUE:		FREQ	%
1	YES	7802	91.51
2	NO	724	8.49

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ACMDNUM QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:		FREQ	%
0	0	724	8.49
1	1	1899	22.27
2	2	1872	21.96
3	3	1330	15.60
4	4	845	9.91
5	5	546	6.40
6	6	449	5.27
7	7-8 TIMES	330	3.87
8	9-12 TIMES	353	4.14
9	13-24 TIMES	136	1.60
10	25+ TIMES	42	0.49

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

VARNAME: CD7 QNAME03: QC03_75 QPAGENUM: C-14
QNAME01: CD7 QNAME01: CD7

LABEL: HOW LONG SINCE LAST SAW MEDICAL DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	7802	91.51
1	ONE YEAR AGO OR LESS	174	2.04
2	FROM 1 TO 2 YEARS AGO	421	4.94
3	FROM 2 TO 3 YEARS AGO	85	1.00
4	MORE THAN 3 YEARS AGO	36	0.42
5	NEVER	8	0.09

UNIVERSE: CHILDREN WHO HAVE NOT SEEN ANY KIND OF MEDICAL DOCTOR IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD25 QNAME03: QC03_76 QPAGENUM: C-15

QNAME01: NA QNAME01: NA

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME

VALUE:		FREQ	%
-1	INAPPLICABLE	129	1.51
1	YES	245	2.87
2	NO	8120	95.24
3	NEVER ACCOMPANIED CHILD TO THE DOCTOR	32	0.38

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS

INPUT VAR:

NOTES:

VARNAME: CD26 QNAME03: QC03_77 QPAGENUM: C-15

QNAME01: NA QNAME01: NA

LABEL: DOCTOR SPOKE A DIFFERENT LANGUAGE

VALUE:		FREQ	%
-1	INAPPLICABLE	8281	97.13
1	YES	190	2.23
2	NO	55	0.65

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD27 QNAME03: QC03_78 QPAGENUM: C-15
QNAME01: NA QNAME01: NA

LABEL: NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	8281	97.13
1	YES	127	1.49
2	NO	118	1.38

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT

INPUT VAR:

NOTES:

VARNAME: CD28 QNAME03: QC03_79 QPAGENUM: C-15
QNAME01: NA QNAME01: NA

LABEL: WHO HELPED TO UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	8399	98.51
1	MINOR CHILD (UNDER AGE 18)	11	0.13
2	AN ADULT FAMILY MEMBER SELF/OTHER	16	0.19
3	NON-MEDICAL OFFICE STAFF	10	0.12
4	MEDICAL STAFF INCLUDING NURSES/DOCTORS	78	0.91
5	PROFESSIONAL INTERPRETER (IN PERSON AND	6	0.07
7	DID NOT HAVE SOMEONE TO HELP	6	0.07

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S HELP UNDERSTANDING

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CD8 QNAME03: QC03_80 QPAGENUM: C-15
 QNAME01: CD8 QNAME01: CD8

LABEL: RECVD REMINDERS FROM DOCTOR OR CLINIC ABOUT CHILD'S SHOTS

VALUE:		FREQ	%
1	YES	4516	52.97
2	NO	4001	46.93
3	DON'T HAVE DOCTOR/CLINIC	9	0.11

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: CD12 QNAME03: QC03_81 QPAGENUM: C-15
 QNAME01: CD12 QNAME01: CD12

LABEL: CHILD VISITED HOSPITAL ER PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	227	2.66
1	YES	1456	17.08
2	NO	6843	80.26

UNIVERSE: CHILDREN WHO HAVE NOT VISITED A HOSPITAL EMERGENCY ROOM OR URGENT CARE CLINIC FOR ASTHMA IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section E: Delays in Care and Public Program Participation

VARNAME: CE1 QNAME03: QC03_82 QPAGENUM: C-16

QNAME01: CE1 QNAME01: CE1

LABEL: DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		334	3.92
2	NO		8192	96.08

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CE12 QNAME03: QC03_83 QPAGENUM: C-16

QNAME01: NA QNAME01: NA

LABEL: COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD

VALUE:			FREQ	%
-1	INAPPLICABLE		8192	96.08
1	YES		179	2.10
2	NO		155	1.82

UNIVERSE: CHILDREN WHO DELAYED OR NOT GET PRESCRIBED MEDICINE IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CE2AST QNAME03: QC03_84 QPAGENUM: C-16
QNAME01: CE2 QNAME01: CE2

LABEL: PRESCRIPTION RELATED TO ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8455	99.17
1	YES	33	0.39
2	NO	38	0.45

UNIVERSE: CHILDREN WHO HAS ASTHMA AND DELAYED OR NOT GET PRESCRIBED MEDICINE
IN THE PAST 12 MONTHS BECAUSE OF COST OR LACK OF INSURANCE

INPUT VAR:

NOTES:

VARNAM: CE7 QNAME03: QC03_85 QPAGENUM: C-16
QNAME01: CE7 QNAME01: CE7

LABEL: DELAYED OR DID NOT GET MEDICAL CARE CHILD NEEDED PAST 12 MOS

VALUE:		FREQ	%
1	YES	437	5.13
2	NO	8089	94.87

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CE13 QNAME03: QC03_86 QPAGENUM: C-16
 QNAME01: NA QNAME01: NA

LABEL: COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD

VALUE:			FREQ	%
-1	INAPPLICABLE		8089	94.87
1	YES		243	2.85
2	NO		194	2.28

UNIVERSE: CHILDREN WHO DELAYED OR NOT GET THE MEDICAL CARE NEEDED IN PAST 12 MOS

INPUT VAR:

NOTES:

 VARNAME: CE8AST QNAME03: QC03_87 QPAGENUM: C-16
 QNAME01: CE8 QNAME01: CE8

LABEL: DELAYED/DID NOT GET MEDICAL CARE CHILD NEEDED IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		8446	99.06
1	YES		23	0.27
2	NO		57	0.67

UNIVERSE: CHILDREN WHO HAS ASTHMA AND DELAYED OR NOT GET OTHER MEDICAL CARE NEEDED IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE11 QNAME03: QC03_88 QPAGENUM: C-17

QNAME01: CE11 QNAME01: CE11

LABEL: CHILD CURRENTLY ON TANF OR CALWORKS

VALUE:		FREQ	%
-1	INAPPLICABLE	4078	47.83
1	YES	409	4.80
2	NO	4039	47.37

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

VARNAME: CE11A QNAME03: QC03_89 QPAGENUM: C-17

QNAME01: CE11A QNAME01: CE11A

LABEL: CHILD RECEIVING FOOD STAMP BENEFITS

VALUE:		FREQ	%
-1	INAPPLICABLE	4078	47.83
1	YES	584	6.85
2	NO	3864	45.32

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE11C QNAME03: QC03_90 QPAGENUM: C-17
QNAME01: CE11C QNAME01: CE11C

LABEL: CHILD CURRENTLY ON WIC

VALUE:		FREQ	%
-1	INAPPLICABLE	6118	71.76
1	YES	931	10.92
2	NO	1477	17.32

UNIVERSE: CHILDREN UNDER 7 YEARS OLD IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

Section F: Child Care Parenting and Neighborhood Context

VARNAME: CG1 QNAME03: QC03_91 QPAGENUM: C-18
QNAME01: CG1 QNAME01: CG1

LABEL: HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK

VALUE:		FREQ	%
1	YES	2842	33.33
2	NO	5684	66.67

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG2 QNAME03: QC03_92 QPAGENUM: C-18
 QNAME01: CG2 QNAME01: CG2

LABEL: # OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK

MEAN STATISTICS

N	2842
MIN	1
MAX	78
MEAN	24.41

UNIVERSE: CHILDREN WHO CURRENTLY HAVE REGULAR CHILDCARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR:

NOTES:

 VARNAME: CG3A QNAME03: QC03_93 QPAGENUM: C-18
 QNAME01: CG3A QNAME01: CG3A

LABEL: RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	1041	12.21
2	NO	1652	19.38

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG3B QNAME03: QC03_94 QPAGENUM: C-18
 QNAME01: CG3B QNAME01: CG3B

LABEL: RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	6652	78.02
1	YES	263	3.08
2	NO	1611	18.90

UNIVERSE: CHILDREN UNDER 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR:

NOTES:

 VARNAME: CG3C QNAME03: QC03_95 QPAGENUM: C-18
 QNAME01: CG3C QNAME01: CG3C

LABEL: RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	6652	78.02
1	YES	685	8.03
2	NO	1189	13.95

UNIVERSE: CHILDREN UNDER 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG3D QNAME03: QC03_96 QPAGENUM: C-19
 QNAME01: CG3D QNAME01: CG3D

LABEL: RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	967	11.34
2	NO	1726	20.24

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

 VARNAME: CG3E QNAME03: QC03_97 QPAGENUM: C-19
 QNAME01: CG3E QNAME01: CG3E

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	401	4.70
2	NO	2292	26.88

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3F QNAME03: QC03_98 QPAGENUM: C-19
QNAME01: CG3F QNAME01: CG3F

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	YES	691	8.10
2	NO	2002	23.48

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3RC QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: TYPE OF CHILDCARE

VALUE:		FREQ	%
-1	SKIPPED	5833	68.41
1	GRANDPAR/OTHER FAM MEMBER	566	6.64
2	HEAD START/STATE PRGM	73	0.86
3	PRESCHOOL OR NURSERY SCHOOL	80	0.94
4	CHILDCARE CENTER	350	4.11
5	NON-FAM MEMB IN OWN HOME	147	1.72
6	NON-FAM MEMB IN HIS/HER HOME	342	4.01
7	OTHER ONE SOURCE	69	0.81
8	MORE THAN ONE SOURCE	1066	12.50

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR: CG3

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3G QNAME03: QC03_99 QPAGENUM: C-19
QNAME01: CG3G QNAME01: CG3G

LABEL: CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA

VALUE:		FREQ	%
-1	INAPPLICABLE	7236	84.87
1	YES (ALL LICENSED)	1106	12.97
2	NO (NONE LICENSED)	166	1.95
3	SOME LICENSED AND SOME NOT	18	0.21

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HRS OR MORE/WEEK AT ONE OR MORE OF: HEAD START, OTHER PRESCHOOL, NURSERY SCHOOL, CHILDCARE CENTER NOT IN SOMEONE'S HOME, BUT NOT BY FAMILY MEMBER OR NON-FAMILY MEMBER IN R'S HOME

INPUT VAR:

NOTES:

VARNAME: CG5 QNAME03: QC03_100 QPAGENUM: C-19
QNAME01: CG5 QNAME01: CG5

LABEL: COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	655	7.68
2	NO	7871	92.32

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG6 QNAME03: QC03_101 QPAGENUM: C-19
QNAME01: CG6 QNAME01: CG6

LABEL: MAIN REASON UNABLE TO FIND CHILDCARE

VALUE:		FREQ	%
-1	INAPPLICABLE	7871	92.32
1	COULDN'T AFFORD ANY CHILD CARE	144	1.69
2	COULDN'T FIND A PROVIDER WITH A SPACE	92	1.08
3	THE HOURS AND LOCATION DIDN'T FIT MY NEE	58	0.68
4	COULDN'T AFFORD THE QUALITY OF CHILDCARE	42	0.49
5	COULDN'T FIND THE QUALITY OF CHILDCARE	91	1.07
91	OTHER REASON (SPECIFY)	228	2.67

UNIVERSE: CHILDREN WITH NO CHILDCARE FOR A WEEK OR LONGER WHEN NEEDED IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: CG14 QNAME03: QC03_102 QPAGENUM: C-20
QNAME01: NA QNAME01: NA

LABEL: # OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	EVERY DAY	1532	17.97
2	3-6 DAYS	741	8.69
3	1-2 DAYS	260	3.05
4	NEVER	160	1.88

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG15 QNAME03: QC03_103 QPAGENUM: C-20

QNAME01: NA QNAME01: NA

LABEL: # OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	EVERY DAY	1814	21.28
2	3-6 DAYS	624	7.32
3	1-2 DAYS	184	2.16
4	NEVER	71	0.83

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

VARNAME: CG16 QNAME03: QC03_104 QPAGENUM: C-20

QNAME01: NA QNAME01: NA

LABEL: # OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE

VALUE:		FREQ	%
-1	INAPPLICABLE	5833	68.41
1	EVERY DAY	888	10.42
2	3-6 DAYS	1250	14.66
3	1-2 DAYS	497	5.83
4	NEVER	58	0.68

UNIVERSE: CHILDREN UNDER 4 YEARS OLD

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG17 QNAME03: QC03_106 QPAGENUM: C-20

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS

VALUE:		FREQ	%
-1	INAPPLICABLE	8172	95.85
1	A LOT	30	0.35
2	A LITTLE	23	0.27
3	NOT AT ALL	301	3.53

UNIVERSE: CHILDREN BETWEEN 4 MONTHS AND 9 MONTHS OLD

INPUT VAR:

NOTES:

VARNAME: CG17A QNAME03: QC03_107 QPAGENUM: C-20

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	409	4.80
2	A LITTLE	538	6.31
3	NOT AT ALL	2535	29.73

UNIVERSE: CHILDREN 10 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG18 QNAME03: QC03_108 QPAGENUM: C-21
 QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY

VALUE:		FREQ	%
-1	INAPPLICABLE	5549	65.08
1	A LOT	439	5.15
2	A LITTLE	283	3.32
3	NOT AT ALL	2255	26.45

UNIVERSE: CHILDREN 18 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

 VARNAME: CG19 QNAME03: QC03_109 QPAGENUM: C-21
 QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS

VALUE:		FREQ	%
-1	INAPPLICABLE	4690	55.01
1	A LOT	429	5.03
2	A LITTLE	211	2.47
3	NOT AT ALL	3196	37.49

UNIVERSE: CHILDREN 4 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG20 QNAME03: QC03_110 QPAGENUM: C-21

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS

VALUE:		FREQ	%
-1	INAPPLICABLE	4690	55.01
1	A LOT	426	5.00
2	A LITTLE	182	2.13
3	NOT AT ALL	3228	37.86

UNIVERSE: CHILDREN 4 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG21 QNAME03: QC03_111 QPAGENUM: C-21

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW WELL CHILD SEES OR HEARS

VALUE:		FREQ	%
-1	INAPPLICABLE	4690	55.01
1	A LOT	483	5.67
2	A LITTLE	230	2.70
3	NOT AT ALL	3123	36.63

UNIVERSE: CHILDREN 4 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG22 QNAME03: QC03_112 QPAGENUM: C-21

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	452	5.30
2	A LITTLE	688	8.07
3	NOT AT ALL	2342	27.47

UNIVERSE: CHILDREN OLDER THAN 9 MONTHS BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG23 QNAME03: QC03_113 QPAGENUM: C-21

QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT CHILD'S FEELINGS AND MOODS

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	549	6.44
2	A LITTLE	767	9.00
3	NOT AT ALL	2166	25.40

UNIVERSE: CHILDREN OLDER THAN 9 MONTHS BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG24 QNAME03: QC03_114 QPAGENUM: C-21
QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD BEHAVES

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	505	5.92
2	A LITTLE	878	10.30
3	NOT AT ALL	2099	24.62

UNIVERSE: CHILDREN OLDER THAN 9 MONTHS BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG25 QNAME03: QC03_115 QPAGENUM: C-22
QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	494	5.79
2	A LITTLE	400	4.69
3	NOT AT ALL	2588	30.35

UNIVERSE: CHILDREN OLDER THAN 9 MONTHS BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG26 QNAME03: QC03_116 QPAGENUM: C-22
 QNAME01: NA QNAME01: NA

LABEL: CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO

VALUE:		FREQ	%
-1	INAPPLICABLE	5044	59.16
1	A LOT	410	4.81
2	A LITTLE	473	5.55
3	NOT AT ALL	2599	30.48

UNIVERSE: CHILDREN OLDER THAN 9 MONTHS BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

 VARNAME: CG27 QNAME03: QC03_117 QPAGENUM: C-22
 QNAME01: NA QNAME01: NA

LABEL: CONCERN ABOUT HOW CHILD LEARNING PRESCHOOL OR SCHOOL SKILLS

VALUE:		FREQ	%
-1	INAPPLICABLE	5554	65.14
1	A LOT	396	4.64
2	A LITTLE	431	5.06
3	NOT AT ALL	2145	25.16

UNIVERSE: CHILDREN 18 MONTHS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG28 QNAME03: QC03_118 QPAGENUM: C-22
 QNAME01: NA QNAME01: NA

LABEL: CHILD IS GENERALLY OBEDIENT

VALUE:		FREQ	%
-1	INAPPLICABLE	3994	46.84
1	NOT TRUE	208	2.44
2	SOMEWHAT TRUE	1570	18.41
3	CERTAINLY TRUE	2754	32.30

UNIVERSE: CHILDREN 6 YEARS OR OLDER

INPUT VAR:

NOTES:

 VARNAME: CG29 QNAME03: QC03_119 QPAGENUM: C-22
 QNAME01: NA QNAME01: NA

LABEL: CHILD OFTEN SEEMS WORRIED

VALUE:		FREQ	%
-1	INAPPLICABLE	3994	46.84
1	NOT TRUE	3007	35.27
2	SOMEWHAT TRUE	1257	14.74
3	CERTAINLY TRUE	268	3.14

UNIVERSE: CHILDREN 6 YEARS OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CG30 QNAME03: QC03_120 QPAGENUM: C-22
 QNAME01: NA QNAME01: NA

LABEL: CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL

VALUE:		FREQ	%
-1	INAPPLICABLE	3994	46.84
1	NOT TRUE	3801	44.58
2	SOMEWHAT TRUE	617	7.24
3	CERTAINLY TRUE	114	1.34

UNIVERSE: CHILDREN 6 YEARS OR OLDER

INPUT VAR:

NOTES:

 VARNAME: CG31 QNAME03: QC03_121 QPAGENUM: C-23
 QNAME01: NA QNAME01: NA

LABEL: CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN

VALUE:		FREQ	%
-1	INAPPLICABLE	3994	46.84
1	NOT TRUE	3277	38.44
2	SOMEWHAT TRUE	828	9.71
3	CERTAINLY TRUE	427	5.01

UNIVERSE: CHILDREN 6 YEARS OR OLDER

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG32 QNAME03: QC03_122 QPAGENUM: C-23

QNAME01: NA QNAME01: NA

LABEL: CHILD HAS GOOD ATTENTION SPAN

VALUE:		FREQ	%
-1	INAPPLICABLE	3994	46.84
1	NOT TRUE	512	6.01
2	SOMEWHAT TRUE	1709	20.04
3	CERTAINLY TRUE	2311	27.11

UNIVERSE: CHILDREN 6 YEARS OR OLDER

INPUT VAR:

NOTES:

VARNAME: CG33 QNAME03: QC03_123 QPAGENUM: C-23

QNAME01: NA QNAME01: NA

LABEL: ADULTS IN NEIGHBORHOOD THAT CHILDREN LOOK UP TO

VALUE:		FREQ	%
1	STRONGLY AGREE	1348	15.81
2	AGREE	4590	53.84
3	DISAGREE	2205	25.86
4	STRONGLY DISAGREE	383	4.49

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG34 QNAME03: QC03_124 QPAGENUM: C-23

QNAME01: NA QNAME01: NA

LABEL: ADULTS IN NEIGHBORHOOD LOOK OUT FOR CHILDREN

VALUE:		FREQ	%
1	STRONGLY AGREE	2175	25.51
2	AGREE	4740	55.59
3	DISAGREE	1356	15.90
4	STRONGLY DISAGREE	255	2.99

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CG35 QNAME03: QC03_125 QPAGENUM: C-23

QNAME01: NA QNAME01: NA

LABEL: ADULTS IN NEIGHBORHOOD KNOW LOCAL CHILDREN

VALUE:		FREQ	%
1	STRONGLY AGREE	2150	25.22
2	AGREE	4938	57.92
3	DISAGREE	1285	15.07
4	STRONGLY DISAGREE	153	1.79

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG36 QNAME03: QC03_126 QPAGENUM: C-23

QNAME01: NA QNAME01: NA

LABEL: FREQUENCY OF VISITS WITH PEOPLE IN NEIGHBORHOOD

VALUE:		FREQ	%
1	OFTEN	2176	25.52
2	SOMETIMES	2976	34.90
3	RARELY	2111	24.76
4	NEVER	1263	14.81

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section G: Demographic Health and Conditions, Part2

VARNAME: SRH QNAME03: NA QPAGENUM: NA

QNAME01: SRH QNAME01: SRH

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:		FREQ	%
1	YES	3314	38.87
2	NO	5212	61.13

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: LATIN9TP QNAME03: NA QPAGENUM: NA
QNAME01: LATIN9TP QNAME01: LATIN9TP

LABEL: LATINO/HISPANIC SUBTYPES - (9 TYPES)

VALUE:		FREQ	%
-1	NON-LATINO	5212	61.13
1	MEXICAN	2424	28.43
2	SALVADORAN	109	1.28
3	GUATEMALAN	60	0.70
4	CENTRAL AMERICAN	41	0.48
5	PUERTO RICAN	30	0.35
6	LATINO EUROPEAN	69	0.81
7	SOUTH AMERICAN	75	0.88
8	OTHER LATINO	58	0.68
9	2+ LATINO TYPES	448	5.25

UNIVERSE: CHILDREN WHO ARE LATINO OR HISPANIC

INPUT VAR: SRH CH2

NOTES:

VARNAME: SRPI QNAME03: NA QPAGENUM: NA
QNAME01: SRPI QNAME01: SRPI

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:		FREQ	%
1	YES	91	1.07
2	NO	8435	98.93

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME03: NA QPAGENUM: NA
QNAME01: SRAI QNAME01: SRAI

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:		FREQ	%
1	YES	370	4.34
2	NO	8156	95.66

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME03: NA QPAGENUM: NA
QNAME01: SRAS QNAME01: SRAS

LABEL: SELF-REPORTED ASIAN

VALUE:		FREQ	%
1	YES	1054	12.36
2	NO	7472	87.64

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAA QNAME03: NA QPAGENUM: NA
QNAME01: SRAA QNAME01: SRAA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:		FREQ	%
1	YES	676	7.93
2	NO	7850	92.07

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRW QNAME03: NA QPAGENUM: NA
QNAME01: SRW QNAME01: SRW

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		5610	65.80
2	NO		2916	34.20

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRO QNAME03: NA QPAGENUM: NA
QNAME01: SRO QNAME01: SRO

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		1417	16.62
2	NO		7109	83.38

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRO2 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED 2ND OTHER RACE

VALUE:			FREQ	%
1	YES		9	0.11
2	NO		8517	99.89

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CATRIBE QNAME03: NA QPAGENUM: NA
QNAME01: CATRIBE QNAME01: CATRIBE

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	97	1.14
-1	INAPPLICABLE	8156	95.66
1	CALIFORNIA TRIBAL HERITAGE	40	0.47
2	NON-CALIFORNIA TRIBAL HERITAGE	233	2.73

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: CH4 CH4OS CH6OS

NOTES:

VARIABLE: CH5 QNAME03: QC03_131 QPAGENUM: C-26
QNAME01: CH5 QNAME01: CH5

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	22	0.26
-8	DON'T KNOW	5	0.06
-1	INAPPLICABLE	8174	95.87
1	YES	44	0.52
2	NO	281	3.30

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRPH QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	285	3.34
2	NO	8241	96.66

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: FILIPINO QNAME03: NA QPAGENUM: NA
QNAME01: FILIPINO QNAME01: FILIPINO

LABEL: FILIPINO

VALUE:		FREQ	%
1	YES	274	3.21
2	NO	8252	96.79

UNIVERSE: ALL CHILDREN

INPUT VAR: CH7_5

NOTES:

VARNAME: SRKR QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED KOREAN

VALUE:		FREQ	%
1	YES	122	1.43
2	NO	8404	98.57

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRCH QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		280	3.28
2	NO		8246	96.72

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CHINESE QNAME03: NA QPAGENUM: NA

QNAME01: CHINESE QNAME01: CHINESE

LABEL: CHINESE

VALUE:			FREQ	%
1	YES		282	3.31
2	NO		8244	96.69

UNIVERSE: ALL CHILDREN

INPUT VAR: CH7_15 CH7_4

NOTES:

VARNAME: SRVT QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		138	1.62
2	NO		8388	98.38

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRASO QNAME03: NA QPAGENUM: NA
QNAME01: SRASO QNAME01: SRASO

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:		FREQ	%
1	YES	303	3.55
2	NO	8223	96.45

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: ASIAN9 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	7488	87.83
1	CHINESE	234	2.74
2	JAPANESE	85	1.00
3	KOREAN	115	1.35
4	FILIPINO	245	2.87
5	SOUTH ASIAN	111	1.30
6	VIETNAMESE	122	1.43
7	SOUTHEAST ASIAN	33	0.39
8	CAMBODIAN /OTHER ASIAN	25	0.29
9	TWO OR MORE ASIAN TYPES	68	0.80

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR: RECODE OF ASIAN10

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ASNHPR_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	7705	90.37
1	CHINESE	204	2.39
2	FILIPINO	162	1.90
3	SOUTH ASIAN	105	1.23
4	JAPANESE	35	0.41
5	KOREAN	102	1.20
6	VIETNAMESE	115	1.35
7	CAMBODIAN/OTHER SINGLE/MULTIPLE ASIAN TY	98	1.15

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR: RECODE OF ASIANHPR

NOTES:

VARNAME: RACECN_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:		FREQ	%
1	AIAN	152	1.78
2	ASIAN	764	8.96
3	AFRICAN AMERICAN	488	5.72
4	WHITE	5044	59.16
5	PI/OTHER SINGLE RACE	1447	16.97
6	MORE THAN ONE RACE	631	7.40

UNIVERSE: ALL CHILDREN

INPUT VAR: RECODE OF RACECEN

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACEDO_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE - DEPARTMENT OF FINANCE DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	3314	38.87
2	NON-LATINO AIAN	36	0.42
3	NON-LATINO ASIAN	714	8.37
4	NON-LATINO AFR. AMER.	434	5.09
5	NON-LATINO WHITE	3501	41.06
6	NON-LATINO PI/OTH. ONE RACE	32	0.38
7	NON-LATINO TWO+ RACES	495	5.81

UNIVERSE: ALL CHILDREN

INPUT VAR: RECODE OF RACEDOF

NOTES:

VARNAME: RACEHP_P QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: RACE- UCLA CHPR DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	2580	30.26
2	AIAN	112	1.31
3	ASIAN	821	9.63
4	AFRICAN AMERICAN	517	6.06
5	WHITE	4260	49.96
6	PI/OTHER SINGLE/MULTIPLE RACE	236	2.77

UNIVERSE: ALL CHILDREN

INPUT VAR: RECODE OF RACEHPR

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: YRUS QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: YEARS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	8054	94.46
1	<=1 YEAR	79	0.93
2	2-4 YEARS	214	2.51
3	5-9 YEARS	151	1.77
4	10-11 YEARS	28	0.33

UNIVERSE: CHILDREN WHO WERE BORN OUTSIDE OF US

INPUT VAR: CADATE CH10FMT CH10YR CH10

NOTES:

VARNAME: CNTRYM QNAME03: NA QPAGENUM: NA
QNAME01: CHCNTRYM QNAME01: CHCNTRYM

LABEL: COUNTRY MOTHER BORN IN

VALUE:		FREQ	%
1	UNITED STATES	5405	63.39
2	MEXICO	1677	19.67
3	CENTRAL AMERICA	262	3.07
4	OTHER LATIN AMERICA	87	1.02
5	ASIA & PACIFIC ISLANDS	835	9.79
6	EUROPE	189	2.22
7	OTHER	71	0.83

UNIVERSE: ALL CHILDREN

INPUT VAR: CH11

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CITIZ2_M QNAME03: NA QPAGENUM: NA
QNAME01: CITIZ2_M QNAME01: CITIZ2_M

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	5405	63.39
2	NATURALIZED CITIZEN	1062	12.46
3	NON-CITIZEN	2059	24.15

UNIVERSE: ALL CHILDREN

INPUT VAR: CITIZ1_M

NOTES:

VARNAME: YRUSM QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: YEARS MOTHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	SKIPPED	5424	63.62
1	<=1 YEAR	62	0.73
2	2-4 YEARS	354	4.15
3	5-9 YEARS	550	6.45
4	10-14 YEARS	833	9.77
5	15-19 YEARS	505	5.92
6	20-24 YEARS	334	3.92
7	25-29 YEARS	201	2.36
8	30+ YEARS	263	3.08

UNIVERSE: CHILDREN WHOSE MOTHER WAS BORN OUTSIDE OF USA, AMERICAN SAMOA, GUAM, PUERTO RICO, OR VIRGEN ISLANDS

INPUT VAR: CADATE CH13FMT CH13YR CH13

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: YRUSF QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: YEARS FATHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	SKIPPED	5398	63.31
1	<=1 YEAR	40	0.47
2	2-4 YEARS	207	2.43
3	5-9 YEARS	424	4.97
4	10-14 YEARS	658	7.72
5	15-19 YEARS	604	7.08
6	20-24 YEARS	516	6.05
7	25-29 YEARS	273	3.20
8	30+ YEARS	406	4.76

UNIVERSE: CHILDREN WHOSE FATHER WAS BORN OUTSIDE OF USA, AMERICAN SAMOA,
GUAM, PUERTO RICO, OR VIRGIN ISLANDS

INPUT VAR: CADATE CH16FMT CH16YR CH16

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CH18 QNAME03: QC03_149 QPAGENUM: C-33
QNAME01: CH18 QNAME01: CH18

LABEL: HOW WELL MKA SPEAKS ENGLISH

VALUE:		FREQ	%
-1	INAPPLICABLE	4571	53.61
1	VERY WELL	1453	17.04
2	WELL	918	10.77
3	NOT WELL	977	11.46
4	NOT AT ALL	607	7.12

UNIVERSE: CHILDREN WHO SPEAKS TWO OR MORE LANGUAGES AT HOME

INPUT VAR:

NOTES:

VARNAME: CHEDUCA QNAME03: NA QPAGENUM: NA
QNAME01: CHEDUCA QNAME01: CHEDUCA

LABEL: EDUCATION OF ADULT RESPONDENT

VALUE:		FREQ	%
1	GRADE 1-8	759	8.90
2	GRADE 9-11	692	8.12
3	GRADE 12 / H.S. DIPLOMA	1876	22.00
4	SOME COLLEGE	1302	15.27
5	VOCATIONAL SCHOOL	265	3.11
6	AA OR AS DEGREE	675	7.92
7	BA OR BS DEGREE	1791	21.01
8	SOME GRAD. SCHOOL	123	1.44
9	MA OR MS DEGREE	740	8.68
10	PH.D. OR EQUIVALENT	255	2.99
91	NO FORMAL EDUCATION	48	0.56

UNIVERSE: ALL CHILDREN

INPUT VAR: AHEDUC CH22

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CH24 QNAME03: QC03_151 QPAGENUM: C-33
QNAME01: CH24 QNAME01: CH24

LABEL: ANOTHER ADULT IN HOUSEHOLD RESPONSIBLE FOR CHILD

VALUE:		FREQ	%
1	YES	1316	15.44
2	NO	7210	84.56

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CHEDUCA1 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: EDUCATION: OTHER RESPONSIBLE ADULT (1)

VALUE:		FREQ	%
-1	SKIPPED	7210	84.56
1	GRADE 1-8	157	1.84
2	GRADE 9-11	105	1.23
3	GRADE 12 / H.S. DIPLOMA	457	5.36
4	SOME COLLEGE	171	2.01
5	VOCATIONAL SCHOOL	36	0.42
6	AA OR AS DEGREE	72	0.84
7	BA OR BS DEGREE	204	2.39
8	SOME GRAD. SCHOOL	6	0.07
9	MA OR MS DEGREE	42	0.49
10	PH.D. OR EQUIVALENT	31	0.36
91	NO FORMAL EDUCATION	35	0.41

UNIVERSE: CHILDREN LIVING WITH AN ADULT OTHER THAN HIS/HER PARENTS AND/OR RESPONDENT

INPUT VAR: CH26

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section H: Health Insurance

VARIABLE: CF10A QNAME03: QA03_233 QPAGENUM: A-64
QNAME01: CF10A QNAME01: CF10A

LABEL: CHILD HAS SAME INS AS ADULT RESPONDENT

VALUE:			FREQ	%
-1	INAPPLICABLE		1281	15.02
1	YES		6102	71.57
2	NO		1143	13.41

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARIABLE: MA1 QNAME03: QA03_234 QPAGENUM: A-64
QNAME01: NA QNAME01: NA

LABEL: CHILD HAS SAME INS AS SPOUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		7749	90.89
1	YES		299	3.51
2	NO		478	5.61

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT AND SPOUSE OF ADULT RESPONDENT HAS INSURANCE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RSN_NOMC QNAME03: NA QPAGENUM: NA
 QNAME01: RSN_NOMC QNAME01: RSN_NOMC

LABEL: REASONS FOR THE UNINSURED NOT HAVING MEDI-CAL

VALUE:		FREQ	%
-1	INAPPLICABLE	8078	94.75
1	PAPERWORK TOO DIFFICULT	10	0.12
2	DIDN'T KNOW IF ELIGIBLE	43	0.50
3	INCOME TOO HIGH, NOT ELIGIBLE	118	1.38
4	INELIGIBLE CITIZENSHIP/IMMIGRATION STATU	42	0.49
5	OTHER NOT ELIGIBLE	40	0.47
6	DON'T BELIEVE IN/DON'T NEED	13	0.15
7	ALREADY HAVE INSURANCE	10	0.12
8	DIDN'T KNOW IT EXISTED	7	0.08
9	DON'T LIKE/WANT WELFARE	18	0.21
91	OTHER	144	1.69
92	R THOUGHT WAS INSURED	3	0.04

UNIVERSE: CHILDREN WHO ARE UNINSURED

INPUT VAR: CF1A INS

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF2 QNAME03: QA03_237 QPAGENUM: A-65
QNAME01: CF2 QNAME01: CF2

LABEL: CHILD COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	1841	21.59
1	YES	536	6.29
2	NO	6149	72.12

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
RESPONDENT'S SPOUSE AND NOT COVERED BY MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: RSN_NOHF QNAME03: NA QPAGENUM: NA
QNAME01: RSN_NOHF QNAME01: RSN_NOHF

LABEL: REASONS FOR THE UNINSURED NOT HAVING HEALTHY FAMILIES

VALUE:		FREQ	%
-1	INAPPLICABLE	8078	94.75
1	PAPERWORK TOO DIFFICULT	13	0.15
2	DIDN'T KNOW IF ELIGIBLE	45	0.53
3	INCOME TOO HIGH, NOT ELIGIBLE	61	0.72
4	INELIGIBLE CITIZENSHIP/IMMIGRATION STATU	32	0.38
5	OTHER NOT ELIGIBLE	41	0.48
6	DON'T BELIEVE IN/DON'T NEED	14	0.16
7	ALREADY HAVE INSURANCE	10	0.12
8	DIDN'T KNOW IT EXISTED	73	0.86
9	DON'T LIKE/WANT WELFARE	8	0.09
91	OTHER	137	1.61
92	R THOUGHT WAS INSURED	14	0.16

UNIVERSE: CHILDREN WHO ARE UNINSURED

INPUT VAR: CF2A INS

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CF11 QNAME03: QA03_246 QPAGENUM: A-67
 QNAME01: CF11 QNAME01: CF11

LABEL: CHILD'S HEALTH PLAN REQUIRES PRIMARY DOCTOR/CLINIC

VALUE:		FREQ	%
-1	INAPPLICABLE	738	8.66
1	YES	5159	60.51
2	NO	2629	30.84

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
RESPONDENT'S SPOUSE

INPUT VAR:

NOTES:

 VARNAME: MANAGE QNAME03: NA QPAGENUM: NA
 QNAME01: MAN_HIS QNAME01: MAN_HIS

LABEL: MANAGED CARE

VALUE:		FREQ	%
1	MANAGED CARE	5153	60.44
2	NO MANAGED CARE	2623	30.76
3	INSURED UNKNOWN MANAGED CARE	302	3.54
4	UNINSURED	448	5.25

UNIVERSE: ALL CHILDREN

INPUT VAR: INS CF10A AI21 CF11

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: MD QNAME03: NA QPAGENUM: NA
 QNAME01: MD QNAME01: MD

LABEL: MUST SIGN UP W/ PRIMARY CARE DOCTOR, GROUP, OR CLINIC

VALUE:		FREQ	%
-1	SKIPPED	448	5.25
1	YES	5153	60.44
2	NO	2623	30.76
3	DON'T KNOW	302	3.54

UNIVERSE: CHILDREN WITH HEALTH INSURANCE

INPUT VAR: INS CF10A AI21 CF11

NOTES:

VARNAME: CF12 QNAME03: QA03_247 QPAGENUM: A-67
 QNAME01: CF12 QNAME01: CF12

LABEL: CHILD'S HEALTH PLAN REQUIRES REFERRAL FOR SPECIALISTS

VALUE:		FREQ	%
-1	INAPPLICABLE	738	8.66
1	YES	5079	59.57
2	NO	2709	31.77

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
 RESPONDENT'S SPOUSE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SPEC QNAME03: NA QPAGENUM: NA
QNAME01: SPEC QNAME01: SPEC

LABEL: PLAN REQUIRES APPROVAL TO SEE SPECIALIST

VALUE:		FREQ	%
-1	SKIPPED	448	5.25
1	YES	5074	59.51
2	NO	2702	31.69
3	DON'T KNOW	302	3.54

UNIVERSE: CHILDREN WHO HAVE HEALTH INSURANCE

INPUT VAR: INS CF10A AI22 CF12

NOTES:

VARNAME: MA2_P QNAME03: QPAGENUM:
QNAME01: QNAME01:

LABEL: NAME OF CHILD'S MAIN HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	26	0.30
-8	DK	192	2.25
-7	REFUSED	38	0.45
-5	SKIP PATTERN CHANGED	429	5.03
-1	INAPPLICABLE	745	8.74
1	KAISER	1242	14.57
2	BLUE CROSS	1464	17.17
3	PACIFICARE	335	3.93
4	BLUE SHIELD	563	6.60
5	HEALTH NET	510	5.98
6	AETNA / US HEALTHCARE / PRUDENTIAL	243	2.85
7	CIGNA HEALTHCARE	218	2.56
8	MEDICARE	12	0.14
9	MEDI-CAL OR MEDICAID	793	9.30
91	OTHER	1716	20.13

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR RESPONDENT'S SPOUSE

INPUT VAR: RECODE OF MA2

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: MA3 QNAME03: QA03_249 QPAGENUM: A-68
QNAME01: NA QNAME01: NA

LABEL: CHILD'S HEALTH PLAN IS HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	1047	12.28
1	YES	4226	49.57
2	NO	3253	38.15

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR SPOUSE AND CHILD'S INSURANCE REQUIRES A PRIMARY DOCTOR OR REFERRAL TO SEE A SPECIALIST

INPUT VAR:

NOTES:

VARNAME: CF14 QNAME03: QA03_250 QPAGENUM: A-68
QNAME01: CF14 QNAME01: CF14

LABEL: CHILD COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-1	INAPPLICABLE	738	8.66
1	YES	7387	86.64
2	NO	401	4.70

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR RESPONDENT'S SPOUSE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF14NEW QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: RX COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	SKIPPED	448	5.25
1	HAVE RX COVERAGE VIA HF OR MEDICAL	7675	90.02
2	NO	172	2.02
3	SAME AS SPOUSE	231	2.71

UNIVERSE: INSURED CHILDREN

INPUT VAR: INSMD INSHF CF14

NOTES:

VARNAME: CF15 QNAME03: QA03_251 QPAGENUM: A-68

QNAME01: CF15 QNAME01: CF15

LABEL: COVERED FOR EYE EXAMS

VALUE:		FREQ	%
-1	INAPPLICABLE	738	8.66
1	YES	6337	74.33
2	NO	1451	17.02

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
RESPONDENT'S SPOUSE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CF15NEW QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: EYE EXAM COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	SKIPPED	448	5.25
1	HAVE VISION COVERAGE VIA HF OR MEDICAL	6737	79.02
2	NO	1110	13.02
3	SAME AS SPOUSE	231	2.71

UNIVERSE: INSURED CHILDREN

INPUT VAR: INSMD INSHF CF15

NOTES:

VARNAME: CF16 QNAME03: QA03_252 QPAGENUM: A-68
 QNAME01: CF16 QNAME01: CF16

LABEL: COVERED FOR GLASSES

VALUE:		FREQ	%
-1	INAPPLICABLE	738	8.66
1	YES	5514	64.67
2	NO	2274	26.67

UNIVERSE: CHILDREN WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT OR
 RESPONDENT'S SPOUSE

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF16NEW QNAME03: NA QPAGENUM: NA

QNAME01: NA QNAME01: NA

LABEL: EYE GLASSES COVERAGE EDITED FOR MEDICAL/HF

VALUE:		FREQ	%
-1	SKIPPED	448	5.25
1	HAVE EYE WEAR COVERAGE VIA HF OR MEDICAL	6131	71.91
2	NO	1716	20.13
3	SAME AS SPOUSE	231	2.71

UNIVERSE: INSURED CHILDREN

INPUT VAR: INSMD INSHF CF16

NOTES:

VARNAME: MA4 QNAME03: QA03_253 QPAGENUM: A-68

QNAME01: NA QNAME01: NA

LABEL: RATING OF CHILD'S HEALTH CARE IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	439	5.15
0	0	7964	93.41
95	NO HEALTH CARE IN PAST 12 MONTHS	123	1.44

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF21 QNAME03: QA03_256 QPAGENUM: A-69
QNAME01: CF21 QNAME01: CF21

LABEL: HOW LONG SINCE CHILD LAST HAD HEALTH INS

VALUE:		FREQ	%
-1	INAPPLICABLE	8274	97.04
1	MORE THAN 12 MONTHS AND LESS THAN 3 YRS	89	1.04
2	MORE THAN 3 YEARS AGO	57	0.67
3	NEVER HAD HEALTH INSURANCE COVERAGE	106	1.24

UNIVERSE: CHILDREN WITH NO HEALTH INSURANCE COVERAGE FOR THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: INS QNAME03: NA QPAGENUM: NA
QNAME01: INSURE QNAME01: INSURE

LABEL: CURRENTLY INSURED

VALUE:		FREQ	%
1	YES	8078	94.75
2	NO	448	5.25

UNIVERSE: ALL CHILDREN

INPUT VAR: INSMD INSHF INSEM INSMC INSPR INSML INSOG INSOT

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INS64 QNAME03: NA QPAGENUM: NA
 QNAME01: INS_HI64 QNAME01: INS_HI64

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:			FREQ	%
1	UNINSURED		448	5.25
2	MEDICAID		1936	22.71
3	CHIP		494	5.79
5	EMPLOYMENT-BASED		5027	58.96
6	PRIVATELY PURCHASED		518	6.08
7	OTHER PUBLIC		103	1.21

UNIVERSE: ALL CHILDREN

INPUT VAR: INSMD INSHF INSEM INSMC INSPR INSML INSOG INSOT

NOTES:

VARNAME: INSANY QNAME03: NA QPAGENUM: NA
 QNAME01: INS_ANY QNAME01: INS_ANY

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		448	5.25
2	UNINS. ANY PAST 12 MO		269	3.16
3	INSURED ALL PAST 12 MO		7809	91.59

UNIVERSE: ALL CHILDREN

INPUT VAR: INS64 INS12M

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME03: NA QPAGENUM: NA
QNAME01: INS_EM QNAME01: INS_EM

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:		FREQ	%
1	YES	5265	61.75
2	NO	3261	38.25

UNIVERSE: ALL CHILDREN

INPUT VAR: CF10A MA1 CF3 CF5_2 INSEM(A) INSEM_S (A) CF9_1

NOTES:

VARNAME: INSHF QNAME03: NA QPAGENUM: NA
QNAME01: INS_HF QNAME01: INS_HF

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:		FREQ	%
1	YES	539	6.32
2	NO	7987	93.68

UNIVERSE: ALL CHILDREN

INPUT VAR: CF10A MA1 CF2 CF5_5 INSHF(A) INSHF_S (A) CF9_6

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSOG QNAME03: NA QPAGENUM: NA

 QNAME01: INS_OG QNAME01: INS_OG

LABEL: COVERED BY SOME OTHER GOVT PLANS

VALUE: 1 YES FREQ %

 2 NO 125 1.47

 8401 98.53

UNIVERSE: ALL CHILDREN

INPUT VAR: CF10A MA1 CF7 CF7OS INSOG(A) INSOG_S (A) CF9_9

NOTES:

VARNAME: INSPR QNAME03: NA QPAGENUM: NA

 QNAME01: INS_PR QNAME01: INS_PR

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE: 1 YES FREQ %

 2 NO 585 6.86

 7941 93.14

UNIVERSE: ALL CHILDREN

INPUT VAR: CF10A MA1 CF4 INSPR(A) INSPR_S (A) CF9_3

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: ELIGPRG3 QNAME03: NA QPAGENUM: NA
QNAME01: ELIGPRG3 QNAME01: ELIGPRG3

LABEL: UNINSURED MEDI-CAL/HF ELIG. - 3 LVLS

VALUE:		FREQ	%
-5	INSURED	8078	94.75
1	MEDI-CAL(MEDICAID)ELIG.	121	1.42
2	HF ELIG.	129	1.51
3	NOT ELIG.	198	2.32

UNIVERSE: CHILDREN WHO ARE UNINSURED

INPUT VAR:

NOTES:

VARIABLE: FAMT4 QNAME03: NA QPAGENUM: NA
QNAME01: FAMT4 QNAME01: FAMT4

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	6787	79.60
4	SINGLE WITH KIDS	1739	20.40

UNIVERSE: ALL CHILDREN

INPUT VAR: FAM_TYPE

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME03: NA QPAGENUM: NA
QNAME01: UR_IHS QNAME01: UR_IHS

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	5788	67.89
2	RURAL	2738	32.11

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: UR_OMB QNAME03: NA QPAGENUM: NA
QNAME01: UR_OMB QNAME01: UR_OMB

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	7707	90.39
2	NON-METROPOLITAN	819	9.61

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: UR_RHP QNAME03: NA QPAGENUM: NA
QNAME01: UR_RHP QNAME01: UR_RHP

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	7081	83.05
2	RURAL	1445	16.95

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: POVLL QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	1408	16.51
2	100-199% FPL	1799	21.10
3	200-299% FPL	1241	14.56
4	300% FPL AND ABOVE	4078	47.83

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: POVLL2_P QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS	
N	8526
MIN	0
MAX	24
MEAN	3.82

UNIVERSE: ALL CHILDREN

INPUT VAR: TOPCODE OF POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW2 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 2

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW3 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 3

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW4 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 4

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW5 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 5

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW6 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 6

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW7 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 7

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW8 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 8

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW9 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 9

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW10 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 10

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW11 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 11

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW12 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 12

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW13 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 13

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

-----
VARNAME:   RAKEDW20                QNAME03:  NA                QPAGENUM:  NA
                                                QNAME01:  NA                QNAME01:  NA

LABEL:     CHIS2003 RAKED WEIGHT - REPLICATE 20

VALUE:     0          0                                8526          %
                                                    100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW21                QNAME03:  NA                QPAGENUM:  NA
                                                QNAME01:  NA                QNAME01:  NA

LABEL:     CHIS2003 RAKED WEIGHT - REPLICATE 21

VALUE:     0          0                                8526          %
                                                    100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW22                QNAME03:  NA                QPAGENUM:  NA
                                                QNAME01:  NA                QNAME01:  NA

LABEL:     CHIS2003 RAKED WEIGHT - REPLICATE 22

VALUE:     0          0                                8526          %
                                                    100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----

```


2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW23 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 23

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW24 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 24

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW25 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 25

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW26 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 26

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW27 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 27

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW28 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 28

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW29 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 29
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW30 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 30
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW31 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 31
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW32 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 32

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW33 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 33

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW34 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 34

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW35 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 35
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW36 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 36
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW37 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 37
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW38 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 38
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW39 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 39
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW40 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 40
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW41 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 41

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW42 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 42

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW43 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 43

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW44 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 44

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW45 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 45

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW46 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 46

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW47 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 47

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW48 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 48

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW49 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 49

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW50 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 50

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW51 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 51

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW52 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 52

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW53 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 53

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW54 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 54

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW55 QNAME03: NA QPAGENUM: NA
 QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 55

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW56 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 56
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW57 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 57
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW58 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 58
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW59 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 59

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW60 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 60

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW61 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 61

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW62 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 62

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW63 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 63

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW64 QNAME03: NA QPAGENUM: NA

QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 64

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW65 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 65
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW66 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 66
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW67 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 67
VALUE: 0 0
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW68 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 68

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW69 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 69

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW70 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 70

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW71 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 71

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW72 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 72

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW73 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 73

VALUE:	FREQ	%
0 0	8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW74 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 74

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW75 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 75

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW76 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA

LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 76

VALUE:	0	0	FREQ	%
			8526	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW77 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 77
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW78 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 78
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW79 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 79
VALUE: 0 0
FREQ 8526 % 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2003 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: RAKEDW80 QNAME03: NA QPAGENUM: NA
QNAME01: NA QNAME01: NA
LABEL: CHIS2003 RAKED WEIGHT - REPLICATE 80
VALUE: 0 0 FREQ %
8526 100.00
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:
