



CHIS 2007 DATA DICTIONARY

Public Use File
Child Survey
September 2011



CHIS 2007 DATA DICTIONARY

Child Survey

Public Use File

September 2011

child.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2011 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2007 Child Survey. UCLA Center for Health Policy Research. Los Angeles, CA: September 2011.

TABLE OF CONTENTS

1. Introduction	2
1.1 CHIS 2007 Child Survey Data File	2
1.2 Accompanying Files	2
2. CHIS 2007 Design and Methodology Summary.....	2
2.1 Overview	2
2.2 Sample Design Objectives.....	3
2.3 Data Collection	5
2.4 Response Rates	6
2.5 Weighting the Sample	7
2.6 Imputation Methods.....	8
3. How to Use the Data Dictionary.....	10
4. Sample Code Using Sample Design Information	11
4.1 Mean Calculation.....	12
4.2 Frequency Calculation.....	13
4.3 Linear Regression	14
4.4 Logistic Regression	15
5. Data Dictionary Variable Listings	16
A. Variable Name (alphabetical).....	16
B. Variable name (by Location in CHIS 2007 Child Questionnaire)	24
6. Data Dictionary.....	32
Section S: Screening Information.....	32
Section A: Demographics Information, Part I, Health Conditions.....	35
Section B: Dental Health	49
Section C: Diet, Physical Activity, Park Use	54
Section D: Access, Utilization.....	68
Section E: Public Programs	79
Section F: Parental Involvement, Concerns, Mental Health	83
Section G: Child Care.....	99
Section H: Demographic Information, Part II	106
Section I: Health Insurance.....	124
Section J: Demographic Information, Part III, Geographic Information	137
Section K: Full Design and Replicate Weight Series 0-80.....	141

1. Introduction

1.1 CHIS 2007 Child Survey Data File

The 2007 California Health Interview Survey (CHIS 2007) Child Data File consists of individual records from the Child component of CHIS 2007.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2007 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** teen.sas7bdat, teen.sav, teen.dta
- b. **Proc format file:** CHILD_PROC_FORMAT.SAS
- c. **Format file:** CHILD_FORMAT.SAS
- d. **Label file:** CHILD_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** childf.sas7bdat, childf.sav, childf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** CHILD.XPT, CHILDF.XPT

2. CHIS 2007 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and

Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2007 is the fourth CHIS data collection cycle and was conducted between July 2007 and early March 2008.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. First, the state was divided into 44 geographic sampling strata, 41 single-county strata and 3 multi-county strata comprised of the 17 remaining counties. Second, within each geographic stratum, households were selected through random-digit dial (RDD), and within each household, one adult (age 18 and over) respondent was randomly selected. In addition, in those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent was randomly selected for interview and one child was selected; the most knowledgeable adult about the child's health completed the child interview.

Table 1-1 shows the 44 sampling strata for CHIS 2007. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective. These strata were revised from those used in previous CHIS cycles, increasing the number of individual counties from 33 to 41. The CHIS 2007 samples in Los Angeles and San Diego Counties were enhanced with additional funding by implementing further stratification within county.

Table 1-1. California County and County-Group Strata in CHIS 2007 Sample Design

1. Los Angeles	16. Sonoma	31. Napa
2. San Diego	17. Stanislaus	32. Kings
3. Orange	18. Santa Barbara	33. Madera
4. Santa Clara	19. Solano	34. Monterey
5. San Bernardino	20. Tulare	35. Humboldt
6. Riverside	21. Santa Cruz	36. Nevada
7. Alameda	22. Marin	37. Mendocino
8. Sacramento	23. San Luis Obispo	38. Sutter
9. Contra Costa	24. Placer	39. Yuba
10. Fresno	25. Merced	40. Lake
11. San Francisco	26. Butte	41. San Benito
12. Ventura	27. Shasta	42. Colusa, Glen, Tehama
13. San Mateo	28. Yolo	43. Plumas, Sierra, Siskiyou, Lassen, Modoc, Trinity, Del Norte
14. Kern	29. El Dorado	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
15. San Joaquin	30. Imperial	

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

The main RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates; these geographically targeted oversamples were supplemented by phone numbers for group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2007, the goal was to complete 800 interviews statewide with adults in cell-only households. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. Sampled cellular numbers were screened to identify whether they belonged to cell-only households. Cellular numbers from households with landline telephone numbers were considered out of scope. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected. No interviews with adolescents or about children were conducted from the CHIS 2007 cell RDD sample.

In an attempt to assess nonresponse bias, CHIS 2007 also included an area probability sample in Los Angeles County, with a target of 800 completed adult interviews. A clustered sample was selected from US Postal Service address lists, stratified by Los Angeles County Service Planning Area (SPA). Within each SPA, a number of smaller geographic areas (segments composed of blocks or groups of blocks) were selected, and within each segment specific addresses were selected. Sampled addresses for which a telephone number could be matched were initially treated the same as landline RDD cases, except that adolescent and child interviews were not attempted. Matched addresses where a screening interview could not be completed by telephone and all unmatched addresses were then assigned to recruiters who visited the sampled addresses in person to attempt to obtain cooperation.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2007 data collection under contract with the UCLA Center for Health Policy Research. For the landline RDD sample, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and substantially increased the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. For the cell RDD and area samples, only one randomly selected adult in each household was interviewed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2007 by the type of sample (landline RDD, surname list, cell RDD, and area sample).

Table 1-2. Number of Completed CHIS 2007 Interviews by Type of Sample Instrument

Type of sample	Adult	Child	Adolescent
Total all samples	51,048	9,913	3,638
Landline RDD	48,791	9,818	3,622
Surname list	451	95	16
Cell RDD	825	N/A	N/A
Area probability (LA County)	981	N/A	N/A

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 35 minutes to complete. The average child and adolescent interviews took about 17.5 minutes and 20 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 8 percent of the adult interviews were completed in a language other than English, as were almost 16 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2007 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 67 percent of the sampled telephone numbers. As in CHIS 2005, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2007 screener completion rate for the landline sample was 35.5 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 30.5 percent in cell-only households. For the area sample, the screener response rate was 32.0 percent, as compared with 31.5 percent for the landline sample in Los Angeles County. The extended interview completion rate for the landline sample varied across the adult (52.8 percent), child (73.7 percent) and adolescent (44.1 percent) interviews. The adolescent rate includes getting permission from a parent or guardian of the sampled adolescent. The adult interview completion rate for the cell sample was 52.0 percent, and for the area sample 69.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2007, the landline sample household response rate was 21.1 percent (the product of the screener response rate and the completion rate at the household level of 57.9 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2007 response rates, please see CHIS 2007 Methodology Series: Report 4 – Response Rates.

The CHIS response rate is comparable to response rates of other scientific telephone surveys in California, such as the 2007 California Behavioral Risk Factor Surveillance System (BRFSS) Survey. Using calculations that are as comparable as possible to those of CHIS 2007, the combined screener and adult response rate for the 2007 BRFSS is 18.7 percent, exactly the same as that for the CHIS 2007 landline sample. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as “complete.” At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly

persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 168 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2007 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2007 were created primarily from the California Department of Finance’s 2007 Population Estimates and 2007 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

Sample codes for applying weights and design information in analyses for different software packages are given in Section 4.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for a handful of variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005 and CHIS 2007 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those handled by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2007 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, hierarchical sequential hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a set of control variables. The control variables were ranked in order from the most to the least important. This procedure allowed control variables to be dropped if certain conditions (such as the minimum number of donors) were not met. The control variables were dropped sequentially, starting from the variable ranked least important. Once a responding case was used as a donor, it was dropped from the donor pool preventing using one donor multiple times.

Control variables used in forming donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the

imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation was done, logic checks and edits were performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

Methodology Report Series

A series of five methodology reports are available with more detail about the methods used in CHIS 2007:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2007 Child PUF. The index of the data dictionary lists variables by the alphabetical order and by the order in the child survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, and CHIS 2007 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the child questionnaire can be found on the CHIS web site at <http://www.chis.ucla.edu/topics.html>.

The data dictionary contains the following fields:

- **VARNAME**: The names of the variables.
- **QNAME07**: The names of the 2007 survey items. A blank field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM**: Location of the question in the CHIS 2007 questionnaire.
- **QNAME05**: The names of 2005 survey items identical or similar to the 2007 items.
- **QNAME03**: The names of 2003 survey items identical or similar to the 2007 items.
- **LABEL**: A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE**: Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS**: Sample distributions of continuous variables.
- **UNIVERSE**: The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR**: Source variables used to construct the one in the **VARNAME** field.
- **NOTES**: Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (`bmi_p`) is presented as a continuous dependent variable and current asthma status (`astcur`) as a categorical dependent variable. These variables are examined in relation to race (`racehpr2`), sex (`srsex`) and age (`srage_p`). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (`bmi_p`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC DESCRIBT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

```
*Sample design specification step* a
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse

*Analysis*
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (`astcur`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
```



```

replace racesex=3 if racehpr2 ==2 & srsex ==1
replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf

svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (`astcur`) among adults in California, controlling for race (`racehpr2`), sex (`srsex`), and age (`srage_p`). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable `ast` and assign 1 where `astcur=1` (“Current asthma”) and 0 where `astcur=2` (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA");CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-40
AGEGRP_A	AGE GROUP FOR ADULT	DD-4
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
ASIAN9	ASIAN SUBTYPES (9 TYPES) (PUF RECODE)	DD-85
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-86
ASTCUR	CURRENT ASTHMA	DD-12
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-13
BRTHWK_P	WEIGHT AT BIRTH - KILOGRAMS (PUF)	DD-7
BRTHWP_P	WEIGHT AT BIRTH - POUNDS (PUF)	DD-6
CA11	DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD	DD-18
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-11
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-15
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
CA31	STILL HAS ASTHMA	DD-11
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-12
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
CA34_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-17
CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-17
CA40	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-15
CA41	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-16
CA42	CHILD ATTEND SCHOOL LAST WEEK	DD-9
CA43	CHILD ATTEND SCHOOL LAST SCHOOL YEAR	DD-10
CA44	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA	DD-14
CA6	GENERAL HEALTH CONDITION	DD-10
CATRIBE	CALIFORNIA TRIBE	DD-82
CB16_1	TYPE OF MILK DRANK YESTERDAY: WHOLE	DD-26
CB16_2	TYPE OF MILK DRANK YESTERDAY: LOWFAT	DD-27
CB16_3	TYPE OF MILK DRANK YESTERDAY: NONFAT	DD-27
CB16_4	TYPE OF MILK DRANK YESTERDAY: ANOTHER TYPE	DD-28
CB16_A	TYPE OF MILK DRANK YESTERDAY: 1ST RESPONSE	DD-28
CB16_B	TYPE OF MILK DRANK YESTERDAY: 2ND RESPONSE	DD-29
CB16_C	TYPE OF MILK DRANK YESTERDAY: 3RD RESPONSE	DD-29
CB16_D	TYPE OF MILK DRANK YESTERDAY: 4TH RESPONSE	DD-30

VARIABLE	LABEL	PAGE
CB23_P	MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)	DD-21
CB24	NEEDED DENTAL CARE BUT COULDN'T AFFORD IN PAST 12 MOS	DD-21
CC1	CHILD HAS ANY TEETH	DD-18
CC10	# OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY	DD-23
CC11	# OF SERVINGS OF MILK DRANK YESTERDAY	DD-26
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY	DD-30
CC13	# OF SERVINGS OF FRUIT HAD YESTERDAY	DD-24
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY	DD-24
CC16	CHILD HAS PARTICULAR DENTIST	DD-20
CC18	MISSED SCHOOL FOR DENTAL PROBLEMS	DD-22
CC19_P	# DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)	DD-23
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-31
CC27	# OF DAYS WALKED, BIKED, SKATED TO SCHOOL PAST WEEK	DD-32
CC28	# OF MINS TO WALK, BIKE, SKATE TO SCHOOL	DD-32
CC29	# OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK	DD-33
CC30	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-33
CC31	# SERVINGS OF VEGETABLES HAD YESTERDAY	DD-25
CC32	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-31
CC33	COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN	DD-34
CC34	SPORTS TEAM MEMBER PAST 12 MOS	DD-35
CC35	# DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK	DD-35
CC36	PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME	DD-37
CC37	BEEN TO PARK LAST 30 DAYS	DD-36
CC38	# DAYS WENT TO PARK IN LAST 30 DAYS	DD-36
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-19
CC6	REASON FOR LAST DENTAL VISIT	DD-20
CC7A	INS PAYS FOR CHILD'S DENTAL CARE	DD-22
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-37
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-47
CD25	HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME	DD-41
CD26	DOCTOR SPOKE A DIFFERENT LANGUAGE	DD-42
CD27	NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR	DD-43
CD28	WHO HELPED TO UNDERSTAND DOCTOR	DD-43
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-38
CD30	CHILD HAD FLU SHOT IN PAST 12 MOS	DD-46
CD31_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-42
CD32	DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM	DD-44
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-41
CE1	DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-44
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-48
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-48
CE11C	CHILD CURRENTLY ON WIC	DD-49
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-45

VARIABLE	LABEL	PAGE
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-46
CE14	HEARD RADIO/TV AD ABOUT CHILD OBESITY	DD-49
CE15	INFLUENCE OVER FOODS CHILD EATS	DD-50
CE16	INFLUENCE OVER CHILDS EXERCISE	DD-50
CE17	SEEN OBESITY BILLBOARD IN PAST 12 MOS	DD-51
CE18	SEEN CHILDREN OF SMOKERS AD IN PAST 12 MOS	DD-51
CE7	DELAYED/DIDN'T GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-45
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-93
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-96
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-94
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-96
CF30	CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN PAST 6 MOS	DD-66
CF31	CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE	DD-67
CF32	CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-67
CF34	SEEN OR HEARD PRESCHOOL AD IN PAST 12 MOS	DD-74
CF38	QUALITY OF CHILD'S SCHOOL WORK	DD-68
CF40	PROF ASSESSED CHILDS DEVELOPMENT	DD-59
CF41	PROF HAVE CHILD ROLL OVER, PICK UP OBJ	DD-60
CF42	PROF HAVE R FILL OUT CHECKLIST OF CONCERNS	DD-60
CF43	PROF HAVE R FILL OUT CHECKLIST OF ACTIVITIES	DD-61
CF44	PROF ASK HAVE CONCERNS ABOUT LEARNING	DD-62
CF46	PROF REFER TO DEVELOPMENT SPECIALIST	DD-62
CF47	PROF REFER FOR SPEECH, LANGUAGE, HEARING	DD-63
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-68
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-52
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-52
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-53
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-53
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-54
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-54
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-55
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-69
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-55
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-56
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-56
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-57
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-57
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-58
CG26	CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-58

VARIABLE	LABEL	PAGE
CG28	CHILD IS GENERALLY OBEDIENT	DD-63
CG29	CHILD OFTEN SEEMS WORRIED	DD-64
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-64
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-65
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-65
CG37	MKA NOW IN SCHOOL	DD-93
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-69
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM	DD-70
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-70
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-71
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-71
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-72
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-73
CG3RC	TYPE OF CHILDCARE	DD-72
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-73
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-74
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-92
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-82
CHEDUCA	EDUCATION LEVEL OF MKA	DD-92
CHINESE	CHINESE	DD-84
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-90
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-88
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-87
CNTRYF	COUNTRY FATHER BORN IN	DD-89
CNTRYM	COUNTRY MOTHER BORN IN	DD-88
CNTRYS	COUNTRY BORN IN	DD-86
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-19
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-40
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-105
ER	ER VISIT WITHIN THE PAST YEAR	DD-47
FAMT4	FAMILY TYPE (4 LVLS)	DD-105
FILIPINO	FILIPINO	DD-83
FV5DAY	EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES	DD-25
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-7
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-8
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-2
HSMK	HOUSEHOLD SMOKING	DD-3
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-98
INS	CURRENTLY INSURED	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-97
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-98

VARIABLE	LABEL	PAGE
INSANY	ANY INS IN LAST 12 MOS	DD-99
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-100
INSHF	COVERED BY HEALTHY FAMILIES	DD-100
INSMD	COVERED BY MEDI-CAL	DD-104
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-104
INSTYPE	INSURANCE TYPE	DD-99
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-101
INTVLANG	LANGUAGE OF INTERVIEW	DD-3
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-91
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-76
MA1	CHILD HAS SAME INS AS SPOUSE	DD-94
MA2_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-95
MA3	MAIN HEALTH PLAN IS HMO	DD-95
PEDS	RISK OF DEVELOPMENTAL DELAY	DD-59
PHDSS	ADMINISTERED A STANDARDIZED DVLPMT & BEHV SCRIN(SDBS) TOOLS	DD-61
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-110
POVLL	POVERTY LEVEL	DD-109
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-109
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-79
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-79
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-80
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-80
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-81
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-81
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-110
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-111
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-114
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-114
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-114
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-115
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-115
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-115
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-116
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-116
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-116
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-117
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-111
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-117
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-117
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-118
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-118

VARIABLE	LABEL	PAGE
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-118
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-119
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-119
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-119
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-120
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-120
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-111
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-120
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-121
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-121
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-121
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-122
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-122
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-122
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-123
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-123
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-123
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-112
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-124
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-124
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-124
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-125
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-125
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-125
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-126
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-126
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-126
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-127
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-112
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-127
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-127
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-128
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-128
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-128
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-129
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-129
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-129
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-130
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-130
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-112
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-130
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-131
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-131
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-131
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-132

VARIABLE	LABEL	PAGE
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-132
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-132
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-133
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-133
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-133
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-113
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-134
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-134
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-134
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-135
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-135
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-135
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-136
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-136
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-136
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-137
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-113
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-137
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-113
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-103
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-102
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-34
SDQ	MENTAL HEALTH DEVELOPMENT	DD-66
SECTION A	DEMOGRAPHIC INFORMATION, PART I, HEALTH CONDITIONS	DD-4
SECTION B	DENTAL HEALTH	DD-18
SECTION C	DIET, PHYSICAL ACTIVITY, PARK USE	DD-23
SECTION D	ACCESS, UTILIZATION	DD-37
SECTION E	PUBLIC PROGRAMS	DD-48
SECTION F	PARENTAL INVOLVEMENT, CONCERNS, MENTAL HEALTH	DD-52
SECTION G	CHILD CARE	DD-68
SECTION H	DEMOGRAPHIC INFORMATION, PART II	DD-75
SECTION I	HEALTH INSURANCE	DD-93
SECTION J	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-106
SECTION K	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-110
SECTION S	SCREENING INFORMATION	DD-1
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-77
SRAGE_P	AGE (PUF RECODE)	DD-5
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-77
SRAS	SELF-REPORTED ASIAN	DD-77
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-85
SRCH	SELF-REPORTED CHINESE	DD-84
SRH	SELF-REPORTED LATINO/HISPANIC	DD-75
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-75
SRKR	SELF-REPORTED KOREAN	DD-83

VARIABLE	LABEL	PAGE
SRO	SELF-REPORTED OTHER RACE	DD-78
SRPH	SELF-REPORTED FILIPINO	DD-83
SRPI	SELF-REPORTED PI AND NTV HW	DD-76
SRSEX	GENDER	DD-4
SRSEX_A	GENDER (ADULT)	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-6
SRVT	SELF-REPORTED VIETNAMESE	DD-84
SRW	SELF-REPORTED WHITE	DD-78
UNINSANY	UNINSURED IN PAST 12 MOS	DD-101
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-108
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-106
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-106
UR_IHS	RURAL AND URBAN - IHS	DD-107
UR_OMB	RURAL AND URBAN - OMB	DD-107
UR_RHP	RURAL AND URBAN - RHP	DD-107
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-108
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-39
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-38
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-39
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-8
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-9
YRUS	YEARS LIVED IN THE US	DD-87
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-90
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-89

B. Variable name (by Location in CHIS 2007 Child Questionnaire)

VARIABLE	LABEL	PAGE
SECTION S	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-2
INTVLANG	LANGUAGE OF INTERVIEW	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-3
AGEGRP_A	AGE GROUP FOR ADULT	DD-4
SECTION A	DEMOGRAPHIC INFORMATION, PART I, HEALTH CONDITIONS	DD-4
SRSEX	GENDER	DD-4
SRSEX_A	GENDER (ADULT)	DD-5
SRAGE_P	AGE (PUF RECODE)	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-6
BRTHWP_P	WEIGHT AT BIRTH - POUNDS (PUF)	DD-6
BRTHWK_P	WEIGHT AT BIRTH - KILOGRAMS (PUF)	DD-7
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-7
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-8
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-8
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-9
CA42	CHILD ATTEND SCHOOL LAST WEEK	DD-9
CA43	CHILD ATTEND SCHOOL LAST SCHOOL YEAR	DD-10
CA6	GENERAL HEALTH CONDITION	DD-10
CA12	DOCTOR EVER TOLD YOU CHILD HAS ASTHMA	DD-11
CA31	STILL HAS ASTHMA	DD-11
CA32	HAD ASTHMA ATTACK IN PAST 12 MOS	DD-12
ASTCUR	CURRENT ASTHMA	DD-12
CA12B	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-13
CA33	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
CA44	HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA	DD-14
CA12A	CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA	DD-15
CA40	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
CA41	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-16
CA34_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-17
CA35	DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD	DD-17
CA11	DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD	DD-18
SECTION B	DENTAL HEALTH	DD-18

VARIABLE	LABEL	PAGE
CC1	CHILD HAS ANY TEETH	DD-18
CC5	HOW LONG SINCE CHILD LAST VISITED DENTIST	DD-19
DNVST	CHILD DENTAL VISIT PAST YEAR	DD-19
CC6	REASON FOR LAST DENTAL VISIT	DD-20
CC16	CHILD HAS PARTICULAR DENTIST	DD-20
CB23_P	MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)	DD-21
CB24	NEEDED DENTAL CARE BUT COULDN'T AFFORD IN PAST 12 MOS	DD-21
CC7A	INS PAYS FOR CHILD'S DENTAL CARE	DD-22
CC18	MISSED SCHOOL FOR DENTAL PROBLEMS	DD-22
CC19_P	# DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)	DD-23
SECTION C	DIET, PHYSICAL ACTIVITY, PARK USE	DD-23
CC10	# OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY	DD-23
CC13	# OF SERVINGS OF FRUIT HAD YESTERDAY	DD-24
CC14	# OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY	DD-24
CC31	# SERVINGS OF VEGETABLES HAD YESTERDAY	DD-25
FV5DAY	EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES	DD-25
CC11	# OF SERVINGS OF MILK DRANK YESTERDAY	DD-26
CB16_1	TYPE OF MILK DRANK YESTERDAY: WHOLE	DD-26
CB16_2	TYPE OF MILK DRANK YESTERDAY: LOWFAT	DD-27
CB16_3	TYPE OF MILK DRANK YESTERDAY: NONFAT	DD-27
CB16_4	TYPE OF MILK DRANK YESTERDAY: ANOTHER TYPE	DD-28
CB16_A	TYPE OF MILK DRANK YESTERDAY: 1ST RESPONSE	DD-28
CB16_B	TYPE OF MILK DRANK YESTERDAY: 2ND RESPONSE	DD-29
CB16_C	TYPE OF MILK DRANK YESTERDAY: 3RD RESPONSE	DD-29
CB16_D	TYPE OF MILK DRANK YESTERDAY: 4TH RESPONSE	DD-30
CC12	# OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY	DD-30
CC24	# OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY	DD-31
CC32	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-31
CC27	# OF DAYS WALKED, BIKED, SKATED TO SCHOOL PAST WEEK	DD-32
CC28	# OF MINS TO WALK, BIKE, SKATE TO SCHOOL	DD-32
CC29	# OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK	DD-33
CC30	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-33
CC33	COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN	DD-34
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-34
CC34	SPORTS TEAM MEMBER PAST 12 MOS	DD-35
CC35	# DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK	DD-35
CC37	BEEN TO PARK LAST 30 DAYS	DD-36
CC38	# DAYS WENT TO PARK IN LAST 30 DAYS	DD-36
CC36	PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME	DD-37
SECTION D	ACCESS, UTILIZATION	DD-37
CD1	HAS USUAL PLACE FOR CHILD'S HEALTH CARE	DD-37
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE	DD-38
CD3	KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE	DD-38

VARIABLE	LABEL	PAGE
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-39
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-39
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-40
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-40
CD7	HOW LONG SINCE LAST SAW MEDICAL DOCTOR	DD-41
CD25	HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME	DD-41
CD31_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	DD-42
CD26	DOCTOR SPOKE A DIFFERENT LANGUAGE	DD-42
CD27	NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR	DD-43
CD28	WHO HELPED TO UNDERSTAND DOCTOR	DD-43
CD32	DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM	DD-44
CE1	DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS	DD-44
CE12	COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD	DD-45
CE7	DELAYED/DIDN'T GET MEDICAL CARE CHILD NEEDED PAST 12 MOS	DD-45
CE13	COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD	DD-46
CD30	CHILD HAD FLU SHOT IN PAST 12 MOS	DD-46
CD12	CHILD VISITED HOSPITAL ER PAST 12 MOS	DD-47
ER	ER VISIT WITHIN THE PAST YEAR	DD-47
SECTION E	PUBLIC PROGRAMS	DD-48
CE11	CHILD CURRENTLY ON TANF OR CALWORKS	DD-48
CE11A	CHILD RECEIVING FOOD STAMP BENEFITS	DD-48
CE11C	CHILD CURRENTLY ON WIC	DD-49
CE14	HEARD RADIO/TV AD ABOUT CHILD OBESITY	DD-49
CE15	INFLUENCE OVER FOODS CHILD EATS	DD-50
CE16	INFLUENCE OVER CHILDS EXERCISE	DD-50
CE17	SEEN OBESITY BILLBOARD IN PAST 12 MOS	DD-51
CE18	SEEN CHILDREN OF SMOKERS AD IN PAST 12 MOS	DD-51
SECTION F	PARENTAL INVOLVEMENT, CONCERNS, MENTAL HEALTH	DD-52
CG14	# OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK	DD-52
CG15	# OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK	DD-52
CG16	# OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE	DD-53
CG17	CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS	DD-53
CG17A	CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS	DD-54
CG18	CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY	DD-54
CG19	CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS	DD-55
CG20	CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS	DD-55
CG21	CONCERN ABOUT HOW WELL CHILD SEES OR HEARS	DD-56
CG22	CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS	DD-56
CG23	CONCERN ABOUT CHILD'S FEELINGS AND MOODS	DD-57
CG24	CONCERN ABOUT HOW CHILD BEHAVES	DD-57
CG25	CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF	DD-58

VARIABLE	LABEL	PAGE
CG26	CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO	DD-58
PEDS	RISK OF DEVELOPMENTAL DELAY	DD-59
CF40	PROF ASSESSED CHILDS DEVELOPMENT	DD-59
CF41	PROF HAVE CHILD ROLL OVER, PICK UP OBJ	DD-60
CF42	PROF HAVE R FILL OUT CHECKLIST OF CONCERNS	DD-60
CF43	PROF HAVE R FILL OUT CHECKLIST OF ACTIVITIES	DD-61
PHDSS	ADMINISTERED A STANDARDIZED DVLPMT & BEHV SCRNS(SDBS) TOOLS	DD-61
CF44	PROF ASK HAVE CONCERNS ABOUT LEARNING	DD-62
CF46	PROF REFER TO DEVELOPMENT SPECIALIST	DD-62
CF47	PROF REFER FOR SPEECH, LANGUAGE, HEARING	DD-63
CG28	CHILD IS GENERALLY OBEDIENT	DD-63
CG29	CHILD OFTEN SEEMS WORRIED	DD-64
CG30	CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL	DD-64
CG31	CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN	DD-65
CG32	CHILD HAS GOOD ATTENTION SPAN	DD-65
CF30	CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN PAST 6 MOS	DD-66
SDQ	MENTAL HEALTH DEVELOPMENT	DD-66
CF31	CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE	DD-67
CF32	CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-67
CF38	QUALITY OF CHILD'S SCHOOL WORK	DD-68
SECTION G	CHILD CARE	DD-68
CG1	HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK	DD-68
CG2	# OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK	DD-69
CG3A	RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER	DD-69
CG3B	RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM	DD-70
CG3C	RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL	DD-70
CG3D	RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME	DD-71
CG3E	RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME	DD-71
CG3F	RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME	DD-72
CG3RC	TYPE OF CHILDCARE	DD-72
CG3G	CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA	DD-73
CG5	COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS	DD-73
CG6	MAIN REASON UNABLE TO FIND CHILDCARE	DD-74
CF34	SEEN OR HEARD PRESCHOOL AD IN PAST 12 MOS	DD-74
SECTION H	DEMOGRAPHIC INFORMATION, PART II	DD-75
SRH	SELF-REPORTED LATINO/HISPANIC	DD-75
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-75
LATIN9TP	LATINO/HISPANIC SUBTYPES - (9 TYPES)	DD-76

VARIABLE	LABEL	PAGE
SRPI	SELF-REPORTED PI AND NTV HW	DD-76
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-77
SRAS	SELF-REPORTED ASIAN	DD-77
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-77
SRW	SELF-REPORTED WHITE	DD-78
SRO	SELF-REPORTED OTHER RACE	DD-78
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-79
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-79
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-80
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-80
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-81
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-81
CH5	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-82
CATRIBE	CALIFORNIA TRIBE	DD-82
FILIPINO	FILIPINO	DD-83
SRPH	SELF-REPORTED FILIPINO	DD-83
SRKR	SELF-REPORTED KOREAN	DD-83
CHINESE	CHINESE	DD-84
SRCH	SELF-REPORTED CHINESE	DD-84
SRVT	SELF-REPORTED VIETNAMESE	DD-84
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-85
ASIAN9	ASIAN SUBTYPES (9 TYPES) (PUF RECODE)	DD-85
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-86
CNTRY5	COUNTRY BORN IN	DD-86
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-87
YRUS	YEARS LIVED IN THE US	DD-87
CNTRYM	COUNTRY MOTHER BORN IN	DD-88
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-88
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-89
CNTRYF	COUNTRY FATHER BORN IN	DD-89
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-90
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-90
LANGHOME	LANGUAGES SPOKEN AT HOME	DD-91
CH18	HOW WELL MKA SPEAKS ENGLISH	DD-92
CHEDUCA	EDUCATION LEVEL OF MKA	DD-92
CG37	MKA NOW IN SCHOOL	DD-93
SECTION I	HEALTH INSURANCE	DD-93
CF10A	CHILD HAS SAME INS AS ADULT RESPONDENT	DD-93
MA1	CHILD HAS SAME INS AS SPOUSE	DD-94
CF2	CHILD COVERED BY HEALTHY FAMILIES PROGRAM	DD-94
MA3	MAIN HEALTH PLAN IS HMO	DD-95
MA2_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-95
CF14	CHILD COVERED FOR PRESCRIPTIONS	DD-96
CF21	HOW LONG SINCE CHILD LAST HAD HEALTH INS	DD-96

VARIABLE	LABEL	PAGE
INS	CURRENTLY INSURED	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-97
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-98
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-98
INSTYPE	INSURANCE TYPE	DD-99
INSANY	ANY INS IN LAST 12 MOS	DD-99
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-100
INSHF	COVERED BY HEALTHY FAMILIES	DD-100
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-101
UNINSANY	UNINSURED IN PAST 12 MOS	DD-101
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-102
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-103
INSMD	COVERED BY MEDI-CAL	DD-104
INSOG	COVERED BY OTHER GOVT PLANS	DD-104
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-104
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-105
FAMT4	FAMILY TYPE (4 LVLS)	DD-105
SECTION J	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-106
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-106
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-106
UR_IHS	RURAL AND URBAN - IHS	DD-107
UR_OMB	RURAL AND URBAN - OMB	DD-107
UR_RHP	RURAL AND URBAN - RHP	DD-107
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-108
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-108
POVLL	POVERTY LEVEL	DD-109
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-109
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-110
SECTION K	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-110
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-110
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-111
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-111
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-111
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-112
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-112
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-112
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-113
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-113
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-113
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-114
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-114
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-114
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-115

VARIABLE	LABEL	PAGE
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-115
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-115
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-116
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-116
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-116
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-117
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-117
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-117
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-118
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-118
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-118
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-119
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-119
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-119
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-120
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-120
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-120
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-121
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-121
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-121
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-122
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-122
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-122
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-123
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-123
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-123
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-124
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-124
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-124
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-125
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-125
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-125
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-126
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-126
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-126
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-127
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-127
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-127
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-128
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-128
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-128
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-129
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-129
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-129
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-130

VARIABLE	LABEL	PAGE
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-130
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-130
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-131
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-131
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-131
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-132
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-132
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-132
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-133
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-133
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-133
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-134
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-134
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-134
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-135
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-135
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-135
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-136
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-136
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-136
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-137
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-137

6. Data Dictionary

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section S: Screening Information

VARNAME:	PUF_ID	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	PUBLIC USE FILE ID				
VALUE:	0-HIGH PERSON #			FREQ	%
				9913	100.00
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: AHEDUC QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	667	6.73
2	GRADE 9-11	537	5.42
3	GRADE 12/H.S. DIPLOMA	2078	20.96
4	SOME COLLEGE	1365	13.77
5	VOCATIONAL SCHOOL	276	2.78
6	AA OR AS DEGREE	688	6.94
7	BA OR BS DEGREE	2473	24.95
8	SOME GRAD. SCHOOL	131	1.32
9	MA OR MS DEGREE	1087	10.97
10	PH.D. OR EQUIVALENT	524	5.29
91	NO FORMAL EDUCATION	87	0.88

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

 VARNAME: HHSIZE_P QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS	
N	9913
MIN	2
MAX	7
MEAN	4.21

UNIVERSE: ALL CHILDREN

INPUT VAR: HH_SIZE

NOTES: TOPCODE=7

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		8353	84.26
2	SPANISH		1393	14.05
3	VIETNAMESE		56	0.56
4	KOREAN		57	0.58
5	CANTONESE		18	0.18
6	MANDARIN		36	0.36

UNIVERSE: ALL CHILDREN

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: HHSMK QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HOUSEHOLD SMOKING

VALUE:			FREQ	%
1	NONE		9656	97.41
2	SOMEDAYS		136	1.37
3	EVERY DAY		121	1.22

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: AGEGRP_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE GROUP FOR ADULT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
1	<30	1280	12.91
2	30-39	4174	42.11
3	40-49	3544	35.75
4	50-59	739	7.45
5	60+	162	1.63

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES:

Section A: Demographics Information, Part I, Health Conditions

VARNAME: SRSEX QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: GENDER

VALUE:		FREQ	%
1	MALE	5161	52.06
2	FEMALE	4752	47.94

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: SRSEX_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: GENDER (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
1	MALE	4705	47.46
2	FEMALE	5194	52.40

UNIVERSE: ALL ADULTS

INPUT VAR: SRSEX

NOTES:

VARNAM: SRAGE_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS	
N	9913
MIN	0
MAX	11
MEAN	5.58

UNIVERSE: ALL CHILDREN

INPUT VAR: SRAGE

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: SRTENR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:		FREQ	%
1	OWN	6355	64.11
2	RENT/SOME OTHER ARRANGEMENT	3558	35.89

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARIABLE: BRTHWP_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: WEIGHT AT BIRTH - POUNDS (PUF)

MEAN STATISTICS	
N	9501
MIN	2
MAX	11
MEAN	7.42

UNIVERSE: ALL CHILDREN

INPUT VAR: CA13P, CA13O, CA13K, CA13G

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: BRTHWK_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: WEIGHT AT BIRTH - KILOGRAMS (PUF)

MEAN STATISTICS	
N	9501
MIN	1
MAX	5
MEAN	3.37

UNIVERSE: ALL CHILDREN

INPUT VAR: CA13P, CA130, CA13K, CA13G

NOTES:

VARNAME: HGHTI_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

MEAN STATISTICS	
N	8058
MIN	18
MAX	65
MEAN	44.17

UNIVERSE: ALL CHILDREN

INPUT VAR: HGHTI

NOTES: TOPCODE=65; BOTTOMCODE=18

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: HGHTM_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HEIGHT - METERS (PUF RECODE)

MEAN STATISTICS

N	8058
MIN	1
MAX	2
MEAN	1.12

UNIVERSE: ALL CHILDREN

INPUT VAR: HGHTM

NOTES: TOPCODE=1.7; BOTTOMCODE=0.5

VARNAME: WGHTK_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT - KILOGRAMS (PUF RECODE)

MEAN STATISTICS

N	9379
MIN	3
MAX	79
MEAN	23.77

UNIVERSE: ALL CHILDREN

INPUT VAR: WGHTK

NOTES: TOPCODE=79; BOTTOMCODE=3

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: WEIGHT - POUNDS (PUF RECODE)

MEAN STATISTICS	
N	9379
MIN	6
MAX	175
MEAN	52.41

UNIVERSE: ALL CHILDREN

INPUT VAR: WGHTP

NOTES: TOPCODE=175; BOTTOMCODE=6

VARNAME: CA42 QNAME07: QC07_A6A QPAGENUM: C-5
QNAME05: QC05_A12A QNAME03: NA

LABEL: CHILD ATTEND SCHOOL LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	4152	41.88
1	YES	3956	39.91
2	NO	897	9.05
3	ON VACATION	831	8.38
4	HOME SCHOOLED	77	0.78

UNIVERSE: CHILDREN AGE 5 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CA43 QNAME07: QC07_A6B QPAGENUM: C-5
QNAME05: QC05_A12B QNAME03: NA

LABEL: CHILD ATTEND SCHOOL LAST SCHOOL YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	8108	81.79
1	YES	1540	15.54
2	NO	265	2.67

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO DID NOT ATTEND SCHOOL LAST WEEK

INPUT VAR:

NOTES:

VARIABLE: CA6 QNAME07: QC07_A7 QPAGENUM: C-5
QNAME05: QC05_A10 QNAME03: QC03_10

LABEL: GENERAL HEALTH CONDITION

VALUE:		FREQ	%
1	EXCELLENT	5735	57.85
2	VERY GOOD	2378	23.99
3	GOOD	1467	14.80
4	FAIR	298	3.01
5	POOR	35	0.35

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA12 QNAME07: QC07_A8 QPAGENUM: C-5
 QNAME05: QC05_A17 QNAME03: QC03_26

LABEL: DOCTOR EVER TOLD YOU CHILD HAS ASTHMA

VALUE:		FREQ	%
1	YES	1229	12.40
2	NO	8684	87.60

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CA31 QNAME07: QC07_A9 QPAGENUM: C-5
 QNAME05: QC05_A18 QNAME03: QC03_28

LABEL: STILL HAS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8684	87.60
1	YES	705	7.11
2	NO	524	5.29

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CA32 QNAME07: QC07_A10 QPAGENUM: C-6
QNAME05: QC05_A19 QNAME03: QC03_29

LABEL: HAD ASTHMA ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	8684	87.60
1	YES	556	5.61
2	NO	673	6.79

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARIABLE: ASTCUR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENT ASTHMA

VALUE:		FREQ	%
1	CURRENT ASTHMA	786	7.93
2	NO CURRENT ASTHMA	9127	92.07

UNIVERSE: ALL CHILDREN

INPUT VAR: CA12, CA31, CA32

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA12B QNAME07: QC07_A11 QPAGENUM: C-6
QNAME05: QC05_A20 QNAME03: QC03_30

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9127	92.07
1	NOT AT ALL	56	0.56
2	LESS THAN EVERY MONTH	508	5.12
3	EVERY MONTH	147	1.48
4	EVERY WEEK	60	0.61
5	EVERY DAY	15	0.15

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: ASTYR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9127	92.07
1	SYMPTOMS	730	7.36
2	NO SYMPTOMS	56	0.56

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR: CA12B

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA33 QNAME07: QC07_A12 QPAGENUM: C-6
QNAME05: QC05_A21 QNAME03: QC03_31

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9127	92.07
1	YES	194	1.96
2	NO	592	5.97

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA44 QNAME07: QC07_A13 QPAGENUM: C-6
QNAME05: NA QNAME03: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9127	92.07
1	YES	34	0.34
2	NO	752	7.59

UNIVERSE: CHILDREN WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA12A QNAME07: QC07_A14 QPAGENUM: C-6
QNAME05: QC05_A22 QNAME03: QC03_32

LABEL: CURRENTLY TAKING DAILY PRES MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8684	87.60
1	YES	315	3.18
2	NO	914	9.22

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: CA40 QNAME07: QC07_A15 QPAGENUM: C-7
QNAME05: QC05_A23 QNAME03: NA

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9470	95.53
1	NOT AT ALL	305	3.08
2	LESS THAN EVERY MONTH	126	1.27
3	EVERY MONTH	8	0.08
4	EVERY WEEK	3	0.03
5	EVERY DAY	1	0.01

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ASTS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	8684	87.60
1	SYMPTOMS	868	8.76
2	NO SYMPTOMS	361	3.64

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: CA12B, CA40

NOTES:

VARNAME: CA41 QNAME07: QC07_A16 QPAGENUM: C-7

QNAME05: QC05_A24 QNAME03: NA

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	9470	95.53
1	YES	12	0.12
2	NO	431	4.35

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA34_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)

MEAN STATISTICS

N 1209
MIN 0
MAX 30
MEAN 1.83

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: CA34

NOTES: EXCLUDED VALUE "93" IN CALCULATING THE MEAN

VARNAME: CA35 QNAME07: QC07_A19 QPAGENUM: C-7
QNAME05: QC05_A26 QNAME03: QC03_34

LABEL: DOCTOR EVER GIVEN ASTHMA MANAGEMENT PLAN FOR CHILD

VALUE:		FREQ	%
-1	INAPPLICABLE	8684	87.60
1	YES	610	6.15
2	NO	619	6.24

UNIVERSE: CHILDREN WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CA11 QNAME07: QC07_A20 QPAGENUM: C-8
 QNAME05: QC05_A16 QNAME03: QC03_25

LABEL: DOCTOR EVER TOLD YOU CHILD HAS ADD/ADHD

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	308	3.11
2	NO	8826	89.03

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

Section B: Dental Health

VARNAME: CC1 QNAME07: QC07_B1 QPAGENUM: C-10
 QNAME05: QC05_B1 QNAME03: QC03_50

LABEL: CHILD HAS ANY TEETH

VALUE:		FREQ	%
-1	INAPPLICABLE	8213	82.85
1	YES	1682	16.97
2	NO	18	0.18

UNIVERSE: CHILDREN AGE 1 AND 2

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC5 QNAME07: QC07_B2 QPAGENUM: C-10
QNAME05: QC05_B2 QNAME03: QC03_51

LABEL: HOW LONG SINCE CHILD LAST VISITED DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	797	8.04
0	HAS NEVER VISITED	1830	18.46
1	LESS THAN 6 MONTHS AGO	5441	54.89
2	6 MOS TO 1 YR AGO	1474	14.87
3	1 TO 2 YRS AGO	265	2.67
4	2 TO 5 YRS AGO	93	0.94
5	MORE THAN 5 YRS AGO	13	0.13

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH

INPUT VAR:

NOTES:

VARNAME: DNVST QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHILD DENTAL VISIT PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	797	8.04
1	YES	6915	69.76
2	NO	2201	22.20

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH

INPUT VAR: SRAGE, CC5

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC6 QNAME07: QC07_B3 QPAGENUM: C-10
QNAME05: NA QNAME03: QC03_54

LABEL: REASON FOR LAST DENTAL VISIT

VALUE:		FREQ	%
-1	INAPPLICABLE	2627	26.50
1	ROUTINE CHECK-UP OR CLEANING	6029	60.82
2	SPECIFIC PROBLEM	838	8.45
3	BOTH ROUTINE CHECK-UP AND SPECIFIC PROBL	249	2.51
4	ORTHODONTIST VISIT	170	1.71

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH AND HAVE VISITED DENTIST

INPUT VAR:

NOTES:

VARNAME: CC16 QNAME07: QC07_B4 QPAGENUM: C-10
QNAME05: NA QNAME03: QC03_52

LABEL: CHILD HAS PARTICULAR DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	2627	26.50
1	YES	6597	66.55
2	NO	655	6.61
3	MORE THAN ONE PLACE	34	0.34

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH AND HAVE VISITED DENTIST

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB23_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: MAIN REASON DID NOT VISIT DENTIST PAST YEAR (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	8083	81.54
1	NO REASON TO GO/NO PROBLEMS	456	4.60
2	NOT OLD ENOUGH	868	8.76
3	COULD NOT AFFORD/NO INSURANCE	110	1.11
4	FEAR, DISLIKES GOING	44	0.44
5	DO NOT HAVE/KNOW A DENTIST	26	0.26
91	OTHER	326	3.29

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH AND HAVE NEVER VISITED DENTIST

INPUT VAR: CB23

NOTES:

VARNAME: CB24 QNAME07: QC07_B6 QPAGENUM: C-11
QNAME05: NA QNAME03: NA

LABEL: NEEDED DENTAL CARE BUT COULDN'T AFFORD IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	907	9.15
1	YES	516	5.21
2	NO	8490	85.65

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH AND DID NOT STATE THEY DID NOT VISIT DENTIST DUE TO COST

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC7A QNAME07: QC07_B7 QPAGENUM: C-11
QNAME05: QC05_B3 QNAME03: QC03_57

LABEL: INS PAYS FOR CHILD'S DENTAL CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	797	8.04
1	YES	7526	75.92
2	NO	1590	16.04

UNIVERSE: CHILDREN AGE 1 AND OLDER WHO HAVE TEETH

INPUT VAR:

NOTES:

VARNAME: CC18 QNAME07: QC07_B8 QPAGENUM: C-11
QNAME05: NA QNAME03: QC03_55

LABEL: MISSED SCHOOL FOR DENTAL PROBLEMS

VALUE:		FREQ	%
-1	INAPPLICABLE	4152	41.88
1	YES	277	2.79
2	NO	5484	55.32

UNIVERSE: CHILDREN AGE 5 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC19_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)

MEAN STATISTICS	
N	277
MIN	0
MAX	7
MEAN	1.48

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO MISSED SCHOOL DUE TO DENTAL PROBLEMS
IN PAST 12 MOS

INPUT VAR: CC19

NOTES:

Section C: Diet, Physical Activity, Park Use

VARNAME: CC10 QNAME07: QC07_C1 QPAGENUM: C-13
QNAME05: QC05_B11 QNAME03: QC03_63

LABEL: # OF SERVINGS OF 100% FRUIT JUICE DRANK YESTERDAY

MEAN STATISTICS	
N	8253
MIN	0
MAX	12
MEAN	1.14

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: CC13 QNAME07: QC07_C2 QPAGENUM: C-13
 QNAME05: QC05_B4 QNAME03: QC03_64

LABEL: # OF SERVINGS OF FRUIT HAD YESTERDAY

MEAN STATISTICS

N	8253
MIN	0
MAX	15
MEAN	1.99

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

 VARNAME: CC14 QNAME07: QC07_C3 QPAGENUM: C-13
 QNAME05: QC05_B5 QNAME03: QC03_65

LABEL: # OF SERVINGS FRENCH FRY/FRIED POTATO HAD YESTERDAY

MEAN STATISTICS

N	8253
MIN	0
MAX	4
MEAN	0.14

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CC31 QNAME07: QC07_C4 QPAGENUM: C-13
QNAME05: NA QNAME03: NA

LABEL: # SERVINGS OF VEGETABLES HAD YESTERDAY

MEAN STATISTICS

N 8253
MIN 0
MAX 10
MEAN 1.35

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAM: FV5DAY QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: EAT FIVE OR MORE SERVING OF FRUITS & VEGETABLES

VALUE:		FREQ	%
-1	INAPPLICABLE	1660	16.75
1	EAT 5 OR MORE SERVINGS FRUIT/VEGETABLES	3944	39.79
2	EAT LESS THAN 5 SERVINGS FRUIT/VEGETABLE	4309	43.47

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR: CC10, CC13, CC14, CC31

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CC11 QNAME07: QC07_C5 QPAGENUM: C-14
QNAME05: QC05_B8 QNAME03: QC03_61

LABEL: # OF SERVINGS OF MILK DRANK YESTERDAY

MEAN STATISTICS

N 8253
MIN 0
MAX 12
MEAN 1.93

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAM: CB16_1 QNAME07: QC07_C6 QPAGENUM: C-14
QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: WHOLE

VALUE:		FREQ	%
-1	INAPPLICABLE	2572	25.95
1	YES	1813	18.29
2	NO	5528	55.77

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB16_2 QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: LOWFAT

VALUE:		FREQ	%
-1	INAPPLICABLE	2572	25.95
1	YES	4176	42.13
2	NO	3165	31.93

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

VARNAME: CB16_3 QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: NONFAT

VALUE:		FREQ	%
-1	INAPPLICABLE	2572	25.95
1	YES	801	8.08
2	NO	6540	65.97

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES: IDENTICAL TO CH16_4 IN 2005 QUEX

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CB16_4 QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: ANOTHER TYPE

VALUE:		FREQ	%
-1	INAPPLICABLE	2572	25.95
1	YES	787	7.94
2	NO	6554	66.12

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES: IDENTICAL TO CH16_5 IN 2005 QUEX

VARNAM: CB16_A QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: 1ST RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	2572	25.95
1	WHOLE MILK	1781	17.97
2	LOWFAT MILK	4088	41.24
3	NONFAT MILK	769	7.76
93	ANOTHER TYPE	703	7.09

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB16_B QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: 2ND RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	9679	97.64
1	WHOLE MILK	32	0.32
2	LOWFAT MILK	88	0.89
3	NONFAT MILK	32	0.32
93	ANOTHER TYPE	82	0.83

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

VARNAME: CB16_C QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: 3RD RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	9911	99.98
93	ANOTHER TYPE	2	0.02

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CB16_D QNAME07: QC07_C6 QPAGENUM: C-14

QNAME05: QC05_B9 QNAME03: NA

LABEL: TYPE OF MILK DRANK YESTERDAY: 4TH RESPONSE

VALUE:	-1	INAPPLICABLE	FREQ	%
			9913	100.00

UNIVERSE: CHILDREN 2 YEARS AND OLDER WHO DRANK MILK YESTERDAY

INPUT VAR:

NOTES:

VARNAME: CC12 QNAME07: QC07_C7 QPAGENUM: C-14

QNAME05: QC05_B10 QNAME03: QC03_62

LABEL: # OF SERVINGS OF SODA/SWEETENED DRINK DRANK YESTERDAY

MEAN STATISTICS	
N	8253
MIN	0
MAX	10
MEAN	0.41

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CC24 QNAME07: QC07_C8 QPAGENUM: C-15
QNAME05: QC05_B12 QNAME03: QC03_68

LABEL: # OF SERVINGS OF HIGH SUGAR FOODS EATEN YESTERDAY

MEAN STATISTICS

N 8253
MIN 0
MAX 10
MEAN 1.08

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAM: CC32 QNAME07: QC07_C9 QPAGENUM: C-15
QNAME05: NA QNAME03: NA

LABEL: # TIMES ATE FAST FOOD DURING PAST WEEK

MEAN STATISTICS

N 8253
MIN 0
MAX 20
MEAN 1.26

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC27 QNAME07: QC07_C10 QPAGENUM: C-15

QNAME05: QC05_C1 QNAME03: NA

LABEL: # OF DAYS WALKED, BIKED, SKATED TO SCHOOL PAST WEEK

MEAN STATISTICS

N	5496
MIN	0
MAX	7
MEAN	1.23

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

VARNAME: CC28 QNAME07: QC07_C11 QPAGENUM: C-15

QNAME05: QC05_C2 QNAME03: NA

LABEL: # OF MINS TO WALK, BIKE, SKATE TO SCHOOL

MEAN STATISTICS

N	1548
MIN	0
MAX	90
MEAN	12.32

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WK OR LAST YR
AND WALK/BIKE/SKATE TO SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC29 QNAME07: QC07_C12 QPAGENUM: C-16

QNAME05: QC05_C3 QNAME03: NA

LABEL: # OF DAYS WALKED, BIKED, SKATED FROM SCHOOL PAST WEEK

MEAN STATISTICS

N	5496
MIN	0
MAX	7
MEAN	1.15

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

VARNAME: CC30 QNAME07: QC07_C13 QPAGENUM: C-16

QNAME05: QC05_C4 QNAME03: NA

LABEL: # OF MINS TO WALK, BIKE, SKATE FROM SCHOOL

MEAN STATISTICS

N	1530
MIN	0
MAX	60
MEAN	12.27

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WK OR LAST YR
AND WALK/BIKE/SKATE FROM SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC33 QNAME07: QC07_C14 QPAGENUM: C-16

QNAME05: NA QNAME03: NA

LABEL: COULD WALK/BIKE HOME FROM SCHOOL IN 30 MIN

VALUE:		FREQ	%
-1	INAPPLICABLE	5947	59.99
1	YES	1864	18.80
2	NO	2102	21.20

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WK OR LAST YR AND DO NOT WALK/BIKE/SKATE FROM/TO SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

VARNAME: SCH_TYP QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: TYPE OF SCHOOL ATTENDED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	605	6.10
-1	INAPPLICABLE	4420	44.59
1	PUBLIC SCHOOL	4344	43.82
2	PRIVATE SCHOOL	539	5.44
3	OTHER	5	0.05

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CC34 QNAME07: QC07_C16 QPAGENUM: C-17

QNAME05: NA QNAME03: NA

LABEL: SPORTS TEAM MEMBER PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	2479	25.01
1	YES	3168	31.96
2	NO	4266	43.03

UNIVERSE: CHILDREN AGE 3 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: CC35 QNAME07: QC07_C17 QPAGENUM: C-17

QNAME05: NA QNAME03: NA

LABEL: # DAYS PHYS ACTIVE AT LEAST 60 MIN IN PAST WEEK

MEAN STATISTICS	
N	5761
MIN	0
MAX	7
MEAN	4.16

UNIVERSE: CHILDREN AGE 5 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CC37 QNAME07: QC07_C19 QPAGENUM: C-18
QNAME05: NA QNAME03: NA

LABEL: BEEN TO PARK LAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	7744	78.12
2	NO	1390	14.02

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: CC38 QNAME07: QC07_C20 QPAGENUM: C-18
QNAME05: NA QNAME03: NA

LABEL: # DAYS WENT TO PARK IN LAST 30 DAYS

MEAN STATISTICS	
N	7744
MIN	0
MAX	30
MEAN	7.58

UNIVERSE: CHILDREN AGE 1 AND OLDER AND HAVE BEEN TO PARK IN PAST 30 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CC36 QNAME07: QC07_C18 QPAGENUM: C-18
QNAME05: NA QNAME03: NA

LABEL: PARK/PLAYGROUND WITHIN WALKING DISTANCE OF HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	7262	73.26
2	NO	1872	18.88

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

Section D: Access, Utilization

VARNAME: CD1 QNAME07: QC07_D1 QPAGENUM: C-19
QNAME05: QC05_D1 QNAME03: QC03_71

LABEL: HAS USUAL PLACE FOR CHILD'S HEALTH CARE

VALUE:		FREQ	%
1	YES	8412	84.86
2	NO	228	2.30
3	DOCTOR/HIS/HER DOCTOR	961	9.69
4	KAISER	305	3.08
5	MORE THAN ONE USUAL PLACE	7	0.07

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEED HEALTH ADVICE

VALUE:		FREQ	%
1	YES	9685	97.70
2	NO	228	2.30

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1

NOTES:

VARNAME: CD3 QNAME07: QC07_D2 QPAGENUM: C-19

QNAME05: QC05_D2 QNAME03: QC03_72

LABEL: KIND OF PLACE MOST OFTEN TAKE CHILD FOR HEALTH CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	228	2.30
1	DOCTORS OFFICE/KAISER/OTHER HMO	7170	72.33
2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	2450	24.72
3	EMERGENCY ROOM	36	0.36
4	OTHER HEALTH PROF (NO MD)/ALTERN MED	23	0.23
5	OTHER	5	0.05
94	NO ONE PLACE	1	0.01

UNIVERSE: CHILDREN WITH USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: USUAL5TP QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	7406	74.71
2	COMMUN/GOV CLIN, COMMUN HOSP	2218	22.37
3	EMERGENCY ROOM	34	0.34
4	OTHER PLACE/NO ONE PLACE	27	0.27
5	NO USUAL SOURCE OF CARE	228	2.30

UNIVERSE: ALL CHILDREN

INPUT VAR: CD1, CD3

NOTES:

VARNAME: USOC QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:		FREQ	%
1	YES	9651	97.36
2	NO	262	2.64

UNIVERSE: ALL CHILDREN

INPUT VAR: USUAL5TP, CD1

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: DOCT_YR QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

VALUE:			FREQ	%
1	YES		9097	91.77
2	NO		816	8.23

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

VARNAME: ACMDNUM QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		816	8.23
1	1 TIMES		2276	22.96
2	2 TIMES		2220	22.39
3	3 TIMES		1482	14.95
4	4 TIMES		1000	10.09
5	5 TIMES		607	6.12
6	6 TIMES		539	5.44
7	7-8 TIMES		368	3.71
8	9-12 TIMES		419	4.23
9	13-24 TIMES		139	1.40
10	25+ TIMES		47	0.47

UNIVERSE: ALL CHILDREN

INPUT VAR: CD6

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD7 QNAME07: QC07_D4 QPAGENUM: C-19
QNAME05: QC05_D4 QNAME03: QC03_75

LABEL: HOW LONG SINCE LAST SAW MEDICAL DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	9097	91.77
1	ONE YEAR AGO OR LESS	212	2.14
2	1 TO 2 YRS AGO	467	4.71
3	2 TO 3 YRS AGO	88	0.89
4	MORE THAN 3 YRS AGO	40	0.40
5	NEVER	9	0.09

UNIVERSE: CHILDREN WHO HAVE NOT SEEN ANY KIND OF MEDICAL DOCTOR IN THE PAST
12 MOS

INPUT VAR:

NOTES:

VARNAME: CD25 QNAME07: QC07_D5 QPAGENUM: C-20
QNAME05: QC05_D5 QNAME03: QC03_76

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST TIME

VALUE:		FREQ	%
-1	INAPPLICABLE	137	1.38
1	YES	242	2.44
2	NO	9482	95.65
3	NEVER ACCOMPANIED CHILD TO THE DOCTOR	52	0.52

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD31_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		6680	67.39
1	ENGLISH		2006	20.24
2	SPANISH		1046	10.55
3	VIETNAMESE		32	0.32
4	KOREAN		52	0.52
5	CANTONESE		18	0.18
6	MANDARIN		43	0.43
7	OTHER		36	0.36

UNIVERSE: CHILDREN WHO HAVE SEEN A DR W/IN PAST 2 YRS, AND R UNDERSTOOD DR AT LAST VISIT AND INTERVIEW NOT CONDUCTED IN ENG OR SPEAKS OTHER THAN ENG AT HOME

INPUT VAR: CD31

NOTES:

VARNAME: CD26 QNAME07: QC07_D7 QPAGENUM: C-20
QNAME05: QC05_D6 QNAME03: QC03_77

LABEL: DOCTOR SPOKE A DIFFERENT LANGUAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		9671	97.56
1	YES		155	1.56
2	NO		87	0.88

UNIVERSE: CHILDREN WHO HAVE SEEN A DOCTOR WITHIN THE PAST 2 YEARS AND R HAD A HARD TIME UNDERSTANDING DOCTOR AT LAST VISIT

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD27 QNAME07: QC07_D8 QPAGENUM: C-21
QNAME05: QC05_D7 QNAME03: QC03_78

LABEL: NEEDED SOMEONE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	7665	77.32
1	YES	274	2.76
2	NO	1974	19.91

UNIVERSE: CHILDREN WHO HAVE SEEN A DR W/IN PAST 2 YRS AND [R HAD A HARD TIME UNDERSTANDING DR AT LAST VISIT AND DOCTOR SPEAKS TO R IN ENGLISH]

INPUT VAR:

NOTES:

VARNAME: CD28 QNAME07: QC07_D9 QPAGENUM: C-21
QNAME05: QC05_D8 QNAME03: QC03_79

LABEL: WHO HELPED TO UNDERSTAND DOCTOR

VALUE:		FREQ	%
-1	INAPPLICABLE	9639	97.24
1	MINOR CHILD (UNDER AGE 18)	18	0.18
2	ADULT FAMILY MEMBER OF FRIEND OF MINE	24	0.24
3	NON-MEDICAL OFFICE STAFF	19	0.19
4	MEDICAL STAFF INCLUDING NURSES / DOCS	186	1.88
5	PROF INTERPRETER (PERSON/PHONE)	16	0.16
6	OTHER (PATIENTS, SOMEONE ELSE)	4	0.04
7	DID NOT HAVE SOMEONE TO HELP	7	0.07

UNIVERSE: CHILDREN WHO HAVE SEEN A DR W/IN PAST 2 YRS, AND [R HAD A HARD TIME UNDERSTANDING DR AT LAST VISIT, NEEDED HELP UNDERSTANDING THE DOCTOR, AND DOCTOR SPEAKS TO R IN ENGLISH]

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CD32 QNAME07: QC07_D10 QPAGENUM: C-21

QNAME05: NA QNAME03: NA

LABEL: DOCTOR TALK ABOUT NUTRITION LAST PHYS EXAM

VALUE:		FREQ	%
1	YES	6983	70.44
2	NO	2930	29.56

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: CE1 QNAME07: QC07_D11 QPAGENUM: C-21

QNAME05: QC05_D10 QNAME03: QC03_82

LABEL: DELAYED/DIDN'T GET PRES MEDICINE FOR CHILD IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	456	4.60
2	NO	9457	95.40

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE12 QNAME07: QC07_D12 QPAGENUM: C-21
QNAME05: QC05_D11 QNAME03: QC03_83

LABEL: COST OR LACK OF INS REASON PRESCRIPTION DELAYED/NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	9457	95.40
1	YES	187	1.89
2	NO	269	2.71

UNIVERSE: CHILDREN WHO DELAYED OR NOT GET PRESCRIBED MEDICINE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CE7 QNAME07: QC07_D13 QPAGENUM: C-22
QNAME05: QC05_D12 QNAME03: QC03_85

LABEL: DELAYED/DIDN'T GET MEDICAL CARE CHILD NEEDED PAST 12 MOS

VALUE:		FREQ	%
1	YES	464	4.68
2	NO	9449	95.32

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE13 QNAME07: QC07_D14 QPAGENUM: C-22
QNAME05: QC05_D13 QNAME03: QC03_86

LABEL: COST OR LACK OF INS REASON MEDICAL CARE DELAYED/NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	9449	95.32
1	YES	273	2.75
2	NO	191	1.93

UNIVERSE: CHILDREN WHO DELAYED OR NOT GET NEEDED MEDICAL CARE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CD30 QNAME07: QC07_D15 QPAGENUM: C-22
QNAME05: QC05_D15 QNAME03: NA

LABEL: CHILD HAD FLU SHOT IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	373	3.76
1	YES	3035	30.62
2	NO	6505	65.62

UNIVERSE: CHILDREN AGE 6 MONTHS AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CD12 QNAME07: QC07_D16 QPAGENUM: C-22
QNAME05: QC05_D9 QNAME03: QC03_81

LABEL: CHILD VISITED HOSPITAL ER PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	206	2.08
1	YES	1477	14.90
2	NO	8230	83.02

UNIVERSE: CHILDREN WHO HAVE NOT VISITED A HOSPITAL EMERGENCY ROOM OR URGENT CARE FOR ASTHMA IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAM: ER QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:		FREQ	%
1	YES	1683	16.98
2	NO	8230	83.02

UNIVERSE: ALL CHILDREN

INPUT VAR: CD12, CA33, CA41

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section E: Public Programs

VARNAME: CE11 QNAME07: QC07_E1 QPAGENUM: C-23
QNAME05: QC05_E1 QNAME03: QC03_88

LABEL: CHILD CURRENTLY ON TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		5471	55.19
1	YES		377	3.80
2	NO		4065	41.01

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

VARNAME: CE11A QNAME07: QC07_E2 QPAGENUM: C-23
QNAME05: QC05_E2 QNAME03: QC03_89

LABEL: CHILD RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		5471	55.19
1	YES		688	6.94
2	NO		3754	37.87

UNIVERSE: CHILDREN IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE11C QNAME07: QC07_E3 QPAGENUM: C-23
QNAME05: QC05_E3 QNAME03: QC03_90

LABEL: CHILD CURRENTLY ON WIC

VALUE:		FREQ	%
-1	INAPPLICABLE	7272	73.36
1	YES	1016	10.25
2	NO	1625	16.39

UNIVERSE: CHILDREN AGE 6 AND YOUNGER IN FAMILY WITH INCOME LESS THAN OR EQUAL TO 300% FPL

INPUT VAR:

NOTES:

VARNAME: CE14 QNAME07: QC07_E4 QPAGENUM: C-24
QNAME05: NA QNAME03: NA

LABEL: HEARD RADIO/TV AD ABOUT CHILD OBESITY

VALUE:		FREQ	%
-1	INAPPLICABLE	167	1.68
1	YES	3111	31.38
2	NO	6635	66.93

UNIVERSE: CHILDREN WITH INTERVIEW CONDUCTED IN ENGLISH OR SPANISH

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CE15 QNAME07: QC07_E5 QPAGENUM: C-24

QNAME05: NA QNAME03: NA

LABEL: INFLUENCE OVER FOODS CHILD EATS

VALUE:			FREQ	%
-1	INAPPLICABLE		1660	16.75
1	A LOT		6781	68.41
2	SOME		1144	11.54
3	VERY LITTLE		328	3.31

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CE16 QNAME07: QC07_E6 QPAGENUM: C-24

QNAME05: NA QNAME03: NA

LABEL: INFLUENCE OVER CHILDS EXERCISE

VALUE:			FREQ	%
-1	INAPPLICABLE		1660	16.75
1	A LOT		6098	61.52
2	SOME		1787	18.03
3	VERY LITTLE		368	3.71

UNIVERSE: CHILDREN AGE 2 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CE17 QNAME07: QC07_E7 QPAGENUM: C-24
QNAME05: NA QNAME03: NA

LABEL: SEEN OBESITY BILLBOARD IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	167	1.68
1	YES	5009	50.53
2	NO	4737	47.79

UNIVERSE: CHILDREN WITH INTERVIEW CONDUCTED IN ENGLISH OR SPANISH

INPUT VAR:

NOTES:

VARIABLE: CE18 QNAME07: QC07_E8 QPAGENUM: C-25
QNAME05: NA QNAME03: NA

LABEL: SEEN CHILDREN OF SMOKERS AD IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	9746	98.32
1	YES	72	0.73
2	NO	95	0.96

UNIVERSE: CHILDREN WITH INTERVIEW CONDUCTED IN VIETNAMESE, KOREAN,
CANTONESE, OR MANDARIN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section F: Parental Involvement, Concerns, Mental Health

VARNAME: CG14 QNAME07: QC07_F1 QPAGENUM: C-26
QNAME05: QC05_F1 QNAME03: QC03_102

LABEL: # OF DAYS FAMILY MEMBER READS TO CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	4899	49.42
1	EVERY DAY	3253	32.82
2	3-6 DAYS	1171	11.81
3	1-2 DAYS	398	4.01
4	NEVER	192	1.94

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

VARNAME: CG15 QNAME07: QC07_F2 QPAGENUM: C-26
QNAME05: QC05_F2 QNAME03: QC03_103

LABEL: # OF DAYS FAMILY MEMBER PLAYS MUSIC/SINGS W/ CHILD USUAL WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	4899	49.42
1	EVERY DAY	3344	33.73
2	3-6 DAYS	1115	11.25
3	1-2 DAYS	408	4.12
4	NEVER	147	1.48

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG16 QNAME07: QC07_F3 QPAGENUM: C-26
QNAME05: QC05_F3 QNAME03: QC03_104

LABEL: # OF DAYS FAMILY MEMBER TAKES CHILD OUT SOMEWHERE

VALUE:		FREQ	%
-1	INAPPLICABLE	4899	49.42
1	EVERY DAY	1840	18.56
2	3-6 DAYS	2160	21.79
3	1-2 DAYS	928	9.36
4	NEVER	86	0.87

UNIVERSE: CHILDREN AGE 5 AND YOUNGER

INPUT VAR:

NOTES:

VARNAME: CG17 QNAME07: QC07_F4 QPAGENUM: C-27
QNAME05: QC05_F4 QNAME03: QC03_106

LABEL: CONCERN ABOUT HOW CHILD MAKES SPEECH SOUNDS

VALUE:		FREQ	%
-1	INAPPLICABLE	9535	96.19
1	A LOT	24	0.24
2	A LITTLE	25	0.25
3	NOT AT ALL	329	3.32

UNIVERSE: CHILDREN BETWEEN 4 AND 9 MONTHS OLD

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG17A QNAME07: QC07_F5 QPAGENUM: C-27
 QNAME05: QC05_F5 QNAME03: QC03_107

LABEL: CONCERN ABOUT HOW CHILD TALKS AND MAKES WORDS

VALUE:		FREQ	%
-1	INAPPLICABLE	5515	55.63
1	A LOT	573	5.78
2	A LITTLE	694	7.00
3	NOT AT ALL	3131	31.58

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG18 QNAME07: QC07_F6 QPAGENUM: C-27
 QNAME05: QC05_F6 QNAME03: QC03_108

LABEL: CONCERN ABOUT HOW WELL CHILD UNDERSTANDS WHAT YOU SAY

VALUE:		FREQ	%
-1	INAPPLICABLE	6121	61.75
1	A LOT	628	6.34
2	A LITTLE	336	3.39
3	NOT AT ALL	2828	28.53

UNIVERSE: CHILDREN 18 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG19 QNAME07: QC07_F7 QPAGENUM: C-27
 QNAME05: QC05_F7 QNAME03: QC03_109

LABEL: CONCERN ABOUT HOW CHILD USES HANDS AND FINGERS TO DO THINGS

VALUE:		FREQ	%
-1	INAPPLICABLE	5137	51.82
1	A LOT	475	4.79
2	A LITTLE	300	3.03
3	NOT AT ALL	4001	40.36

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG20 QNAME07: QC07_F8 QPAGENUM: C-28
 QNAME05: QC05_F8 QNAME03: QC03_110

LABEL: CONCERN ABOUT HOW WELL CHILD USES ARMS AND LEGS

VALUE:		FREQ	%
-1	INAPPLICABLE	5137	51.82
1	A LOT	472	4.76
2	A LITTLE	255	2.57
3	NOT AT ALL	4049	40.85

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG21 QNAME07: QC07_F9 QPAGENUM: C-28
 QNAME05: QC05_F9 QNAME03: QC03_111

LABEL: CONCERN ABOUT HOW WELL CHILD SEES OR HEARS

VALUE:		FREQ	%
-1	INAPPLICABLE	5137	51.82
1	A LOT	539	5.44
2	A LITTLE	316	3.19
3	NOT AT ALL	3921	39.55

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR:

NOTES:

VARNAME: CG22 QNAME07: QC07_F10 QPAGENUM: C-28
 QNAME05: QC05_F10 QNAME03: QC03_112

LABEL: CONCERN ABOUT HOW WELL CHILD GETS ALONG WITH OTHERS

VALUE:		FREQ	%
-1	INAPPLICABLE	4815	48.57
1	A LOT	757	7.64
2	A LITTLE	1224	12.35
3	NOT AT ALL	3117	31.44

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG23 QNAME07: QC07_F11 QPAGENUM: C-28
 QNAME05: QC05_F11 QNAME03: QC03_113
 LABEL: CONCERN ABOUT CHILD'S FEELINGS AND MOODS

VALUE:		FREQ	%
-1	INAPPLICABLE	4815	48.57
1	A LOT	990	9.99
2	A LITTLE	1323	13.35
3	NOT AT ALL	2785	28.09

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG24 QNAME07: QC07_F12 QPAGENUM: C-28
 QNAME05: QC05_F12 QNAME03: QC03_114
 LABEL: CONCERN ABOUT HOW CHILD BEHAVES

VALUE:		FREQ	%
-1	INAPPLICABLE	4815	48.57
1	A LOT	1003	10.12
2	A LITTLE	1452	14.65
3	NOT AT ALL	2643	26.66

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG25 QNAME07: QC07_F13 QPAGENUM: C-29
 QNAME05: QC05_F13 QNAME03: QC03_115

LABEL: CONCERN ABOUT HOW CHILD LEARNS TO DO THINGS FOR SELF

VALUE:		FREQ	%
-1	INAPPLICABLE	4815	48.57
1	A LOT	833	8.40
2	A LITTLE	704	7.10
3	NOT AT ALL	3561	35.92

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

VARNAME: CG26 QNAME07: QC07_F14 QPAGENUM: C-29
 QNAME05: QC05_F14 QNAME03: QC03_116

LABEL: CONCERN CHILD CAN'T DO WHAT OTHER SAME AGE CHILDREN CAN DO

VALUE:		FREQ	%
-1	INAPPLICABLE	4815	48.57
1	A LOT	628	6.34
2	A LITTLE	865	8.73
3	NOT AT ALL	3605	36.37

UNIVERSE: CHILDREN 10 MOS OR OLDER BUT YOUNGER THAN 7 YEARS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: PEDS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RISK OF DEVELOPMENTAL DELAY

VALUE:		FREQ	%
-1	INAPPLICABLE	5137	51.82
1	NO RISK	1698	17.13
2	LOW RISK	1013	10.22
3	MODERATE RISK	881	8.89
4	HIGH RISK	1184	11.94

UNIVERSE: CHILDREN 4 MOS OR OLDER BUT YOUNGER THAN 6 YEARS

INPUT VAR: CG17A, CG17--CG26, SRAGE, CAGEMOS

NOTES: PARENTS' EVALUATION OF DEVELOPMENTAL STATUS: [HTTP://PEDSTEST.COM](http://pedstest.com)

VARNAME: CF40 QNAME07: QC07_F15 QPAGENUM: C-29
QNAME05: NA QNAME03: NA

LABEL: PROF ASSESSED CHILDS DEVELOPMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	2951	29.77
2	NO	6183	62.37

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CF41 QNAME07: QC07_F16 QPAGENUM: C-29

QNAME05: NA QNAME03: NA

LABEL: PROF HAVE CHILD ROLL OVER, PICK UP OBJ

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	4323	43.61
2	NO	4811	48.53

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: CF42 QNAME07: QC07_F17 QPAGENUM: C-29

QNAME05: NA QNAME03: NA

LABEL: PROF HAVE R FILL OUT CHECKLIST OF CONCERNS

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	2863	28.88
2	NO	6271	63.26

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF43 QNAME07: QC07_F18 QPAGENUM: C-30
QNAME05: NA QNAME03: NA

LABEL: PROF HAVE R FILL OUT CHECKLIST OF ACTIVITIES

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	3075	31.02
2	NO	6059	61.12

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARNAME: PHDSS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ADMINISTERED A STANDARDIZED DVLPM T & BEHV SCR N(SDBS) TOOLS

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	2104	21.22
2	NO	7030	70.92

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR: CF42, CF43

NOTES: PROMOTING HEALTHY DEVELOPMENT SURVEY (PHDS). SEE [HTTP://CAHMI.ORG](http://CAHMI.ORG)

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CF44 QNAME07: QC07_F19 QPAGENUM: C-30

QNAME05: NA QNAME03: NA

LABEL: PROF ASK HAVE CONCERNS ABOUT LEARNING

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	4163	42.00
2	NO	4971	50.15

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: CF46 QNAME07: QC07_F19 QPAGENUM: C-30

QNAME05: NA QNAME03: NA

LABEL: PROF REFER TO DEVELOPMENT SPECIALIST

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	1063	10.72
2	NO	8071	81.42

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CF47 QNAME07: QC07_F19 QPAGENUM: C-30

QNAME05: NA QNAME03: NA

LABEL: PROF REFER FOR SPEECH, LANGUAGE, HEARING

VALUE:		FREQ	%
-1	INAPPLICABLE	779	7.86
1	YES	1763	17.78
2	NO	7371	74.36

UNIVERSE: CHILDREN AGE 1 AND OLDER

INPUT VAR:

NOTES:

VARNAM: CG28 QNAME07: QC07_F23 QPAGENUM: C-31

QNAME05: QC05_F15 QNAME03: QC03_118

LABEL: CHILD IS GENERALLY OBEDIENT

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NOT TRUE	224	2.26
2	SOMEWHAT TRUE	1762	17.77
3	CERTAINLY TRUE	4629	46.70

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG29 QNAME07: QC07_F24 QPAGENUM: C-31
 QNAME05: QC05_F16 QNAME03: QC03_119

LABEL: CHILD OFTEN SEEMS WORRIED

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NOT TRUE	4706	47.47
2	SOMEWHAT TRUE	1594	16.08
3	CERTAINLY TRUE	315	3.18

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAME: CG30 QNAME07: QC07_F25 QPAGENUM: C-31
 QNAME05: QC05_F17 QNAME03: QC03_120

LABEL: CHILD IS OFTEN UNHAPPY, DEPRESSED, TEARFUL

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NOT TRUE	5835	58.86
2	SOMEWHAT TRUE	666	6.72
3	CERTAINLY TRUE	114	1.15

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: CG31 QNAME07: QC07_F26 QPAGENUM: C-31
QNAME05: QC05_F18 QNAME03: QC03_121

LABEL: CHILD GETS ALONG BETTER WITH ADULTS THAN OTHER CHILDREN

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NOT TRUE	4980	50.24
2	SOMEWHAT TRUE	1196	12.06
3	CERTAINLY TRUE	439	4.43

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARNAM: CG32 QNAME07: QC07_F27 QPAGENUM: C-32
QNAME05: QC05_F19 QNAME03: QC03_122

LABEL: CHILD HAS GOOD ATTENTION SPAN

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NOT TRUE	661	6.67
2	SOMEWHAT TRUE	2449	24.70
3	CERTAINLY TRUE	3505	35.36

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARIABLE: CF30 QNAME07: QC07_F28 QPAGENUM: C-32

QNAME05: QC05_F20 QNAME03: NA

LABEL: CHILD HAS DIFFICULTIES WITH EMOT/ CONCENT/ BEHAV IN PAST 6 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	YES	1637	16.51
2	NO	4978	50.22

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

VARIABLE: SDQ QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MENTAL HEALTH DEVELOPMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	NORMAL	6015	60.68
2	BORDERLINE	272	2.74
3	ABNORMAL	328	3.31

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR: SRAGE, CF30, CG28-CG32

NOTES: SHORTENED V. STRENGTHS & DIFFICULTIES QN. [HTTP://WWW.SDQINFO.COM](http://www.sdqinfo.com)

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF31 QNAME07: QC07_F29 QPAGENUM: C-32
QNAME05: QC05_F21 QNAME03: NA

LABEL: CHILD'S EMOTIONAL DIFFICULTIES MINOR, DEFINITE OR SEVERE

VALUE:		FREQ	%
-1	INAPPLICABLE	8276	83.49
1	MINOR	1151	11.61
2	DEFINITE	382	3.85
3	SEVERE	104	1.05

UNIVERSE: CHILDREN AGE 4 AND OLDER WHO HAVE DIFFICULTIES W/ EMOTIONS,
CONCENTRATION, BEHAVIOR INTERACTIONS WITH PEOPLE

INPUT VAR:

NOTES:

VARNAME: CF32 QNAME07: QC07_F30 QPAGENUM: C-32
QNAME05: QC05_F22 QNAME03: NA

LABEL: CHILD RECEIVED PSYCH/EMOTIONAL COUNSELING IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	3298	33.27
1	YES	464	4.68
2	NO	6151	62.05

UNIVERSE: CHILDREN AGE 4 AND OLDER

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF38 QNAME07: QC07_F31 QPAGENUM: C-32

QNAME05: QC05_F22B QNAME03: NA

LABEL: QUALITY OF CHILD'S SCHOOL WORK

VALUE:		FREQ	%
-1	INAPPLICABLE	4417	44.56
1	EXCELLENT	1976	19.93
2	ABOVE AVERAGE	1798	18.14
3	AVERAGE	1397	14.09
4	BELOW AVERAGE	295	2.98
5	FAILING	30	0.30

UNIVERSE: CHILDREN AGE 5 AND OLDER WHO ATTENDED SCHOOL LAST WEEK OR LAST YEAR

INPUT VAR:

NOTES:

Section G: Child Care

VARNAME: CG1 QNAME07: QC07_G1 QPAGENUM: C-33

QNAME05: QC05_F28 QNAME03: QC03_91

LABEL: HAVE REGULAR CHILDCARE 10 OR MORE HRS PER WEEK

VALUE:		FREQ	%
1	YES	3210	32.38
2	NO	6703	67.62

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG2 QNAME07: QC07_G2 QPAGENUM: C-33
QNAME05: QC05_F29 QNAME03: QC03_92

LABEL: # OF HRS CHILD IN CHILDCARE DURING TYPICAL WEEK

MEAN STATISTICS

N 3210
MIN 1
MAX 120
MEAN 25.27

UNIVERSE: CHILDREN WHO CURRENTLY HAVE REGULAR CHILD CARE FOR 10 HOURS OR MORE PER WEEK

INPUT VAR:

NOTES:

VARNAME: CG3A QNAME07: QC07_G3 QPAGENUM: C-33
QNAME05: QC05_F30 QNAME03: QC03_93

LABEL: RECEIVE CHILDCARE FROM GRANDPARENT OR OTHER FAMILY MEMBER

VALUE:		FREQ	%
-1	INAPPLICABLE	6813	68.73
1	YES	1276	12.87
2	NO	1824	18.40

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3B QNAME07: QC07_G4 QPAGENUM: C-34
 QNAME05: QC05_F31 QNAME03: QC03_94

LABEL: RECEIVE CHILDCARE FROM HEAD START OR STATE PRESCHOOL PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	7639	77.06
1	YES	301	3.04
2	NO	1973	19.90

UNIVERSE: CHILDREN YOUNGER THAN 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3C QNAME07: QC07_G5 QPAGENUM: C-34
 QNAME05: QC05_F32 QNAME03: QC03_95

LABEL: RECEIVE CHILDCARE FROM PRESCHOOL OR NURSERY SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	7639	77.06
1	YES	900	9.08
2	NO	1374	13.86

UNIVERSE: CHILDREN YOUNGER THAN 7 YEARS OLD WITH REGULAR CHILDCARE FOR 10 OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3D QNAME07: QC07_G6 QPAGENUM: C-34
 QNAME05: QC05_F33 QNAME03: QC03_96

LABEL: RECEIVE CHILDCARE FROM CHILDCARE CENTER NOT IN SOMEONE'S HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6813	68.73
1	YES	1132	11.42
2	NO	1968	19.85

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3E QNAME07: QC07_G7 QPAGENUM: C-34
 QNAME05: QC05_F34 QNAME03: QC03_97

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY IN YOUR HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6813	68.73
1	YES	480	4.84
2	NO	2620	26.43

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3F QNAME07: QC07_G8 QPAGENUM: C-34
QNAME05: QC05_F35 QNAME03: QC03_98

LABEL: RECEIVE CHILDCARE FROM NON-FAMILY MEMBER IN HIS/HER HOME

VALUE:		FREQ	%
-1	INAPPLICABLE	6813	68.73
1	YES	719	7.25
2	NO	2381	24.02

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR:

NOTES:

VARNAME: CG3RC QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: TYPE OF CHILDCARE

VALUE:		FREQ	%
-1	INAPPLICABLE	6813	68.73
1	GRANDPAR/OTHER FAM MEMBER	581	5.86
2	HEAD START/STATE PRGM	71	0.72
3	PRESCHOOL OR NURSERY SCHOOL	131	1.32
4	CHILDCARE CENTER	399	4.03
5	NON-FAM MEMB IN OWN HOME	164	1.65
6	NON-FAM MEMB IN HIS/HER HOME	284	2.86
7	OTHER ONE SOURCE	117	1.18
8	MORE THAN ONE SOURCE	1353	13.65

UNIVERSE: CHILDREN WITH REGULAR CHILDCARE FOR 10 HOURS OR MORE IN A TYPICAL WEEK

INPUT VAR: CG3A-CG3F

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG3G QNAME07: QC07_G9 QPAGENUM: C-35
QNAME05: QC05_F36 QNAME03: QC03_99

LABEL: CHILDCARE PROVIDER LICENSED BY STATE OF CALIFORNIA

VALUE:		FREQ	%
-1	INAPPLICABLE	8548	86.23
1	YES (ALL LICENSED)	1207	12.18
2	NO (NONE LICENSED)	141	1.42
3	SOME LICENSED AND SOME NOT	17	0.17

UNIVERSE: CHILDREN W/ 10 HRS OR MORE REGULAR CHILDCARE PER WEEK AT ONE/MORE OF HEAD START, PRESCHOOL, NURSERY SCHOOL, CHILDCARE CTR NOT IN SOMEONE'S HOME, NONFAMILY WHO CARES AT HIS/HER HOME

INPUT VAR:

NOTES:

VARNAME: CG5 QNAME07: QC07_G10 QPAGENUM: C-35
QNAME05: QC05_F37 QNAME03: QC03_100

LABEL: COULDN'T FIND CHILDCARE FOR A WEEK OR LONGER IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	670	6.76
2	NO	9243	93.24

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG6 QNAME07: QC07_G11 QPAGENUM: C-35
QNAME05: QC05_F38 QNAME03: QC03_101

LABEL: MAIN REASON UNABLE TO FIND CHILDCARE

VALUE:		FREQ	%
-1	INAPPLICABLE	9243	93.24
1	COULDN'T AFFORD ANY CHILD CARE	131	1.32
2	COULDN'T FIND A PROVIDER WITH A SPACE	117	1.18
3	HOURS AND LOCATION DIDN'T FIT MY NEEDS	61	0.62
4	COULDN'T AFFORD QUALITY CHILDCARE	19	0.19
5	COULDN'T FIND QUALITY CHILDCARE	88	0.89
91	OTHER REASON	254	2.56

UNIVERSE: CHILDREN WHO COULD NOT FIND CHILDCARE WHEN NEEDED IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: CF34 QNAME07: QC07_G12 QPAGENUM: C-36
QNAME05: QC05_F24 QNAME03: NA

LABEL: SEEN OR HEARD PRESCHOOL AD IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	9748	98.34
1	YES	37	0.37
2	NO	128	1.29

UNIVERSE: CHILDREN WITH INTERVIEW CONDUCTED IN CANTONESE, MANDARIN, KOREAN,
OR VIETNAMESE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section H: Demographic Information, Part II

VARNAME: SRH QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		3723	37.56
2	NO		6190	62.44

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRH_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED LATINO/HISPANIC (ADULT)

VALUE:			FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED		14	0.14
1	YES		3272	33.01
2	NO		6627	66.85

UNIVERSE: ALL CHILDREN

INPUT VAR: SRH

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: LATIN9TP QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LATINO/HISPANIC SUBTYPES - (9 TYPES)

VALUE:		FREQ	%
-1	NON-LATINO	6190	62.44
1	MEXICAN	2938	29.64
2	SALVADORAN	75	0.76
3	GUATEMALAN	54	0.54
4	CENTRAL AMERICAN	33	0.33
5	PUERTO RICAN	47	0.47
6	LATINO EUROPEAN	62	0.63
7	SOUTH AMERICAN	88	0.89
8	OTHER LATINO	56	0.56
9	2+ LATINO TYPES	370	3.73

UNIVERSE: CHILDREN WHO ARE LATINO/HISPANIC

INPUT VAR: SRH, CH2_1-CH2_21

NOTES:

VARNAME: SRPI QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:		FREQ	%
1	YES	82	0.83
2	NO	9831	99.17

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:		FREQ	%
1	YES	340	3.43
2	NO	9573	96.57

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED ASIAN

VALUE:		FREQ	%
1	YES	1379	13.91
2	NO	8534	86.09

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRAA QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:		FREQ	%
1	YES	605	6.10
2	NO	9308	93.90

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRW QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		6897	69.58
2	NO		3016	30.42

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRO QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		1448	14.61
2	NO		8465	85.39

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: RACECN_P QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	AMERICAN INDIAN/ALASKAN NATIVE	156	1.57
2	ASIAN	959	9.67
3	AFRICAN AMERICAN	409	4.13
4	WHITE	6169	62.23
5	PI/OTHER SINGLE RACE	1434	14.47
6	MORE THAN ONE RACE	786	7.93

UNIVERSE: ALL CHILDREN

INPUT VAR: RACECEN

NOTES:

 VARNAME: RACECN_A QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: RACE - CENSUS 2000 DEFINITION (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
1	AMERICAN INDIAN/ALASKAN NATIVE	239	2.41
2	ASIAN	1031	10.40
3	AFRICAN AMERICAN	402	4.06
4	WHITE	6157	62.11
5	PI/OTHER SINGLE RACE	1764	17.79
6	MORE THAN ONE RACE	306	3.09

UNIVERSE: ALL CHILDREN

INPUT VAR: RACECEN

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACEDO_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	3723	37.56
2	NON-LATINO AMERICAN INDIAN/ALASKAN	46	0.46
3	NON-LATINO ASIAN	879	8.87
4	NON-LATINO AFR. AMER.	323	3.26
5	NON-LATINO WHITE	4293	43.31
6	NON-LATINO PI/OTHER, ONE RACE	24	0.24
7	NON-LATINO, TWO+ RACES	625	6.30

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEDOF

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEDO_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
1	LATINO	3272	33.01
2	NON-LATINO AMERICAN INDIAN/ALASKAN	63	0.64
3	NON-LATINO ASIAN	1012	10.21
4	NON-LATINO AFR. AMER.	373	3.76
5	NON-LATINO WHITE	4908	49.51
6	NON-LATINO PI/OTHER, ONE RACE	34	0.34
7	NON-LATINO, TWO+ RACES	237	2.39

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEDOF

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RACEHP2P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	2587	26.10
2	AIAN	108	1.09
3	ASIAN	1073	10.82
4	AFRICAN AMERICAN	416	4.20
5	WHITE	5105	51.50
6	PI/OTHER SINGLE/MULTIPLE RACE	624	6.29

UNIVERSE: ALL CHILDREN

INPUT VAR: RACEHPR2

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_P OF PREVIOUS CYCLES

VARNAME: RACEHP2A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	2510	25.32
1	LATINO	1590	16.04
2	AIAN	80	0.81
3	ASIAN	734	7.40
4	AFRICAN AMERICAN	333	3.36
5	WHITE	3965	40.00
6	PI/OTHER SINGLE/MULTIPLE RACE	701	7.07

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_A OF PREVIOUS CYCLES

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CH5 QNAME07: QC07_H5 QPAGENUM: C-38
QNAME05: QC05_G5 QNAME03: QC03_131

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	17	0.17
-8	DON'T KNOW	3	0.03
-1	INAPPLICABLE	9598	96.82
1	YES	33	0.33
2	NO	262	2.64

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: CATRIBE QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	90	0.91
-1	INAPPLICABLE	9573	96.57
1	CALIFORNIA TRIBAL HERITAGE	56	0.56
2	NON-CALIFORNIA TRIBAL HERITAGE	194	1.96

UNIVERSE: CHILDREN WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR: CH4_1-CH4_10, CH4OS, CH6OS

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: FILIPINO QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FILIPINO

VALUE:		FREQ	%
1	YES	280	2.82
2	NO	9633	97.18

UNIVERSE: ALL CHILDREN

INPUT VAR: CH7_5

NOTES:

VARNAME: SRPH QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	287	2.90
2	NO	9626	97.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRKR QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED KOREAN

VALUE:		FREQ	%
1	YES	160	1.61
2	NO	9753	98.39

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CHINESE QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHINESE

VALUE:			FREQ	%
1	YES		445	4.49
2	NO		9468	95.51

UNIVERSE: ALL CHILDREN

INPUT VAR: CH7_4, CH7_15

NOTES:

VARNAME: SRCH QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		434	4.38
2	NO		9479	95.62

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: SRVT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		163	1.64
2	NO		9750	98.36

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: SRASO QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:		FREQ	%
1	YES	443	4.47
2	NO	9470	95.53

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: ASIAN9 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASIAN SUBTYPES (9 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	8534	86.09
1	CHINESE	371	3.74
2	JAPANESE	115	1.16
3	KOREAN	142	1.43
4	FILIPINO	248	2.50
5	SOUTH ASIAN	182	1.84
6	VIETNAMESE	138	1.39
7	SOUTHEAST ASIAN	41	0.41
8	CAMBODIAN /OTHER ASIAN	36	0.36
9	TWO OR MORE ASIAN TYPES	106	1.07

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR: ASIAN10

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	8840	89.18
1	CHINESE	303	3.06
2	FILIPINO	166	1.67
3	SOUTH ASIAN	170	1.71
4	JAPANESE	60	0.61
5	KOREAN	113	1.14
6	VIETNAMESE	128	1.29
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE	133	1.34

UNIVERSE: CHILDREN WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: CNTRYS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY BORN IN

VALUE:		FREQ	%
1	UNITED STATES	9477	95.60
2	MEXICO	174	1.76
3	CENTRAL AMERICA	18	0.18
4	OTHER LATIN AMERICA	8	0.08
5	ASIA & PACIFIC ISLANDS	152	1.53
6	EUROPE	60	0.61
7	OTHER	24	0.24

UNIVERSE: ALL CHILDREN

INPUT VAR: CH8

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	9477	95.60
2	NATURALIZED CITIZEN	147	1.48
3	NON-CITIZEN	289	2.92

UNIVERSE: ALL CHILDREN

INPUT VAR: CH8, CH8A, CH9

NOTES:

VARNAME: YRUS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: YEARS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	9477	95.60
1	<=1 YEAR	81	0.82
2	2-4 YEARS	176	1.78
3	5-9 YEARS	151	1.52
4	10-11 YEARS	28	0.28

UNIVERSE: CHILDREN WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE, CH10FMT, CH10, CH10YR

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CNTRYM QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY MOTHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		6420	64.76
2	MEXICO		1726	17.41
3	CENTRAL AMERICA		212	2.14
4	OTHER LATIN AMERICA		120	1.21
5	ASIA & PACIFIC ISLANDS		1055	10.64
6	EUROPE		244	2.46
7	OTHER		136	1.37

UNIVERSE: ALL CHILDREN

INPUT VAR: CH11

NOTES:

VARNAME: CITIZ2_M QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		6420	64.76
2	NATURALIZED CITIZEN		1445	14.58
3	NON-CITIZEN		2048	20.66

UNIVERSE: ALL CHILDREN

INPUT VAR: CH11, CH11A, CH12

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: YRUSM QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: YEARS MOTHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	6430	64.86
1	<=1 YEAR	68	0.69
2	2-4 YEARS	264	2.66
3	5-9 YEARS	698	7.04
4	10-14 YEARS	655	6.61
5	15-19 YEARS	675	6.81
6	20-24 YEARS	422	4.26
7	25-29 YEARS	268	2.70
8	30+ YEARS	433	4.37

UNIVERSE: CHILDREN WITH MOTHER BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE, CH13FMT, CH13, CH13YR

NOTES:

VARNAME: CNTRYF QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY FATHER BORN IN

VALUE:		FREQ	%
1	UNITED STATES	6433	64.89
2	MEXICO	1812	18.28
3	CENTRAL AMERICA	213	2.15
4	OTHER LATIN AMERICA	104	1.05
5	ASIA & PACIFIC ISLANDS	967	9.75
6	EUROPE	253	2.55
7	OTHER	131	1.32

UNIVERSE: ALL CHILDREN

INPUT VAR: CH14

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CITIZ2_F QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	6433	64.89
2	NATURALIZED CITIZEN	1548	15.62
3	NON-CITIZEN	1932	19.49

UNIVERSE: ALL CHILDREN

INPUT VAR: CH14, CH14A, CH15

NOTES:

VARNAME: YRUSF QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: YEARS FATHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	6487	65.44
1	<=1 YEAR	50	0.50
2	2-4 YEARS	170	1.71
3	5-9 YEARS	467	4.71
4	10-14 YEARS	526	5.31
5	15-19 YEARS	617	6.22
6	20-24 YEARS	591	5.96
7	25-29 YEARS	381	3.84
8	30+ YEARS	624	6.29

UNIVERSE: CHILDREN WITH FATHER BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: CADATE, CH16FMT, CH16, CH16YR

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAMES: LANGHOME QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LANGUAGES SPOKEN AT HOME

VALUE:		FREQ	%
1	ENGLISH	5641	56.91
2	SPANISH	712	7.18
3	CHINESE	51	0.51
4	VIETNAMESE	37	0.37
5	KOREAN	38	0.38
6	OTHER ASIAN LANGUAGE (1 ONLY)	23	0.23
7	OTHER NON-ASIAN LANGUAGE (1 ONLY)	35	0.35
8	ENGLISH & SPANISH	2142	21.61
9	ENGLISH & CHINESE	163	1.64
10	ENGLISH & EUROPEAN LANGUAGE	230	2.32
11	ENGLISH & ANOTHER ASIAN LANGUAGE	401	4.05
12	ENGLISH & ONE OTHER LANGUAGE	190	1.92
13	OTHER LANGUAGES (2+)	250	2.52

UNIVERSE: ALL CHILDREN

INPUT VAR: CH17_1-CH17_23

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CH18 QNAME07: QC07_H23 QPAGENUM: C-47
QNAME05: QC05_G23 QNAME03: QC03_149

LABEL: HOW WELL MKA SPEAKS ENGLISH

VALUE:		FREQ	%
-1	INAPPLICABLE	5641	56.91
1	VERY WELL	1858	18.74
2	WELL	961	9.69
3	NOT WELL	919	9.27
4	NOT AT ALL	534	5.39

UNIVERSE: CHILDREN WHO SPEAK TWO OR MORE LANGUAGES AT HOME

INPUT VAR:

NOTES:

VARNAME: CHEDUCA QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: EDUCATION LEVEL OF MKA

VALUE:		FREQ	%
1	GRADE 1-8	614	6.19
2	GRADE 9-11	494	4.98
3	GRADE 12 / H.S. DIPLOMA	1842	18.58
4	SOME COLLEGE	1508	15.21
5	VOCATIONAL SCHOOL	271	2.73
6	AA OR AS DEGREE	715	7.21
7	BA OR BS DEGREE	2615	26.38
8	SOME GRAD. SCHOOL	168	1.69
9	MA OR MS DEGREE	1043	10.52
10	PH.D. OR EQUIVALENT	572	5.77
91	NO FORMAL EDUCATION	71	0.72

UNIVERSE: ALL CHILDREN

INPUT VAR: CH22

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CG37 QNAME07: QC07_H25 QPAGENUM: C-49

QNAME05: QC05_G25 QNAME03: NA

LABEL: MKA NOW IN SCHOOL

VALUE:			FREQ	%
-1	INAPPLICABLE		5376	54.23
1	YES		524	5.29
2	NO		4013	40.48

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

Section I: Health Insurance

VARNAME: CF10A QNAME07: QA07_I1 QPAGENUM: A-92

QNAME05: QA05_I1 QNAME03: QA03_233

LABEL: CHILD HAS SAME INS AS ADULT RESPONDENT

VALUE:			FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED		14	0.14
-1	INAPPLICABLE		1311	13.23
1	YES		7130	71.93
2	NO		1458	14.71

UNIVERSE: ALL CHILDREN WITH ADULT RESPONDENT WHO HAS HEALTH INSURANCE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: MA1 QNAME07: QA07_I2 QPAGENUM: A-92
QNAME05: QA05_I2 QNAME03: QA03_234

LABEL: CHILD HAS SAME INS AS SPOUSE

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	8767	88.44
1	YES	465	4.69
2	NO	667	6.73

UNIVERSE: CHILDREN NOT COVERED BY ADULT RESPONDENT'S HEALTH INS AND SPOUSE OF ADULT RESPONDENT HAS INSURANCE

INPUT VAR:

NOTES:

VARNAME: CF2 QNAME07: QA07_I5 QPAGENUM: A-93
QNAME05: QA05_I5 QNAME03: QA03_237

LABEL: CHILD COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	8476	85.50
1	YES	650	6.56
2	NO	773	7.80

UNIVERSE: CHILDREN NOT COVERED BY ADULT RESPONDENT'S HEALTH INS, SPOUSE'S HEALTH INSURANCE, OR MEDI-CAL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: MA3 QNAME07: QA07_I16 QPAGENUM: A-97
QNAME05: QA05_I17 QNAME03: QA03_249

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-9	NOT ASCERTAINED	7	0.07
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	438	4.42
1	YES	5232	52.78
2	NO	4222	42.59

UNIVERSE: CHILD WHO ARE INSURED

INPUT VAR:

NOTES:

VARNAME: MA2_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	715	7.21
-8	DON'T KNOW	1461	14.74
-7	REFUSED	71	0.72
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	438	4.42
1	KAISER	1428	14.41
2	BLUE CROSS	2197	22.16
3	PACIFICARE	404	4.08
4	BLUE SHIELD	782	7.89
5	HEALTH NET	607	6.12
6	AETNA	383	3.86
7	CIGNA HEALTH CARE	276	2.78
8	OTHER	1137	11.47

UNIVERSE: CHILDREN WITH HEALTH INSURANCE

INPUT VAR: MA2

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: CF14 QNAME07: QA07_I18 QPAGENUM: A-98
QNAME05: QA05_I18 QNAME03: QA03_250

LABEL: CHILD COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	429	4.33
1	YES	9179	92.60
2	NO	291	2.94

UNIVERSE: CHILDREN WHO ARE INSURED

INPUT VAR:

NOTES:

VARNAME: CF21 QNAME07: QA07_I21 QPAGENUM: A-99
QNAME05: QA05_I21 QNAME03: QA03_256

LABEL: HOW LONG SINCE CHILD LAST HAD HEALTH INS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	14	0.14
-1	INAPPLICABLE	9656	97.41
1	1 TO 3 YRS AGO	117	1.18
2	MORE THAN 3 YRS AGO	60	0.61
3	NEVER HAD HEALTH INSURANCE COVERAGE	66	0.67

UNIVERSE: CHILDREN WITH NO HEALTH INSURANCE COVERAGE THROUGHOUT THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: INS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENTLY INSURED

VALUE: 1 YES 9474 95.57
2 NO 439 4.43

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAM: INS12M QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N 9913
MIN 0
MAX 12
MEAN 11.44

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: IHS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:		FREQ	%
1	YES	20	0.20
2	NO	9893	99.80

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INS64 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:		FREQ	%
1	UNINSURED	439	4.43
2	MEDI-CAL (MEDICAID)	1960	19.77
3	CHIP	611	6.16
5	EMPLOYMENT-BASED	6233	62.88
6	PRIVATELY PURCHASED	561	5.66
7	OTHER PUBLIC	109	1.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSTYPE QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: INSURANCE TYPE

VALUE:			FREQ	%
1	UNINSURED		439	4.43
5	MEDICAID		1960	19.77
6	HEALTHY FAMILIES		611	6.16
7	EMPLOYMENT-BASED		6233	62.88
8	PRIVATELY PURCHASED		561	5.66
9	OTHER PUBLIC		109	1.10

UNIVERSE: ALL CHILDREN

INPUT VAR: SRAGE, INS, INSMO, INSMC, INSEM, INSHF, INSPR, INSMO, INSOT, INSOG, INSHK, AI4, AI25, AH49

NOTES:

VARNAME: INSANY QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		439	4.43
2	UNINS. ANY PAST 12 MO		344	3.47
3	INSURED ALL PAST 12 MO		9130	92.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSEM QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		6434	64.90
2	NO		3479	35.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSHF QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:			FREQ	%
1	YES		655	6.61
2	NO		9258	93.39

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

 VARNAME: INST_12 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
1	MEDI-CAL (MEDICAID) ONLY	1775	17.91
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	5930	59.82
3	PRIVATE COVERAGE ONLY	518	5.23
4	OTHER COVERAGE ONLY	594	5.99
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	313	3.16
6	UNINSURED ONLY	254	2.56
7	UNINSURED + EMPLOYER-BASED ONLY	128	1.29
8	ANY 1 OR MORE TYPES + UNINSURED	401	4.05

UNIVERSE: ALL CHILDREN

INPUT VAR: INSLT12

NOTES:

 VARNAME: UNINSANY QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:		FREQ	%
1	UNINSURED ALL YEAR	254	2.56
2	UNINSURED PART YEAR	529	5.34
3	INSURED ALL YEAR	9130	92.10

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RSN_UNIN QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	9474	95.57
1	CANT AFFORD/TOO EXPENSIVE	169	1.70
2	NOT ELIGIBLE DUE TO WORKING STATUS	48	0.48
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	5	0.05
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	26	0.26
5	FAMILY SITUATION CHANGED	19	0.19
6	DONT BELIEVE IN INSURANCE	2	0.02
7	SWITCHED INSURANCE COMPANIES, DELAY	39	0.39
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	15	0.15
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	24	0.24
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	18	0.18
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	13	0.13
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	15	0.15
13	NOT OFFERED AT JOB	9	0.09
14	NO NEED - GENERAL	7	0.07
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	16	0.16
92	R THOUGHT WAS INSURED	14	0.14

UNIVERSE: CHILDREN WHO ARE CURRENTLY UNINSURED

INPUT VAR: INS, CF18, CF29

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RSN_UNI2 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: REASON FOR UNINSURED STATUS PAST 12 MOS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	9130	92.10
1	CANT AFFORD/TOO EXPENSIVE	264	2.66
2	NOT ELIGIBLE DUE TO WORKING STATUS	139	1.40
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	9	0.09
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	31	0.31
5	FAMILY SITUATION CHANGED	41	0.41
6	DONT BELIEVE IN INSURANCE	3	0.03
7	SWITCHED INSURANCE COMPANIES, DELAY	80	0.81
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	16	0.16
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	38	0.38
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	34	0.34
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	35	0.35
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	24	0.24
13	NOT OFFERED AT JOB	13	0.13
14	NO NEED - GENERAL	7	0.07
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	35	0.35
92	R THOUGHT WAS INSURED	14	0.14

UNIVERSE: CHILDREN WHO ARE UNINSURED PAST 12 MOS

INPUT VAR: UNINSANY, CF18, CF29

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: INSMD QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY MEDI-CAL

VALUE:			FREQ	%
1	YES		1960	19.77
2	NO		7953	80.23

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSOG QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		138	1.39
2	NO		9775	98.61

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: INSPR QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		617	6.22
2	NO		9296	93.78

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: ELIGPRG3 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	9474	95.57
1	MEDI-CAL (MEDICAID) ELIG.	147	1.48
2	HEALTHY FAM ELIG.	119	1.20
3	NOT ELIG.	173	1.75

UNIVERSE: CHILDREN WHO ARE UNINSURED

INPUT VAR:

NOTES:

VARNAME: FAMT4 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	8612	86.88
4	SINGLE WITH KIDS	1301	13.12

UNIVERSE: ALL CHILDREN

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED ADULT R NOT LIVING WITH SPOUSE.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

Section J: Demographic Information, Part III, Geographic Information

VARNAME: UR_CLRT QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		3085	31.12
2	2ND CITY		2933	29.59
3	SUBURBAN		2087	21.05
4	TOWN AND RURAL		1808	18.24

UNIVERSE: ALL CHILDREN

INPUT VAR: BESTZIP

NOTES:

VARNAME: UR_CLRT2 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:			FREQ	%
1	URBAN		8105	81.76
2	RURAL		1808	18.24

UNIVERSE: ALL CHILDREN

INPUT VAR: UR_CLRT

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	6135	61.89
2	RURAL	3778	38.11

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY, BESTZIP

NOTES:

VARNAME: UR_OMB QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	9364	94.46
2	NON-METROPOLITAN	549	5.54

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	8334	84.07
2	RURAL	1579	15.93

UNIVERSE: ALL CHILDREN

INPUT VAR: SRCNTY, TRACT

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: UR_TRACT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:		FREQ	%
1	URBAN	2801	28.26
2	2ND CITY	2317	23.37
3	SUBURBAN	2418	24.39
4	TOWN AND RURAL	2377	23.98

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: UR_BG QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	2774	27.98
2	2ND CITY	2231	22.51
3	SUBURBAN	2443	24.64
4	TOWN AND RURAL	2465	24.87

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: POVLL QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	1335	13.47
2	100-199% FPL	1750	17.65
3	200-299% FPL	1357	13.69
4	300% FPL AND ABOVE	5471	55.19

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: POVLL2_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS	
N	9913
MIN	0
MAX	24
MEAN	4.40

UNIVERSE: ALL CHILDREN

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N	9913
MIN	0
MAX	24
MEAN	4.22

UNIVERSE: ALL CHILDREN

INPUT VAR: POVGWD

NOTES: TOPCODE=24

Section K: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - FULL SAMPLE

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW1 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 1
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW2 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 2
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW3 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 3
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW4 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 4
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW5 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 5
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW6 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 6
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW7 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 7
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW8 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 8
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW9 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 9
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW10 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 10
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW11 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 11
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW12 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 12
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW13 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 13

VALUE: 0-HIGH CONTINUOUS
FREQ 9913 % 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW14 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 14

VALUE: 0-HIGH CONTINUOUS
FREQ 9913 % 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW15 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 15

VALUE: 0-HIGH CONTINUOUS
FREQ 9913 % 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW16 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 16

VALUE:		FREQ	%
0-HIGH CONTINUOUS		9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW17 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 17

VALUE:		FREQ	%
0-HIGH CONTINUOUS		9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW18 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 18

VALUE:		FREQ	%
0-HIGH CONTINUOUS		9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW19 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 19
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW20 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 20
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW21 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 21
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```
-----
VARNAME:   RAKEDW22          QNAME07:  NA          QPAGENUM:  NA
          QNAME05:  NA          QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 22

VALUE:     0-HIGH CONTINUOUS          9913          %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----
```

```
-----
VARNAME:   RAKEDW23          QNAME07:  NA          QPAGENUM:  NA
          QNAME05:  NA          QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 23

VALUE:     0-HIGH CONTINUOUS          9913          %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----
```

```
-----
VARNAME:   RAKEDW24          QNAME07:  NA          QPAGENUM:  NA
          QNAME05:  NA          QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 24

VALUE:     0-HIGH CONTINUOUS          9913          %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
-----
```


2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW25 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 25
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW26 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 26
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW27 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 27
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW28 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 28
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW29 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 29
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW30 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 30
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW31 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 31
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW32 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 32
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW33 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 33
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW37 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 37
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW38 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 38
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

VARNAME: RAKEDW39 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 39
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAM: RAKEDW40 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 40

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAM: RAKEDW41 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 41

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAM: RAKEDW42 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 42

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW43 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 43

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW44 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 44

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW45 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 45

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW46 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 46
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW47 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 47
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW48 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 48
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW49 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 49
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW50 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 50
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW51 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 51
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW52 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 52

VALUE: 0-HIGH CONTINUOUS FREQ %

 9913 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW53 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 53

VALUE: 0-HIGH CONTINUOUS FREQ %

 9913 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW54 QNAME07: NA QPAGENUM: NA

 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 54

VALUE: 0-HIGH CONTINUOUS FREQ %

 9913 100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME:	RAKEDW55	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 55				
VALUE:	0-HIGH CONTINUOUS	FREQ		%	
		9913		100.00	
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW56	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 56				
VALUE:	0-HIGH CONTINUOUS	FREQ		%	
		9913		100.00	
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW57	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 57				
VALUE:	0-HIGH CONTINUOUS	FREQ		%	
		9913		100.00	
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW58 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 58
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW59 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 59
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW60 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 60
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW61 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 61
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW62 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 62
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW63 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 63
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

```

VARNAME:   RAKEDW64                QNAME07:  NA                QPAGENUM: NA
                                                QNAME05:  NA                QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 64

VALUE:     0-HIGH  CONTINUOUS                9913      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
    
```

```

VARNAME:   RAKEDW65                QNAME07:  NA                QPAGENUM: NA
                                                QNAME05:  NA                QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 65

VALUE:     0-HIGH  CONTINUOUS                9913      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
    
```

```

VARNAME:   RAKEDW66                QNAME07:  NA                QPAGENUM: NA
                                                QNAME05:  NA                QNAME03:  NA

LABEL:     CHIS2007 RAKED WEIGHT - REPLICATE 66

VALUE:     0-HIGH  CONTINUOUS                9913      %
                                                100.00

UNIVERSE:  ALL CHILDREN

INPUT VAR:

NOTES:
    
```

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME:	RAKEDW67	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 67				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				9913	100.00
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW68	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 68				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				9913	100.00
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW69	QNAME07:	NA	QPAGENUM:	NA
		QNAME05:	NA	QNAME03:	NA
LABEL:	CHIS2007 RAKED WEIGHT - REPLICATE 69				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				9913	100.00
UNIVERSE:	ALL CHILDREN				
INPUT VAR:					
NOTES:					

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW70 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 70
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW71 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 71
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

VARNAME: RAKEDW72 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 72
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL CHILDREN
INPUT VAR:
NOTES:

FREQ %
9913 100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW73 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 73

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW74 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 74

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

VARNAME: RAKEDW75 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 75

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	9913	100.00

UNIVERSE: ALL CHILDREN

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW76 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 76
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW77 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 77
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW78 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 78
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
CHILD SURVEY DATA DICTIONARY

VARNAME: RAKEDW79 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 79
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00

VARNAME: RAKEDW80 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 80
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL CHILDREN
 INPUT VAR:
 NOTES:

FREQ	%
9913	100.00