



CHIS 2007 DATA DICTIONARY

Public Use File

Teen Survey

September 2011



CHIS 2007 DATA DICTIONARY

Teen Survey

Public Use File

September 2011

teen.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2011 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2007 Teen Survey. UCLA Center for Health Policy Research. Los Angeles, CA: September 2011.

TABLE OF CONTENTS

- 1. Introduction 3**
 - 1.1 CHIS 2007 Teen Survey Data File3
 - 1.2 Accompanying Files3
- 2. CHIS 2007 Design and Methodology Summary..... 3**
 - 2.1 Overview3
 - 2.2 Sample Design Objectives.....4
 - 2.3 Data Collection6
 - 2.4 Response Rates7
 - 2.5 Weighting the Sample8
 - 2.6 Imputation Methods.....9
- 3. How to Use the Data Dictionary..... 11**
- 4. Sample Code Using Sample Design Information 12**
 - 4.1 Mean Calculation..... 13
 - 4.2 Frequency Calculation..... 14
 - 4.3 Linear Regression 15
 - 4.4 Logistic Regression 16
- 5. Data Dictionary Variable Listings 17**
 - A. Variable Name (alphabetical)..... 17
 - B. Variable name (by Location in CHIS 2007 Teen Questionnaire)25
- 6. Data Dictionary 33**
 - Section S: Screening Information.....33
 - Section A: Demographic Information, Part I.....36
 - Section B: Health Status, Dieting, and Health Conditions39
 - Section C: Diet, Nutrition, and Food Environment51
 - Section D: Physical Activity and Sedentary Time56
 - Section E: Tobacco, Alcohol, and Drug Use.....66
 - Section F: Emotional Functioning.....69
 - Section G: Sexual Behaviors73
 - Section H: Interpersonal Violence.....85
 - Section I: Health Care Utilization and Access85
 - Section J: Dental or Oral Health.....93
 - Section K: Adult Supervision98
 - Section L: Demographic Information, Part II..... 100

Section M: Demographic Information, Part III, Geographic Information	117
Section N: Health Insurance	120
Section O: Full Design and Replicate Weight Series 0-80.....	138

1. Introduction

1.1 CHIS 2007 Teen Survey Data File

The 2007 California Health Interview Survey (CHIS 2007) Teen Data File consists of individual records from the Teen component of CHIS 2007.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 20097data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** teen.sas7bdat, teen.sav, teen.dta
- b. **Proc format file:** TEEN_PROC_FORMAT.SAS
- c. **Format file:** TEEN_FORMAT.SAS
- d. **Label file:** TEEN_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** teenf.sas7bdat, teenf.sav, teenf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** TEEN.XPT, TEENF.XPT

2. CHIS 2007 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and

Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2007 is the fourth CHIS data collection cycle and was conducted between July 2007 and early March 2008.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. First, the state was divided into 44 geographic sampling strata, 41 single-county strata and 3 multi-county strata comprised of the 17 remaining counties. Second, within each geographic stratum, households were selected through random-digit dial (RDD), and within each household, one adult (age 18 and over) respondent was randomly selected. In addition, in those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent was randomly selected for interview and one child was selected; the most knowledgeable adult about the child's health completed the child interview.

Table 1-1 shows the 44 sampling strata for CHIS 2007. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective. These strata were revised from those used in previous CHIS cycles, increasing the number of individual counties from 33 to 41. The CHIS 2007 samples in Los Angeles and San Diego Counties were enhanced with additional funding by implementing further stratification within county.

Table 1-1. California County and County-Group Strata in CHIS 2007 Sample Design

1. Los Angeles	16. Sonoma	31. Napa
2. San Diego	17. Stanislaus	32. Kings
3. Orange	18. Santa Barbara	33. Madera
4. Santa Clara	19. Solano	34. Monterey
5. San Bernardino	20. Tulare	35. Humboldt
6. Riverside	21. Santa Cruz	36. Nevada
7. Alameda	22. Marin	37. Mendocino
8. Sacramento	23. San Luis Obispo	38. Sutter
9. Contra Costa	24. Placer	39. Yuba
10. Fresno	25. Merced	40. Lake
11. San Francisco	26. Butte	41. San Benito
12. Ventura	27. Shasta	42. Colusa, Glen, Tehama
13. San Mateo	28. Yolo	43. Plumas, Sierra, Siskiyou, Lassen, Modoc, Trinity, Del Norte
14. Kern	29. El Dorado	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
15. San Joaquin	30. Imperial	

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

The main RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates; these geographically targeted oversamples were supplemented by phone numbers for group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2007, the goal was to complete 800 interviews statewide with adults in cell-only households. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. Sampled cellular numbers were screened to identify whether they belonged to cell-only households. Cellular numbers from households with landline telephone numbers were considered out of scope. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected. No interviews with adolescents or about children were conducted from the CHIS 2007 cell RDD sample.

In an attempt to assess nonresponse bias, CHIS 2007 also included an area probability sample in Los Angeles County, with a target of 800 completed adult interviews. A clustered sample was selected from US Postal Service address lists, stratified by Los Angeles County Service Planning Area (SPA). Within each SPA, a number of smaller geographic areas (segments composed of blocks or groups of blocks) were selected, and within each segment specific addresses were selected. Sampled addresses for which a telephone number could be matched were initially treated the same as landline RDD cases, except that adolescent and child interviews were not attempted. Matched addresses where a screening interview could not be completed by telephone and all unmatched addresses were then assigned to recruiters who visited the sampled addresses in person to attempt to obtain cooperation.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2007 data collection under contract with the UCLA Center for Health Policy Research. For the landline RDD sample, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and substantially increased the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. For the cell RDD and area samples, only one randomly selected adult in each household was interviewed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2007 by the type of sample (landline RDD, surname list, cell RDD, and area sample).

Table 1-2. Number of Completed CHIS 2007 Interviews by Type of Sample Instrument

Type of sample	Adult	Child	Adolescent
Total all samples	51,048	9,913	3,638
Landline RDD	48,791	9,818	3,622
Surname list	451	95	16
Cell RDD	825	N/A	N/A
Area probability (LA County)	981	N/A	N/A

Source: UCLA Center for Health Policy Research, 2007 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 35 minutes to complete. The average child and adolescent interviews took about 17.5 minutes and 20 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 8 percent of the adult interviews were completed in a language other than English, as were almost 16 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2007 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 67 percent of the sampled telephone numbers. As in CHIS 2005, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2007 screener completion rate for the landline sample was 35.5 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 30.5 percent in cell-only households. For the area sample, the screener response rate was 32.0 percent, as compared with 31.5 percent for the landline sample in Los Angeles County. The extended interview completion rate for the landline sample varied across the adult (52.8 percent), child (73.7 percent) and adolescent (44.1 percent) interviews. The adolescent rate includes getting permission from a parent or guardian of the sampled adolescent. The adult interview completion rate for the cell sample was 52.0 percent, and for the area sample 69.0 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2007, the landline sample household response rate was 21.1 percent (the product of the screener response rate and the completion rate at the household level of 57.9 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2007 response rates, please see CHIS 2007 Methodology Series: Report 4 – Response Rates.

The CHIS response rate is comparable to response rates of other scientific telephone surveys in California, such as the 2007 California Behavioral Risk Factor Surveillance System (BRFSS) Survey. Using calculations that are as comparable as possible to those of CHIS 2007, the combined screener and adult response rate for the 2007 BRFSS is 18.7 percent, exactly the same as that for the CHIS 2007 landline sample. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as "complete." At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy

option. For 168 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2007 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2007 were created primarily from the California Department of Finance’s 2007 Population Estimates and 2007 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

Sample codes for applying weights and design information in analyses for different software packages are given in Section 4.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for a handful of variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005 and CHIS 2007 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those handled by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2007 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, hierarchical sequential hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a set of control variables. The control variables were ranked in order from the most to the least important. This procedure allowed control variables to be dropped if certain conditions (such as the minimum number of donors) were not met. The control variables were dropped sequentially, starting from the variable ranked least important. Once a responding case was used as a donor, it was dropped from the donor pool preventing using one donor multiple times.

Control variables used in forming donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational

attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation was done, logic checks and edits were performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

Methodology Report Series

A series of five methodology reports are available with more detail about the methods used in CHIS 2007:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2007 Adolescent PUF. The index of the data dictionary lists variables by the alphabetical order and by the order in the adolescent survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003 CHIS 2005, and CHIS 2007 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the adolescent questionnaire can be found on the CHIS web site at <http://www.chis.ucla.edu/topics.html>.

The data dictionary contains the following fields:

- **VARNAME**: The names of the variables.
- **QNAME07**: The names of the 2007 survey items. A blank field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM**: Location of the question in the CHIS 2007 questionnaire.
- **QNAME05**: The names of 2005 survey items identical or similar to the 2007 items.
- **QNAME03**: The names of 2003 survey items identical or similar to the 2007 items.
- **LABEL**: A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE**: Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS**: Sample distributions of continuous variables.
- **UNIVERSE**: The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR**: Source variables used to construct the one in the **VARNAME** field.
- **NOTES**: Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (`bmi_p`) is presented as a continuous dependent variable and current asthma status (`astcur`) as a categorical dependent variable. These variables are examined in relation to race (`racehpr2`), sex (`srsex`) and age (`srage_p`). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (`bmi_p`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC DESCRIBT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

```
*Sample design specification step*a
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse

*Analysis*
```



```
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (`astcur`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci
```

```

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
replace racesex=3 if racehpr2 ==2 & srsex ==1
replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf

svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```
xi: svy: regress bmi_p i.srsex srage_p
```

4.4 Logistic Regression

The following sample programming code examines current asthma status (`astcur`) among adults in California, controlling for race (`racehpr2`), sex (`srsex`), and age (`srage_p`). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable `ast` and assign 1 where `astcur=1` (“Current asthma”) and 0 where `astcur=2` (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA"); CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-56
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-75
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-76
ASTCUR	CURRENT ASTHMA	DD-13
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-14
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-9
CATRIBE	CALIFORNIA TRIBE	DD-72
CHINESE	CHINESE	DD-74
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-82
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-82
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-80
CNTRYF	COUNTRY FATHER BORN IN	DD-81
CNTRYM	COUNTRY MOTHER BORN IN	DD-81
CNTRYS	COUNTRY BORN IN	DD-79
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-40
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-56
DSTRS30	LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH	DD-40
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-103
ER	ER VISIT WITHIN THE PAST YEAR	DD-55
FAMT4	FAMILY TYPE (4 LVLS)	DD-104
FILIPINO	FILIPINO	DD-73
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-21
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-7
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-8
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-2
HHSMK	HOUSEHOLD SMOKING	DD-36
IA1	TEEN COVERED BY MEDI-CAL	DD-89
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-88
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-92
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-90
IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-92
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-93
IAP1	CURRENTLY ON AFDC/TANF/CALWORKS	DD-96
IAP2	CURRENTLY GETTING FOOD STAMPS	DD-97
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-93

VARIABLE	LABEL	PAGE
INS	CURRENTLY INSURED	DD-94
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-97
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-98
INSANY	ANY INS IN LAST 12 MOS	DD-99
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-99
INSHF	COVERED BY HEALTHY FAMILIES	DD-100
INSMC	COVERED BY MEDICARE	DD-101
INSMD	COVERED BY MEDI-CAL	DD-102
INSOG	COVERED BY OTHER GOVT PLANS	DD-102
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-103
INSTYPE	INSURANCE TYPE	DD-98
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-100
INTVLANG	LANGUAGE OF INTERVIEW	DD-3
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-84
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-69
MA10	TEEN HAS DENTAL INS	DD-96
MA5	TEEN HAS SAME INS AS SPOUSE	DD-88
MA6	TEEN HAS SAME INS AS CHILD	DD-89
MA7_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-91
MA8	MAIN HEALTH PLAN IS HMO	DD-90
OVRWT	OVERWEIGHT OR OBESE	DD-10
PMARIT	PARENTS' MARITAL STATUS (3 LVLS)	DD-66
PMARIT2	PARENTS' MARITAL STATUS (4 LVLS)	DD-66
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-105
POVLL	POVERTY LEVEL	DD-104
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-105
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-77
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-76
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-78
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-77
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-79
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-78
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-106
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-106
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-109
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-110
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-110
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-110
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-111
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-111
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-111
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-112
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-112

VARIABLE	LABEL	PAGE
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-112
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-107
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-113
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-113
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-113
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-114
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-114
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-114
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-115
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-115
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-115
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-116
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-107
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-116
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-116
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-117
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-117
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-117
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-118
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-118
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-118
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-119
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-119
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-107
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-119
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-120
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-120
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-120
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-121
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-121
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-121
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-122
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-122
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-122
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-108
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-123
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-123
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-123
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-124
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-124
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-124
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-125
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-125
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-125
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-126

VARIABLE	LABEL	PAGE
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-108
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-126
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-126
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-127
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-127
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-127
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-128
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-128
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-128
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-129
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-129
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-108
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-129
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-130
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-130
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-130
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-131
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-131
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-131
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-132
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-132
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-132
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-109
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-133
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-109
RBMI	AGE AND GENDER SPECIFIC BMI (4 LVLS)	DD-10
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-95
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-94
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-6
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-4
SECTION B	HEALTH STATUS, DIETING, AND HEALTH CONDITIONS	DD-7
SECTION C	DIET, NUTRITION, AND FOOD ENVIRONMENT	DD-19
SECTION D	PHYSICAL ACTIVITY AND SEDENTARY TIME	DD-24
SECTION E	TOBACCO, ALCOHOL, AND DRUG USE	DD-34
SECTION F	EMOTIONAL FUNCTIONING	DD-37
SECTION G	SEXUAL BEHAVIORS	DD-41
SECTION H	INTERPERSONAL VIOLENCE	DD-53
SECTION I	HEALTH CARE UTILIZATION AND ACCESS	DD-53
SECTION J	DENTAL OR ORAL HEALTH	DD-61
SECTION K	ADULT SUPERVISION	DD-66
SECTION L	DEMOGRAPHIC INFORMATION, PART II	DD-68
SECTION M	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-85
SECTION N	HEALTH INSURANCE	DD-88
SECTION O	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-106

VARIABLE	LABEL	PAGE
SECTION S	SCREENING INFORMATION	DD-1
SMKCUR	CURRENT SMOKER	DD-35
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-70
SRAGE_P	AGE (PUF RECODE)	DD-4
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-70
SRAS	SELF-REPORTED ASIAN	DD-75
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-74
SRCH	SELF-REPORTED CHINESE	DD-73
SRH	SELF-REPORTED LATINO/HISPANIC	DD-68
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-68
SRKR	SELF-REPORTED KOREAN	DD-73
SRO	SELF-REPORTED OTHER RACE	DD-71
SRPH	SELF-REPORTED FILIPINO	DD-72
SRPI	SELF-REPORTED PI AND NTV HW	DD-69
SRSEX	SELF-REPORTED GENDER	DD-4
SRSEX_A	SELF-REPORTED GENDER (ADULT)	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SRVT	SELF-REPORTED VIETNAMESE	DD-74
SRW	SELF-REPORTED WHITE	DD-70
TA4	ATTENDED SCHOOL LAST WEEK	DD-5
TA4C	ATTENDED SCHOOL DURING LAST SCHOOL YR	DD-6
TB1	GENERAL HEALTH CONDITION	DD-7
TB10	DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES	DD-18
TB10A	TOLD HAVE TYPE 1 OR TYPE 2 DIABETES	DD-19
TB17	STILL HAS ASTHMA	DD-12
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-12
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-17
TB24_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-17
TB26	HAD FLU SHOT/FLUMIST IN PAST 12 MOS	DD-18
TB27	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-15
TB28	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-16
TB30	DR SAID THAT R HAS ALLERGIES	DD-18
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-11
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-11
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-15
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
TC25	NEARBY PARK/PLAYGROUND SAFE DURING DAY	DD-33
TC26	NEARBY PARK/PLAYGROUND SAFE AT NIGHT	DD-33
TC28	# OF SODA OR OTHER SWEETENED DRINKS DRANK YESTERDAY	DD-22
TC38	EVER SMOKED CIGARETTES	DD-34

VARIABLE	LABEL	PAGE
TC42	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-32
TD14	# OF SERVINGS OF FRIED POTATOES YESTERDAY	DD-20
TD23	# TIMES BUY SODA AT SCHOOL DURING PAST WEEK	DD-22
TD24	# TIMES ATE SCHOOL LUNCH DURING PAST WEEK	DD-23
TD25	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-23
TE1	# OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY	DD-19
TE12	# OF HRS TEEN PLAYS TV/VIDEO GAMES MON-FRI	DD-29
TE13	# OF HRS TEEN USES COMPUTER FOR FUN MON-FRI	DD-30
TE14	# OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND	DD-30
TE15	# OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND	DD-31
TE19	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	DD-34
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-35
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-36
TE4	# OF SERVINGS OF FRUIT ATE YESTERDAY	DD-20
TE49	# OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-24
TE50	TEEN ON SPORTS TEAM IN PAST 12 MOS	DD-26
TE53	# OF DAYS TEEN WALKED, BIKED, SKATED TO SCHOOL IN ONE WEEK	DD-27
TE54	# OF MINS TO WALK, BIKE, SKATE TO SCHOOL	DD-27
TE55	# OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK	DD-28
TE56	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-28
TE57	CURRENTLY TAKING PE AT SCHOOL	DD-25
TE58	# DAYS ATTENDS PE PER WEEK	DD-25
TE59	TYPICAL PE CLASS: MINUTES EXERCISING	DD-26
TE6	# OF SERVINGS OF VEGETABLES ATE YESTERDAY	DD-21
TE61	COULD WALK/BIKE HOME IN 30 MINUTES	DD-29
TE62	HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS	DD-31
TE63	PHYSICALLY ACTIVE LAST TIME AT PARK/PLAYGROUND	DD-32
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-24
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-53
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-60
TF14	HOW LONG SINCE LAST VISIT TO DENTIST	DD-61
TF15	REASON FOR LAST DENTAL VISIT	DD-62
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-61
TF25	PARTICULAR DENTIST/PLACE FOR DENTAL CARE	DD-63
TF26	COULDN'T AFFORD NEEDED DENTAL CARE IN PAST 12 MOS	DD-64
TF28	MISSED SCHOOL FOR DENTAL PROBLEMS IN PAST 12 MOS	DD-64
TF29_P	# DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)	DD-65
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-55
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP	DD-57
TF8F	TALK WITH DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM	DD-58

VARIABLE	LABEL	PAGE
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-57
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-58
TF8J	TALK WITH DOCTOR ABOUT DENTAL CHECK AT LAST PHYSICAL EXAM	DD-59
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-60
TG11	FEEL NERVOUS PAST 30 DAYS	DD-37
TG12	FEEL HOPELESS PAST 30 DAYS	DD-37
TG13	FELL RESTLESS PAST 30 DAYS	DD-38
TG14	FEEL DEPRESSED PAST 30 DAYS	DD-38
TG15	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-39
TG16	FEEL WORTHLESS PAST 30 DAYS	DD-39
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-67
TH27	AGE TEEN'S FIRST MENSTRUAL PERIOD	DD-41
TH36	CAN GET EMERGENCY CONTRACEPTION PILLS OVER THE COUNTER	DD-41
TH37	EVER HEARD OF HPV	DD-42
TH38_1	HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC	DD-42
TH38_10	HEARD ABOUT HPV: OTHER	DD-47
TH38_2	HEARD ABOUT HPV: FAMILY	DD-43
TH38_3	HEARD ABOUT HPV: FRIENDS	DD-43
TH38_4	HEARD ABOUT HPV: TV ADVERTISEMENT	DD-44
TH38_5	HEARD ABOUT HPV: TV NEWS	DD-44
TH38_6	HEARD ABOUT HPV: TV SHOW	DD-45
TH38_7	HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE	DD-45
TH38_8	HEARD ABOUT HPV: INTERNET	DD-46
TH38_9	HEARD ABOUT HPV: SCHOOL	DD-46
TH38_A	WHERE HEARD ABOUT HPV: 1ST RESPONSE	DD-47
TH38_B	WHERE HEARD ABOUT HPV: 2ND RESPONSE	DD-48
TH38_C	WHERE HEARD ABOUT HPV: 3RD RESPONSE	DD-48
TH38_D	WHERE HEARD ABOUT HPV: 4TH RESPONSE	DD-49
TH38_E	WHERE HEARD ABOUT HPV: 5TH RESPONSE	DD-49
TH38_F	WHERE HEARD ABOUT HPV: 6TH RESPONSE	DD-50
TH38_G	WHERE HEARD ABOUT HPV: 7TH RESPONSE	DD-50
TH38_H	WHERE HEARD ABOUT HPV: 8TH RESPONSE	DD-50
TH39	HEARD OF VACCINE PREVENT CERVICAL CANCER	DD-51
TH40	EVER GET HPV VACCINE	DD-51
TH41	INTERESTED IN GETTING HPV VACCINE	DD-52
TH42	GET ALL 3 DOSES OF HPV VACCINE	DD-52
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-67
TI11	NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS	DD-59
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-71
TM1	MAIN REASON HAS NOT VISITED DENTIST	DD-62
TM2	# OF DENTAL VISITS IN PAST 12 MOS	DD-63
TM3	TEETH CONDITION	DD-65
UNINSANY	UNINSURED IN PAST 12 MOS	DD-101

VARIABLE	LABEL	PAGE
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-87
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-85
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-85
UR_IHS	RURAL AND URBAN - IHS	DD-86
UR_OMB	RURAL AND URBAN - OMB	DD-86
UR_RHP	RURAL AND URBAN - RHP	DD-86
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-87
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-55
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-54
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-54
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-8
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-9
YRUS	YEARS ADOLESCENT LIVED IN US	DD-80
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-83
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-83

B. Variable name (by Location in CHIS 2007 Teen Questionnaire)

VARIABLE	LABEL	PAGE
SECTION S	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-2
INTVLANG	LANGUAGE OF INTERVIEW	DD-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-3
SECTION A	DEMOGRAPHIC INFORMATION, PART I	DD-4
SRAGE_P	AGE (PUF RECODE)	DD-4
SRSEX	SELF-REPORTED GENDER	DD-4
SRSEX_A	SELF-REPORTED GENDER (ADULT)	DD-5
TA4	ATTENDED SCHOOL LAST WEEK	DD-5
TA4C	ATTENDED SCHOOL DURING LAST SCHOOL YR	DD-6
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-6
SECTION B	HEALTH STATUS, DIETING, AND HEALTH CONDITIONS	DD-7
TB1	GENERAL HEALTH CONDITION	DD-7
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-7
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-8
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-8
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-9
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-9
RBMI	AGE AND GENDER SPECIFIC BMI (4 LVLS)	DD-10
OVRWT	OVERWEIGHT OR OBESE	DD-10
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-11
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-11
TB17	STILL HAS ASTHMA	DD-12
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-12
ASTCUR	CURRENT ASTHMA	DD-13
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-13
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-14
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-14
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-15
TB27	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-15
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
TB28	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-16
TB24_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-17
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-17

VARIABLE	LABEL	PAGE
TB30	DR SAID THAT R HAS ALLERGIES	DD-18
TB26	HAD FLU SHOT/FLUMIST IN PAST 12 MOS	DD-18
TB10	DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES	DD-18
TB10A	TOLD HAVE TYPE 1 OR TYPE 2 DIABETES	DD-19
SECTION C	DIET, NUTRITION, AND FOOD ENVIRONMENT	DD-19
TE1	# OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY	DD-19
TE4	# OF SERVINGS OF FRUIT ATE YESTERDAY	DD-20
TD14	# OF SERVINGS OF FRIED POTATOES YESTERDAY	DD-20
TE6	# OF SERVINGS OF VEGETABLES ATE YESTERDAY	DD-21
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-21
TC28	# OF SODA OR OTHER SWEETENED DRINKS DRANK YESTERDAY	DD-22
TD23	# TIMES BUY SODA AT SCHOOL DURING PAST WEEK	DD-22
TD24	# TIMES ATE SCHOOL LUNCH DURING PAST WEEK	DD-23
TD25	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-23
SECTION D	PHYSICAL ACTIVITY AND SEDENTARY TIME	DD-24
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-24
TE49	# OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-24
TE57	CURRENTLY TAKING PE AT SCHOOL	DD-25
TE58	# DAYS ATTENDS PE PER WEEK	DD-25
TE59	TYPICAL PE CLASS: MINUTES EXERCISING	DD-26
TE50	TEEN ON SPORTS TEAM IN PAST 12 MOS	DD-26
TE53	# OF DAYS TEEN WALKED, BIKED, SKATED TO SCHOOL IN ONE WEEK	DD-27
TE54	# OF MINS TO WALK, BIKE, SKATE TO SCHOOL	DD-27
TE55	# OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK	DD-28
TE56	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-28
TE61	COULD WALK/BIKE HOME IN 30 MINUTES	DD-29
TE12	# OF HRS TEEN PLAYS TV/VIDEO GAMES MON-FRI	DD-29
TE13	# OF HRS TEEN USES COMPUTER FOR FUN MON-FRI	DD-30
TE14	# OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND	DD-30
TE15	# OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND	DD-31
TE62	HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS	DD-31
TE63	PHYSICALLY ACTIVE LAST TIME AT PARK/PLAYGROUND	DD-32
TC42	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-32
TC25	NEARBY PARK/PLAYGROUND SAFE DURING DAY	DD-33
TC26	NEARBY PARK/PLAYGROUND SAFE AT NIGHT	DD-33
SECTION E	TOBACCO, ALCOHOL, AND DRUG USE	DD-34
TC38	EVER SMOKED CIGARETTES	DD-34
TE19	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	DD-34
SMKCUR	CURRENT SMOKER	DD-35
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-35
HHSMK	HOUSEHOLD SMOKING	DD-36
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-36

VARIABLE	LABEL	PAGE
SECTION F	EMOTIONAL FUNCTIONING	DD-37
TG11	FEEL NERVOUS PAST 30 DAYS	DD-37
TG12	FEEL HOPELESS PAST 30 DAYS	DD-37
TG13	FELL RESTLESS PAST 30 DAYS	DD-38
TG14	FEEL DEPRESSED PAST 30 DAYS	DD-38
TG15	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-39
TG16	FEEL WORTHLESS PAST 30 DAYS	DD-39
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-40
DSTRS30	LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH	DD-40
SECTION G	SEXUAL BEHAVIORS	DD-41
TH27	AGE TEEN'S FIRST MENSTRUAL PERIOD	DD-41
TH36	CAN GET EMERGENCY CONTRACEPTION PILLS OVER THE COUNTER	DD-41
TH37	EVER HEARD OF HPV	DD-42
TH38_1	HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC	DD-42
TH38_2	HEARD ABOUT HPV: FAMILY	DD-43
TH38_3	HEARD ABOUT HPV: FRIENDS	DD-43
TH38_4	HEARD ABOUT HPV: TV ADVERTISEMENT	DD-44
TH38_5	HEARD ABOUT HPV: TV NEWS	DD-44
TH38_6	HEARD ABOUT HPV: TV SHOW	DD-45
TH38_7	HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE	DD-45
TH38_8	HEARD ABOUT HPV: INTERNET	DD-46
TH38_9	HEARD ABOUT HPV: SCHOOL	DD-46
TH38_10	HEARD ABOUT HPV: OTHER	DD-47
TH38_A	WHERE HEARD ABOUT HPV: 1ST RESPONSE	DD-47
TH38_B	WHERE HEARD ABOUT HPV: 2ND RESPONSE	DD-48
TH38_C	WHERE HEARD ABOUT HPV: 3RD RESPONSE	DD-48
TH38_D	WHERE HEARD ABOUT HPV: 4TH RESPONSE	DD-49
TH38_E	WHERE HEARD ABOUT HPV: 5TH RESPONSE	DD-49
TH38_F	WHERE HEARD ABOUT HPV: 6TH RESPONSE	DD-50
TH38_G	WHERE HEARD ABOUT HPV: 7TH RESPONSE	DD-50
TH38_H	WHERE HEARD ABOUT HPV: 8TH RESPONSE	DD-50
TH39	HEARD OF VACCINE PREVENT CERVICAL CANCER	DD-51
TH40	EVER GET HPV VACCINE	DD-51
TH42	GET ALL 3 DOSES OF HPV VACCINE	DD-52
TH41	INTERESTED IN GETTING HPV VACCINE	DD-52
SECTION H	INTERPERSONAL VIOLENCE	DD-53
SECTION I	HEALTH CARE UTILIZATION AND ACCESS	DD-53
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-53
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-54
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-54
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-55
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-55
ER	ER VISIT WITHIN THE PAST YEAR	DD-55
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-56

VARIABLE	LABEL	PAGE
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-56
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP	DD-57
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-57
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-58
TF8F	TALK WITH DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM	DD-58
TF8J	TALK WITH DOCTOR ABOUT DENTAL CHECK AT LAST PHYSICAL EXAM	DD-59
TI11	NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS	DD-59
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-60
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-60
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-61
SECTION J	DENTAL OR ORAL HEALTH	DD-61
TF14	HOW LONG SINCE LAST VISIT TO DENTIST	DD-61
TF15	REASON FOR LAST DENTAL VISIT	DD-62
TM1	MAIN REASON HAS NOT VISITED DENTIST	DD-62
TF25	PARTICULAR DENTIST/PLACE FOR DENTAL CARE	DD-63
TM2	# OF DENTAL VISITS IN PAST 12 MOS	DD-63
TF26	COULDN'T AFFORD NEEDED DENTAL CARE IN PAST 12 MOS	DD-64
TF28	MISSED SCHOOL FOR DENTAL PROBLEMS IN PAST 12 MOS	DD-64
TF29_P	# DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)	DD-65
TM3	TEETH CONDITION	DD-65
SECTION K	ADULT SUPERVISION	DD-66
PMARIT	PARENTS' MARITAL STATUS (3 LVLS)	DD-66
PMARIT2	PARENTS' MARITAL STATUS (4 LVLS)	DD-66
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-67
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-67
SECTION L	DEMOGRAPHIC INFORMATION, PART II	DD-68
SRH	SELF-REPORTED LATINO/HISPANIC	DD-68
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-68
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-69
SRPI	SELF-REPORTED PI AND NTV HW	DD-69
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-70
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-70
SRW	SELF-REPORTED WHITE	DD-70
SRO	SELF-REPORTED OTHER RACE	DD-71
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-71
CATRIBE	CALIFORNIA TRIBE	DD-72
SRPH	SELF-REPORTED FILIPINO	DD-72
FILIPINO	FILIPINO	DD-73
SRKR	SELF-REPORTED KOREAN	DD-73
SRCH	SELF-REPORTED CHINESE	DD-73
CHINESE	CHINESE	DD-74

VARIABLE	LABEL	PAGE
SRVT	SELF-REPORTED VIETNAMESE	DD-74
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-74
SRAS	SELF-REPORTED ASIAN	DD-75
ASIAN9	ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)	DD-75
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-76
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-76
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-77
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-77
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-78
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-78
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-79
CNTRYS	COUNTRY BORN IN	DD-79
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-80
YRUS	YEARS ADOLESCENT LIVED IN US	DD-80
CNTRYF	COUNTRY FATHER BORN IN	DD-81
CNTRYM	COUNTRY MOTHER BORN IN	DD-81
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-82
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-82
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-83
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-83
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-84
SECTION M	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-85
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-85
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-85
UR_IHS	RURAL AND URBAN - IHS	DD-86
UR_OMB	RURAL AND URBAN - OMB	DD-86
UR_RHP	RURAL AND URBAN - RHP	DD-86
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-87
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-87
SECTION N	HEALTH INSURANCE	DD-88
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-88
MA5	TEEN HAS SAME INS AS SPOUSE	DD-88
MA6	TEEN HAS SAME INS AS CHILD	DD-89
IA1	TEEN COVERED BY MEDI-CAL	DD-89
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-90
MA8	MAIN HEALTH PLAN IS HMO	DD-90
MA7_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-91
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-92
IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-92
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-93
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-93
INS	CURRENTLY INSURED	DD-94
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-94

VARIABLE	LABEL	PAGE
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-95
MA10	TEEN HAS DENTAL INS	DD-96
IAP1	CURRENTLY ON AFDC/TANF/CALWORKS	DD-96
IAP2	CURRENTLY GETTING FOOD STAMPS	DD-97
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-97
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-98
INSTYPE	INSURANCE TYPE	DD-98
INSANY	ANY INS IN LAST 12 MOS	DD-99
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-99
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-100
INSHF	COVERED BY HEALTHY FAMILIES	DD-100
UNINSANY	UNINSURED IN PAST 12 MOS	DD-101
INSMC	COVERED BY MEDICARE	DD-101
INSMD	COVERED BY MEDI-CAL	DD-102
INSOG	COVERED BY OTHER GOVT PLANS	DD-102
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-103
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-103
FAMT4	FAMILY TYPE (4 LVLS)	DD-104
POVLL	POVERTY LEVEL	DD-104
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-105
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-105
SECTION 0	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-106
RAKEDW0	CHIS2007 RAKED WEIGHT - FULL SAMPLE	DD-106
RAKEDW1	CHIS2007 RAKED WEIGHT - REPLICATE 1	DD-106
RAKEDW2	CHIS2007 RAKED WEIGHT - REPLICATE 2	DD-107
RAKEDW3	CHIS2007 RAKED WEIGHT - REPLICATE 3	DD-107
RAKEDW4	CHIS2007 RAKED WEIGHT - REPLICATE 4	DD-107
RAKEDW5	CHIS2007 RAKED WEIGHT - REPLICATE 5	DD-108
RAKEDW6	CHIS2007 RAKED WEIGHT - REPLICATE 6	DD-108
RAKEDW7	CHIS2007 RAKED WEIGHT - REPLICATE 7	DD-108
RAKEDW8	CHIS2007 RAKED WEIGHT - REPLICATE 8	DD-109
RAKEDW9	CHIS2007 RAKED WEIGHT - REPLICATE 9	DD-109
RAKEDW10	CHIS2007 RAKED WEIGHT - REPLICATE 10	DD-109
RAKEDW11	CHIS2007 RAKED WEIGHT - REPLICATE 11	DD-110
RAKEDW12	CHIS2007 RAKED WEIGHT - REPLICATE 12	DD-110
RAKEDW13	CHIS2007 RAKED WEIGHT - REPLICATE 13	DD-110
RAKEDW14	CHIS2007 RAKED WEIGHT - REPLICATE 14	DD-111
RAKEDW15	CHIS2007 RAKED WEIGHT - REPLICATE 15	DD-111
RAKEDW16	CHIS2007 RAKED WEIGHT - REPLICATE 16	DD-111
RAKEDW17	CHIS2007 RAKED WEIGHT - REPLICATE 17	DD-112
RAKEDW18	CHIS2007 RAKED WEIGHT - REPLICATE 18	DD-112
RAKEDW19	CHIS2007 RAKED WEIGHT - REPLICATE 19	DD-112
RAKEDW20	CHIS2007 RAKED WEIGHT - REPLICATE 20	DD-113
RAKEDW21	CHIS2007 RAKED WEIGHT - REPLICATE 21	DD-113

VARIABLE	LABEL	PAGE
RAKEDW22	CHIS2007 RAKED WEIGHT - REPLICATE 22	DD-113
RAKEDW23	CHIS2007 RAKED WEIGHT - REPLICATE 23	DD-114
RAKEDW24	CHIS2007 RAKED WEIGHT - REPLICATE 24	DD-114
RAKEDW25	CHIS2007 RAKED WEIGHT - REPLICATE 25	DD-114
RAKEDW26	CHIS2007 RAKED WEIGHT - REPLICATE 26	DD-115
RAKEDW27	CHIS2007 RAKED WEIGHT - REPLICATE 27	DD-115
RAKEDW28	CHIS2007 RAKED WEIGHT - REPLICATE 28	DD-115
RAKEDW29	CHIS2007 RAKED WEIGHT - REPLICATE 29	DD-116
RAKEDW30	CHIS2007 RAKED WEIGHT - REPLICATE 30	DD-116
RAKEDW31	CHIS2007 RAKED WEIGHT - REPLICATE 31	DD-116
RAKEDW32	CHIS2007 RAKED WEIGHT - REPLICATE 32	DD-117
RAKEDW33	CHIS2007 RAKED WEIGHT - REPLICATE 33	DD-117
RAKEDW34	CHIS2007 RAKED WEIGHT - REPLICATE 34	DD-117
RAKEDW35	CHIS2007 RAKED WEIGHT - REPLICATE 35	DD-118
RAKEDW36	CHIS2007 RAKED WEIGHT - REPLICATE 36	DD-118
RAKEDW37	CHIS2007 RAKED WEIGHT - REPLICATE 37	DD-118
RAKEDW38	CHIS2007 RAKED WEIGHT - REPLICATE 38	DD-119
RAKEDW39	CHIS2007 RAKED WEIGHT - REPLICATE 39	DD-119
RAKEDW40	CHIS2007 RAKED WEIGHT - REPLICATE 40	DD-119
RAKEDW41	CHIS2007 RAKED WEIGHT - REPLICATE 41	DD-120
RAKEDW42	CHIS2007 RAKED WEIGHT - REPLICATE 42	DD-120
RAKEDW43	CHIS2007 RAKED WEIGHT - REPLICATE 43	DD-120
RAKEDW44	CHIS2007 RAKED WEIGHT - REPLICATE 44	DD-121
RAKEDW45	CHIS2007 RAKED WEIGHT - REPLICATE 45	DD-121
RAKEDW46	CHIS2007 RAKED WEIGHT - REPLICATE 46	DD-121
RAKEDW47	CHIS2007 RAKED WEIGHT - REPLICATE 47	DD-122
RAKEDW48	CHIS2007 RAKED WEIGHT - REPLICATE 48	DD-122
RAKEDW49	CHIS2007 RAKED WEIGHT - REPLICATE 49	DD-122
RAKEDW50	CHIS2007 RAKED WEIGHT - REPLICATE 50	DD-123
RAKEDW51	CHIS2007 RAKED WEIGHT - REPLICATE 51	DD-123
RAKEDW52	CHIS2007 RAKED WEIGHT - REPLICATE 52	DD-123
RAKEDW53	CHIS2007 RAKED WEIGHT - REPLICATE 53	DD-124
RAKEDW54	CHIS2007 RAKED WEIGHT - REPLICATE 54	DD-124
RAKEDW55	CHIS2007 RAKED WEIGHT - REPLICATE 55	DD-124
RAKEDW56	CHIS2007 RAKED WEIGHT - REPLICATE 56	DD-125
RAKEDW57	CHIS2007 RAKED WEIGHT - REPLICATE 57	DD-125
RAKEDW58	CHIS2007 RAKED WEIGHT - REPLICATE 58	DD-125
RAKEDW59	CHIS2007 RAKED WEIGHT - REPLICATE 59	DD-126
RAKEDW60	CHIS2007 RAKED WEIGHT - REPLICATE 60	DD-126
RAKEDW61	CHIS2007 RAKED WEIGHT - REPLICATE 61	DD-126
RAKEDW62	CHIS2007 RAKED WEIGHT - REPLICATE 62	DD-127
RAKEDW63	CHIS2007 RAKED WEIGHT - REPLICATE 63	DD-127
RAKEDW64	CHIS2007 RAKED WEIGHT - REPLICATE 64	DD-127
RAKEDW65	CHIS2007 RAKED WEIGHT - REPLICATE 65	DD-128
RAKEDW66	CHIS2007 RAKED WEIGHT - REPLICATE 66	DD-128

VARIABLE	LABEL	PAGE
RAKEDW67	CHIS2007 RAKED WEIGHT - REPLICATE 67	DD-128
RAKEDW68	CHIS2007 RAKED WEIGHT - REPLICATE 68	DD-129
RAKEDW69	CHIS2007 RAKED WEIGHT - REPLICATE 69	DD-129
RAKEDW70	CHIS2007 RAKED WEIGHT - REPLICATE 70	DD-129
RAKEDW71	CHIS2007 RAKED WEIGHT - REPLICATE 71	DD-130
RAKEDW72	CHIS2007 RAKED WEIGHT - REPLICATE 72	DD-130
RAKEDW73	CHIS2007 RAKED WEIGHT - REPLICATE 73	DD-130
RAKEDW74	CHIS2007 RAKED WEIGHT - REPLICATE 74	DD-131
RAKEDW75	CHIS2007 RAKED WEIGHT - REPLICATE 75	DD-131
RAKEDW76	CHIS2007 RAKED WEIGHT - REPLICATE 76	DD-131
RAKEDW77	CHIS2007 RAKED WEIGHT - REPLICATE 77	DD-132
RAKEDW78	CHIS2007 RAKED WEIGHT - REPLICATE 78	DD-132
RAKEDW79	CHIS2007 RAKED WEIGHT - REPLICATE 79	DD-132
RAKEDW80	CHIS2007 RAKED WEIGHT - REPLICATE 80	DD-133

6. Data Dictionary

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section S: Screening Information

VARNAME: PUF_ID QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: PUBLIC USE FILE ID

VALUE:	0-HIGH PERSON #	FREQ	%
		3638	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: AGEGRP_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE GROUP FOR ADULT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
1	<30	34	0.93
2	30-39	718	19.74
3	40-49	1807	49.67
4	50-59	876	24.08
5	60+	147	4.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: AHEDUC QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	286	7.86
2	GRADE 9-11	182	5.00
3	GRADE 12/H.S. DIPLOMA	685	18.83
4	SOME COLLEGE	554	15.23
5	VOCATIONAL SCHOOL	112	3.08
6	AA OR AS DEGREE	286	7.86
7	BA OR BS DEGREE	875	24.05
8	SOME GRAD. SCHOOL	63	1.73
9	MA OR MS DEGREE	393	10.80
10	PH.D. OR EQUIVALENT	167	4.59
91	NO FORMAL EDUCATION	35	0.96

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: HHSIZE_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS	
N	3638
MIN	2
MAX	7
MEAN	4.18

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HH_SIZE

NOTES: TOPCODE=7

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		3393	93.27
2	SPANISH		215	5.91
3	VIETNAMESE		5	0.14
4	KOREAN		15	0.41
5	CANTONESE		3	0.08
6	MANDARIN		7	0.19

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: SRTENR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		2626	72.18
2	RENT/SOME OTHER ARRANGEMENT		1012	27.82

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section A: Demographic Information, Part I

VARNAME: SRAGE_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS	
N	3638
MIN	12
MAX	17
MEAN	14.56

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

VARNAME: SRSEX QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED GENDER

VALUE:		FREQ	%
1	MALE	1823	50.11
2	FEMALE	1815	49.89

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRSEX_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED GENDER (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
1	MALE	1418	38.98
2	FEMALE	2164	59.48

UNIVERSE: ALL ADULTS

INPUT VAR: SRSEX

NOTES:

VARNAME: TA4 QNAME07: QT07_A5 QPAGENUM: T-2
QNAME05: QT05_A5 QNAME03: QT03_5

LABEL: ATTENDED SCHOOL LAST WEEK

VALUE:		FREQ	%
1	YES	2615	71.88
2	NO	472	12.97
3	ON VACATION	517	14.21
4	HOME SCHOOLED	34	0.93

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TA4C QNAME07: QT07_A5A QPAGENUM: T-2
 QNAME05: QT05_A5A QNAME03: NA

LABEL: ATTENDED SCHOOL DURING LAST SCHOOL YR

VALUE:		FREQ	%
-1	INAPPLICABLE	2649	72.81
1	YES	976	26.83
2	NO	8	0.22
3	HOME SCHOOLING	5	0.14

UNIVERSE: ADOLESCENTS WHO DID NOT ATTEND SCHOOL OR HOME SCHOOL LAST WEEK

INPUT VAR:

NOTES:

 VARNAME: SCH_TYP QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: TYPE OF SCHOOL ATTENDED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	70	1.92
-1	INAPPLICABLE	50	1.37
1	PUBLIC SCHOOL	3158	86.81
2	PRIVATE SCHOOL	318	8.74
3	OTHER	42	1.15

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section B: Health Status, Dieting, and Health Conditions

VARNAME: TB1 QNAME07: QT07_B1 QPAGENUM: T-3
QNAME05: QT05_B1 QNAME03: QT03_8

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		646	17.76
2	VERY GOOD		1462	40.19
3	GOOD		1200	32.99
4	FAIR		301	8.27
5	POOR		29	0.80

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: HGHTI_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

MEAN STATISTICS	
N	3638
MIN	42
MAX	77
MEAN	64.98

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: HGHTM_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HEIGHT - METERS (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	1
MAX	2
MEAN	1.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

VARNAME: WGHTK_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: WEIGHT - KILOGRAMS (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	25
MAX	138
MEAN	60.05

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: WEIGHT - POUNDS (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	55
MAX	305
MEAN	132.39

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330

VARNAME: BMI_P QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	8
MAX	64
MEAN	21.91

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK_P, HGHTM_P

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RBMI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: AGE AND GENDER SPECIFIC BMI (4 LVLS)

VALUE:		FREQ	%
1	UNDERWEIGHT: < 5TH	144	3.96
2	NORMAL: 5TH TO <85TH	2593	71.28
3	AT RISK OF OVERWEIGHT: 85TH TO <95TH	492	13.52
4	OVERWEIGHT: >=95TH	409	11.24

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BMITN

NOTES:

VARNAME: OVRWT QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:		FREQ	%
1	YES	409	11.24
2	NO	3229	88.76

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RBMI

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB4 QNAME07: QT07_B4 QPAGENUM: T-4
QNAME05: QT05_B10 QNAME03: QT03_9

LABEL: # OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM

MEAN STATISTICS

N 2649
MIN 0
MAX 20
MEAN 0.48

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL, OR WERE HOME SCHOOLED, LAST WEEK

INPUT VAR:

NOTES:

VARNAME: TB5 QNAME07: QT07_B5 QPAGENUM: T-4
QNAME05: QT05_B11 QNAME03: QT03_10

LABEL: DOCTOR EVER TOLD HAS ASTHMA

VALUE:		FREQ	%
1	YES	694	19.08
2	NO	2944	80.92

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB17 QNAME07: QT07_B6 QPAGENUM: T-4
QNAME05: QT05_B12 QNAME03: QT03_12

LABEL: STILL HAS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	2944	80.92
1	YES	410	11.27
2	NO	284	7.81

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB18 QNAME07: QT07_B7 QPAGENUM: T-4
QNAME05: QT05_B13 QNAME03: QT03_13

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	2944	80.92
1	YES	161	4.43
2	NO	533	14.65

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ASTCUR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENT ASTHMA

VALUE:		FREQ	%
1	CURRENT ASTHMA	419	11.52
2	NO CURRENT ASTHMA	3219	88.48

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TB5, TB17, TB18

NOTES:

VARNAME: TB7 QNAME07: QT07_B8 QPAGENUM: T-4
QNAME05: QT05_B14 QNAME03: QT03_14

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3219	88.48
1	NOT AT ALL	53	1.46
2	LESS THAN ONCE A MONTH	229	6.29
3	EVERY MONTH	85	2.34
4	EVERY WEEK	40	1.10
5	EVERY DAY	12	0.33

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: ASTYR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3219	88.48
1	SYMPTOMS	366	10.06
2	NO SYMPTOMS	53	1.46

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR: TB7

NOTES:

VARIABLE: TB19 QNAME07: QT07_B9 QPAGENUM: T-5
QNAME05: QT05_B15 QNAME03: QT03_15

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3219	88.48
1	YES	21	0.58
2	NO	398	10.94

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB6 QNAME07: QT07_B11 QPAGENUM: T-5
QNAME05: QT05_B16 QNAME03: QT03_16

LABEL: CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	2944	80.92
1	YES	154	4.23
2	NO	540	14.84

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB27 QNAME07: QT07_B12 QPAGENUM: T-5
QNAME05: QT05_B17 QNAME03: NA

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3363	92.44
1	NOT AT ALL	168	4.62
2	LESS THAN ONCE A MONTH	91	2.50
3	EVERY MONTH	10	0.27
4	EVERY WEEK	4	0.11
5	EVERY DAY	2	0.05

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: ASTS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		2944	80.92
1	SYMPTOMS		473	13.00
2	NO SYMPTOMS		221	6.07

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: TB7, TB27

NOTES:

VARNAM: TB28 QNAME07: QT07_B13 QPAGENUM: T-5

QNAME05: QT05_B18 QNAME03: NA

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		3363	92.44
1	YES		6	0.16
2	NO		269	7.39

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB24_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)

MEAN STATISTICS

N 693
MIN 0
MAX 7
MEAN 0.39

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: TB24

NOTES: EXCLUDED VALUE "996" IN CALCULATING THE MEAN

VARNAME: TB20 QNAME07: QT07_B16 QPAGENUM: T-6
QNAME05: QT05_B20 QNAME03: QT03_17

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	2944	80.92
1	YES	138	3.79
2	NO	556	15.28

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB30 QNAME07: QT07_B17 QPAGENUM: T-6
QNAME05: NA QNAME03: NA

LABEL: DR SAID THAT R HAS ALLERGIES

VALUE:		FREQ	%
1	YES	1168	32.11
2	NO	2470	67.89

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TB26 QNAME07: QT07_B18 QPAGENUM: T-6
QNAME05: QT05_B23 QNAME03: NA

LABEL: HAD FLU SHOT/FLUMIST IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	1183	32.52
2	NO	2455	67.48

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TB10 QNAME07: QT07_B19 QPAGENUM: T-7
QNAME05: QT05_B24 QNAME03: QT03_20

LABEL: DOCTOR EVER TOLD HAVE DIABETES OR SUGAR DIABETES

VALUE:		FREQ	%
1	YES	27	0.74
2	NO	3611	99.26

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB10A QNAME07: QT07_B20 QPAGENUM: T-7
QNAME05: QT05_B25 QNAME03: NA

LABEL: TOLD HAVE TYPE 1 OR TYPE 2 DIABETES

VALUE:		FREQ	%
-9	NOT ASCERTAINED	1	0.03
-8	DON'T KNOW	9	0.25
-1	INAPPLICABLE	3611	99.26
1	TYPE 1 DIABETES	12	0.33
2	TYPE 2 DIABETES	3	0.08
3	WAS NOT TOLD	2	0.05

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

Section C: Diet, Nutrition, and Food Environment

VARNAME: TE1 QNAME07: QT07_C1 QPAGENUM: T-8
QNAME05: QT05_D6 QNAME03: NA

LABEL: # OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY

MEAN STATISTICS	
N	3638
MIN	0
MAX	15
MEAN	0.98

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE4 QNAME07: QT07_C2 QPAGENUM: T-8
QNAME05: QT05_D1 QNAME03: QT03_32

LABEL: # OF SERVINGS OF FRUIT ATE YESTERDAY

MEAN STATISTICS

N	3638
MIN	0
MAX	15
MEAN	1.72

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD14 QNAME07: QT07_C3 QPAGENUM: T-8
QNAME05: QT05_D3 QNAME03: NA

LABEL: # OF SERVINGS OF FRIED POTATOES YESTERDAY

MEAN STATISTICS

N	3638
MIN	0
MAX	5
MEAN	0.20

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TE6 QNAME07: QT07_C4 QPAGENUM: T-8
 QNAME05: QT05_D2 QNAME03: QT03_33

LABEL: # OF SERVINGS OF VEGETABLES ATE YESTERDAY

MEAN STATISTICS

N	3638
MIN	0
MAX	10
MEAN	1.39

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: FV5DAY QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: 5+ FRUIT/VEGS. A DAY

VALUE:		FREQ	%
1	FIVE-A-DAY	792	21.77
2	NONE OR LESS THAN FIVE-A-DAY	2846	78.23

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE4, TE6

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC28 QNAME07: QT07_C5 QPAGENUM: T-9
QNAME05: QT05_D5 QNAME03: QT03_34

LABEL: # OF SODA OR OTHER SWEETENED DRINKS DRANK YESTERDAY

MEAN STATISTICS

N	3638
MIN	0
MAX	20
MEAN	0.94

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD23 QNAME07: QT07_C6 QPAGENUM: T-9
QNAME05: NA QNAME03: NA

LABEL: # TIMES BUY SODA AT SCHOOL DURING PAST WEEK

MEAN STATISTICS

N	3599
MIN	0
MAX	35
MEAN	1.09

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD24 QNAME07: QT07_C7 QPAGENUM: T-9

QNAME05: NA QNAME03: NA

LABEL: # TIMES ATE SCHOOL LUNCH DURING PAST WEEK

MEAN STATISTICS

N	3599
MIN	0
MAX	7
MEAN	1.89

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAME: TD25 QNAME07: QT07_C8 QPAGENUM: T-10

QNAME05: NA QNAME03: NA

LABEL: # TIMES ATE FAST FOOD DURING PAST WEEK

MEAN STATISTICS

N	3638
MIN	0
MAX	15
MEAN	1.64

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section D: Physical Activity and Sedentary Time

VARNAME: TE8 QNAME07: QT07_D1 QPAGENUM: T-11
QNAME05: QT05_E1 QNAME03: QT03_37

LABEL: # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

N 3638
MIN 0
MAX 7
MEAN 3.75

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE49 QNAME07: QT07_D2 QPAGENUM: T-11
QNAME05: QT05_E2 QNAME03: NA

LABEL: # OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

N 3638
MIN 0
MAX 7
MEAN 3.86

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TE57 QNAME07: QT07_D3 QPAGENUM: T-11

QNAME05: NA QNAME03: NA

LABEL: CURRENTLY TAKING PE AT SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	34	0.93
1	YES	2286	62.84
2	NO	1318	36.23

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAM: TE58 QNAME07: QT07_D4 QPAGENUM: T-11

QNAME05: NA QNAME03: NA

LABEL: # DAYS ATTENDS PE PER WEEK

MEAN STATISTICS	
N	2286
MIN	1
MAX	7
MEAN	4.33

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND TAKING PE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE59 QNAME07: QT07_D5 QPAGENUM: T-12
QNAME05: NA QNAME03: NA

LABEL: TYPICAL PE CLASS: MINUTES EXERCISING

VALUE:		FREQ	%
-1	INAPPLICABLE	1352	37.16
1	30 MINS OR MORE	1771	48.68
2	21-30 MINS	385	10.58
3	10-20 MINS	110	3.02
4	LESS THAN 10 MINS	17	0.47
5	DO NOT TAKE PE	3	0.08

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND TAKING PE

INPUT VAR:

NOTES:

VARNAME: TE50 QNAME07: QT07_D6 QPAGENUM: T-12
QNAME05: QT05_E7 QNAME03: NA

LABEL: TEEN ON SPORTS TEAM IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	1989	54.67
2	NO	1649	45.33

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE53 QNAME07: QT07_D7 QPAGENUM: T-12

QNAME05: QT05_E10 QNAME03: NA

LABEL: # OF DAYS TEEN WALKED, BIKED, SKATED TO SCHOOL IN ONE WEEK

MEAN STATISTICS

N	3599
MIN	0
MAX	7
MEAN	1.35

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAME: TE54 QNAME07: QT07_D8 QPAGENUM: T-13

QNAME05: QT05_E11 QNAME03: NA

LABEL: # OF MINS TO WALK, BIKE, SKATE TO SCHOOL

MEAN STATISTICS

N	1208
MIN	1
MAX	120
MEAN	18.37

UNIVERSE: ADOLESCENTS WHO WALK, BIKE, SKATEBOARD TO SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE55 QNAME07: QT07_D9 QPAGENUM: T-13

QNAME05: QT05_E12 QNAME03: NA

LABEL: # OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK

MEAN STATISTICS

N	3599
MIN	0
MAX	7
MEAN	1.57

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAME: TE56 QNAME07: QT07_D10 QPAGENUM: T-13

QNAME05: QT05_E13 QNAME03: NA

LABEL: # OF MINS TO WALK, BIKE, SKATE FROM SCHOOL

MEAN STATISTICS

N	417
MIN	1
MAX	150
MEAN	26.64

UNIVERSE: ADOLESCENTS WHO WALK, BIKE, OR SKATEBOARD FROM SCHOOL AT LEAST
ONCE A WK

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE61 QNAME07: QT07_D11 QPAGENUM: T-14
QNAME05: NA QNAME03: NA

LABEL: COULD WALK/BIKE HOME IN 30 MINUTES

VALUE:		FREQ	%
-1	INAPPLICABLE	1664	45.74
1	YES	828	22.76
2	NO	1146	31.50

UNIVERSE: ADOLESCENTS WHO DO NOT WALK, BIKE, SKATEBOARD TO/FROM SCHOOL AT
LEAST ONCE A WK

INPUT VAR:

NOTES:

VARNAME: TE12 QNAME07: QT07_D12 QPAGENUM: T-14
QNAME05: QT05_E14 QNAME03: NA

LABEL: # OF HRS TEEN PLAYS TV/VIDEO GAMES MON-FRI

MEAN STATISTICS	
N	3347
MIN	0
MAX	17
MEAN	2.09

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE13 QNAME07: QT07_D13 QPAGENUM: T-14

QNAME05: QT05_E15 QNAME03: NA

LABEL: # OF HRS TEEN USES COMPUTER FOR FUN MON-FRI

MEAN STATISTICS

N	3147
MIN	0
MAX	20
MEAN	1.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

VARNAME: TE14 QNAME07: QT07_D14 QPAGENUM: T-14

QNAME05: QT05_E16 QNAME03: NA

LABEL: # OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND

MEAN STATISTICS

N	3501
MIN	0
MAX	20
MEAN	2.89

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TE15 QNAME07: QT07_D15 QPAGENUM: T-15

QNAME05: QT05_E17 QNAME03: NA

LABEL: # OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND

MEAN STATISTICS

N	3272
MIN	0
MAX	16
MEAN	1.91

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

VARNAM: TE62 QNAME07: QT07_D16 QPAGENUM: T-15

QNAME05: NA QNAME03: NA

LABEL: HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS

VALUE:	1	YES	FREQ	%
	2	NO	2867	78.81
			771	21.19

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TE63 QNAME07: QT07_D17 QPAGENUM: T-15

QNAME05: NA QNAME03: NA

LABEL: PHYSICALLY ACTIVE LAST TIME AT PARK/PLAYGROUND

VALUE:		FREQ	%
-1	INAPPLICABLE	771	21.19
1	YES	2623	72.10
2	NO	244	6.71

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAM: TC42 QNAME07: QT07_D18 QPAGENUM: T-15

QNAME05: NA QNAME03: QT03_28

LABEL: PARK/PLAYGRND WALKING DISTANCE FROM HOME

VALUE:		FREQ	%
1	YES	3038	83.51
2	NO	600	16.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC25 QNAME07: QT07_D19 QPAGENUM: T-16
QNAME05: NA QNAME03: QT03_29

LABEL: NEARBY PARK/PLAYGROUND SAFE DURING DAY

VALUE:		FREQ	%
1	STRONGLY AGREE	1376	37.82
2	AGREE	1949	53.57
3	DISAGREE	251	6.90
4	STRONGLY DISAGREE	62	1.70

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC26 QNAME07: QT07_D20 QPAGENUM: T-16
QNAME05: NA QNAME03: QT03_30

LABEL: NEARBY PARK/PLAYGROUND SAFE AT NIGHT

VALUE:		FREQ	%
1	STRONGLY AGREE	326	8.96
2	AGREE	1627	44.72
3	DISAGREE	1235	33.95
4	STRONGLY DISAGREE	450	12.37

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section E: Tobacco, Alcohol, and Drug Use

VARNAME: TC38 QNAME07: QT07_E1 QPAGENUM: T-17
QNAME05: QT05_F1 QNAME03: QT03_53

LABEL: EVER SMOKED CIGARETTES

VALUE:		FREQ	%
1	YES	547	15.04
2	NO	3091	84.96

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE19 QNAME07: QT07_E2 QPAGENUM: T-17
QNAME05: QT05_F4 QNAME03: QT03_56

LABEL: # OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	3091	84.96
0	NONE	370	10.17
1	1-2 DAYS	72	1.98
2	3-5 DAYS	21	0.58
3	6-9 DAYS	5	0.14
4	10-19 DAYS	19	0.52
5	20-29 DAYS	18	0.49
6	30 DAYS	42	1.15

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SMKCUR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	CURRENT SMOKER	177	4.87
2	NOT CURRENT SMOKER	3461	95.13

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC38, TE19

NOTES:

VARNAME: TE20 QNAME07: QT07_E3 QPAGENUM: T-17
QNAME05: QT05_F5 QNAME03: QT03_57

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS

MEAN STATISTICS	
N	177
MIN	1
MAX	30
MEAN	3.24

UNIVERSE: ADOLESCENTS WHO SMOKED IN PAST 30 DAYS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: HHSMK QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HOUSEHOLD SMOKING

VALUE:			FREQ	%
1	NONE		3480	95.66
2	SOMEDAYS		86	2.36
3	EVERY DAY		72	1.98

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AC17, AD34

NOTES:

VARNAME: TE22 QNAME07: QT07_E4 QPAGENUM: T-17
QNAME05: QT05_F6 QNAME03: QT03_58

LABEL: EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK

VALUE:			FREQ	%
1	YES		1253	34.44
2	NO		2385	65.56

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section F: Emotional Functioning

VARNAME: TG11 QNAME07: QT07_F1 QPAGENUM: T-20
QNAME05: NA QNAME03: NA

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	29	0.80
2	MOST OF THE TIME	137	3.77
3	SOME OF THE TIME	710	19.52
4	A LITTLE OF THE TIME	1861	51.15
5	NOT AT ALL	901	24.77

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG12 QNAME07: QT07_F2 QPAGENUM: T-20
QNAME05: NA QNAME03: NA

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	14	0.38
2	MOST OF THE TIME	70	1.92
3	SOME OF THE TIME	311	8.55
4	A LITTLE OF THE TIME	800	21.99
5	NOT AT ALL	2443	67.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TG13 QNAME07: QT07_F3 QPAGENUM: T-20
QNAME05: NA QNAME03: NA

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	77	2.12
2	MOST OF THE TIME	241	6.62
3	SOME OF THE TIME	814	22.37
4	A LITTLE OF THE TIME	1125	30.92
5	NOT AT ALL	1381	37.96

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG14 QNAME07: QT07_F4 QPAGENUM: T-20
QNAME05: NA QNAME03: NA

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	17	0.47
2	MOST OF THE TIME	74	2.03
3	SOME OF THE TIME	242	6.65
4	A LITTLE OF THE TIME	494	13.58
5	NOT AT ALL	2811	77.27

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TG15 QNAME07: QT07_F5 QPAGENUM: T-21
QNAME05: NA QNAME03: NA

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	176	4.84
2	MOST OF THE TIME	425	11.68
3	SOME OF THE TIME	793	21.80
4	A LITTLE OF THE TIME	896	24.63
5	NOT AT ALL	1348	37.05

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG16 QNAME07: QT07_F6 QPAGENUM: T-21
QNAME05: NA QNAME03: NA

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	14	0.38
2	MOST OF THE TIME	55	1.51
3	SOME OF THE TIME	183	5.03
4	A LITTLE OF THE TIME	400	11.00
5	NOT AT ALL	2986	82.08

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: DISTRESS QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

 MEAN STATISTICS

 N 3638
 MIN 0
 MAX 21
 MEAN 4.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TG11-TG16

NOTES:

VARNAME: DSTRS30 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH

 FREQ %
VALUE: 1 YES 95 2.61
 2 NO 3543 97.39

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: DISTRESS

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section G: Sexual Behaviors

VARNAME: TH27 QNAME07: QT07_G1 QPAGENUM: T-22
QNAME05: QT05_H1 QNAME03: NA

LABEL: AGE TEEN'S FIRST MENSTRUAL PERIOD

MEAN STATISTICS	
N	1602
MIN	6
MAX	16
MEAN	12.07

UNIVERSE: FEMALES

INPUT VAR:

NOTES: EXCLUDED VALUE "0" IN CALCULATING THE MEAN

VARNAME: TH36 QNAME07: QT07_G15 QPAGENUM: T-25
QNAME05: NA QNAME03: NA

LABEL: CAN GET EMERGENCY CONTRACEPTION PILLS OVER THE COUNTER

VALUE:		FREQ	%
-1	INAPPLICABLE	1880	51.68
1	YES	223	6.13
2	NO	785	21.58
3	DON'T KNOW	750	20.62

UNIVERSE: FEMALES W/ PERMISSION TO ANSWER SEX QUES

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TH37 QNAME07: QT07_G17 QPAGENUM: T-25
QNAME05: NA QNAME03: NA

LABEL: EVER HEARD OF HPV

VALUE:			FREQ	%
-1	INAPPLICABLE		1823	50.11
1	YES		1300	35.73
2	NO		515	14.16

UNIVERSE: FEMALES

INPUT VAR:

NOTES:

VARIABLE: TH38_1 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: HEALTH CARE PROV/CLINIC

VALUE:			FREQ	%
-1	INAPPLICABLE		2338	64.27
1	YES		384	10.56
2	NO		916	25.18

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_2 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: FAMILY

VALUE:			FREQ	%
-1	INAPPLICABLE		2338	64.27
1	YES		240	6.60
2	NO		1060	29.14

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_3 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: FRIENDS

VALUE:			FREQ	%
-1	INAPPLICABLE		2338	64.27
1	YES		107	2.94
2	NO		1193	32.79

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TH38_4 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV ADVERTISEMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	YES	538	14.79
2	NO	762	20.95

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARIABLE: TH38_5 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV NEWS

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	YES	73	2.01
2	NO	1227	33.73

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_6 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: TV SHOW

VALUE:			FREQ	%
-1	INAPPLICABLE		2338	64.27
1	YES		34	0.93
2	NO		1266	34.80

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_7 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: NEWSPAPER OR MAGAZINE

VALUE:			FREQ	%
-1	INAPPLICABLE		2338	64.27
1	YES		58	1.59
2	NO		1242	34.14

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TH38_8 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: INTERNET

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	YES	17	0.47
2	NO	1283	35.27

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARIABLE: TH38_9 QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	YES	652	17.92
2	NO	648	17.81

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_10 QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: HEARD ABOUT HPV: OTHER

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	YES	67	1.84
2	NO	1233	33.89

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_A QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 1ST RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	2338	64.27
1	HEALTH CARE PROVIDER/CLINIC	233	6.40
2	FAMILY	95	2.61
3	FRIENDS	34	0.93
4	TV ADVERTISEMENT	307	8.44
5	TV NEWS	38	1.04
6	TV SHOW	18	0.49
7	NEWSPAPER OR MAGAZINE	17	0.47
8	INTERNET	4	0.11
9	SCHOOL	523	14.38
10	OTHER	31	0.85

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_B QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 2ND RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	2985	82.05
1	HEALTH CARE PROVIDER/CLINIC	111	3.05
2	FAMILY	103	2.83
3	FRIENDS	37	1.02
4	TV ADVERTISEMENT	202	5.55
5	TV NEWS	22	0.60
6	TV SHOW	9	0.25
7	NEWSPAPER OR MAGAZINE	30	0.82
8	INTERNET	9	0.25
9	SCHOOL	105	2.89
10	OTHER	25	0.69

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_C QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 3RD RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	3463	95.19
1	HEALTH CARE PROVIDER/CLINIC	36	0.99
2	FAMILY	36	0.99
3	FRIENDS	22	0.60
4	TV ADVERTISEMENT	25	0.69
5	TV NEWS	10	0.27
6	TV SHOW	4	0.11
7	NEWSPAPER OR MAGAZINE	10	0.27
8	INTERNET	1	0.03
9	SCHOOL	22	0.60
10	OTHER	9	0.25

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_D QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 4TH RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	3604	99.07
1	HEALTH CARE PROVIDER/CLINIC	4	0.11
2	FAMILY	6	0.16
3	FRIENDS	9	0.25
4	TV ADVERTISEMENT	4	0.11
5	TV NEWS	3	0.08
6	TV SHOW	2	0.05
7	NEWSPAPER OR MAGAZINE	1	0.03
8	INTERNET	1	0.03
9	SCHOOL	2	0.05
10	OTHER	2	0.05

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_E QNAME07: QT07_G18 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 5TH RESPONSE

VALUE:		FREQ	%
-1	INAPPLICABLE	3631	99.81
3	FRIENDS	4	0.11
6	TV SHOW	1	0.03
8	INTERNET	2	0.05

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH38_F QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 6TH RESPONSE

VALUE:	-1	INAPPLICABLE	FREQ	%
	3	FRIENDS	3637	99.97
			1	0.03

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_G QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 7TH RESPONSE

VALUE:	-1	INAPPLICABLE	FREQ	%
			3638	100.00

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

VARNAME: TH38_H QNAME07: QT07_G18 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: WHERE HEARD ABOUT HPV: 8TH RESPONSE

VALUE:	-1	INAPPLICABLE	FREQ	%
			3638	100.00

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH39 QNAME07: QT07_G19 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: HEARD OF VACCINE PREVENT CERVICAL CANCER

VALUE:		FREQ	%
-1	INAPPLICABLE	1823	50.11
1	YES	1305	35.87
2	NO	510	14.02

UNIVERSE: FEMALES

INPUT VAR:

NOTES:

VARNAME: TH40 QNAME07: QT07_G20 QPAGENUM: T-26

QNAME05: NA QNAME03: NA

LABEL: EVER GET HPV VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	2333	64.13
1	YES	417	11.46
2	NO	888	24.41

UNIVERSE: FEMALES WHO HAVE HEARD OF HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TH42 QNAME07: QT07_G20A QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: GET ALL 3 DOSES OF HPV VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	3221	88.54
1	YES	176	4.84
2	NO	241	6.62

UNIVERSE: FEMALES WHO HAVE RECEIVED HPV VACCINE

INPUT VAR:

NOTES:

VARIABLE: TH41 QNAME07: QT07_G21 QPAGENUM: T-26
QNAME05: NA QNAME03: NA

LABEL: INTERESTED IN GETTING HPV VACCINE

VALUE:		FREQ	%
-1	INAPPLICABLE	2750	75.59
1	YES	647	17.78
2	NO	241	6.62

UNIVERSE: FEMALES WHO HAVE NOT RECEIVED HPV VACCINE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section H: Interpersonal Violence

Section I: Health Care Utilization and Access

VARNAME: TF1 QNAME07: QT07_I1 QPAGENUM: T-30
QNAME05: QT05_I1 QNAME03: QT03_91

LABEL: HAS USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		2639	72.54
2	NO		556	15.28
3	DOCTOR/MY DOCTOR		354	9.73
4	KAISER		83	2.28
5	MORE THAN ONE PLACE		6	0.16

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:		FREQ	%
1	YES	3082	84.72
2	NO	556	15.28

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1

NOTES:

VARNAME: USUAL5TP QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	2195	60.34
2	COMMUN/GOV CLIN, COMMUN HOSP	810	22.26
3	EMERGENCY ROOM	35	0.96
4	OTHER PLACE/NO ONE PLACE	42	1.15
5	NO USUAL SOURCE OF CARE	556	15.28

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1, TF2

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USOC QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:		FREQ	%
1	YES	3047	83.75
2	NO	591	16.25

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: USUAL5TP, TF1

NOTES:

VARNAME: TF3 QNAME07: QT07_I3 QPAGENUM: T-30

QNAME05: QT05_I3 QNAME03: QT03_93

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	826	22.70
2	NO	2812	77.30

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: ER QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:		FREQ	%
1	YES	835	22.95
2	NO	2803	77.05

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF3, TB19, TB28

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ACMDNUM QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		567	15.59
1	1 TIMES		905	24.88
2	2 TIMES		862	23.69
3	3 TIMES		496	13.63
4	4 TIMES		263	7.23
5	5 TIMES		212	5.83
6	6 TIMES		87	2.39
7	7-8 TIMES		54	1.48
8	9-12 TIMES		99	2.72
9	13-24 TIMES		66	1.81
10	25+ TIMES		27	0.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

VARNAME: DOCT_YR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

VALUE:			FREQ	%
1	YES		3071	84.41
2	NO		567	15.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF5 QNAME07: QT07_I5 QPAGENUM: T-31
QNAME05: QT05_I5 QNAME03: QT03_95

LABEL: LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP

VALUE:		FREQ	%
0	HAVE NEVER HAD A PHYSICAL	45	1.24
1	LESS THAN 3 MONTHS AGO	1247	34.28
2	3 TO 6 MONTHS AGO	928	25.51
3	6 TO 12 MONTHS AGO	769	21.14
4	1 TO 2 YRS AGO	466	12.81
5	2 OR MORE YRS AGO	183	5.03

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF8H QNAME07: QT07_I6 QPAGENUM: T-31
QNAME05: QT05_I10 QNAME03: QT03_109

LABEL: TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	228	6.27
1	YES	1951	53.63
2	NO	1459	40.10

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF8I QNAME07: QT07_I7 QPAGENUM: T-31
QNAME05: QT05_I11 QNAME03: QT03_110

LABEL: TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	228	6.27
1	YES	1925	52.91
2	NO	1485	40.82

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

VARNAME: TF8F QNAME07: QT07_I8 QPAGENUM: T-31
QNAME05: QT05_I12 QNAME03: QT03_107

LABEL: TALK WITH DOCTOR ABOUT EMOTIONS/MOODS AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	228	6.27
1	YES	773	21.25
2	NO	2637	72.48

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TF8J QNAME07: QT07_I9 QPAGENUM: T-31

QNAME05: NA QNAME03: NA

LABEL: TALK WITH DOCTOR ABOUT DENTAL CHECK AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	228	6.27
1	YES	1125	30.92
2	NO	2285	62.81

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

VARNAM: TI11 QNAME07: QT07_I10 QPAGENUM: T-32

QNAME05: QT05_I13 QNAME03: NA

LABEL: NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	495	13.61
2	NO	3143	86.39

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF11 QNAME07: QT07_I11 QPAGENUM: T-32
QNAME05: QT05_I15 QNAME03: QT03_113

LABEL: RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		349	9.59
2	NO		3289	90.41

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF9 QNAME07: QT07_I13 QPAGENUM: T-32
QNAME05: QT05_I16 QNAME03: QT03_111

LABEL: DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		194	5.33
2	NO		3444	94.67

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TF22 QNAME07: QT07_I14 QPAGENUM: T-32
QNAME05: QT05_I17 QNAME03: QT03_112

LABEL: COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	3444	94.67
1	YES	45	1.24
2	NO	149	4.10

UNIVERSE: ADOLESCENTS WHO DELAYED/DID NOT GET MEDICAL CARE LAST 12 MOS

INPUT VAR:

NOTES:

Section J: Dental or Oral Health

VARIABLE: TF14 QNAME07: QT07_J1 QPAGENUM: T-33
QNAME05: NA QNAME03: QT03_118

LABEL: HOW LONG SINCE LAST VISIT TO DENTIST

VALUE:		FREQ	%
0	HAVE NEVER VISITED	33	0.91
1	LESS THAN 6 MONTHS AGO	2672	73.45
2	6 MONTHS TO 1 YR AGO	615	16.90
3	1 TO 2 YRS AGO	189	5.20
4	2 TO 5 YRS AGO	105	2.89
5	5 OR MORE YRS AGO	24	0.66

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF15 QNAME07: QT07_J2 QPAGENUM: T-33
QNAME05: NA QNAME03: NA

LABEL: REASON FOR LAST DENTAL VISIT

VALUE:		FREQ	%
-1	INAPPLICABLE	33	0.91
1	ROUTINE CHECK-UP OR CLEANING	2623	72.10
2	SPECIFIC PROBLEM	508	13.96
3	BOTH ROUTINE CHECK-UP AND SPECIFIC PROBL	122	3.35
4	ORTHODONTIST VISIT	352	9.68

UNIVERSE: ADOLESCENTS WHO HAVE VISITED DENTIST

INPUT VAR:

NOTES:

VARNAME: TM1 QNAME07: QT07_J3 QPAGENUM: T-33
QNAME05: NA QNAME03: NA

LABEL: MAIN REASON HAS NOT VISITED DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	3287	90.35
1	COST, COULD NOT AFFORD	42	1.15
2	NO INSURANCE	54	1.48
3	DID NOT HAVE A DENTIST, NONE AVAILABLE	24	0.66
4	FEAR, PAIN, NERVOUSNESS	22	0.60
5	NO TRANSPORTATION, TOO FAR AWAY	10	0.27
6	NO PROBLEMS WITH TEETH	121	3.33
7	OTHER, SPECIFY	29	0.80
8	NO TIME/TOO BUSY/CONFLICT WITH WORK/SCHO	37	1.02
9	PROCRASTINATION	12	0.33

UNIVERSE: ADOLESCENTS WHO HAVE NOT VISITED DENTIST IN THE PAST YEAR

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF25 QNAME07: QT07_J4 QPAGENUM: T-33
 QNAME05: NA QNAME03: QT03_119

LABEL: PARTICULAR DENTIST/PLACE FOR DENTAL CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	33	0.91
1	YES	3138	86.26
2	NO	429	11.79
3	MORE THAN ONE PLACE	38	1.04

UNIVERSE: ADOLESCENTS WHO HAVE VISITED DENTIST

INPUT VAR:

NOTES:

VARNAME: TM2 QNAME07: QT07_J5 QPAGENUM: T-34
 QNAME05: NA QNAME03: NA

LABEL: # OF DENTAL VISITS IN PAST 12 MOS

MEAN STATISTICS

N	3287
MIN	0
MAX	40
MEAN	2.99

UNIVERSE: ADOLESCENTS WHO HAVE VISITED DENTIST IN THE PAST YEAR

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TF29_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: # DAYS SCHOOL MISSED FOR DENTAL PROBLEMS (PUF RECODE)

MEAN STATISTICS	
N	295
MIN	1
MAX	7
MEAN	1.91

UNIVERSE: ADOLESCENTS WHO EVER MISSED SCHOOL FOR DENTAL PROBLEMS IN THE PAST YEAR

INPUT VAR: TF29

NOTES:

VARIABLE: TM3 QNAME07: QT07_J9 QPAGENUM: T-34
QNAME05: NA QNAME03: NA

LABEL: TEETH CONDITION

VALUE:		FREQ	%
1	EXCELLENT	568	15.61
2	VERY GOOD	1435	39.44
3	GOOD	1274	35.02
4	FAIR	317	8.71
5	POOR	44	1.21

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH2 QNAME07: QT07_K2 QPAGENUM: T-35
QNAME05: QT05_J2 QNAME03: QT03_133

LABEL: LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	1002	27.54
1	YES	2584	71.03
2	NO	52	1.43

UNIVERSE: ADOLESCENTS WHOSE PARENTS ARE MARRIED, NOT MARRIED BUT LIVE TOGETHER OR OTHER

INPUT VAR:

NOTES:

VARNAME: TH5 QNAME07: QT07_K3 QPAGENUM: T-35
QNAME05: QT05_J3 QNAME03: QT03_134

LABEL: FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS

VALUE:		FREQ	%
1	ALWAYS	1524	41.89
2	MOST OF THE TIME	1558	42.83
3	SOME OF THE TIME	422	11.60
4	ALMOST NEVER	96	2.64
5	NEVER	38	1.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section L: Demographic Information, Part II

VARNAME: SRH QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		1227	33.73
2	NO		2411	66.27

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRH_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED LATINO/HISPANIC (ADULT)

VALUE:			FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED		56	1.54
1	YES		1009	27.74
2	NO		2573	70.73

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRH

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: LATIN7TP QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: LATIN/HISPANIC SUBTYPES (7 LVLS)

VALUE:			FREQ	%
-1	NON-LATINO		2411	66.27
1	MEXICAN		938	25.78
2	SALVADORAN		32	0.88
3	CENTRAL AMERICAN		42	1.15
4	LATINO EUROPEAN		26	0.71
5	SOUTH AMERICAN		33	0.91
6	OTHER LATINO		45	1.24
7	2+ LATINO TYPES		111	3.05

UNIVERSE: ADOLESCENTS WHO ARE LATINO/HISPANIC

INPUT VAR: LATIN9TP

NOTES:

VARNAME: SRPI QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:			FREQ	%
1	YES		51	1.40
2	NO		3587	98.60

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		285	7.83
2	NO		3353	92.17

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRAA QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		236	6.49
2	NO		3402	93.51

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRW QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		2471	67.92
2	NO		1167	32.08

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRO QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:		FREQ	%
1	YES	498	13.69
2	NO	3140	86.31

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TI2B QNAME07: QT07_L5 QPAGENUM: T-38
QNAME05: QT05_K5 QNAME03: QT03_161

LABEL: ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	15	0.41
-8	DON'T KNOW	22	0.60
-7	REFUSED	1	0.03
-1	INAPPLICABLE	3392	93.24
1	YES	13	0.36
2	NO	195	5.36

UNIVERSE: ADOLESCENTS WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CATRIBE QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	148	4.07
-1	INAPPLICABLE	3353	92.17
1	CALIFORNIA TRIBAL HERITAGE	17	0.47
2	NON-CALIFORNIA TRIBAL HERITAGE	120	3.30

UNIVERSE: ADOLESCENTS WHO ARE AMERICAN INDIANS

INPUT VAR: TI2A_1-TI2A_10, TI2AOS, TI2COS

NOTES:

VARNAME: SRPH QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	84	2.31
2	NO	3554	97.69

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FILIPINO QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: FILIPINO

VALUE:		FREQ	%
1	YES	82	2.25
2	NO	3556	97.75

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI2D_5

NOTES:

VARNAME: SRKR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED KOREAN

VALUE:		FREQ	%
1	YES	54	1.48
2	NO	3584	98.52

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRCH QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED CHINESE

VALUE:		FREQ	%
1	YES	129	3.55
2	NO	3509	96.45

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CHINESE QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CHINESE

VALUE:		FREQ	%
1	YES	140	3.85
2	NO	3498	96.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI2D_4, TI2D_15

NOTES:

VARNAME: SRVT QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:		FREQ	%
1	YES	27	0.74
2	NO	3611	99.26

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:		FREQ	%
1	YES	129	3.55
2	NO	3509	96.45

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRAS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: SELF-REPORTED ASIAN

VALUE:		FREQ	%
1	YES	393	10.80
2	NO	3245	89.20

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: ASIAN9 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASIAN SUBTYPES- (9 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	3245	89.20
1	CHINESE	112	3.08
2	JAPANESE	49	1.35
3	KOREAN	52	1.43
4	FILIPINO	71	1.95
5	SOUTH ASIAN	41	1.13
6	VIETNAMESE	16	0.44
7	SOUTHEAST ASIAN	8	0.22
8	CAMBODIAN /OTHER ASIAN	14	0.38
9	TWO OR MORE ASIAN TYPES	30	0.82

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR: ASIAN10

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	3352	92.14
1	CHINESE	90	2.47
2	FILIPINO	41	1.13
3	SOUTH ASIAN	39	1.07
4	JAPANESE	24	0.66
5	KOREAN	47	1.29
6	VIETNAMESE	19	0.52
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE	26	0.71

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: RACECN_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	AMERICAN INDIAN/ALASKAN NATIVE	151	4.15
2	ASIAN	298	8.19
3	AFRICAN AMERICAN	168	4.62
4	WHITE	2232	61.35
5	PI/OTHER SINGLE RACE	515	14.16
6	MORE THAN ONE RACE	274	7.53

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACECEN

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACECN_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - CENSUS 2000 DEFINITION (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
1	AMERICAN INDIAN/ALASKAN NATIVE	68	1.87
2	ASIAN	292	8.03
3	AFRICAN AMERICAN	157	4.32
4	WHITE	2430	66.79
5	PI/OTHER SINGLE RACE	536	14.73
6	MORE THAN ONE RACE	99	2.72

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACECEN

NOTES:

VARNAME: RACEDO_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	1227	33.73
2	NON-LATINO AMERICAN INDIAN/ALASKAN	21	0.58
3	NON-LATINO ASIAN	270	7.42
4	NON-LATINO AFR. AMER.	129	3.55
5	NON-LATINO WHITE	1769	48.63
6	NON-LATINO PI/OTH. ONE RACE	13	0.36
7	NON-LATINO, TWO+ RACES	209	5.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEDOF

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEDO_A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
1	LATINO	1009	27.74
2	NON-LATINO AMERICAN INDIAN/ALASKAN	20	0.55
3	NON-LATINO ASIAN	282	7.75
4	NON-LATINO AFR. AMER.	149	4.10
5	NON-LATINO WHITE	2022	55.58
6	NON-LATINO PI/OTH. ONE RACE	17	0.47
7	NON-LATINO, TWO+ RACES	83	2.28

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEDOF

NOTES:

VARNAME: RACEHP2P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	746	20.51
2	AIAN	43	1.18
3	ASIAN	286	7.86
4	AFRICAN AMERICAN	156	4.29
5	WHITE	1890	51.95
6	PI/OTHER SINGLE/MULTIPLE RACE	517	14.21

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEHPR2

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_P OF PREVIOUS CYCLES

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEHP2A QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	336	9.24
1	LATINO	615	16.90
2	AIAN	34	0.93
3	ASIAN	265	7.28
4	AFRICAN AMERICAN	146	4.01
5	WHITE	1967	54.07
6	PI/OTHER SINGLE/MULTIPLE RACE	275	7.56

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEHPR2

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_A OF PREVIOUS CYCLES

VARNAME: CNTRYS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY BORN IN

VALUE:		FREQ	%
1	UNITED STATES	3277	90.08
2	MEXICO	164	4.51
3	CENTRAL AMERICA	10	0.27
4	OTHER LATIN AMERICA	10	0.27
5	ASIA & PACIFIC ISLANDS	124	3.41
6	EUROPE	36	0.99
7	OTHER	17	0.47

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI3

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CNTRYF QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY FATHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		2425	66.66
2	MEXICO		660	18.14
3	CENTRAL AMERICA		70	1.92
4	OTHER LATIN AMERICA		38	1.04
5	ASIA & PACIFIC ISLANDS		313	8.60
6	EUROPE		93	2.56
7	OTHER		39	1.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AI56

NOTES:

VARNAME: CNTRYM QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COUNTRY MOTHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		2471	67.92
2	MEXICO		593	16.30
3	CENTRAL AMERICA		89	2.45
4	OTHER LATIN AMERICA		43	1.18
5	ASIA & PACIFIC ISLANDS		318	8.74
6	EUROPE		87	2.39
7	OTHER		37	1.02

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AI56

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CITIZ2_M QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	2471	67.92
2	NATURALIZED CITIZEN	546	15.01
3	NON-CITIZEN	621	17.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: CITIZ1_M

NOTES:

VARNAME: CITIZ2_F QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	2425	66.66
2	NATURALIZED CITIZEN	621	17.07
3	NON-CITIZEN	592	16.27

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: CITIZ1_F

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: YRUSF QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: YEARS FATHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	2425	66.66
1	<=1 YEAR	15	0.41
2	2-4 YEARS	96	2.64
3	5-9 YEARS	79	2.17
4	10-14 YEARS	110	3.02
5	15-19 YEARS	182	5.00
6	20-24 YEARS	232	6.38
7	25-29 YEARS	160	4.40
8	30+ YEARS	339	9.32

UNIVERSE: ADOLESCENTS WITH FATHER BORN OUTSIDE OF USA OR US TERRITORY

INPUT VAR: AH41, AI56, AI57, AI58, AI59, AI60

NOTES:

VARNAME: YRUSM QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: YEARS MOTHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	2471	67.92
1	<=1 YEAR	21	0.58
2	2-4 YEARS	88	2.42
3	5-9 YEARS	112	3.08
4	10-14 YEARS	142	3.90
5	15-19 YEARS	276	7.59
6	20-24 YEARS	187	5.14
7	25-29 YEARS	128	3.52
8	30+ YEARS	213	5.85

UNIVERSE: ADOLESCENTS WITH MOTHER BORN OUTSIDE OF USA OR US TERRITORY

INPUT VAR: AH41, AI56, AI57, AI58, AI59, AI60

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	2224	61.13
2	RURAL	1414	38.87

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY, BESTZIP

NOTES:

VARNAME: UR_OMB QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	3400	93.46
2	NON-METROPOLITAN	238	6.54

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	3029	83.26
2	RURAL	609	16.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY, TRACT

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_BG QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	923	25.37
2	2ND CITY	814	22.37
3	SUBURBAN	953	26.20
4	TOWN AND RURAL	948	26.06

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: UR_TRACT QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:		FREQ	%
1	URBAN	936	25.73
2	2ND CITY	835	22.95
3	SUBURBAN	967	26.58
4	TOWN AND RURAL	900	24.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section N: Health Insurance

VARNAME: IA10A QNAME07: QA07_I30 QPAGENUM: A-102
QNAME05: QA05_I30 QNAME03: QA03_265

LABEL: TEEN HAS SAME INS AS ADULT RESPONDENT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	410	11.27
1	YES	2584	71.03
2	NO	588	16.16

UNIVERSE: ADOLESCENTS W/ ADULT RESPONDENT WHO HAS HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: MA5 QNAME07: QA07_I31 QPAGENUM: A-102
QNAME05: QA05_I31 QNAME03: QA03_266

LABEL: TEEN HAS SAME INS AS SPOUSE

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	3204	88.07
1	YES	127	3.49
2	NO	251	6.90

UNIVERSE: ADOLESCENTS W/ AN ADULT RESPONDENT WHOSE SPOUSE HAS INSURANCE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA6 QNAME07: QA07_I32 QPAGENUM: A-103
QNAME05: QA05_I32 QNAME03: QA03_267

LABEL: TEEN HAS SAME INS AS CHILD

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	3222	88.57
1	YES	260	7.15
2	NO	100	2.75

UNIVERSE: (ADOLESCENTS DO NOT HAVE THE SAME INSURANCE AS ADULT RESPONDENT AND SPOUSE OF ADULT RESPONDENT) AND SAMPLED CHILD HAS INSURANCE

INPUT VAR:

NOTES:

VARNAME: IA1 QNAME07: QA07_I33 QPAGENUM: A-103
QNAME05: QA05_I33 QNAME03: QA03_268

LABEL: TEEN COVERED BY MEDI-CAL

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	2971	81.67
1	YES	128	3.52
2	NO	483	13.28

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT, RESPONDENT'S SPOUSE OR SAMPLED CHILD

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA2 QNAME07: QA07_I35 QPAGENUM: A-103
QNAME05: QA05_I35 QNAME03: QA03_70

LABEL: TEEN COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	3099	85.18
1	YES	124	3.41
2	NO	359	9.87

UNIVERSE: ADOLESCENTS WHO DO NOT HAVE SAME INS AS ADULT RESPONDENT,
RESPONDENT'S SPOUSE OR SAMPLED CHILD

INPUT VAR:

NOTES:

VARNAME: MA8 QNAME07: QA07_I46 QPAGENUM: A-108
QNAME05: QA05_I47 QNAME03: QA03_282

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-9	NOT ASCERTAINED	1	0.03
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	198	5.44
1	YES	1889	51.92
2	NO	1494	41.07

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE HAS PLAN MISSED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA7_P QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	215	5.91
-8	DON'T KNOW	506	13.91
-7	REFUSED	18	0.49
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	198	5.44
1	KAISER	543	14.93
2	BLUE CROSS	843	23.17
3	PACIFICARE	166	4.56
4	BLUE SHIELD	305	8.38
5	HEALTH NET	231	6.35
6	AETNA	134	3.68
7	CIGNA HEALTH CARE	99	2.72
8	OTHER	324	8.91

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE WHO HAS PLAN MISSED

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA14 QNAME07: QA07_I48 QPAGENUM: A-110
QNAME05: QA05_I48 QNAME03: QA03_283

LABEL: TEEN COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	192	5.28
1	YES	3265	89.75
2	NO	125	3.44

UNIVERSE: ADOLESCENTS W/ HEALTH INS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: IA20 QNAME07: QA07_I50 QPAGENUM: A-110
QNAME05: QA05_I50 QNAME03: QA03_288

LABEL: TEEN COVERED BY HEALTH INS IN PAST 12 MOS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	3390	93.18
1	YES	65	1.79
2	NO	127	3.49

UNIVERSE: ADOLESCENTS W/ NO HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA21 QNAME07: QA07_I51 QPAGENUM: A-111
QNAME05: QA05_I51 QNAME03: QA03_289

LABEL: HOW LONG SINCE TEEN LAST HAD HEALTH INS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
-1	INAPPLICABLE	3455	94.97
1	1 TO 3 YRS AGO	36	0.99
2	MORE THAN 3 YRS AGO	50	1.37
3	NEVER HAD HEALTH INS COVERAGE	41	1.13

UNIVERSE: ADOLESCENTS W/ NO HEALTH INSURANCE COVERAGE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: IHS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:		FREQ	%
1	YES	9	0.25
2	NO	3629	99.75

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INS QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: CURRENTLY INSURED

VALUE:		FREQ	%
1	YES	3434	94.39
2	NO	204	5.61

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RSN_UNIN QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	3434	94.39
1	CANT AFFORD/TOO EXPENSIVE	76	2.09
2	NOT ELIGIBLE DUE TO WORKING STATUS	19	0.52
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	25	0.69
5	FAMILY SITUATION CHANGED	5	0.14
6	DONT BELIEVE IN INSURANCE	3	0.08
7	SWITCHED INSURANCE COMPANIES, DELAY	14	0.38
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	7	0.19
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	15	0.41
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	15	0.41
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	8	0.22
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	3	0.08
13	NOT OFFERED AT JOB	3	0.08
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	5	0.14
92	R THOUGHT WAS INSURED	6	0.16

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR: INS, IA18, IA29

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RSN_UNI2 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: REASON FOR UNINSURED STATUS PAST 12 MOS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	3340	91.81
1	CANT AFFORD/TOO EXPENSIVE	111	3.05
2	NOT ELIGIBLE DUE TO WORKING STATUS	46	1.26
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	1	0.03
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	26	0.71
5	FAMILY SITUATION CHANGED	14	0.38
6	DONT BELIEVE IN INSURANCE	3	0.08
7	SWITCHED INSURANCE COMPANIES, DELAY	21	0.58
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	8	0.22
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	18	0.49
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	17	0.47
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	8	0.22
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	5	0.14
13	NOT OFFERED AT JOB	4	0.11
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	10	0.27
92	R THOUGHT WAS INSURED	6	0.16

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED PAST 12 MOS

INPUT VAR: UNINSANY, IA18, IA29

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA10 QNAME07: QA07_I60 QPAGENUM: A-113
QNAME05: QA05_I60 QNAME03: QA03_298

LABEL: TEEN HAS DENTAL INS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	56	1.54
1	YES	2760	75.87
2	NO	822	22.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: IAP1 QNAME07: QA07_L2 QPAGENUM: A-139
QNAME05: QA05_L2 QNAME03: NA

LABEL: CURRENTLY ON AFDC/TANF/CALWORKS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	336	9.24
-1	INAPPLICABLE	1960	53.88
1	YES	108	2.97
2	NO	1234	33.92

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IAP2 QNAME07: QA07_L4 QPAGENUM: A-140

QNAME05: QA05_L4 QNAME03: A

LABEL: CURRENTLY GETTING FOOD STAMPS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	336	9.24
-1	INAPPLICABLE	1960	53.88
1	YES	147	4.04
2	NO	1195	32.85

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: INS12M QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS	
N	3638
MIN	0
MAX	12
MEAN	11.32

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: IA24, IA27, IA28, IA20, IA22, INS

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INS64 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:		FREQ	%
1	UNINSURED	204	5.61
2	MEDI-CAL (MEDICAID)	554	15.23
3	CHIP	228	6.27
5	EMPLOYMENT-BASED	2406	66.14
6	PRIVATELY PURCHASED	209	5.74
7	OTHER PUBLIC	37	1.02

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: INSMD, INSHF, INSMC, INSEM, INSPR, INSMML, INSOT, INSOG, INS, SRAGE

NOTES:

VARNAME: INSTYPE QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: INSURANCE TYPE

VALUE:		FREQ	%
1	UNINSURED	204	5.61
5	MEDICAID	554	15.23
6	HEALTHY FAMILIES	228	6.27
7	EMPLOYMENT-BASED	2406	66.14
8	PRIVATELY PURCHASED	209	5.74
9	OTHER PUBLIC	37	1.02

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE, INS, INSMD, INSMC, INSEM, INSHF, INSPR, INSMML, INSOT, INSOG, INSHK, AI4, AI25, AH49

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INST_12 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
1	MEDI-CAL (MEDICAID) ONLY	516	14.18
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	2310	63.50
3	PRIVATE COVERAGE ONLY	194	5.33
4	OTHER COVERAGE ONLY	231	6.35
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	89	2.45
6	UNINSURED ONLY	138	3.79
7	UNINSURED + EMPLOYER-BASED ONLY	50	1.37
8	ANY 1 OR MORE TYPES + UNINSURED	110	3.02

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: INSLT12

NOTES:

VARNAME: INSHF QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:		FREQ	%
1	YES	237	6.51
2	NO	3401	93.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: IA10A, MA5, MA6, INSHF (Adult, Spouse, Child), IA2, AI53_8, IA8, IA9_6

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSMQ QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: COVERED BY MEDI-CAL
VALUE: 1 YES FREQ %
2 NO 554 15.23
3084 84.77
UNIVERSE: ALL ADOLESCENTS
INPUT VAR: IA10A, MA5, MA6, INSMQ(Adult, Spouse, Child), IA1, AI53_7, IA8,
IA9_5

NOTES:

VARNAME: INSOQ QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: COVERED BY OTHER GOVT PLANS
VALUE: 1 YES FREQ %
2 NO 66 1.81
3572 98.19
UNIVERSE: ALL ADOLESCENTS
INPUT VAR: IA10A, MA5, MA6, INSOQ(Adult, Spouse, Child), IA7, AI53_10, IA8,
IA9_9, IA9_11, INSMC (Teen)

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSPR QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:		FREQ	%
1	YES	229	6.29
2	NO	3409	93.71

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: IA10A, MA5, MA6, INSPR(Adult, Spouse, Child), IA4, IA8, IA9_3

NOTES:

VARNAME: ELIGPRG3 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	3434	94.39
1	MEDI-CAL (MEDICAID) ELIG.	55	1.51
2	HEALTHY FAM ELIG.	57	1.57
3	NOT ELIG.	92	2.53

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR: ELIGPRG4

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	2882	79.22
4	SINGLE WITH KIDS	756	20.78

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED ADULT R NOT LIVING WITH SPOUSE.

VARNAME: POVLL QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	451	12.40
2	100-199% FPL	586	16.11
3	200-299% FPL	487	13.39
4	300% FPL AND ABOVE	2114	58.11

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: POVLL2_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	0
MAX	24
MEAN	4.61

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: POVGWD_P QNAME07: NA QPAGENUM: NA

QNAME05: NA QNAME03: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N	3638
MIN	0
MAX	24
MEAN	4.67

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section O: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - FULL SAMPLE
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW1 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 1
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW2 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 2

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3638	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW3 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 3

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3638	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW4 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA

LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 4

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3638	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW5 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 5
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3638 100.00

VARNAME: RAKEDW6 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 6
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3638 100.00

VARNAME: RAKEDW7 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 7
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3638 100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW8 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 8
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW9 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 9
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW10 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 10
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW26 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 26
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW27 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 27
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW28 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 28
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW29 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 29
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW30 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 30
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW31 QNAME07: NA QPAGENUM: NA
 QNAME05: NA QNAME03: NA
 LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 31
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW32 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 32
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW33 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 33
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW34 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 34
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW35 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 35
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW36 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 36
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW37 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 37
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW65 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 65
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW66 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 66
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW67 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 67
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW68 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 68
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW69 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 69
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

VARNAME: RAKEDW70 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 70
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00

2007 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW80 QNAME07: NA QPAGENUM: NA
QNAME05: NA QNAME03: NA
LABEL: CHIS2007 RAKED WEIGHT - REPLICATE 80
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3638	100.00