



CHIS 2009 DATA DICTIONARY

Public Use File
Teen Survey
November 2012



CHIS 2009 DATA DICTIONARY

Teen Survey

Public Use File

November 2012

teen.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2012 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2009 Teen Survey. UCLA Center for Health Policy Research. Los Angeles, CA: November 2012.

TABLE OF CONTENTS

- 1. Introduction 3**
 - 1.1 CHIS 2009 Teen Survey Data File3
 - 1.2 Accompanying Files3
- 2. CHIS 2009 Design and Methodology Summary..... 3**
 - 2.1 Overview3
 - 2.2 Sample Design Objectives.....4
 - 2.3 Data Collection6
 - 2.4 Response Rates7
 - 2.5 Weighting the Sample8
 - 2.6 Imputation Methods.....9
- 3. How to Use the Data Dictionary..... 11**
- 4. Sample Code Using Sample Design Information 12**
 - 4.1 Mean Calculation..... 13
 - 4.2 Frequency Calculation..... 14
 - 4.3 Linear Regression 15
 - 4.4 Logistic Regression 16
- 5. Data Dictionary Variable Listings 17**
 - A. Variable Name (alphabetical)..... 17
 - B. Variable name (by Location in CHIS 2009 Teen Questionnaire) 24
 - C. Restricted Variables..... 30
- 6. Data Dictionary..... 31**
 - Section Q: Screening Information 31
 - Section A: Demographics, Part I 36
 - Section B: Health Status and Health Conditions 39
 - Section C: Sun Exposure 51
 - Section D: Diet, Nutrition, and Food Environment..... 52
 - Section E: Physical Activity and Sedentary Time..... 57
 - Section F: Tobacco, Alcohol, and Drug Use 65
 - Section G: Emotional Functioning 68
 - Section I: Health Care Utilization and Access 72
 - Section J: Adult Supervision, Role Models, and Civic Engagement 82
 - Section K: Demographic Information Part II 88
 - Section M: Dental or Oral Health..... 104

Section N: Health Insurance	105
Section O: Demographic Information, Part III, Geographic Information	123
Section P: Full Design and Replicate Weight Series 0-80	126

1. Introduction

1.1 CHIS 2009 Teen Survey Data File

The 2009 California Health Interview Survey (CHIS 2009) Teen Data File consists of individual records from the Teen component of CHIS 2009.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2009 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** teen.sas7bdat, teen.sav, teen.dta
- b. **Proc format file:** TEEN_PROC_FORMAT.SAS
- c. **Format file:** TEEN_FORMAT.SAS
- d. **Label file:** TEEN_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** teenf.sas7bdat, teenf.sav, teenf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** TEEN.XPT, TEENF.XPT

2. CHIS 2009 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive

information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2009 is the fifth CHIS data collection cycle and was conducted between September 2009 and April 2010.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two sampling objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties. Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

Table 1-1 shows the 56 sampling strata, which include 41 independent county strata. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles). The CHIS 2009 samples in Humboldt, Marin, and San Diego Counties were enhanced with additional funding.

The main landline RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. CHIS 2009 included additional Korean and Vietnamese oversamples conducted on behalf of the National Cancer Institute.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2009, the goal was to complete approximately 2,500 interviews statewide with adults from the cell phone sample. The CHIS 2009 cell phone sample differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 200 teen interviews and nearly 500 child interviews were completed from the cell phone sample in CHIS 2009. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected.

Table 1-1. California county and county group strata used in the CHIS 2009 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glen, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou, Lassen, Lassen, Modoc, Trinity, Del Norte
4. Santa Clara	24. Placer	44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo
5. San Bernardino	25. Merced	
6. Riverside	26. Butte	

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2009 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2009 by the type of sample (landline RDD, surname list, and cell RDD).

Table 1-2. Number of completed CHIS 2009 interviews by type of sample and instrument

Type of sample	Adult	Child	Adolescent
Total all samples	47,614	8,945	3,379
Landline RDD	42,682	7,918	3,002
Surname list	1,885	545	178
Cell RDD	3,047	482	199

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 40 minutes to complete. The average child and adolescent interviews took about 16 minutes and 18 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 12 percent of the adult interviews were completed in a language other than English, as were about 24 percent of all child (parent proxy) interviews and 8 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2009 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 58 percent of the landline RDD sample telephone numbers, and 82 percent of list sample numbers. Addresses were not available for the cell sample. As in CHIS 2005 and 2007, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2009 screener completion rate for the landline and samples was 36.1 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 19.7 percent in all households. The extended interview completion rate for the landline sample varied across the adult (49.0 percent), child (72.9 percent) and adolescent (42.8 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview completion rate for the cell sample was 56.7 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2009, the landline sample household response rate was 19.7 percent (the product of the screener response rate and the completion rate at the household level of 54.7 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2009 response rates, please see *CHIS 2009 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The 2009 BRFSS, for example, shows the refusal rate for the California (32.2%) is the highest in the nation and more than twice the national median (15.7%).¹ Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as "complete." At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

¹ As reported in the Behavioral Risk Factor Surveillance System 2009 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at ftp://ftp.cdc.gov/pub/Data/Brfss/2009_Summary_Data_Quality_Report.pdf)

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2009 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2009 were created primarily from the California Department of Finance’s 2009 Population Estimates and 2009 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, and CHIS 2009 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2009 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model is corresponding to the nature of the variable being imputed, e.g. linear regression for continuous variables, logistic regression for binary variables, etc. The donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

A series of five methodology reports are available with more detail about the methods used in CHIS 2009:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/designs-methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2009 data file. The index of the data dictionary lists variables by the alphabetical order and by the order in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007 and CHIS 2009 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://www.chis.ucla.edu/questionnaires.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME09:** The names of the 2009 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2009 questionnaire.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2009 items.
- **QNAME05:** The names of 2005 survey items identical or similar to the 2009 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (`bmi_p`) is presented as a continuous dependent variable and current asthma status (`astcur`) as a categorical dependent variable. These variables are examined in relation to race (`racehpr2`), sex (`srsex`) and age (`srage_p`). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (`bmi_p`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC DESCRIP DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

```
*Sample design specification step* a
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse

*Analysis*
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (`astcur`) is examined by race (`racehpr2`) and by the interaction between race and sex (`racehpr2*srsex`).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just `racehpr2*srsex` grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
```

```

replace racesex=3 if racehpr2 ==2 & srsex ==1
replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf

svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (`astcur`) among adults in California, controlling for race (`racehpr2`), sex (`srsex`), and age (`srage_p`). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable `ast` and assign 1 where `astcur=1` (“Current asthma”) and 0 where `astcur=2` (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA");CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-45
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
AI82	HEALTH PLAN DEDUCTIBLE > \$1000	DD-76
AI83	HEALTH PLAN DEDUCTIBLE > \$2000	DD-76
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-63
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-63
ASTCUR	CURRENT ASTHMA	DD-16
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-17
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-12
CATRIBE	CALIFORNIA TRIBE	DD-58
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-70
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-71
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-71
CNTRYF	COUNTRY FATHER BORN IN	DD-69
CNTRYM	COUNTRY MOTHER BORN IN	DD-70
CNTRYs	COUNTRY BORN IN	DD-69
DIDTAN12	USED INDOOR TANNING DEVICE PAST 12 MOS	DD-22
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-41
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-46
DSTRS30	LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH	DD-42
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-92
ER	ER VISIT WITHIN THE PAST YEAR	DD-45
FAMT4	FAMILY TYPE (4 LVLS)	DD-3
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-26
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-10
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-10
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
HHSMK	HOUSEHOLD SMOKING	DD-37
IA1	TEEN COVERED BY MEDI-CAL	DD-77
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-77
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-78
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-78
IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-79
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-79
IAP1	CURRENTLY ON AFDC/TANF/CALWORKS	DD-80
IAP2	CURRENTLY GETTING FOOD STAMPS	DD-80

VARIABLE	LABEL	PAGE
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-81
INS	CURRENTLY INSURED	DD-81
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-82
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-82
INSANY	ANY INS IN LAST 12 MOS	DD-83
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-83
INSHF	COVERED BY HEALTHY FAMILIES	DD-84
INSMC	COVERED BY MEDICARE	DD-84
INSMD	COVERED BY MEDI-CAL	DD-84
INSOG	COVERED BY OTHER GOVT PLANS	DD-85
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-85
INSTYPE	INSURANCE TYPE	DD-86
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-86
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-62
LNGHME_P	LANGUAGE SPOKEN AT HOME (PUF RECODE)	DD-73
MA5	TEEN HAS SAME INS AS SPOUSE	DD-87
MA6	TEEN HAS SAME INS AS CHILD	DD-87
MA7_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-88
MA8	MAIN HEALTH PLAN IS HMO	DD-89
OVRWT	OVERWEIGHT OR OBESE	DD-13
PMARIT	PARENTS' MARITAL STATUS (3 LVLS)	DD-57
PMARIT2	PARENTS' MARITAL STATUS (4 LVLS)	DD-58
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-4
POVLL	POVERTY LEVEL	DD-4
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-5
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-60
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-59
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-60
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-61
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-61
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-62
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-96
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-96
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-99
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-100
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-100
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-100
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-101
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-101
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-101
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-102
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-102

VARIABLE	LABEL	PAGE
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-102
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-97
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-103
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-103
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-103
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-104
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-104
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-104
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-105
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-105
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-105
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-106
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-97
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-106
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-106
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-107
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-107
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-107
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-108
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-108
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-108
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-109
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-109
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-97
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-109
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-110
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-110
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-110
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-111
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-111
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-111
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-112
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-112
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-112
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-98
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-113
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-113
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-113
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-114
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-114
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-114
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-115
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-115
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-115
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-116

VARIABLE	LABEL	PAGE
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-98
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-116
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-116
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-117
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-117
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-117
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-118
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-118
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-118
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-119
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-119
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-98
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-119
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-120
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-120
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-120
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-121
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-121
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-121
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-122
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-122
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-122
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-99
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-123
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-99
RBMI	AGE AND GENDER SPECIFIC BMI (4 LVLS)	DD-12
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-90
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-91
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-8
SECTION A	DEMOGRAPHICS, PART I	DD-6
SECTION B	HEALTH STATUS AND HEALTH CONDITIONS	DD-9
SECTION C	SUN EXPOSURE	DD-21
SECTION D	DIET, NUTRITION, AND FOOD ENVIRONMENT	DD-22
SECTION E	PHYSICAL ACTIVITY AND SEDENTARY TIME	DD-27
SECTION F	TOBACCO, ALCOHOL, AND DRUG USE	DD-35
SECTION G	EMOTIONAL FUNCTIONING	DD-38
SECTION I	HEALTH CARE UTILIZATION AND ACCESS	DD-42
SECTION J	ADULT SUPERVISION, ROLE MODELS, AND CIVIC ENGAGEMENT	DD-52
SECTION K	DEMOGRAPHIC INFORMATION PART II	DD-58
SECTION M	DENTAL OR ORAL HEALTH	DD-74
SECTION N	HEALTH INSURANCE	DD-75
SECTION O	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-93
SECTION P	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-96
SECTION Q	SCREENING INFORMATION	DD-1

VARIABLE	LABEL	PAGE
SMKCUR	CURRENT SMOKER	DD-37
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-64
SRAGE_P	AGE (PUF RECODE)	DD-6
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-64
SRAS	SELF-REPORTED ASIAN	DD-64
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-65
SRCH	SELF-REPORTED CHINESE	DD-65
SRH	SELF-REPORTED LATINO/HISPANIC	DD-65
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-66
SRKR	SELF-REPORTED KOREAN	DD-66
SRO	SELF-REPORTED OTHER RACE	DD-67
SRPH	SELF-REPORTED FILIPINO	DD-67
SRPI	SELF-REPORTED PI AND NTV HW	DD-67
SRSEX	SELF-REPORTED GENDER	DD-7
SRSEX_A	SELF-REPORTED GENDER (ADULT)	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-6
SRVT	SELF-REPORTED VIETNAMESE	DD-68
SRW	SELF-REPORTED WHITE	DD-68
TA4	ATTENDED SCHOOL LAST WEEK	DD-7
TA4C	ATTENDED SCHOOL DURING LAST SCHOOL YR	DD-8
TB1	GENERAL HEALTH CONDITION	DD-9
TB17	STILL HAS ASTHMA	DD-14
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-17
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-20
TB24_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-19
TB27	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-18
TB28	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-19
TB32	HAVE WRITTEN COPY OF ASTHMA PLAN	DD-20
TB33	CONFIDENT CAN MANAGE ASTHMA	DD-21
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-13
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-14
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-18
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-15
TC25	NEARBY PARK/PLAYGROUND SAFE DURING DAY	DD-33
TC26	NEARBY PARK/PLAYGROUND SAFE AT NIGHT	DD-33
TC28A	# CANS OF SODA W/SUGAR DRUNK YESTERDAY	DD-24
TC28B	# CANS SWEETENED FRUIT/SPORT DRUNK YESTERDAY	DD-25
TC38	EVER SMOKED CIGARETTES	DD-35
TC42	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-32
TC44	TIMES SUNBURNED PAST 12 MOS	DD-21

VARIABLE	LABEL	PAGE
TD14	# OF SERVINGS OF FRIED POTATOES YESTERDAY	DD-23
TD22	# DAYS PER WEEK BRING LUNCH FROM HOME TO SCHOOL	DD-26
TD25	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-25
TE1	# OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY	DD-22
TE14	# OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND	DD-31
TE15	# OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND	DD-31
TE19	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	DD-36
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-36
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-38
TE4	# OF SERVINGS OF FRUIT ATE YESTERDAY	DD-23
TE49	# OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-27
TE55	# OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK	DD-29
TE56	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-30
TE57	CURRENTLY TAKING PE AT SCHOOL	DD-28
TE58	# DAYS ATTENDS PE PER WEEK	DD-28
TE59	TYPICAL PE CLASS: MINUTES EXERCISING	DD-29
TE6	# OF SERVINGS OF VEGETABLES ATE YESTERDAY	DD-24
TE61	COULD WALK/BIKE HOME IN 30 MINUTES	DD-30
TE62	HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS	DD-32
TE64	FEEL SAFE IN NEIGHBORHOOD	DD-34
TE65	FEEL SAFE AT YOUR SCHOOL	DD-34
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-27
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-42
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-52
TF14	HOW LONG SINCE LAST VISIT TO DENTIST	DD-74
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-51
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-44
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP	DD-46
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-47
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-47
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-51
TG11	FEEL NERVOUS PAST 30 DAYS	DD-38
TG12	FEEL HOPELESS PAST 30 DAYS	DD-39
TG13	FELL RESTLESS PAST 30 DAYS	DD-39
TG14	FEEL DEPRESSED PAST 30 DAYS	DD-40
TG15	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-40
TG16	FEEL WORTHLESS PAST 30 DAYS	DD-41
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-53
TH21	DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS	DD-57

VARIABLE	LABEL	PAGE
TH22	ADMIREES AND WOULD WANT TO BE LIKE SOME PERSON	DD-54
TH23	ADMIREES PERSON'S CATEGORY	DD-55
TH24	ADMIREES MALE OR FEMALE	DD-55
TH25	RACE/ETHNICITY OF PERSON WHO ADMIREES	DD-56
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-53
TH6A	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT	DD-54
TI11	NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS	DD-52
TI14	HAVE PERSONAL DR WHO IS MAIN PROVIDER	DD-48
TI15	PAST 12 MOS PHONE/E-MAIL DR W/QUESTION	DD-48
TI16	HOW OFTEN GET ANSWER AS SOON AS NEEDED	DD-49
TI17	DR/CLINIC COORDINATE CARE WITH OTHERS	DD-49
TI18	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-50
TI21	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-50
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-59
TJ1	# OF YEARS TEEN HAS ADMIRERED SOMEONE	DD-56
TM1	MAIN REASON HAS NOT VISITED DENTIST	DD-75
UNINSANY	UNINSURED IN PAST 12 MOS	DD-92
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-93
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-93
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-94
UR_IHS	RURAL AND URBAN - IHS	DD-94
UR_OMB	RURAL AND URBAN - OMB	DD-94
UR_RHP	RURAL AND URBAN - RHP	DD-95
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-95
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-43
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-43
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-44
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-11
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-11
YRUS	YEARS ADOLESCENT LIVED IN US	DD-72
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-72
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-73

B. Variable name (by Location in CHIS 2009 Teen Questionnaire)

VARIABLE	LABEL	PAGE
SECTION Q	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
AGEGRP_A	AGE GROUP FOR ADULT	DD-1
AHEDUC	ADULT EDUCATIONAL ATTAINMENT	DD-2
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
FAMT4	FAMILY TYPE (4 LVLS)	DD-3
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-3
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)	DD-4
POVLL	POVERTY LEVEL	DD-4
POVLL2_P	POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)	DD-5
SRSEX_A	SELF-REPORTED GENDER (ADULT)	DD-5
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-6
SECTION A	DEMOGRAPHICS, PART I	DD-6
SRAGE_P	AGE (PUF RECODE)	DD-6
SRSEX	SELF-REPORTED GENDER	DD-7
TA4	ATTENDED SCHOOL LAST WEEK	DD-7
TA4C	ATTENDED SCHOOL DURING LAST SCHOOL YR	DD-8
SCH_TYP	TYPE OF SCHOOL ATTENDED	DD-8
SECTION B	HEALTH STATUS AND HEALTH CONDITIONS	DD-9
TB1	GENERAL HEALTH CONDITION	DD-9
HGHTI_P	HEIGHT - INCHES (PUF RECODE)	DD-10
HGHTM_P	HEIGHT - METERS (PUF RECODE)	DD-10
WGHTK_P	WEIGHT - KILOGRAMS (PUF RECODE)	DD-11
WGHTP_P	WEIGHT - POUNDS (PUF RECODE)	DD-11
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-12
RBMI	AGE AND GENDER SPECIFIC BMI (4 LVLS)	DD-12
OVRWT	OVERWEIGHT OR OBESE	DD-13
TB4	# OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM	DD-13
TB5	DOCTOR EVER TOLD HAS ASTHMA	DD-14
TB17	STILL HAS ASTHMA	DD-14
TB18	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-15
TB7	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-15
ASTCUR	CURRENT ASTHMA	DD-16
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA	DD-16
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA	DD-17
TB19	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-17
TB6	CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA	DD-18
TB27	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-18
TB28	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-19
TB24_P	# DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)	DD-19
TB20	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-20
TB32	HAVE WRITTEN COPY OF ASTHMA PLAN	DD-20

VARIABLE	LABEL	PAGE
TB33	CONFIDENT CAN MANAGE ASTHMA	DD-21
SECTION C	SUN EXPOSURE	DD-21
TC44	TIMES SUNBURNED PAST 12 MOS	DD-21
DIDTAN12	USED INDOOR TANNING DEVICE PAST 12 MOS	DD-22
SECTION D	DIET, NUTRITION, AND FOOD ENVIRONMENT	DD-22
TE1	# OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY	DD-22
TE4	# OF SERVINGS OF FRUIT ATE YESTERDAY	DD-23
TD14	# OF SERVINGS OF FRIED POTATOES YESTERDAY	DD-23
TE6	# OF SERVINGS OF VEGETABLES ATE YESTERDAY	DD-24
TC28A	# CANS OF SODA W/SUGAR DRUNK YESTERDAY	DD-24
TC28B	# CANS SWEETENED FRUIT/SPORT DRUNK YESTERDAY	DD-25
TD25	# TIMES ATE FAST FOOD DURING PAST WEEK	DD-25
TD22	# DAYS PER WEEK BRING LUNCH FROM HOME TO SCHOOL	DD-26
FV5DAY	5+ FRUIT/VEGS. A DAY	DD-26
SECTION E	PHYSICAL ACTIVITY AND SEDENTARY TIME	DD-27
TE8	# OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-27
TE49	# OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE	DD-27
TE57	CURRENTLY TAKING PE AT SCHOOL	DD-28
TE58	# DAYS ATTENDS PE PER WEEK	DD-28
TE59	TYPICAL PE CLASS: MINUTES EXERCISING	DD-29
TE55	# OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK	DD-29
TE56	# OF MINS TO WALK, BIKE, SKATE FROM SCHOOL	DD-30
TE61	COULD WALK/BIKE HOME IN 30 MINUTES	DD-30
TE14	# OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND	DD-31
TE15	# OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND	DD-31
TE62	HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS	DD-32
TC42	PARK/PLAYGRND WALKING DISTANCE FROM HOME	DD-32
TC25	NEARBY PARK/PLAYGROUND SAFE DURING DAY	DD-33
TC26	NEARBY PARK/PLAYGROUND SAFE AT NIGHT	DD-33
TE64	FEEL SAFE IN NEIGHBORHOOD	DD-34
TE65	FEEL SAFE AT YOUR SCHOOL	DD-34
SECTION F	TOBACCO, ALCOHOL, AND DRUG USE	DD-35
TC38	EVER SMOKED CIGARETTES	DD-35
TE19	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	DD-36
TE20	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS	DD-36
HHSMK	HOUSEHOLD SMOKING	DD-37
SMKCUR	CURRENT SMOKER	DD-37
TE22	EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK	DD-38
SECTION G	EMOTIONAL FUNCTIONING	DD-38
TG11	FEEL NERVOUS PAST 30 DAYS	DD-38
TG12	FEEL HOPELESS PAST 30 DAYS	DD-39
TG13	FELL RESTLESS PAST 30 DAYS	DD-39
TG14	FEEL DEPRESSED PAST 30 DAYS	DD-40
TG15	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-40
TG16	FEEL WORTHLESS PAST 30 DAYS	DD-41
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-41
DSTRS30	LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH	DD-42
SECTION I	HEALTH CARE UTILIZATION AND ACCESS	DD-42
TF1	HAS USUAL SOURCE OF HEALTH CARE	DD-42

VARIABLE	LABEL	PAGE
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-43
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-43
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	DD-44
TF3	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-44
ER	ER VISIT WITHIN THE PAST YEAR	DD-45
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-45
DOCT_YR	VISITED A DOCTOR DURING PAST 12 MOS	DD-46
TF5	LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP	DD-46
TF8H	TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM	DD-47
TF8I	TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM	DD-47
TI14	HAVE PERSONAL DR WHO IS MAIN PROVIDER	DD-48
TI15	PAST 12 MOS PHONE/E-MAIL DR W/QUESTION	DD-48
TI16	HOW OFTEN GET ANSWER AS SOON AS NEEDED	DD-49
TI17	DR/CLINIC COORDINATE CARE WITH OTHERS	DD-49
TI18	DELAY GETTING PRESCRIPTION IN PAST 12 MO	DD-50
TI21	COST/NO INSUR DELAYED GETTING PRESCRIPTION	DD-50
TF9	DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS	DD-51
TF22	COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD	DD-51
TI11	NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS	DD-52
TF11	RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS	DD-52
SECTION J	ADULT SUPERVISION, ROLE MODELS, AND CIVIC ENGAGEMENT	DD-52
TH2	LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT	DD-53
TH5	FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS	DD-53
TH6A	HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT	DD-54
TH22	ADMIRE AND WOULD WANT TO BE LIKE SOME PERSON	DD-54
TH23	ADMIRE PERSON'S CATEGORY	DD-55
TH24	ADMIRE MALE OR FEMALE	DD-55
TH25	RACE/ETHNICITY OF PERSON WHO ADMIRE	DD-56
TJ1	# OF YEARS TEEN HAS ADMIRE SOMEONE	DD-56
TH21	DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS	DD-57
PMARIT	PARENTS' MARITAL STATUS (3 LVLS)	DD-57
PMARIT2	PARENTS' MARITAL STATUS (4 LVLS)	DD-58
SECTION K	DEMOGRAPHIC INFORMATION PART II	DD-58
CATRIBE	CALIFORNIA TRIBE	DD-58
TI2B	ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE	DD-59
RACECN_P	RACE - CENSUS 2000 DEFINITION (PUF RECODE)	DD-59
RACECN_A	RACE - CENSUS 2000 DEFINITION (ADULT)	DD-60
RACEDO_A	RACE - FORMER DOF RACE-ETHNICITY (ADULT)	DD-60
RACEDO_P	RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)	DD-61
RACEHP2A	RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)	DD-61
RACEHP2P	RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-62
LATIN7TP	LATIN/HISPANIC SUBTYPES (7 LVLS)	DD-62
ASIAN8	ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)	DD-63
ASNHP2_P	ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)	DD-63

VARIABLE	LABEL	PAGE
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-64
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-64
SRAS	SELF-REPORTED ASIAN	DD-64
SRASO	SELF-REPORTED OTHER ASIAN GROUP	DD-65
SRCH	SELF-REPORTED CHINESE	DD-65
SRH	SELF-REPORTED LATINO/HISPANIC	DD-65
SRH_A	SELF-REPORTED LATINO/HISPANIC (ADULT)	DD-66
SRKR	SELF-REPORTED KOREAN	DD-66
SRO	SELF-REPORTED OTHER RACE	DD-67
SRPH	SELF-REPORTED FILIPINO	DD-67
SRPI	SELF-REPORTED PI AND NTV HW	DD-67
SRVT	SELF-REPORTED VIETNAMESE	DD-68
SRW	SELF-REPORTED WHITE	DD-68
CNTRYF	COUNTRY FATHER BORN IN	DD-69
CNTRYS	COUNTRY BORN IN	DD-69
CNTRYM	COUNTRY MOTHER BORN IN	DD-70
CITIZ2_F	CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)	DD-70
CITIZ2_M	CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)	DD-71
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	DD-71
YRUS	YEARS ADOLESCENT LIVED IN US	DD-72
YRUSF	YEARS FATHER HAS LIVED IN THE US	DD-72
YRUSM	YEARS MOTHER HAS LIVED IN THE US	DD-73
LNGHME_P	LANGUAGE SPOKEN AT HOME (PUF RECODE)	DD-73
SECTION M	DENTAL OR ORAL HEALTH	DD-74
TF14	HOW LONG SINCE LAST VISIT TO DENTIST	DD-74
TM1	MAIN REASON HAS NOT VISITED DENTIST	DD-75
SECTION N	HEALTH INSURANCE	DD-75
AI82	HEALTH PLAN DEDUCTIBLE > \$1000	DD-76
AI83	HEALTH PLAN DEDUCTIBLE > \$2000	DD-76
IA1	TEEN COVERED BY MEDI-CAL	DD-77
IA10A	TEEN HAS SAME INS AS ADULT RESPONDENT	DD-77
IA14	TEEN COVERED FOR PRESCRIPTIONS	DD-78
IA2	TEEN COVERED BY HEALTHY FAMILIES PROGRAM	DD-78
IA20	TEEN COVERED BY HEALTH INS IN PAST 12 MOS	DD-79
IA21	HOW LONG SINCE TEEN LAST HAD HEALTH INS	DD-79
IAP1	CURRENTLY ON AFDC/TANF/CALWORKS	DD-80
IAP2	CURRENTLY GETTING FOOD STAMPS	DD-80
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-81
INS	CURRENTLY INSURED	DD-81
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-82
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	DD-82
INSANY	ANY INS IN LAST 12 MOS	DD-83
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-83
INSHF	COVERED BY HEALTHY FAMILIES	DD-84
INSMC	COVERED BY MEDICARE	DD-84
INSMO	COVERED BY MEDI-CAL	DD-84
INSOG	COVERED BY OTHER GOVT PLANS	DD-85
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-85
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-86
INSTYPE	INSURANCE TYPE	DD-86
MA5	TEEN HAS SAME INS AS SPOUSE	DD-87

VARIABLE	LABEL	PAGE
MA6	TEEN HAS SAME INS AS CHILD	DD-87
MA7_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-88
MA8	MAIN HEALTH PLAN IS HMO	DD-89
RSN_UNI2	REASON FOR UNINSURED STATUS PAST 12 MOS	DD-90
RSN_UNIN	REASON FOR CURRENTLY UNINSURED STATUS	DD-91
UNINSANY	UNINSURED IN PAST 12 MOS	DD-92
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-92
SECTION O	DEMOGRAPHIC INFORMATION, PART III, GEOGRAPHIC INFORMATION	DD-93
UR_BG	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)	DD-93
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-93
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-94
UR_IHS	RURAL AND URBAN - IHS	DD-94
UR_OMB	RURAL AND URBAN - OMB	DD-94
UR_RHP	RURAL AND URBAN - RHP	DD-95
UR_TRACT	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)	DD-95
SECTION P	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-96
RAKEDW0	CHIS2009 RAKED WEIGHT - FULL SAMPLE	DD-96
RAKEDW1	CHIS2009 RAKED WEIGHT - REPLICATE 1	DD-96
RAKEDW2	CHIS2009 RAKED WEIGHT - REPLICATE 2	DD-97
RAKEDW3	CHIS2009 RAKED WEIGHT - REPLICATE 3	DD-97
RAKEDW4	CHIS2009 RAKED WEIGHT - REPLICATE 4	DD-97
RAKEDW5	CHIS2009 RAKED WEIGHT - REPLICATE 5	DD-98
RAKEDW6	CHIS2009 RAKED WEIGHT - REPLICATE 6	DD-98
RAKEDW7	CHIS2009 RAKED WEIGHT - REPLICATE 7	DD-98
RAKEDW8	CHIS2009 RAKED WEIGHT - REPLICATE 8	DD-99
RAKEDW9	CHIS2009 RAKED WEIGHT - REPLICATE 9	DD-99
RAKEDW10	CHIS2009 RAKED WEIGHT - REPLICATE 10	DD-99
RAKEDW11	CHIS2009 RAKED WEIGHT - REPLICATE 11	DD-100
RAKEDW12	CHIS2009 RAKED WEIGHT - REPLICATE 12	DD-100
RAKEDW13	CHIS2009 RAKED WEIGHT - REPLICATE 13	DD-100
RAKEDW14	CHIS2009 RAKED WEIGHT - REPLICATE 14	DD-101
RAKEDW15	CHIS2009 RAKED WEIGHT - REPLICATE 15	DD-101
RAKEDW16	CHIS2009 RAKED WEIGHT - REPLICATE 16	DD-101
RAKEDW17	CHIS2009 RAKED WEIGHT - REPLICATE 17	DD-102
RAKEDW18	CHIS2009 RAKED WEIGHT - REPLICATE 18	DD-102
RAKEDW19	CHIS2009 RAKED WEIGHT - REPLICATE 19	DD-102
RAKEDW20	CHIS2009 RAKED WEIGHT - REPLICATE 20	DD-103
RAKEDW21	CHIS2009 RAKED WEIGHT - REPLICATE 21	DD-103
RAKEDW22	CHIS2009 RAKED WEIGHT - REPLICATE 22	DD-103
RAKEDW23	CHIS2009 RAKED WEIGHT - REPLICATE 23	DD-104
RAKEDW24	CHIS2009 RAKED WEIGHT - REPLICATE 24	DD-104
RAKEDW25	CHIS2009 RAKED WEIGHT - REPLICATE 25	DD-104
RAKEDW26	CHIS2009 RAKED WEIGHT - REPLICATE 26	DD-105
RAKEDW27	CHIS2009 RAKED WEIGHT - REPLICATE 27	DD-105
RAKEDW28	CHIS2009 RAKED WEIGHT - REPLICATE 28	DD-105
RAKEDW29	CHIS2009 RAKED WEIGHT - REPLICATE 29	DD-106
RAKEDW30	CHIS2009 RAKED WEIGHT - REPLICATE 30	DD-106
RAKEDW31	CHIS2009 RAKED WEIGHT - REPLICATE 31	DD-106
RAKEDW32	CHIS2009 RAKED WEIGHT - REPLICATE 32	DD-107
RAKEDW33	CHIS2009 RAKED WEIGHT - REPLICATE 33	DD-107
RAKEDW34	CHIS2009 RAKED WEIGHT - REPLICATE 34	DD-107

VARIABLE	LABEL	PAGE
RAKEDW35	CHIS2009 RAKED WEIGHT - REPLICATE 35	DD-108
RAKEDW36	CHIS2009 RAKED WEIGHT - REPLICATE 36	DD-108
RAKEDW37	CHIS2009 RAKED WEIGHT - REPLICATE 37	DD-108
RAKEDW38	CHIS2009 RAKED WEIGHT - REPLICATE 38	DD-109
RAKEDW39	CHIS2009 RAKED WEIGHT - REPLICATE 39	DD-109
RAKEDW40	CHIS2009 RAKED WEIGHT - REPLICATE 40	DD-109
RAKEDW41	CHIS2009 RAKED WEIGHT - REPLICATE 41	DD-110
RAKEDW42	CHIS2009 RAKED WEIGHT - REPLICATE 42	DD-110
RAKEDW43	CHIS2009 RAKED WEIGHT - REPLICATE 43	DD-110
RAKEDW44	CHIS2009 RAKED WEIGHT - REPLICATE 44	DD-111
RAKEDW45	CHIS2009 RAKED WEIGHT - REPLICATE 45	DD-111
RAKEDW46	CHIS2009 RAKED WEIGHT - REPLICATE 46	DD-111
RAKEDW47	CHIS2009 RAKED WEIGHT - REPLICATE 47	DD-112
RAKEDW48	CHIS2009 RAKED WEIGHT - REPLICATE 48	DD-112
RAKEDW49	CHIS2009 RAKED WEIGHT - REPLICATE 49	DD-112
RAKEDW50	CHIS2009 RAKED WEIGHT - REPLICATE 50	DD-113
RAKEDW51	CHIS2009 RAKED WEIGHT - REPLICATE 51	DD-113
RAKEDW52	CHIS2009 RAKED WEIGHT - REPLICATE 52	DD-113
RAKEDW53	CHIS2009 RAKED WEIGHT - REPLICATE 53	DD-114
RAKEDW54	CHIS2009 RAKED WEIGHT - REPLICATE 54	DD-114
RAKEDW55	CHIS2009 RAKED WEIGHT - REPLICATE 55	DD-114
RAKEDW56	CHIS2009 RAKED WEIGHT - REPLICATE 56	DD-115
RAKEDW57	CHIS2009 RAKED WEIGHT - REPLICATE 57	DD-115
RAKEDW58	CHIS2009 RAKED WEIGHT - REPLICATE 58	DD-115
RAKEDW59	CHIS2009 RAKED WEIGHT - REPLICATE 59	DD-116
RAKEDW60	CHIS2009 RAKED WEIGHT - REPLICATE 60	DD-116
RAKEDW61	CHIS2009 RAKED WEIGHT - REPLICATE 61	DD-116
RAKEDW62	CHIS2009 RAKED WEIGHT - REPLICATE 62	DD-117
RAKEDW63	CHIS2009 RAKED WEIGHT - REPLICATE 63	DD-117
RAKEDW64	CHIS2009 RAKED WEIGHT - REPLICATE 64	DD-117
RAKEDW65	CHIS2009 RAKED WEIGHT - REPLICATE 65	DD-118
RAKEDW66	CHIS2009 RAKED WEIGHT - REPLICATE 66	DD-118
RAKEDW67	CHIS2009 RAKED WEIGHT - REPLICATE 67	DD-118
RAKEDW68	CHIS2009 RAKED WEIGHT - REPLICATE 68	DD-119
RAKEDW69	CHIS2009 RAKED WEIGHT - REPLICATE 69	DD-119
RAKEDW70	CHIS2009 RAKED WEIGHT - REPLICATE 70	DD-119
RAKEDW71	CHIS2009 RAKED WEIGHT - REPLICATE 71	DD-120
RAKEDW72	CHIS2009 RAKED WEIGHT - REPLICATE 72	DD-120
RAKEDW73	CHIS2009 RAKED WEIGHT - REPLICATE 73	DD-120
RAKEDW74	CHIS2009 RAKED WEIGHT - REPLICATE 74	DD-121
RAKEDW75	CHIS2009 RAKED WEIGHT - REPLICATE 75	DD-121
RAKEDW76	CHIS2009 RAKED WEIGHT - REPLICATE 76	DD-121
RAKEDW77	CHIS2009 RAKED WEIGHT - REPLICATE 77	DD-122
RAKEDW78	CHIS2009 RAKED WEIGHT - REPLICATE 78	DD-122
RAKEDW79	CHIS2009 RAKED WEIGHT - REPLICATE 79	DD-122
RAKEDW80	CHIS2009 RAKED WEIGHT - REPLICATE 80	DD-123

C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	
SCH_LON	SCHOOL LONGITUDE	

6. Data Dictionary

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section Q: Screening Information

VARNAME: PUF_ID QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: PUBLIC USE FILE ID

VALUE:		FREQ	%
0-HIGH PERSON #		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: AGEGRP_A QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: AGE GROUP FOR ADULT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
1	<30	21	0.62
2	30-39	641	18.97
3	40-49	1575	46.61
4	50-59	955	28.26
5	60+	143	4.23

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: AHEDUC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ADULT EDUCATIONAL ATTAINMENT

VALUE:		FREQ	%
1	GRADE 1-8	369	10.92
2	GRADE 9-11	235	6.95
3	GRADE 12/H.S. DIPLOMA	608	17.99
4	SOME COLLEGE	449	13.29
5	VOCATIONAL SCHOOL	93	2.75
6	AA OR AS DEGREE	224	6.63
7	BA OR BS DEGREE	755	22.34
8	SOME GRAD. SCHOOL	62	1.83
9	MA OR MS DEGREE	393	11.63
10	PH.D. OR EQUIVALENT	162	4.79
91	NO FORMAL EDUCATION	29	0.86

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INTVLANG QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:		FREQ	%
1	ENGLISH	3099	91.71
2	SPANISH	252	7.46
3	VIETNAMESE	10	0.30
4	KOREAN	9	0.27
5	CANTONESE	6	0.18
6	MANDARIN	3	0.09

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: ENGLSPAN

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE (4 LVLS)

VALUE:		FREQ	%
3	MARRIED WITH KIDS	2681	79.34
4	SINGLE WITH KIDS	698	20.66

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED ADULT R NOT LIVING WITH SPOUSE.

VARNAME: HHSIZE_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS	
N	3379
MIN	2
MAX	7
MEAN	4.23

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HH_SIZE

NOTES: TOPCODE=7

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: POVGWD_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE)

MEAN STATISTICS

N 3379
MIN 0
MAX 24
MEAN 4.03

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAM: POVLL QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	626	18.53
2	100-199% FPL	616	18.23
3	200-299% FPL	450	13.32
4	300% FPL AND ABOVE	1687	49.93

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: POVLL2_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL AT TIMES OF 100% FPL (PUF RECODE)

MEAN STATISTICS

N	3379
MIN	0
MAX	24
MEAN	4.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: SRSEX_A QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED GENDER (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
1	MALE	1234	36.52
2	FEMALE	2101	62.18

UNIVERSE: ALL ADULTS

INPUT VAR: SRSEX

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRTENR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:		FREQ	%
1	OWN	2283	67.56
2	RENT/SOME OTHER ARRANGEMENT	1096	32.44

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section A: Demographics, Part I

VARNAME: SRAGE_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS	
N	3379
MIN	12
MAX	17
MEAN	14.53

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED GENDER

VALUE:		FREQ	%
1	MALE	1767	52.29
2	FEMALE	1612	47.71

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TA4 QNAME09: QT09_A5 QPAGENUM: T-3
QNAME07: QT07_A5 QNAME05: QT05_A5

LABEL: ATTENDED SCHOOL LAST WEEK

VALUE:		FREQ	%
1	YES	2951	87.33
2	NO	153	4.53
3	ON VACATION	212	6.27
4	HOME SCHOOLED	63	1.86

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TA4C QNAME09: QT09_A6 QPAGENUM: T-3
QNAME07: QT07_A5A QNAME05: QT05_A5A

LABEL: ATTENDED SCHOOL DURING LAST SCHOOL YR

VALUE:		FREQ	%
-1	INAPPLICABLE	3014	89.20
1	YES	358	10.59
2	NO	3	0.09
3	HOME SCHOOLING	4	0.12

UNIVERSE: ADOLESCENTS WHO DID NOT ATTEND SCHOOL OR HOME SCHOOL LAST WEEK

INPUT VAR:

NOTES:

VARNAME: SCH_TYP QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TYPE OF SCHOOL ATTENDED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	51	1.51
-1	INAPPLICABLE	71	2.10
1	PUBLIC SCHOOL	2978	88.13
2	PRIVATE SCHOOL	260	7.69
3	OTHER	19	0.56

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section B: Health Status and Health Conditions

VARNAME: TB1 QNAME09: QT09_B1 QPAGENUM: T-4
QNAME07: QT07_B1 QNAME05: QT05_B1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		648	19.18
2	VERY GOOD		1337	39.57
3	GOOD		1094	32.38
4	FAIR		265	7.84
5	POOR		35	1.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: HGHTI_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HEIGHT - INCHES (PUF RECODE)

MEAN STATISTICS

N	3379
MIN	42
MAX	77
MEAN	64.82

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HEIGHT - METERS (PUF RECODE)

MEAN STATISTICS

N	3379
MIN	1
MAX	2
MEAN	1.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: WGHTK_P QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: WEIGHT - KILOGRAMS (PUF RECODE)

MEAN STATISTICS

N 3379
 MIN 23
 MAX 109
 MEAN 59.48

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK

NOTES: TOPCODE=109

VARNAME: WGHTP_P QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: WEIGHT - POUNDS (PUF RECODE)

MEAN STATISTICS

N 3379
 MIN 50
 MAX 240
 MEAN 131.11

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTP

NOTES: TOPCODE=240

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	3379
MIN	8
MAX	58
MEAN	21.80

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: WGHTK_P HGHTM_P

NOTES:

VARNAME: RBMI QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AGE AND GENDER SPECIFIC BMI (4 LVLS)

VALUE:		FREQ	%
1	UNDERWEIGHT: < 5TH	124	3.67
2	NORMAL: 5TH TO <85TH	2401	71.06
3	AT RISK OF OVERWEIGHT: 85TH TO <95TH	491	14.53
4	OVERWEIGHT: >=95TH	363	10.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: OVRWT QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		363	10.74
2	NO		3016	89.26

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TB4 QNAME09: QT09_B4 QPAGENUM: T-5
QNAME07: QT07_B4 QNAME05: QT05_B10

LABEL: # OF DAYS OF SCHOOL MISSED DUE TO HEALTH PROBLEM

MEAN STATISTICS	
N	3014
MIN	0
MAX	20
MEAN	0.58

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL, OR WERE HOME SCHOOLED, LAST WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB5 QNAME09: QT09_B5 QPAGENUM: T-5
 QNAME07: QT07_B5 QNAME05: QT05_B11

LABEL: DOCTOR EVER TOLD HAS ASTHMA

VALUE:		FREQ	%
1	YES	621	18.38
2	NO	2758	81.62

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TB17 QNAME09: QT09_B6 QPAGENUM: T-5
 QNAME07: QT07_B6 QNAME05: QT05_B12

LABEL: STILL HAS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	2758	81.62
1	YES	370	10.95
2	NO	251	7.43

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB18 QNAME09: QT09_B7 QPAGENUM: T-5
QNAME07: QT07_B7 QNAME05: QT05_B13

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	2758	81.62
1	YES	129	3.82
2	NO	492	14.56

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB7 QNAME09: QT09_B8 QPAGENUM: T-6
QNAME07: QT07_B8 QNAME05: QT05_B14

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3001	88.81
1	NOT AT ALL	40	1.18
2	LESS THAN ONCE A MONTH	197	5.83
3	EVERY MONTH	75	2.22
4	EVERY WEEK	46	1.36
5	EVERY DAY	20	0.59

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ASTCUR QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CURRENT ASTHMA

VALUE:			FREQ	%
1	CURRENT ASTHMA		378	11.19
2	NO CURRENT ASTHMA		3001	88.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TB5 TB17 TB18

NOTES:

VARNAME: ASTS QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ DIAGNOSED ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		2758	81.62
1	SYMPTOMS		424	12.55
2	NO SYMPTOMS		197	5.83

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: TB7 TB27

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: ASTYR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION W/ CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3001	88.81
1	SYMPTOMS	338	10.00
2	NO SYMPTOMS	40	1.18

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR: TB7

NOTES:

VARIABLE: TB19 QNAME09: QT09_B9 QPAGENUM: T-6
QNAME07: QT07_B9 QNAME05: QT05_B15

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3001	88.81
1	YES	17	0.50
2	NO	361	10.68

UNIVERSE: ADOLESCENTS WHO CURRENTLY HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB6 QNAME09: QT09_B12 QPAGENUM: T-7
 QNAME07: QT07_B11 QNAME05: QT05_B16

LABEL: CURRENTLY TAKE DAILY PRESCRIPTION MEDICATION TO CONTROL ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	2758	81.62
1	YES	127	3.76
2	NO	494	14.62

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: TB27 QNAME09: QT09_B13 QPAGENUM: T-7
 QNAME07: QT07_B12 QNAME05: QT05_B17

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3136	92.81
1	NOT AT ALL	157	4.65
2	LESS THAN ONCE A MONTH	69	2.04
3	EVERY MONTH	12	0.36
4	EVERY WEEK	4	0.12
5	EVERY DAY	1	0.03

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB28 QNAME09: QT09_B14 QPAGENUM: T-7
 QNAME07: QT07_B13 QNAME05: QT05_B18

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	3136	92.81
1	YES	2	0.06
2	NO	241	7.13

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT DO NOT CURRENTLY HAVE

INPUT VAR:

NOTES:

VARNAME: TB24_P QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: # DAYS MISSED SCHOOL DUE TO ASTHMA PAST 12 MOS (PUF RECODE)

MEAN STATISTICS

N	621
MIN	0
MAX	7
MEAN	0.32

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR: TB24

NOTES: EXCLUDED VALUE "996" IN CALCULATING THE MEAN

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TB20 QNAME09: QT09_B18 QPAGENUM: T-8
QNAME07: QT07_B16 QNAME05: QT05_B20

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	2758	81.62
1	YES	295	8.73
2	NO	326	9.65

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARIABLE: TB32 QNAME09: QT09_B19 QPAGENUM: T-8
QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF ASTHMA PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	3084	91.27
1	YES	47	1.39
2	NO	248	7.34

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA AND HAVE DOCTORS
DEVELOPED A CARE PLAN FOR ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TB33 QNAME09: QT09_B20 QPAGENUM: T-8
QNAME07: NA QNAME05: NA

LABEL: CONFIDENT CAN MANAGE ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	2758	81.62
1	VERY CONFIDENT	489	14.47
2	SOMEWHAT CONFIDENT	114	3.37
3	NOT TOO CONFIDENT	13	0.38
4	NOT AT ALL CONFIDENT	5	0.15

UNIVERSE: ADOLESCENTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

Section C: Sun Exposure

VARNAME: TC44 QNAME09: QT09_C1 QPAGENUM: T-9
QNAME07: NA QNAME05: NA

LABEL: TIMES SUNBURNED PAST 12 MOS

MEAN STATISTICS	
N	3379
MIN	0
MAX	100
MEAN	1.69

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: DIDTAN12 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USED INDOOR TANNING DEVICE PAST 12 MOS

VALUE:		FREQ	%
0	0 TIME	3318	98.19
1	1 OR MORE TIMES	61	1.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section D: Diet, Nutrition, and Food Environment

VARNAME: TE1 QNAME09: QT09_D1 QPAGENUM: T-10

QNAME07: QT07_C1 QNAME05: QT05_D6

LABEL: # OF GLASSES OF 100% FRUIT JUICE DRANK YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	11
MEAN	1.08

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE4 QNAME09: QT09_D2 QPAGENUM: T-10
QNAME07: QT07_C2 QNAME05: QT05_D1

LABEL: # OF SERVINGS OF FRUIT ATE YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	20
MEAN	1.76

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD14 QNAME09: QT09_D3 QPAGENUM: T-10
QNAME07: QT07_C3 QNAME05: QT05_D3

LABEL: # OF SERVINGS OF FRIED POTATOES YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	15
MEAN	0.34

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE6 QNAME09: QT09_D4 QPAGENUM: T-10
QNAME07: QT07_C4 QNAME05: QT05_D2

LABEL: # OF SERVINGS OF VEGETABLES ATE YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	15
MEAN	1.38

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC28A QNAME09: QT09_D5 QPAGENUM: T-11
QNAME07: NA QNAME05: NA

LABEL: # CANS OF SODA W/SUGAR DRUNK YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	12
MEAN	0.58

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TC28B QNAME09: QT09_D6 QPAGENUM: T-11

QNAME07: NA QNAME05: NA

LABEL: # CANS SWEETENED FRUIT/SPORT DRUNK YESTERDAY

MEAN STATISTICS

N	3379
MIN	0
MAX	10
MEAN	0.41

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TD25 QNAME09: QT09_D7 QPAGENUM: T-11

QNAME07: QT07_C8 QNAME05: NA

LABEL: # TIMES ATE FAST FOOD DURING PAST WEEK

MEAN STATISTICS

N	3379
MIN	0
MAX	50
MEAN	1.64

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TD22 QNAME09: QT09_D8 QPAGENUM: T-11
QNAME07: NA QNAME05: QT05_D14

LABEL: # DAYS PER WEEK BRING LUNCH FROM HOME TO SCHOOL

MEAN STATISTICS

N	3312
MIN	0
MAX	5
MEAN	2.02

UNIVERSE: ADOLESCENTS WHO ATTENDED SCHOOL WITHIN LAST WK OR LAST YR

INPUT VAR:

NOTES:

VARNAME: FV5DAY QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: 5+ FRUIT/VEGS. A DAY

VALUE:		FREQ	%
1	FIVE-A-DAY	755	22.34
2	NONE OR LESS THAN FIVE-A-DAY	2624	77.66

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TE4 TE6

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section E: Physical Activity and Sedentary Time

VARNAME: TE8 QNAME09: QT09_E1 QPAGENUM: T-12
QNAME07: QT07_D1 QNAME05: QT05_E1

LABEL: # OF DAYS PAST WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

N 3014
MIN 0
MAX 7
MEAN 3.54

UNIVERSE: ALL ADOLESCENTS WHO WERE IN SCHOOL LAST WK OR HOME-SCHOOL

INPUT VAR:

NOTES:

VARNAME: TE49 QNAME09: QT09_E2 QPAGENUM: T-12
QNAME07: QT07_D2 QNAME05: QT05_E2

LABEL: # OF DAYS TYPICAL WEEK TEEN PHYSICALLY ACTIVE 60 MIN OR MORE

MEAN STATISTICS

N 365
MIN 0
MAX 7
MEAN 3.72

UNIVERSE: ALL ADOLESCENTS WHO WERE NOT IN SCHOOL LAST WK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TE57 QNAME09: QT09_E3 QPAGENUM: T-12

QNAME07: QT07_D3 QNAME05: NA

LABEL: CURRENTLY TAKING PE AT SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	67	1.98
1	YES	2212	65.46
2	NO	1100	32.55

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

VARNAM: TE58 QNAME09: QT09_E4 QPAGENUM: T-13

QNAME07: QT07_D4 QNAME05: NA

LABEL: # DAYS ATTENDS PE PER WEEK

MEAN STATISTICS	
N	2212
MIN	1
MAX	7
MEAN	4.32

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND TAKING PE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE59 QNAME09: QT09_E5 QPAGENUM: T-13

QNAME07: QT07_D5 QNAME05: NA

LABEL: TYPICAL PE CLASS: MINUTES EXERCISING

VALUE:		FREQ	%
-1	INAPPLICABLE	1167	34.54
1	30 MINS OR MORE	1665	49.27
2	21-30 MINS	415	12.28
3	10-20 MINS	112	3.31
4	LESS THAN 10 MINS	20	0.59

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED AND TAKING PE

INPUT VAR:

NOTES:

VARNAME: TE55 QNAME09: QT09_E6 QPAGENUM: T-13

QNAME07: QT07_D9 QNAME05: QT05_E12

LABEL: # OF DAYS TEEN WALKED, BIKED, SKATED FROM SCHOOL IN ONE WEEK

MEAN STATISTICS	
N	3312
MIN	0
MAX	7
MEAN	1.76

UNIVERSE: ADOLESCENTS WHO ARE NOT HOME-SCHOOLED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE56 QNAME09: QT09_E7 QPAGENUM: T-14
QNAME07: QT07_D10 QNAME05: QT05_E13

LABEL: # OF MINS TO WALK, BIKE, SKATE FROM SCHOOL

MEAN STATISTICS

N	1521
MIN	1
MAX	180
MEAN	20.45

UNIVERSE: ADOLESCENTS WHO WALK, BIKE, OR SKATEBOARD FROM SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

VARNAME: TE61 QNAME09: QT09_E8 QPAGENUM: T-14
QNAME07: QT07_D11 QNAME05: NA

LABEL: COULD WALK/BIKE HOME IN 30 MINUTES

VALUE:		FREQ	%
-1	INAPPLICABLE	1588	47.00
1	YES	783	23.17
2	NO	1008	29.83

UNIVERSE: ADOLESCENTS WHO DO NOT WALK, BIKE, SKATEBOARD TO/FROM SCHOOL AT LEAST ONCE A WK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TE14 QNAME09: QT09_E9 QPAGENUM: T-14
QNAME07: QT07_D14 QNAME05: QT05_E16

LABEL: # OF HRS TEEN PLAYS TV/VIDEO GAMES ON WEEKEND

MEAN STATISTICS

N 3256
MIN 0
MAX 20
MEAN 3.01

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

VARNAM: TE15 QNAME09: QT09_E10 QPAGENUM: T-15
QNAME07: QT07_D15 QNAME05: QT05_E17

LABEL: # OF HRS TEEN USES COMPUTER FOR FUN ON WEEKEND

MEAN STATISTICS

N 3039
MIN 0
MAX 15
MEAN 2.01

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: EXCLUDED VALUES "93" & "94" IN CALCULATING THE MEAN

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE62 QNAME09: QT09_E11 QPAGENUM: T-15

QNAME07: QT07_D16 QNAME05: NA

LABEL: HAVE BEEN TO PARK/PLAYGROUND IN PAST 30 DAYS

VALUE:		FREQ	%
1	YES	2563	75.85
2	NO	816	24.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TC42 QNAME09: QT09_E12 QPAGENUM: T-15

QNAME07: QT07_D18 QNAME05: NA

LABEL: PARK/PLAYGRND WALKING DISTANCE FROM HOME

VALUE:		FREQ	%
1	YES	2888	85.47
2	NO	491	14.53

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: TC25 QNAME09: QT09_E13 QPAGENUM: T-15
 QNAME07: QT07_D19 QNAME05: NA

LABEL: NEARBY PARK/PLAYGROUND SAFE DURING DAY

VALUE:		FREQ	%
1	STRONGLY AGREE	1232	36.46
2	AGREE	1858	54.99
3	DISAGREE	250	7.40
4	STRONGLY DISAGREE	39	1.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: TC26 QNAME09: QT09_E14 QPAGENUM: T-16
 QNAME07: QT07_D20 QNAME05: NA

LABEL: NEARBY PARK/PLAYGROUND SAFE AT NIGHT

VALUE:		FREQ	%
1	STRONGLY AGREE	335	9.91
2	AGREE	1410	41.73
3	DISAGREE	1290	38.18
4	STRONGLY DISAGREE	344	10.18

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE64 QNAME09: QT09_E15 QPAGENUM: T-16
QNAME07: NA QNAME05: NA

LABEL: FEEL SAFE IN NEIGHBORHOOD

VALUE:		FREQ	%
1	ALL OF THE TIME	1629	48.21
2	MOST OF THE TIME	1391	41.17
3	SOME OF THE TIME	331	9.80
4	NONE OF THE TIME	28	0.83

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TE65 QNAME09: QT09_E16 QPAGENUM: T-16
QNAME07: NA QNAME05: NA

LABEL: FEEL SAFE AT YOUR SCHOOL

VALUE:		FREQ	%
-1	INAPPLICABLE	67	1.98
1	ALL OF THE TIME	2053	60.76
2	MOST OF THE TIME	1034	30.60
3	SOME OF THE TIME	201	5.95
4	NONE OF THE TIME	24	0.71

UNIVERSE: ADOLESENTS WHO GO TO SCHOOL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section F: Tobacco, Alcohol, and Drug Use

VARNAME: TC38 QNAME09: QT09_F1 QPAGENUM: T-17
QNAME07: QT07_E1 QNAME05: QT05_F1

LABEL: EVER SMOKED CIGARETTES

VALUE:		FREQ	%
1	YES	436	12.90
2	NO	2943	87.10

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE19 QNAME09: QT09_F2 QPAGENUM: T-17
QNAME07: QT07_E2 QNAME05: QT05_F4

LABEL: # OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	2943	87.10
0	NONE	292	8.64
1	1-2 DAYS	54	1.60
2	3-5 DAYS	19	0.56
3	6-9 DAYS	13	0.38
4	10-19 DAYS	14	0.41
5	20-29 DAYS	17	0.50
6	30 DAYS	27	0.80

UNIVERSE: ADOLESCENTS WHO EVER SMOKED

INPUT VAR:

NOTES:

VARNAME: TE20 QNAME09: QT09_F3 QPAGENUM: T-17
QNAME07: QT07_E3 QNAME05: QT05_F5

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS

MEAN STATISTICS	
N	144
MIN	1
MAX	25
MEAN	3.01

UNIVERSE: ADOLESCENTS WHO SMOKED IN PAST 30 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: HHSMK QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HOUSEHOLD SMOKING

VALUE:		FREQ	%
1	NONE	3251	96.21
2	SOMEDAYS	67	1.98
3	EVERY DAY	61	1.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: AC17 AD34

NOTES:

VARIABLE: SMKCUR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	CURRENT SMOKER	144	4.26
2	NOT CURRENT SMOKER	3235	95.74

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TC38 TE19

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TE22 QNAME09: QT09_F4 QPAGENUM: T-17
QNAME07: QT07_E4 QNAME05: QT05_F6

LABEL: EVER HAD MORE THAN FEW SIPS OF ALCOHOLIC DRINK

VALUE:		FREQ	%
1	YES	1102	32.61
2	NO	2277	67.39

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section G: Emotional Functioning

VARNAME: TG11 QNAME09: QT09_G1 QPAGENUM: T-20
QNAME07: QT07_F1 QNAME05: NA

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	22	0.65
2	MOST OF THE TIME	145	4.29
3	SOME OF THE TIME	716	21.19
4	A LITTLE OF THE TIME	1681	49.75
5	NOT AT ALL	815	24.12

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TG12 QNAME09: QT09_G2 QPAGENUM: T-20
QNAME07: QT07_F2 QNAME05: NA

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	12	0.36
2	MOST OF THE TIME	70	2.07
3	SOME OF THE TIME	272	8.05
4	A LITTLE OF THE TIME	839	24.83
5	NOT AT ALL	2186	64.69

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG13 QNAME09: QT09_G3 QPAGENUM: T-20
QNAME07: QT07_F3 QNAME05: NA

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	62	1.83
2	MOST OF THE TIME	190	5.62
3	SOME OF THE TIME	788	23.32
4	A LITTLE OF THE TIME	1033	30.57
5	NOT AT ALL	1306	38.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TG14 QNAME09: QT09_G4 QPAGENUM: T-20
QNAME07: QT07_F4 QNAME05: NA

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	15	0.44
2	MOST OF THE TIME	55	1.63
3	SOME OF THE TIME	217	6.42
4	A LITTLE OF THE TIME	436	12.90
5	NOT AT ALL	2656	78.60

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TG15 QNAME09: QT09_G5 QPAGENUM: T-21
QNAME07: QT07_F5 QNAME05: NA

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	160	4.74
2	MOST OF THE TIME	451	13.35
3	SOME OF THE TIME	811	24.00
4	A LITTLE OF THE TIME	751	22.23
5	NOT AT ALL	1206	35.69

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TG16 QNAME09: QT09_G6 QPAGENUM: T-21

QNAME07: QT07_F6 QNAME05: NA

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:		FREQ	%
1	ALL OF THE TIME	11	0.33
2	MOST OF THE TIME	65	1.92
3	SOME OF THE TIME	215	6.36
4	A LITTLE OF THE TIME	402	11.90
5	NOT AT ALL	2686	79.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: DISTRESS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS	
N	3379
MIN	0
MAX	22
MEAN	4.51

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TG11-TG16

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: DSTRS30 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LIKELY HAS PSYCHOLOGICAL DISTRESS PAST MONTH

VALUE:		FREQ	%
1	YES	100	2.96
2	NO	3279	97.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: DISTRESS

NOTES:

Section I: Health Care Utilization and Access

VARNAME: TF1 QNAME09: QT09_I1 QPAGENUM: T-25

QNAME07: QT07_I1 QNAME05: QT05_I1

LABEL: HAS USUAL SOURCE OF HEALTH CARE

VALUE:		FREQ	%
1	YES	2493	73.78
2	NO	543	16.07
3	DOCTOR/MY DOCTOR	274	8.11
4	KAISER	67	1.98
5	MORE THAN ONE PLACE	2	0.06

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: USOC QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		2803	82.95
2	NO		576	17.05

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: USUAL5TP TF1

NOTES:

VARNAME: USUAL QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		2836	83.93
2	NO		543	16.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: USUAL5TP QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE (5 LVLS)

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	1920	56.82
2	COMMUN/GOV CLIN, COMMUN HOSP	842	24.92
3	EMERGENCY ROOM	33	0.98
4	OTHER PLACE/NO ONE PLACE	41	1.21
5	NO USUAL SOURCE OF CARE	543	16.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF1 TF2

NOTES:

VARNAME: TF3 QNAME09: QT09_I3 QPAGENUM: T-25
 QNAME07: QT07_I3 QNAME05: QT05_I3

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	731	21.63
2	NO	2648	78.37

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ER QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		731	21.63
2	NO		2648	78.37

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF3 TB19 TB28

NOTES:

VARNAME: ACMDNUM QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

MEAN STATISTICS	
N	3379
MIN	0
MAX	10
MEAN	2.55

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: DOCT_YR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: VISITED A DOCTOR DURING PAST 12 MOS

VALUE:		FREQ	%
1	YES	2920	86.42
2	NO	459	13.58

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TF16

NOTES:

VARNAME: TF5 QNAME09: QT09_I5 QPAGENUM: T-26
QNAME07: QT07_I5 QNAME05: QT05_I5

LABEL: LAST TIME SAW A DOCTOR FOR ROUTINE PHYSICAL EXAM OR CHECK-UP

VALUE:		FREQ	%
0	HAVE NEVER HAD A PHYSICAL	38	1.12
1	LESS THAN 3 MONTHS AGO	1270	37.59
2	3 TO 6 MONTHS AGO	884	26.16
3	6 TO 12 MONTHS AGO	705	20.86
4	1 TO 2 YRS AGO	347	10.27
5	2 OR MORE YRS AGO	135	4.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: TF8H QNAME09: QT09_I6 QPAGENUM: T-26
QNAME07: QT07_I6 QNAME05: QT05_I10

LABEL: TALK WITH DOCTOR ABOUT PHYSICAL ACTIVITY AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	173	5.12
1	YES	1872	55.40
2	NO	1334	39.48

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

VARIABLE: TF8I QNAME09: QT09_I7 QPAGENUM: T-26
QNAME07: QT07_I7 QNAME05: QT05_I11

LABEL: TALK WITH DOCTOR ABOUT NUTRITION AT LAST PHYSICAL EXAM

VALUE:		FREQ	%
-1	INAPPLICABLE	173	5.12
1	YES	1964	58.12
2	NO	1242	36.76

UNIVERSE: ADOLESCENTS WHO HAD PHYSICAL EXAM LESS THAN 2 YRS AGO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI14 QNAME09: QT09_I8 QPAGENUM: T-27
QNAME07: NA QNAME05: NA

LABEL: HAVE PERSONAL DR WHO IS MAIN PROVIDER

VALUE:		FREQ	%
-1	INAPPLICABLE	3039	89.94
1	YES	290	8.58
2	NO	50	1.48

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN
2 YEARS AGO OR HAS ASTHMA CURRENTLY OR HAS ASTHMA EPISODE IN
LAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: TI15 QNAME09: QT09_I9 QPAGENUM: T-27
QNAME07: NA QNAME05: NA

LABEL: PAST 12 MOS PHONE/E-MAIL DR W/QUESTION

VALUE:		FREQ	%
-1	INAPPLICABLE	3016	89.26
1	YES	115	3.40
2	NO	248	7.34

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN
2 YEARS AGO OR HAS ASTHMA CURRENTLY OR HAS ASTHMA EPISODE IN
LAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI16 QNAME09: QT09_I10 QPAGENUM: T-27
QNAME07: NA QNAME05: NA

LABEL: HOW OFTEN GET ANSWER AS SOON AS NEEDED

VALUE:		FREQ	%
-9	NOT ASCERTAINED	6	0.18
-1	INAPPLICABLE	3264	96.60
1	NEVER	1	0.03
2	SOMETIMES	8	0.24
3	USUALLY	32	0.95
4	ALWAYS	68	2.01

UNIVERSE: ADOLESCENTS WHO SAW A DOCTOR FOR A ROUTINE PHYSICAL EXAM LESS THAN
2 YEARS AGO OR HAS ASTHMA CURRENTLY OR HAS ASTHMA EPISODE IN
LAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: TI17 QNAME09: QT09_I11 QPAGENUM: T-28
QNAME07: NA QNAME05: NA

LABEL: DR/CLINIC COORDINATE CARE WITH OTHERS

VALUE:		FREQ	%
-1	INAPPLICABLE	3089	91.42
1	YES	194	5.74
2	NO	96	2.84

UNIVERSE: ADOLESCENTS WHO HAVE ASTHMA CURRENTLY OR HAS ASTHMA EPISODE IN
LAST 12 MONTHS AND HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI18 QNAME09: QT09_I12 QPAGENUM: T-28

QNAME07: NA QNAME05: NA

LABEL: DELAY GETTING PRESCRIPTION IN PAST 12 MO

VALUE:		FREQ	%
1	YES	182	5.39
2	NO	3197	94.61

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TI21 QNAME09: QT09_I13 QPAGENUM: T-28

QNAME07: NA QNAME05: NA

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:		FREQ	%
-1	INAPPLICABLE	3197	94.61
1	YES	31	0.92
2	NO	151	4.47

UNIVERSE: ADOLESCENTS WHO DELAYED OR NOT GET PRESCRIBED MEDICINE IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TF9 QNAME09: QT09_I15 QPAGENUM: T-28
 QNAME07: QT07_I13 QNAME05: QT05_I16

LABEL: DELAYED/DID NOT GET MEDICAL CARE FELT NEEDED IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	175	5.18
2	NO	3204	94.82

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF22 QNAME09: QT09_I16 QPAGENUM: T-29
 QNAME07: QT07_I14 QNAME05: QT05_I17

LABEL: COST/LACK OF INS REASON MEDICAL CARE DELAYED OR NOT RECVD

VALUE:		FREQ	%
-1	INAPPLICABLE	3204	94.82
1	YES	57	1.69
2	NO	118	3.49

UNIVERSE: ADOLESCENTS WHO DELAYED/DID NOT GET MEDICAL CARE LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI11 QNAME09: QT09_I18 QPAGENUM: T-29
QNAME07: QT07_I10 QNAME05: QT05_I13

LABEL: NEEDED HELP FOR EMOTIONAL PROBLEM IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	429	12.70
2	NO	2950	87.30

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TF11 QNAME09: QT09_I19 QPAGENUM: T-29
QNAME07: QT07_I11 QNAME05: QT05_I15

LABEL: RECVD PSYCHOLOGICAL/EMOTIONAL COUNSELING IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	342	10.12
2	NO	3037	89.88

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

Section J: Adult Supervision, Role Models, and Civic Engagement

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH2 QNAME09: QT09_J2 QPAGENUM: T-31
QNAME07: QT07_K2 QNAME05: QT05_J2

LABEL: LIVES WITH BOTH PARENTS IN SAME HOUSE OR APARTMENT

VALUE:		FREQ	%
-1	INAPPLICABLE	845	25.01
1	YES	2478	73.34
2	NO	56	1.66

UNIVERSE: ADOLESCENTS WHOSE PARENTS ARE MARRIED, NOT MARRIED BUT LIVE TOGETHER OR OTHER

INPUT VAR:

NOTES:

VARNAME: TH5 QNAME09: QT09_J3 QPAGENUM: T-31
QNAME07: QT07_K3 QNAME05: QT05_J3

LABEL: FREQUENCY OF AN ADULT AROUND DURING AFTER SCHOOL HRS

VALUE:		FREQ	%
1	ALWAYS	1430	42.32
2	MOST OF THE TIME	1469	43.47
3	SOME OF THE TIME	384	11.36
4	ALMOST NEVER	59	1.75
5	NEVER	37	1.09

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH6A QNAME09: QT09_J4 QPAGENUM: T-31
 QNAME07: NA QNAME05: QT05_J4

LABEL: HOW MUCH PARENT/GUARDIAN REALLY KNOW WHERE YOU GO AT NIGHT

VALUE:		FREQ	%
1	A LOT	2649	78.40
2	A LITTLE	344	10.18
3	NOTHING	60	1.78
4	DOESN'T GO OUT AT NIGHT	326	9.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: TH22 QNAME09: QT09_J5 QPAGENUM: T-32
 QNAME07: NA QNAME05: NA

LABEL: ADMIRES AND WOULD WANT TO BE LIKE SOME PERSON

VALUE:		FREQ	%
1	YES	2066	61.14
2	NO	1313	38.86

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH23 QNAME09: QT09_J6 QPAGENUM: T-32
QNAME07: NA QNAME05: NA

LABEL: ADMIRES PERSON'S CATEGORY

VALUE:		FREQ	%
-1	INAPPLICABLE	1313	38.86
1	FAMILY MEMBER	580	17.16
2	ATHLETE	449	13.29
3	ENTERTAINER	406	12.02
4	TEACHER	128	3.79
5	FRIEND	225	6.66
6	OTHER	132	3.91
7	HISTORICAL FIGURE	74	2.19
8	LITERARY AUTHOR/CHARACTER	26	0.77
9	WRITER/AUTHOR	46	1.36

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

VARNAME: TH24 QNAME09: QT09_J7 QPAGENUM: T-32
QNAME07: NA QNAME05: NA

LABEL: ADMIRES MALE OR FEMALE

VALUE:		FREQ	%
-1	INAPPLICABLE	1313	38.86
1	MALE	1240	36.70
2	FEMALE	826	24.45

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH25 QNAME09: QT09_J8 QPAGENUM: T-32
QNAME07: NA QNAME05: NA

LABEL: RACE/ETHNICITY OF PERSON WHO ADMIRES

VALUE:		FREQ	%
-1	INAPPLICABLE	1313	38.86
1	WHITE	1160	34.33
2	AFRICAN AMERICAN	293	8.67
3	HISPANIC/LATINO	422	12.49
4	ASIAN/ASIAN-AMERICAN	150	4.44
5	PACIFIC ISLANDER	7	0.21
6	AMERICAN INDIAN/ALASKAN NATIVE/NATIVE	11	0.33
7	NATIVE HAWAIIAN	5	0.15
91	OTHER/MULTI-ETHNIC	18	0.53

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES:

VARNAME: TJ1 QNAME09: QT09_J9 QPAGENUM: T-33
QNAME07: NA QNAME05: NA

LABEL: # OF YEARS TEEN HAS ADMIRE SOMEONE

MEAN STATISTICS	
N	1945
MIN	1
MAX	17
MEAN	5.10

UNIVERSE: ADOLESCENTS WHO ADMIRE SOMEONE

INPUT VAR:

NOTES: EXCLUDED VALUE "91" IN CALCULATING THE MEAN

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TH21 QNAME09: QT09_J10 QPAGENUM: T-33

QNAME07: NA QNAME05: NA

LABEL: DONE VOLUNTEER WORK OR COMMUNITY SERVICES IN PAST 12 MOS

VALUE:		FREQ	%
1	YES	2098	62.09
2	NO	1281	37.91

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: PMARIT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: PARENTS' MARITAL STATUS (3 LVLS)

VALUE:		FREQ	%
1	MARRIED	2412	71.38
2	SEP/DIV/ONE OR BOTH DECEASED/OTHER	655	19.38
3	NEVER MARRIED	312	9.23

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TH1

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: PMARIT2 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: PARENTS' MARITAL STATUS (4 LVLS)

VALUE:		FREQ	%
1	MARRIED	2412	71.38
2	NEVER MARRIED, BUT LIVE WITH EACH OTHER	111	3.28
3	SEPARATED/DIVORCED/DECEASED/OTHER	655	19.38
4	NEVER MARRIED, NOT LIVE WITH EACH OTHER	201	5.95

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TH1

NOTES:

Section K: Demographic Information Part II

VARNAME: CATRIBE QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CALIFORNIA TRIBE

VALUE:		FREQ	%
-9	UNKNOWN TRIBAL HERITAGE	57	1.69
-1	INAPPLICABLE	3199	94.67
1	CALIFORNIA TRIBAL HERITAGE	25	0.74
2	NON-CALIFORNIA TRIBAL HERITAGE	98	2.90

UNIVERSE: ADOLESCENTS WHO ARE AMERICAN INDIANS

INPUT VAR: TI2A_1-TI2A_10 TI2AOS TI2COS

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: TI2B QNAME09: QT09_K5 QPAGENUM: T-35
QNAME07: QT07_L5 QNAME05: QT05_K5

LABEL: ENROLLED MEMBER IN FEDERALLY OR STATE RECOGNIZED TRIBE

VALUE:		FREQ	%
-9	NOT ASCERTAINED	16	0.47
-8	DON'T KNOW	14	0.41
-1	INAPPLICABLE	3216	95.18
1	YES	18	0.53
2	NO	115	3.40

UNIVERSE: ADOLESCENTS WHO ARE AMERICAN INDIAN/ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: RACECN_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION (PUF RECODE)

VALUE:		FREQ	%
1	AMERICAN INDIAN/ALASKAN NATIVE	112	3.31
2	ASIAN	378	11.19
3	AFRICAN AMERICAN	124	3.67
4	WHITE	1847	54.66
5	PI/OTHER SINGLE RACE	735	21.75
6	MORE THAN ONE RACE	183	5.42

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACECEN

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACECN_A QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
1	AMERICAN INDIAN/ALASKAN NATIVE	48	1.42
2	ASIAN	364	10.77
3	AFRICAN AMERICAN	110	3.26
4	WHITE	2063	61.05
5	PI/OTHER SINGLE RACE	672	19.89
6	MORE THAN ONE RACE	78	2.31

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACECEN

NOTES:

VARNAME: RACEDO_A QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
1	LATINO	1071	31.70
2	NON-LATINO AMERICAN INDIAN/ALASKAN	27	0.80
3	NON-LATINO ASIAN	361	10.68
4	NON-LATINO AFR. AMER.	109	3.23
5	NON-LATINO WHITE	1693	50.10
6	NON-LATINO PI/OTH. ONE RACE	7	0.21
7	NON-LATINO, TWO+ RACES	67	1.98

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEDOF

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEDO_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - FORMER DOF RACE-ETHNICITY (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	1226	36.28
2	NON-LATINO AMERICAN INDIAN/ALASKAN	46	1.36
3	NON-LATINO ASIAN	363	10.74
4	NON-LATINO AFR. AMER.	100	2.96
5	NON-LATINO WHITE	1480	43.80
6	NON-LATINO PI/OTH. ONE RACE	9	0.27
7	NON-LATINO, TWO+ RACES	155	4.59

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEDOF

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEHP2A QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	269	7.96
1	LATINO	700	20.72
2	AIAN	34	1.01
3	ASIAN	342	10.12
4	AFRICAN AMERICAN	105	3.11
5	WHITE	1659	49.10
6	PI/OTHER SINGLE/MULTIPLE RACE	270	7.99

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_A OF PREVIOUS CYCLES

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RACEHP2P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
1	LATINO	814	24.09
2	AIAN	40	1.18
3	ASIAN	377	11.16
4	AFRICAN AMERICAN	115	3.40
5	WHITE	1739	51.46
6	PI/OTHER SINGLE/MULTIPLE RACE	294	8.70

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: RACEHPR2

NOTES: NOT FOR DIRECT COMPARISON TO RACEHP_P OF PREVIOUS CYCLES

VARNAME: LATIN7TP QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LATIN/HISPANIC SUBTYPES (7 LVLS)

VALUE:		FREQ	%
-1	NON-LATINO	2153	63.72
1	MEXICAN	995	29.45
2	SALVADORAN	34	1.01
3	CENTRAL AMERICAN	36	1.07
4	LATINO EUROPEAN	16	0.47
5	SOUTH AMERICAN	19	0.56
6	OTHER LATINO	47	1.39
7	2+ LATINO TYPES	79	2.34

UNIVERSE: ADOLESCENTS WHO ARE LATINO/HISPANIC

INPUT VAR: LATIN9TP

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: ASIAN8 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	2918	86.36
1	CHINESE	82	2.43
2	JAPANESE	41	1.21
3	KOREAN	72	2.13
4	FILIPINO	37	1.09
5	SOUTH ASIAN	36	1.07
6	VIETNAMESE	121	3.58
7	SOUTHEAST ASIAN	6	0.18
8	OTHER ASIAN/2+ ASIAN TYPES	66	1.95

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR:

NOTES:

VARNAME: ASNHP2_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ASIAN GROUP-UCLA CHPR DEFINITION, UNBRIDGED (PUF RECODE)

VALUE:		FREQ	%
-1	NON-ASIAN	3002	88.84
1	CHINESE	71	2.10
2	FILIPINO	23	0.68
3	SOUTH ASIAN	38	1.12
4	JAPANESE	17	0.50
5	KOREAN	68	2.01
6	VIETNAMESE	127	3.76
7	CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE	33	0.98

UNIVERSE: ADOLESCENTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		167	4.94
2	NO		3212	95.06

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		180	5.33
2	NO		3199	94.67

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		461	13.64
2	NO		2918	86.36

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRASO QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		117	3.46
2	NO		3262	96.54

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRCH QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		118	3.49
2	NO		3261	96.51

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRH QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		1226	36.28
2	NO		2153	63.72

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRH_A QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED LATINO/HISPANIC (ADULT)

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
1	YES	1071	31.70
2	NO	2264	67.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRH

NOTES:

VARNAME: SRKR QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED KOREAN

VALUE:		FREQ	%
1	YES	82	2.43
2	NO	3297	97.57

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRO QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:		FREQ	%
1	YES	716	21.19
2	NO	2663	78.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRPH QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED FILIPINO

VALUE:		FREQ	%
1	YES	49	1.45
2	NO	3330	98.55

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRPI QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:		FREQ	%
1	YES	35	1.04
2	NO	3344	98.96

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: SRVT QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		152	4.50
2	NO		3227	95.50

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: SRW QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		2020	59.78
2	NO		1359	40.22

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: CNTRYF QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: COUNTRY FATHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		1992	58.95
2	MEXICO		774	22.91
3	CENTRAL AMERICA		79	2.34
4	OTHER LATIN AMERICA		37	1.09
5	ASIA & PACIFIC ISLANDS		378	11.19
6	EUROPE		81	2.40
7	OTHER		38	1.12

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

 VARNAME: CNTRYS QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: COUNTRY BORN IN

VALUE:			FREQ	%
1	UNITED STATES		2973	87.98
2	MEXICO		227	6.72
3	CENTRAL AMERICA		23	0.68
4	OTHER LATIN AMERICA		10	0.30
5	ASIA & PACIFIC ISLANDS		110	3.26
6	EUROPE		28	0.83
7	OTHER		8	0.24

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI3

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: CNTRYM QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COUNTRY MOTHER BORN IN

VALUE:			FREQ	%
1	UNITED STATES		2012	59.54
2	MEXICO		758	22.43
3	CENTRAL AMERICA		87	2.57
4	OTHER LATIN AMERICA		26	0.77
5	ASIA & PACIFIC ISLANDS		381	11.28
6	EUROPE		79	2.34
7	OTHER		36	1.07

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: CITIZ2_F QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF FATHER (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		1992	58.95
2	NATURALIZED CITIZEN		664	19.65
3	NON-CITIZEN		723	21.40

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARIABLE: CITIZ2_M QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP AND IMMIGRATION STATUS OF MOTHER (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	2012	59.54
2	NATURALIZED CITIZEN	578	17.11
3	NON-CITIZEN	789	23.35

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARIABLE: CITIZEN2 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:		FREQ	%
1	US-BORN CITIZEN	2973	87.98
2	NATURALIZED CITIZEN	120	3.55
3	NON-CITIZEN	286	8.46

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: TI3-TI5

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: YRUS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: YEARS ADOLESCENT LIVED IN US

VALUE:		FREQ	%
-1	INAPPLICABLE	2973	87.98
1	<=1 YEAR	23	0.68
2	2-4 YEARS	65	1.92
3	5-9 YEARS	138	4.08
4	10-14 YEARS	162	4.79
5	15+ YEARS	18	0.53

UNIVERSE: ADOLESCENTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR: TADATE TI6 TI6YR TI6FMT

NOTES:

VARNAME: YRUSF QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: YEARS FATHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	1996	59.07
1	<=1 YEAR	34	1.01
2	2-4 YEARS	39	1.15
3	5-9 YEARS	93	2.75
4	10-14 YEARS	147	4.35
5	15-19 YEARS	194	5.74
6	20-24 YEARS	292	8.64
7	25-29 YEARS	217	6.42
8	30+ YEARS	367	10.86

UNIVERSE: ADOLESCENTS WITH FATHER BORN OUTSIDE OF USA OR US TERRITORY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: YRUSM QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: YEARS MOTHER HAS LIVED IN THE US

VALUE:		FREQ	%
-1	INAPPLICABLE	2018	59.72
1	<=1 YEAR	20	0.59
2	2-4 YEARS	56	1.66
3	5-9 YEARS	136	4.02
4	10-14 YEARS	223	6.60
5	15-19 YEARS	317	9.38
6	20-24 YEARS	261	7.72
7	25-29 YEARS	122	3.61
8	30+ YEARS	226	6.69

UNIVERSE: ADOLESCENTS WITH MOTHER BORN OUTSIDE OF USA OR US TERRITORY

INPUT VAR:

NOTES:

VARNAME: LNGHME_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LANGUAGE SPOKEN AT HOME (PUF RECODE)

VALUE:		FREQ	%
1	ENGLISH	1910	56.53
2	SPANISH	166	4.91
3	VIETNAMESE	22	0.65
4	KOREAN	10	0.30
5	ENGLISH & SPANISH	853	25.24
6	ENGLISH & CHINESE	58	1.72
7	ENGLISH & EUROPEAN LANGUAGE	78	2.31
8	ENGLISH & ANOTHER ASIAN LANGUAGE	177	5.24
9	ENGLISH & ONE OTHER LANGUAGE	49	1.45
10	CHINESE OR ONE OTHER LANGUAGE	17	0.50
11	OTHER LANGUAGES (2+)	39	1.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section M: Dental or Oral Health

VARNAME: TF14 QNAME09: QT09_M1 QPAGENUM: T-30
QNAME07: QT07_J1 QNAME05: NA

LABEL: HOW LONG SINCE LAST VISIT TO DENTIST

VALUE:		FREQ	%
0	HAVE NEVER VISITED	27	0.80
1	LESS THAN 6 MONTHS AGO	2642	78.19
2	6 MONTHS TO 1 YR AGO	455	13.47
3	1 TO 2 YRS AGO	143	4.23
4	2 TO 5 YRS AGO	90	2.66
5	5 OR MORE YRS AGO	22	0.65

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: TM1 QNAME09: QT09_M2 QPAGENUM: T-30
QNAME07: QT07_J3 QNAME05: NA

LABEL: MAIN REASON HAS NOT VISITED DENTIST

VALUE:		FREQ	%
-1	INAPPLICABLE	3097	91.65
1	COST, COULD NOT AFFORD	37	1.09
2	NO INSURANCE	41	1.21
3	DID NOT HAVE A DENTIST, NONE AVAILABLE	15	0.44
4	FEAR, PAIN, NERVOUSNESS	7	0.21
5	NO TRANSPORTATION, TOO FAR AWAY	10	0.30
6	NO PROBLEMS WITH TEETH	132	3.91
7	OTHER, SPECIFY	8	0.24
8	NO TIME/TOO BUSY/CONFLICT WITH WORK/SCHO	21	0.62
9	PROCRASTINATION	8	0.24
10	RECODE THE PREVIOUS QUESTION AS SAW DENT	3	0.09

UNIVERSE: ADOLESCENTS WHO HAVE NOT VISITED DENTIST IN THE PAST YEAR

INPUT VAR:

NOTES:

Section N: Health Insurance

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: AI82 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$1000

VALUE:			FREQ	%
-5	-5		44	1.30
-1	INAPPLICABLE		3064	90.68
1	YES		81	2.40
2	NO		190	5.62

UNIVERSE: ADOLESCENTS WHO HAVE HEALTH PLANS

INPUT VAR:

NOTES:

VARNAME: AI83 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE > \$2000

VALUE:			FREQ	%
-5	-5		44	1.30
-1	INAPPLICABLE		3064	90.68
1	YES		41	1.21
2	NO		230	6.81

UNIVERSE: ADOLESCENTS WHO HAVE HEALTH PLANS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA1 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I33 QNAME05: QA05_I33

LABEL: TEEN COVERED BY MEDI-CAL

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	2632	77.89
1	YES	156	4.62
2	NO	547	16.19

UNIVERSE: ADOLESCENTS WITH DIFFERENT HEALTH INSURANCE THAN ADULT RESPONDENT, RESPONDENT'S SPOUSE OR SAMPLED CHILD

INPUT VAR:

NOTES:

VARNAME: IA10A QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I30 QNAME05: QA05_I30

LABEL: TEEN HAS SAME INS AS ADULT RESPONDENT

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	501	14.83
1	YES	2272	67.24
2	NO	562	16.63

UNIVERSE: ADOLESCENTS W/ ADULT RESPONDENT WHO HAS HEALTH INSURANCE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA14 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I48 QNAME05: QA05_I48

LABEL: TEEN COVERED FOR PRESCRIPTIONS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	444	13.14
1	YES	2710	80.20
2	NO	181	5.36

UNIVERSE: ADOLESCENTS W/ HEALTH INS PLAN THAT WAS MISSED

INPUT VAR:

NOTES:

VARNAME: IA2 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I35 QNAME05: QA05_I35

LABEL: TEEN COVERED BY HEALTHY FAMILIES PROGRAM

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	2788	82.51
1	YES	169	5.00
2	NO	378	11.19

UNIVERSE: ADOLESCENTS WHO DO NOT HAVE SAME INS AS ADULT RESPONDENT,
RESPONDENT'S SPOUSE OR SAMPLED CHILD

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IA20 QNAME09: NA QPAGENUM: NA
 QNAME07: QA07_I50 QNAME05: QA05_I50
 LABEL: TEEN COVERED BY HEALTH INS IN PAST 12 MOS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	3145	93.07
1	YES	67	1.98
2	NO	123	3.64

UNIVERSE: ADOLESCENTS W/ NO HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: IA21 QNAME09: NA QPAGENUM: NA
 QNAME07: QA07_I51 QNAME05: QA05_I51
 LABEL: HOW LONG SINCE TEEN LAST HAD HEALTH INS

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	3212	95.06
1	1 TO 3 YRS AGO	48	1.42
2	MORE THAN 3 YRS AGO	45	1.33
3	NEVER HAD HEALTH INS COVERAGE	30	0.89

UNIVERSE: ADOLESCENTS W/ NO HEALTH INSURANCE COVERAGE IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IAP1 QNAME09: NA QPAGENUM: NA
 QNAME07: QA07_L2 QNAME05: QA05_L2
 LABEL: CURRENTLY ON AFDC/TANF/CALWORKS
 VALUE: -5 ADULT/HOUSEHOLD INFO NOT COLLECTED 313 9.26
 -1 INAPPLICABLE 1526 45.16
 1 YES 135 4.00
 2 NO 1405 41.58

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: IAP2 QNAME09: NA QPAGENUM: NA
 QNAME07: QA07_L4 QNAME05: QA05_L4
 LABEL: CURRENTLY GETTING FOOD STAMPS
 VALUE: -5 ADULT/HOUSEHOLD INFO NOT COLLECTED 313 9.26
 -1 INAPPLICABLE 1526 45.16
 1 YES 272 8.05
 2 NO 1268 37.53

UNIVERSE: ADOLESCENTS LIVING WITH AN ADULT WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: IHS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		9	0.27
2	NO		3370	99.73

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		3175	93.96
2	NO		204	6.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: INS12M QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

 MEAN STATISTICS

N	3379
MIN	0
MAX	12
MEAN	11.29

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INS64 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

VALUE:		FREQ	%
1	UNINSURED	204	6.04
2	MEDI-CAL (MEDICAID)	693	20.51
3	CHIP	280	8.29
5	EMPLOYMENT-BASED	1920	56.82
6	PRIVATELY PURCHASED	199	5.89
7	OTHER PUBLIC	83	2.46

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSANY QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:			FREQ	%
1	CURRENTLY UNINSURED		204	6.04
2	UNINS. ANY PAST 12 MO		69	2.04
3	INSURED ALL PAST 12 MO		3106	91.92

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INSEM QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		1976	58.48
2	NO		1403	41.52

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: INSHF QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY HEALTHY FAMILIES

VALUE:		FREQ	%
1	YES	299	8.85
2	NO	3080	91.15

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INSMC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDICARE

VALUE:		FREQ	%
-1	INAPPLICABLE	3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: INSMD QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDI-CAL

VALUE:		FREQ	%
1	YES	693	20.51
2	NO	2686	79.49

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: INSOG QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		71	2.10
2	NO		3308	97.90

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAM: INSPR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE:			FREQ	%
1	YES		210	6.21
2	NO		3169	93.79

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: INST_12 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
1	MEDI-CAL (MEDICAID) ONLY	635	18.79
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	1858	54.99
3	PRIVATE COVERAGE ONLY	193	5.71
4	OTHER COVERAGE ONLY	344	10.18
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	76	2.25
6	UNINSURED ONLY	136	4.02
7	UNINSURED + EMPLOYER-BASED ONLY	29	0.86
8	ANY 1 OR MORE TYPES + UNINSURED	108	3.20

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: INSLT12

NOTES:

 VARNAME: INSTYPE QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: INSURANCE TYPE

VALUE:		FREQ	%
1	UNINSURED	204	6.04
5	MEDICAID	693	20.51
6	HEALTHY FAMILIES	280	8.29
7	EMPLOYMENT-BASED	1920	56.82
8	PRIVATELY PURCHASED	200	5.92
9	OTHER PUBLIC	82	2.43

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRAGE INS INSMO INSMC INSEM INSHF INSPR INSMO INSMO INSMO INSMO INSMO
 AI4 AI25 AH49

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA5 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I31 QNAME05: QA05_I31

LABEL: TEEN HAS SAME INS AS SPOUSE

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	3084	91.27
1	YES	106	3.14
2	NO	145	4.29

UNIVERSE: ADOLESCENTS W/ AN ADULT RESPONDENT WHOSE SPOUSE HAS INSURANCE

INPUT VAR:

NOTES:

VARNAME: MA6 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I32 QNAME05: QA05_I32

LABEL: TEEN HAS SAME INS AS CHILD

VALUE:		FREQ	%
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	2964	87.72
1	YES	254	7.52
2	NO	117	3.46

UNIVERSE: (ADOLESCENTS DO NOT HAVE THE SAME INSURANCE AS ADULT RESPONDENT AND SPOUSE OF ADULT RESPONDENT) AND SAMPLED CHILD HAS INSURANCE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA7_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	43	1.27
-8	DON'T KNOW	287	8.49
-7	REFUSED	16	0.47
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	229	6.78
1	KAISER	486	14.38
2	BLUE CROSS	737	21.81
3	PACIFICARE	133	3.94
4	BLUE SHIELD	288	8.52
5	HEALTH NET	182	5.39
6	AETNA	153	4.53
7	CIGNA HEALTH CARE	66	1.95
8	OTHER	715	21.16

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE WHO HAS PLAN MISSED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: MA8 QNAME09: NA QPAGENUM: NA
QNAME07: QA07_I46 QNAME05: QA05_I47

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:		FREQ	%
-8	DON'T KNOW	1	0.03
-5	ADULT/HOUSEHOLD INFO NOT COLLECTED	44	1.30
-1	INAPPLICABLE	407	12.04
1	YES	1517	44.89
2	NO	1410	41.73

UNIVERSE: ADOLESCENTS COVERED BY HLTH INS OTH THAN THOSE HAS PLAN MISSED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

 VARNAME: RSN_UNI2 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: REASON FOR UNINSURED STATUS PAST 12 MOS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	3106	91.92
1	CANT AFFORD/TOO EXPENSIVE	121	3.58
2	NOT ELIGIBLE DUE TO WORKING STATUS	26	0.77
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	8	0.24
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	15	0.44
5	FAMILY SITUATION CHANGED	9	0.27
6	DONT BELIEVE IN INSURANCE	5	0.15
7	SWITCHED INSURANCE COMPANIES, DELAY	9	0.27
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	6	0.18
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	3	0.09
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	23	0.68
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	2	0.06
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	3	0.09
13	NOT OFFERED AT JOB	1	0.03
14	NO NEED - GENERAL	5	0.15
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	6	0.18
16	OTHER	22	0.65
92	R THOUGHT WAS INSURED	9	0.27

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED PAST 12 MOS

INPUT VAR: UNINSANY IA18 IA29

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAMES: RSN_UNIN QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

VALUE:		FREQ	%
-1	SKIP-INSURANCE	3175	93.96
1	CANT AFFORD/TOO EXPENSIVE	100	2.96
2	NOT ELIGIBLE DUE TO WORKING STATUS	9	0.27
3	NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB	6	0.18
4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT	15	0.44
5	FAMILY SITUATION CHANGED	4	0.12
6	DONT BELIEVE IN INSURANCE	5	0.15
7	SWITCHED INSURANCE COMPANIES, DELAY	2	0.06
8	CAN GET HEALTH CARE FOR FREE/PAY FOR OWN	6	0.18
9	CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE	3	0.09
10	PROCRASTINATION/HASNT TAKEN STEPS TO GET	17	0.50
11	DONT KNOW WHERE OR HOW TO GET INSURANCE/	2	0.06
12	HEALTH INSURANCE WAS CANCELLED/WAS DROPP	2	0.06
13	NOT OFFERED AT JOB	1	0.03
14	NO NEED - GENERAL	5	0.15
15	IN PROCESS OF LOOKING FOR/GETTING INSURA	5	0.15
16	OTHER	13	0.38
92	R THOUGHT WAS INSURED	9	0.27

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR: INS IA18 IA29

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:		FREQ	%
1	UNINSURED ALL YEAR	136	4.02
2	UNINSURED PART YEAR	137	4.05
3	INSURED ALL YEAR	3106	91.92

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: ELIGPRG3 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:		FREQ	%
-5	INSURED	3175	93.96
1	MEDI-CAL (MEDICAID) ELIG.	61	1.81
2	HEALTHY FAM ELIG.	59	1.75
3	NOT ELIG.	84	2.49

UNIVERSE: ADOLESCENTS WHO ARE UNINSURED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section O: Demographic Information, Part III, Geographic Information

VARNAME: UR_BG QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

VALUE:		FREQ	%
1	URBAN	947	28.03
2	2ND CITY	851	25.18
3	SUBURBAN	826	24.45
4	TOWN AND RURAL	755	22.34

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: UR_CLRT QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:		FREQ	%
1	URBAN	1032	30.54
2	2ND CITY	1085	32.11
3	SUBURBAN	643	19.03
4	TOWN AND RURAL	619	18.32

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: BESTZIP

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_CLRT2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:		FREQ	%
1	URBAN	2760	81.68
2	RURAL	619	18.32

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: UR_CLRT

NOTES:

VARNAME: UR_IHS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - IHS

VALUE:		FREQ	%
1	URBAN	2060	60.96
2	RURAL	1319	39.04

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - OMB

VALUE:		FREQ	%
1	METROPOLITAN	3138	92.87
2	NON-METROPOLITAN	241	7.13

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: UR_RHP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - RHP

VALUE:		FREQ	%
1	URBAN	2789	82.54
2	RURAL	590	17.46

UNIVERSE: ALL ADOLESCENTS

INPUT VAR: SRCNTY TRACT

NOTES:

VARNAME: UR_TRACT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

VALUE:		FREQ	%
1	URBAN	967	28.62
2	2ND CITY	880	26.04
3	SUBURBAN	795	23.53
4	TOWN AND RURAL	737	21.81

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

Section P: Full Design and Replicate Weight Series 0-80

VARIABLE: RAKEDW0 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - FULL SAMPLE

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARIABLE: RAKEDW1 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 1

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW2 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 2
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW3 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 3
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW4 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 4
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW5 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 5
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW6 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 6
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW7 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 7
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW8 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 8
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW9 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 9
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW10 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 10
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW11 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 11

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW12 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 12

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW13 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 13

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW14 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 14
VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW15 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 15
VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW16 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 16
VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW17 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 17
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW18 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 18
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW19 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 19
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW20 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 20
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW21 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 21
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW22 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 22
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW23 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 23
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW24 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 24
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW25 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 25
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW26 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 26
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW27 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 27
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW28 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 28
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

```

-----
VARNAM:      RAKEDW29            QNAME09:  NA            QPAGENUM:  NA
                        QNAME07:  NA            QNAME05:  NA

LABEL:      CHIS2009 RAKED WEIGHT - REPLICATE 29

VALUE:      0-HIGH CONTINUOUS            FREQ      %
                        3379            100.00

UNIVERSE:   ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----
    
```

```

-----
VARNAM:      RAKEDW30            QNAME09:  NA            QPAGENUM:  NA
                        QNAME07:  NA            QNAME05:  NA

LABEL:      CHIS2009 RAKED WEIGHT - REPLICATE 30

VALUE:      0-HIGH CONTINUOUS            FREQ      %
                        3379            100.00

UNIVERSE:   ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----
    
```

```

-----
VARNAM:      RAKEDW31            QNAME09:  NA            QPAGENUM:  NA
                        QNAME07:  NA            QNAME05:  NA

LABEL:      CHIS2009 RAKED WEIGHT - REPLICATE 31

VALUE:      0-HIGH CONTINUOUS            FREQ      %
                        3379            100.00

UNIVERSE:   ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----
    
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW32 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 32

VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW33 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 33

VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW34 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 34

VALUE: 0-HIGH CONTINUOUS FREQ %
3379 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW35 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 35
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW36 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 36
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW37 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 37
 VALUE: 0-HIGH CONTINUOUS
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW38 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 38

VALUE:		FREQ	%
0-HIGH CONTINUOUS		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW39 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 39

VALUE:		FREQ	%
0-HIGH CONTINUOUS		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW40 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 40

VALUE:		FREQ	%
0-HIGH CONTINUOUS		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW41 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 41
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW42 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 42
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

VARNAME: RAKEDW43 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 43
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ %
3379 100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW44 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 44

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW45 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 45

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW46 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 46

VALUE: 0-HIGH CONTINUOUS

	FREQ	%
0-HIGH CONTINUOUS	3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW47 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 47

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW48 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 48

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW49 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 49

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM: RAKEDW50 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 50
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAM: RAKEDW51 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 51
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAM: RAKEDW52 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 52
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW53 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 53

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW54 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 54

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW55 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 55

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW56 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 56
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW57 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 57
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW58 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 58
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW59 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 59

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW60 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 60

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW61 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 61

VALUE: 0-HIGH CONTINUOUS FREQ 3379 % 100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW62 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 62
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW63 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 63
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW64 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 64
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW65 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 65
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW66 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 66
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

VARNAME: RAKEDW67 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 67
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADOLESCENTS
INPUT VAR:
NOTES:

FREQ	%
3379	100.00

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW68 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 68
 VALUE: 0-HIGH CONTINUOUS FREQ %
 3379 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW69 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 69
 VALUE: 0-HIGH CONTINUOUS FREQ %
 3379 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

VARNAME: RAKEDW70 QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 70
 VALUE: 0-HIGH CONTINUOUS FREQ %
 3379 100.00
 UNIVERSE: ALL ADOLESCENTS
 INPUT VAR:
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAM:	RAKEDW71	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 71

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAM:	RAKEDW72	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 72

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAM:	RAKEDW73	QNAME09:	NA	QPAGENUM:	NA
		QNAME07:	NA	QNAME05:	NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 73

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

```

-----
VARNAME:   RAKEDW74              QNAME09:  NA              QPAGENUM: NA
                QNAME07:  NA              QNAME05:  NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 74

VALUE:     0-HIGH CONTINUOUS                3379          %
                                                100.00

UNIVERSE:  ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW75              QNAME09:  NA              QPAGENUM: NA
                QNAME07:  NA              QNAME05:  NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 75

VALUE:     0-HIGH CONTINUOUS                3379          %
                                                100.00

UNIVERSE:  ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:   RAKEDW76              QNAME09:  NA              QPAGENUM: NA
                QNAME07:  NA              QNAME05:  NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 76

VALUE:     0-HIGH CONTINUOUS                3379          %
                                                100.00

UNIVERSE:  ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

VARNAME: RAKEDW77 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 77

VALUE: 0-HIGH CONTINUOUS

FREQ	%
3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW78 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 78

VALUE: 0-HIGH CONTINUOUS

FREQ	%
3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW79 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 79

VALUE: 0-HIGH CONTINUOUS

FREQ	%
3379	100.00

UNIVERSE: ALL ADOLESCENTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
TEEN SURVEY DATA DICTIONARY

```
-----
VARNAME:   RAKEDW80                QNAME09:  NA                QPAGENUM:  NA
                                                QNAME07:  NA                QNAME05:  NA

LABEL:     CHIS2009 RAKED WEIGHT - REPLICATE 80

VALUE:     0-HIGH CONTINUOUS                FREQ      %
                                                3379     100.00

UNIVERSE:  ALL ADOLESCENTS

INPUT VAR:

NOTES:
-----
```