

AANHPI Follow-on Study Public Use File 2021 Data Dictionary

**Public Use File Data Dictionary** 

October 2022



## **AANHPI 2021 DATA DICTIONARY**

## **Public Use File**

October 2022

Contact:

UCLA Center for Health Policy Research 10960 Wilshire Blvd., Suite 1550 Los Angeles, CA 90024

### Suggested Citation:

AANHPI Follow-on Study. 2021 Survey. UCLA Center for Health Policy Research. Los Angeles, CA: October 2022

# TABLE OF CONTENTS

<b>1. Introduction</b>	2
<ul><li>1.1 AANHPI 2021 Survey Data File</li><li>1.2 Accompanying Files</li></ul>	
2. AANHPI Data Dictionary	3
Click on the "Bookmarks" icon to navig	ate between sections
of the data dictionary:	

### 1. Introduction

### 1.1 AANHPI 2021 Survey Data File

The 2021 Asian American and Native Hawaiian/Pacific Islander Follow-on Study (AANHPI 2021) Data File consists of individual records obtained from the 2021 data collection period of the AANHPI survey. The AANHPI survey is a follow back study of the California Health Interview Survey (CHIS). 2021 CHIS public use file variables are also found in the AANHPI 2021 data file.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 19-001082) and the California Committee for the Protection of Human Subjects (2019-080-UCLA). The data files listed below must be maintained in accordance with the provisions of the data use agreement between the recipient and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available.

### 1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

a. Data file: AANHPI\_PUF.SAS7BDAT

b. Proc format file: ADULT PROC FORMAT.SAS

c. Format file: ADULT\_FORMAT.SASd. Label file: ADULT\_LABEL.SAS

### 2. AANHPI Data Dictionary

### **How to Use the Data Dictionary**

This Data Dictionary describes the variables in the AANHPI 2021 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire, with California Health Interview Survey (CHIS) variables first, followed by AANHPI follow back study variables.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
- -1: INAPPLICABLE.
- -2: PROXY SKIPPED.
- -7: REFUSED.
- -8: DON'T KNOW.
- **-9:** NOT ASCERTAINED.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- INPUT VAR: Source variables used to construct the one in the VARNAME field.
- **NOTES**: Additional information about the variable.

#### **Navigation**

Users can also navigate between data dictionary sections by clicking on the section listings on the next page.

#### TABLE OF CONTENTS

VARIABLE NAME (alphabetical)

VARIABLE NAME (location)

SECTION A: DEMOGRAPHIC INFORMATION, PART I

SECTION AP: AANHPI FOLLOW-ON

SECTION B: GENERAL HEALTH CONDITION

SECTION C: HEALTH BEHAVIORS

SECTION CV: COVID-19

SECTION D: GENERAL HEALTH, DISABILITY &

SEXUAL HEALTH

SECTION E: WOMEN'S HEALTH

SECTION F: MENTAL HEALTH

SECTION G: DEMOGRAPHIC INFORMATION, PART II

& CHILD CARE

SECTION GV: GUN VIOLENCE

SECTION H: HEALTH INSURANCE

SECTION J: HEALTH CARE UTILIZATION/ACCESS &

DENTAL HEALTH

SECTION K: EMPLOYMENT, INCOME, POVERTY

STATUS & FOOD SECURITY

SECTION L: PUBLIC PROGRAM PARTICIPATION

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.

SECTION P: VOTER ENGAGEMENT

SECTION Q: SCREENING INFORMATION

SECTION R: ADVERSE CHILDHOOD EXPERIENCES

# Variable Name (alphabetical)

Variable	Label	Page
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-7
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-7
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-1
AANHPI_ID	AANHPI ID	AP-1
	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: PRINT NEWSPAPER	AP-1
	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FRIENDS/COLLEAGUES	AP-5
AAPI1_11	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: PODCASTS	AP-6
AAPI1_13	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NONE OF THESE	AP-6
AAPI1_2	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NEWS WEBSITES/APPS	AP-1
AAPI1_3	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: MAGAZINES	AP-2
AAPI1_4	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: SOCIAL MEDIA	AP-2
AAPI1_5	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: INTERNET	AP-3
AAPI1_6	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: TV	AP-3
AAPI1_7	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: RADIO	AP-4
AAPI1_8	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: GOV'T AGENCIES	AP-4
AAPI1_9	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FAMILY	AP-5
AAPI1_91	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: OTHER	AP-7
AAPI1_NO	DO NOT KNOW WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS	AP-7
AAPI10_1	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: RACE/ETHNICIT	AP-62
AAPI10_2	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: FINANCIAL COS	AP-63
AAPI10_3	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LACK OF INSUR	AP-63

AAPI10_4	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED ENGLI	AP-64
AAPI10_5	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: IMMIGRATION S	AP-64
AAPI10_6	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: NOT KNOWING O	AP-65
	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: CONCERNS ABOU	AP-65
AAPI10_8	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED OPTIO	AP-66
AAPI10_91	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: OTHER	AP-66
AAPI10A	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-67
AAPI10B	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-67
AAPI10C	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-68
AAPI10D	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-68
AAPI10E	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-69
AAPI10F	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-69
	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-70
AAPI11_2	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-70
AAPI11_3	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-71
AAPI11_4	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-71
AAPI11_6	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-72
AAPI11_7	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-72
AAPI11_91	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-73

AAPI11A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-73
AAPI11B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-74
AAPI11C	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-74
AAPI11D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-75
AAPI11E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-75
AAPI11F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-76
AAPI15	CURRENT WORK SITUATION	AP-77
AAPI16_P1	WORK ARRANGEMENT IN MAIN JOB (PUF 1 YR RECODE)	AP-77
AAPI17_1	WORK ARRANGEMENT IN OTHER JOBS: INDEPENDENT CONTRACTOR/CONSULTANT	AP-78
AAPI17_2	WORK ARRANGEMENT IN OTHER JOBS: ON-CALL	AP-78
AAPI17_5	WORK ARRANGEMENT IN OTHER JOBS: STANDARD	AP-79
AAPI18	EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US	AP-80
AAPI19A	EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020	AP-80
AAPI19B	EXPERIENCED HATE CRIME/INCIDENT IN 2020	AP-81
AAPI19C	EXPERIENCED HATE CRIME/INCIDENT IN 2021	AP-81
AAPI19D	EXPERIENCED HATE CRIME/INCIDENT IN 2022	AP-82
AAPI2OA	RECEIVED POORER SERVICE THAN OTHERS AT RESTAURANT/STORE IN AVG MO	AP-82
AAPI20B	PEOPLE ACTED AS IF R DOESN'T SPEAK ENGLISH IN AVG MONTH	AP-82
AAPI20C	PEOPLE ACTED AS IF THEY ARE AFRAID OF R IN AVG MONTH	AP-83
AAPI2OD	PEOPLE ACTED AS IF THEY THINK R IS DISHONEST IN AVG MONTH	AP-83
AAPI20E	BEEN CALLED NAMES OR INSULTED IN AVG MONTH	AP-83
AAPI20F	BEEN THREATENED OR HARASSED IN AVG MONTH	AP-84
AAPI20G	PEOPLE INTENTIONALLY MISPRONOUNCED NAME IN AVG MONTH	AP-84
AAPI2OH	BEEN SPIT OR COUGHED ON IN AVG MONTH	AP-84

AAPI20I	PEOPLE ASKED WHERE R IS FROM, ASSUMING NOT FROM THE US IN AVG MON	AP-85
AAPI20J	PEOPLE MOCKED OR MADE OFFENSIVE PHYSICAL GESTURES TOWARDS R IN AV	AP-85
AAPI21A	HOW OFTEN WORRY ABOUT BEING HATE CRIME VICTIM	AP-86
AAPI21B	HOW COMFORTABLE WITH REPORTING HATE CRIME TO LAW ENFORCEMENT AUTH	AP-86
AAPI22A	CONFIDENT THAT JUSTICE WILL BE SERVED IF REPORTED A HATE CRIME	AP-87
AAPI22B	WOULD BE CONCERNED ABOUT REPORTING HATE CRIME BECAUSE MIGHT GET A	AP-87
AAPI22C	WOULD BE RELUCTANT TO REPORT HATE CRIME BECAUSE OF UNWANTED ATTEN	AP-88
AAPI23A	EVER BEEN UNFAIRLY DENIED PROMOTION	AP-88
AAPI23B	EVER BEEN UNFAIRLY FIRED FROM JOB	AP-89
AAPI23C	EVER NOT BEEN HIRED FOR JOB FOR UNFAIR REASONS	AP-89
AAPI23D	EVER BEEN UNFAIRLY STOPPED/SEARCHED/QUESTIONED/PHYSICALLY THREATE	AP-89
AAPI23E	EVER BEEN UNFAIRLY PREVENTED FROM MOVING INTO NEIGHBORHOOD BECAUS	AP-90
AAPI23F	EVER MOVED INTO NEIGHBORHOOD WHERE NEIGHBORS MADE LIFE DIFFICULT	AP-90
AAPI23G	EVER BEEN DENIED ENTRY INTO A RELIGIOUS INSTITUTION	AP-90
AAPI24_1	MAIN REASONS FOR UNFAIR TREATMENT: RACE/ETHNICITY	AP-91
AAPI24_10	MAIN REASONS FOR UNFAIR TREATMENT: CASTE BACKGROUND	AP-95
AAPI24_2	MAIN REASONS FOR UNFAIR TREATMENT: RELIGION	AP-91
AAPI24_3	MAIN REASONS FOR UNFAIR TREATMENT: GENDER	AP-92
AAPI24_4	MAIN REASONS FOR UNFAIR TREATMENT: AGE	AP-92
AAPI24_5	MAIN REASONS FOR UNFAIR TREATMENT: SEXUAL ORIENTATION	AP-93
AAPI24_6	MAIN REASONS FOR UNFAIR TREATMENT: INCOME LEVEL	AP-93
AAPI24_7	MAIN REASONS FOR UNFAIR TREATMENT: SOCIAL CLASS/POSITION	AP-94
AAPI24_8	MAIN REASONS FOR UNFAIR TREATMENT: ACCENT	AP-94
AAPI24_9	MAIN REASONS FOR UNFAIR TREATMENT: NAME	AP-95

AAPI24_91	MAIN REASONS FOR UNFAIR TREATMENT: SOMETHING ELSE	AP-96
AAPI2A	PRINT NEWSPAPERS ARE AANHPI-ORIENTED	AP-8
AAPI2B	NEWS WEBSITES/APPS ARE AANHPI-ORIENTED	AP-8
AAPI2C	MAGAZINES ARE AANHPI-ORIENTED	AP-9
AAPI2D	INTERNET SOURCES ARE AANHPI-ORIENTED	AP-9
AAPI2E	TV SHOWS ARE AANHPI-ORIENTED	AP-10
AAPI2F	RADIO IS AANHPI-ORIENTED	AP-10
AAPI3_1	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: YOUTUBE	AP-11
AAPI3_10	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WECHAT	AP-15
AAPI3_11	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: REDDIT	AP-16
AAPI3_12	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: NEXTDOOR	AP-16
AAPI3_2	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: FACEBOOK	AP-11
AAPI3_3	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: INSTAGRAM	AP-12
AAPI3_4	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: SNAPCHAT	AP-12
AAPI3_5	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: PINTEREST	AP-13
AAPI3_6	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: LINKEDIN	AP-13
AAPI3_7	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TWITTER	AP-14
AAPI3_8	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WHATSAPP	AP-14
AAPI3_9	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TIKTOK	AP-15
AAPI3_91	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: OTHER	AP-17
AAPI3_NO	HAVE NOT EVER VISITED OR USED ANY OF THESE SOCIAL MEDIA SITES OR	AP-17
AAPI4A	HOW OFTEN VISITED OR USED YOUTUBE IN PAST 30 DAYS	AP-18

AAPI4B	HOW OFTEN VISITED OR USED FACEBOOK IN PAST 30 DAYS	AP-18
AAPI4C	HOW OFTEN VISITED OR USED INSTAGRAM IN PAST 30 DAYS	AP-19
AAPI4D	HOW OFTEN VISITED OR USED SNAPCHAT IN PAST 30 DAYS	AP-19
AAPI4E	HOW OFTEN VISITED OR USED PINTEREST IN PAST 30 DAYS	AP-20
AAPI4F	HOW OFTEN VISITED OR USED LINKEDIN IN PAST 30 DAYS	AP-20
AAPI4G	HOW OFTEN VISITED OR USED TWITTER IN PAST 30 DAYS	AP-21
AAPI4H	HOW OFTEN VISITED OR USED WHATSAPP IN PAST 30 DAYS	AP-21
AAPI4I	HOW OFTEN VISITED OR USED TIKTOK IN PAST 30 DAYS	AP-22
AAPI4J	HOW OFTEN VISITED OR USED WECHAT IN PAST 30 DAYS	AP-22
AAPI4K	HOW OFTEN VISITED OR USED REDDIT IN PAST 30 DAYS	AP-23
AAPI4L	HOW OFTEN VISITED OR USED NEXTDOOR IN PAST 30 DAYS	AP-23
AAPI4M	HOW OFTEN VISITED OR USED OTHER MENTIONED SOCIAL MEDIA SITE OR PL	AP-24
AAPI5A	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: A DOCTOR	AP-24
AAPI5B	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: FAMILY/FRIENDS	AP-25
AAPI5C	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: NEWSPAPERS/MAGAZINES	AP-25
AAPI5D	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RADIO	AP-26
AAPI5E	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: INTERNET SEARCHES AN	AP-26
AAPI5F	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: SOCIAL MEDIA APPS	AP-27
AAPI5G	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: TV	AP-27
AAPI5H	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: GOV'T HEALTH AGENCIE	AP-28
AAPI5I	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RELIGIOUS ORGS/LEADE	AP-28
AAPI5J	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: CHARITABLE ORGS	AP-29
AAPI6A	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY HOUSIN	AP-35
AAPI6B	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE	AP-36

### HOUSING

AAPI6C	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY FOOD	AP-36
AAPI6D	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE FOOD	AP-37
AAPI6E	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: MENTAL HEALTH SERVI	AP-37
AAPI6F	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HEALTH SERVICES	AP-38
AAPI6G	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY EDUCAT	AP-38
AAPI6H	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE EDUCATIO	AP-39
AAPI7_1	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: RA	AP-41
AAPI7_2	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: FI	AP-41
AAPI7_3	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI	AP-42
AAPI7_4	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: IM	AP-42
AAPI7_5	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: NO	AP-43
AAPI7_6	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: CO	AP-43
AAPI7_7	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI	AP-44
AAPI7_91	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: OT	AP-44
AAPI7A	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-45
AAPI7B	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-45
AAPI7C	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-46
AAPI7D	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-46
AAPI7E	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING	AP-47

### HIGH-QUALITY/AFFORDAB

AAPI8_1	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: RACE/E	AP-47
AAPI8_2	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: FINANC	AP-48
AAPI8_3	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE	AP-48
AAPI8_4	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: IMMIGR	AP-49
AAPI8_5	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: NOT KN	AP-49
AAPI8_6	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: CONCER	AP-50
AAPI8_7	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE	AP-50
AAPI8_91	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: OTHER	AP-51
AAPI8A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-51
AAPI8B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-52
AAPI8C	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-52
AAPI8D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-53
AAPI8E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-53
AAPI8F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-54
AAPI9_1	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: RACE/E	AP-54
AAPI9_2	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: FINANC	AP-55
AAPI9_3	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LACK O	AP-55
AAPI9_4	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE	AP-56
AAPI9_5	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH	AP-56

SERVICES: IMMIGR

AAPI9_6	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: NOT KN	AP-57
AAPI9_7	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: CONCER	AP-57
AAPI9_8	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE	AP-58
AAPI9_91	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: OTHER	AP-58
AAPI9A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-59
AAPI9B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-59
AAPI9C	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-60
AAPI9D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-60
AAPI9E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-61
AAPI9F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-61
AAPI9G	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-62
AB1	GENERAL HEALTH CONDITION	B-1
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-8
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-6
AB24	CURRENTLY TAKING INSULIN	B-8
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-8
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-11
AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-10
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-10

AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-7
AB61V2	TYPE OF MOST RECENT RECTAL EXAM	J-45
AB63	LAST EYE EXAM DILATED PUPILS	B-9
AB99	DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES	B-5
AC115	EVER TRIED MARIJUANA OR HASHISH	C-27
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-28
AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-28
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-29
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-29
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-30
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-30
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-31
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-31
AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-32
AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-35
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-36
AC133_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-54
AC133_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-55
AC133_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-55
AC133_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-56

AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-14
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-18
AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-19
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-19
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-20
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-20
AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-21
AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO	C-21
AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-22
AC143	HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE	C-25
AC160	IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH	C-60
AC161	IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH	C-60
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-5
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-4
AC175	SMOKED MINT OR MENTHOL CIGARETTES	C-7
AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-8
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-9
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-11
AC179	USED E-CIG FLAVOR - FRUIT	C-15
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-15
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-16
AC182	USED E-CIG FLAVOR - MINT	C-16
AC183	USED E-CIG FLAVOR - TOBACCO	C-17
AC184	USED E-CIG FLAVOR - OTHER	C-17
AC185	PLAN TO QUIT USING E-CIGS	C-18

AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-22
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-23
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-23
AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-24
AC190	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-24
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-25
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-43
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-37
AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-37
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-38
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-38
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-39
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-39
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-40
AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-40
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-41
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-41
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-41
AC195	EVER USED CBD IN ANY FORM	C-44
AC196	HOW LONG SINCE LAST CBD USE	C-45
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-45
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-46
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-47
AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-48
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-49

AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-50
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-51
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-52
AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-53
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-56
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-57
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-57
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-58
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-59
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-11
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-12
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-7
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-12
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-13
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-14
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-12
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-12
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-6
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-13
AD13	CURRENTLY PREGNANT	E-1
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-6
AD46C_P1	SEXUAL ORIENTATION (PUF 1 YR RECODE)	D-6
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AD65D	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE	A-2
AD82	EVER HEARD OF PREP/TRUVADA	D-22
AD83	EVER BEEN TESTED FOR HIV	D-22

AD84	OFFERED OR ASKED FOR HIV TEST	D-23	
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	C-2	
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	C-3	
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-3	
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4	
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-6	
AE2	# TIMES ATE FRUIT IN PAST MO	C-1	
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-2	
AF110	EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS	F-16	
AF111	PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-16	
AF112	MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-17	
AF113	PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-17	
AF14V2	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	J-44	
AF16V2	HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-45	
AF17V2	MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-46	
AF22V2	EVER HAD HOME BLOOD STOOL TEST	J-43	
AF24V2	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	J-43	
AF40BV2	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-7	
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5	
AF63	FEEL NERVOUS WORST MONTH	F-6	
AF64	FEEL HOPELESS WORST MONTH	F-6	
AF65	FEEL RESTLESS WORST MONTH	F-7	
AF66	FEEL DEPRESSED WORST MONTH	F-7	
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8	
AF68	FEEL WORTHLESS WORST MONTH	F-8	

AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-14
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-26
AG10	RESPONDENT USUALLY WORKS	G-8
AG11	SPOUSE USUALLY WORKS	G-8
AG22	EVER SERVE IN U.S. ARMED FORCES	G-9
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-28
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-10
AG44	HOW OFTEN USE THE INTERNET	F-15
AG45	HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA	F-15
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-7
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-7
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2
AGV3	FIREARM IS A HANDGUN	GV-2
AGV5	FIREARM KEPT LOADED	GV-3
AGV6	FIREARM KEPT LOCKED	GV-3
AGV7	WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE	GV-4
AGV8	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-4
AH100	ANYONE HELP FIND HEALTH PLAN	H-3
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-21
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-4
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-4
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-5
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-5
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	Н-6

AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-6
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-7
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-7
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-8
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-8
AH117	COST OF SELECTED PLAN IMPORTANT	H-9
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-9
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-10
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-10
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-23
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-42
AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-43
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-33
AH130	HAS MONEY IN HSA ACCOUNT	H-43
AH131V2_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)	H-44
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-45
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-45
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-46
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-47
АН136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-48
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-48
AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-49
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-21
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-18
AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	H-19

AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-17
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-18
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-10
AH33NEW	BORN IN U.S.	G-1
AH34NEW	MOTHER BORN IN U.S.	G-1
AH35NEW	FATHER BORN IN U.S.	G-2
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-8
AH43A	LIVING WITH A PARENT	G-4
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-9
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-5
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-5
АН5	# OF TIMES SAW MD IN PAST 12 MOS	J-12
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	H-2
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	H-2
АН6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-13
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-17
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-17
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-18
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-19
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-20
AH79B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-38
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-39
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	Н-39
АН83В	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-40
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-40

AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-41
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-41
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-33
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-22
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-22
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-6
AI1	COVERED BY MEDICARE	H-1
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-11
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-11
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-16
AI22C	MAIN HEALTH PLAN IS HMO	H-14
AI25	COVERED FOR PRESCRIPTION DRUGS	H-15
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-15
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-20
AI37	SPOUSE COVERED BY MEDICARE	H-12
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-12
AI38	SPOUSE COVERED BY MEDI-CAL	H-13
AI4	COVERED BY MEDICARE SUPPL POLICY	H-1
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-13
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-14
AI6	COVERED BY MEDI-CAL	H-3
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14
AJ101V2	CURRENTLY PROVIDE CARE	J-42
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-19
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-20
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	J-21
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-16

AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-21
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-22
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-17
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-24
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-24
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-30
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-30
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-30
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-28
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-28
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-29
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-29
AJ144V3	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-15
AJ152V2	RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID	J-34
AJ153V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-35
AJ153V2_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-39
AJ153V2_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-39
AJ153V2_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-40
AJ153V2_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM	J-40
AJ153V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-35
AJ153V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-36
AJ153V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-36
AJ153V2_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-37
AJ153V2_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-37
AJ153V2_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT,	J-38

BACK, MUS

	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-38
AJ154BV2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-8
AJ154BV2_2	BIRTH CONTROL METHOD: VASECTOMY	D-8
AJ154BV2_3	BIRTH CONTROL METHOD: IUD	D-9
AJ154BV2_4	BIRTH CONTROL METHOD: IMPLANT	D-9
AJ154BV2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-10
AJ154BV2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-10
AJ154BV2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-11
AJ154BV2_8	BIRTH CONTROL METHOD: OTHER	D-11
AJ154BV2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-12
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-27
AJ168	CONDITION OF TEETH	J-27
AJ169V2	RESPONDENT'S PREGNANCY PLANS	D-7
AJ170V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-12
_	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-13
AJ172V3	CURRENTLY USING BIRTH CONTROL	D-16
AJ174V2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-16
AJ174V2_2	BIRTH CONTROL METHOD: VASECTOMY	D-17
AJ174V2_3	BIRTH CONTROL METHOD: IUD	D-17
AJ174V2_4	BIRTH CONTROL METHOD: IMPLANT	D-18
AJ174V2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-18
AJ174V2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-19
AJ174V2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-19
AJ174V2_8	BIRTH CONTROL METHOD: OTHER	D-20
AJ174V2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-20
AJ175V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-21

AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-41
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	J-41
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-8
AJ179	RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS	D-13
AJ180	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-14
AJ181_P1	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE	D-14
AJ182_P1	LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)	D-15
AJ183V2	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-21
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-18
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-19
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-2
AJ203_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-2
AJ203_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-7
AJ203_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-7
AJ203_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-8
AJ203_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19	J-8
AJ203_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-3
AJ203_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-3
AJ203_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-4
AJ203_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-4
AJ203_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-5
AJ203_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-5

AJ203_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-6	
AJ203_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-6	
AJ204	RATE OVERALL EXPERIENCE OF MOST RECENT VIDEO VISIT COMPARED TO IN	J-9	
AJ205	RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN	J-9	
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1	
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1	
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2	
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2	
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3	
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-3	
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-15	
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-14	
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-1	
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-42	
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-15	
AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-16	
AK1_AANHPI	WORK STATUS LAST WEEK	AP-76	
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-8	
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-10	
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW	K-11	
AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-12	
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-12	
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-13	
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O	K-13	

AK138_91	REASON FOR PAID LEAVE: OTHER	K-14
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-14
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-15
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-15
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-16
AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-16
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-17
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-17
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-18
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-18
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-1
AK20_P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-8
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-9
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-1
AK25	OWN OR RENT HOME	M-1
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-12
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-2
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-10
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-11
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-2
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-6
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-7

AKWKLNG	TIME AT MAIN JOB	K-7
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-17
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-17
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-18
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-18
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-19
AL106_2	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-19
AL106_3	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-20
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-20
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-21
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-21
AL108_1	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT	L-22
AL108_2	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD	L-22
AL108_3	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT	L-23
AL109	EASY TO UPDATE CONTACT INFO	L-23
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-24
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-24
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-25
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-25
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-26
AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-26
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-27
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-27
AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3
AL19V2_P1	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)	L-4

AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-4
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-5
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-5
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-6
AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-6
AL90	COUNTY REP TREATED R WITH RESPECT	L-7
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-7
AL91_10	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF	L-12
AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-12
AL91_12	AREAS COUNTY OFFICE CAN IMPROVE: OTHERS	L-13
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-13
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-8
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-8
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-9
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-9
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-10
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-10
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-11
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-11
AL92	SATISFACTION RATING OF COUNTY OFFICE	L-14
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-14

AL94	HAVE ISSUES RENEWING MEDI-CAL	L-15
AL95_P1	TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)	L-15
AL96	COVERAGE PRIOR TO MEDI-CAL	L-16
AL97	PROBLEM CHANGING TO MEDI-CAL	L-16
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-19
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-4
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-4
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO	M-5
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-5
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-5
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-6
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-7
AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-7
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-10
AM187	EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING	M-8
AM188	SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE	M-9
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-10
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-19
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-11

AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-11
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-12
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-21
AM44	CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS	M-13
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-13
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-14
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-21
AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1
AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2
AP80	MAIN REASON DID NOT VOTE	P-3
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO	R-4
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-4
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-5
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-5
AQ16	HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1	R-6
AQ17	HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT TIMES BEFORE	R-6
AQ18	HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18	R-7
AQ19	HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES	R-7
AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1

AQ20	HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18	R-8	
AQ21	HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18	R-8	
AQ22	HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG	R-9	
AQ23	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-9	
AQ24	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI	R-10	
AQ25	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS	R-10	
AQ26	HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES	R-11	
AQ27	SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM	R-11	
AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1	
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2	
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2	
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3	
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3	
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4	
ARRSTBK	YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED	M-9	
ASTCUR	CURRENT ASTHMA STATUS	B-3	
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-58	
BLACKCRB	BLACK: CARIBBEAN	A-3	
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-4	
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4	
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-25	
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-52	
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-48	

CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-47
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-46
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-49
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-50
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-51
CBDCUR	CURRENT CBD USER	C-53
CBDMETHOD	MOST USED METHOD OF CBD USE	C-54
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-2
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-35
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN	H-36
CV1	EVER HAD OR THOUGHT HAD COVID-19	CV-1
CV10	HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK	CV-6
CV11	HOW OFTEN SANITIZED/WASHED HANDS WHEN LEFT HOME IN PAST WEEK	CV-7
CV12	HOW OFTEN MAINTAINED 6 FEET DISTANCE FROM OTHERS WHEN LEFT HOME I	CV-7
CV13	GATHERED WITH PERSONS NOT LIVING IN HOUSEHOLD IN PAST 30 DAYS	CV-8
CV14	HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN GATHERING WITH P	CV-8
CV2	CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS	CV-1
CV4	EVER TESTED FOR COVID-19	CV-1
CV5	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-2
CV7_1	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB	CV-2
CV7_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-5
CV7_11	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT	CV-5
CV7_2	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I	CV-2

CV7_3	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME	CV-3
CV7_4	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E	CV-3
CV7_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-3
CV7_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-4
CV7_7	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO	CV-4
CV7_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-4
CV7_9	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER	CV-5
CV9V2	WOULD GET COVID-19 VACCINE IF AVAILABLE	CV-6
CVA1	EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-9
CVA10	TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME	CV-18
CVA11_1	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG	CV-18
CVA11_2	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT	CV-19
CVA11_3	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR	CV-19
CVA11_4	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN	CV-20
CVA11_5	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI	CV-20
CVA11_6	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT	CV-21
CVA11_7	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N	CV-21
CVA3	WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI	C <b>V</b> -9
CVA4	HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF	C <b>V</b> -9
CVA5_1	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM T	CV-10

CVA5_10	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS	CV-13
CVA5_11	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER	CV-13
CVA5_12	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA	CV-13
CVA5_13	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LE	CV-14
CVA5_14	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: COMMUNITY LE	CV-14
CVA5_15	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THES	CV-14
CVA5_2	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC TV	CV-10
CVA5_3	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM R	CV-10
CVA5_4	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC RADIO	CV-11
CVA5_5	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM N	CV-11
CVA5_6	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC NEWSP	CV-11
CVA5_7	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: GOV'T AGENCI	CV-12
CVA5_8	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: DOCTOR	CV-12
CVA5_9	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY	CV-12
CVA6	MOST RELIED UPON SOURCE OF INFORMATION ABOUT COVID-19	CV-15
CVA7	LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-16
CVA8	NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-17
CVA9	CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM	CV-17
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
DIAMED	TAKING INSULIN OR PILLS	B-7

DIFFEDU	DIFFICULTY FINDING QUALITY OR AFFORDABLE EDUCATION	AP-40	
DIFFFOOD	DIFFICULTY FINDING QUALITY OR AFFORDABLE FOOD	AP-40	
DIFFHOUSE	DIFFICULTY FINDING QUALITY OR AFFORDABLE HOUSING	AP-39	
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4	
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-14	
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-15	
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-14	
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5	
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11	
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4	
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-11	
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-24	
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-25	
ELGMAGI5	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-25	
ER	ER VISIT WITHIN THE PAST YEAR	J-34	
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-13	
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-13	
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12	
FAMT4	FAMILY TYPE - 4 LVLS	G-12	
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-11	
FIREARM	FIREARM KEPT IN HOME	GV-5	
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-26	
FOBT2V2	BLOOD STOOL TEST PAST 2 YEARS	J-44	
FORGO	HAD TO FORGO NECESSARY CARE	J-26	
FSLEV	FOOD SECURITY STATUS LEVEL	K-22	
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-22	

GENENV	MOST IMPORTANT FACTOR TO HEALTH	C-61
GUNLOADED	FIREARM IN HOME KEPT LOADED AND UNLOCKED	GV-5
GUNLOCK	TYPE OF FIREARM LOCK USED	GV-6
GUNSAFE	FIREARMS STORAGE: LOCKED AND/OR LOADED	GV-6
HANDGUN	HANDGUN KEPT IN HOME	GV-5
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-1
НМО	HMO STATUS	H-16
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-44
IHS	COVERED BY INDIAN HEALTH SERVICES	H-30
ILLIDRUG	USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE	C-59
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-4
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)	K-3
INS	CURRENTLY INSURED	H-23
INS_S	SPOUSE CURRENTLY INSURED	H-24
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-24
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-25
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-26
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-26
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-27
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-28
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-29
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	н-30
INSANY	ANY INS IN LAST 12 MOS	H-27
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-31

INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-31
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-42
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	H-34
INSMC	COVERED BY MEDICARE	H-31
INSMC_S	SPOUSE COVERED BY MEDICARE	H-32
INSMD	COVERED BY MEDI-CAL	H-33
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-33
INSOG	COVERED BY OTHER GOVT PLANS	H-33
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-34
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-35
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-35
INSPS	PRIMARY OR SECONDARY COVERAGE	H-36
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-37
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-28
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-29
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-11
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-3
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-8
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-33
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-35
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-34
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-33
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE	C-32
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-34

MARCUR	CURRENT MARIJUANA USER	C-42	
MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-42	
MARIT	MARITAL STATUS- 3 CATEGORIES	A-10	
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-10	
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-11	
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-36	
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-32	
MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-4	
MENTHOL	SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES	C-8	
MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-43	
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-27	
NUMCIG	# OF CIGARETTES PER DAY	C-10	
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-6	
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-5	
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-37	
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	Н-38	
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-5	
OVRWT	OVERWEIGHT OR OBESE	D-5	
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-31	
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-31	
PCE	POSITIVE CHILDHOOD EXPERIENCES SCALE	R-13	
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-4	
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-47	
PLCSTOP	STOPPED BY POLICE IN PAST YEAR	M-9	
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-23	
POVLL	POVERTY LEVEL	K-24	

POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-23	
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL	B-5	
PROXY	A PROXY INTERVIEW	Q-2	
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-5	
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-6	
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-6	
RBMI	BMI DESCRIPTIVE	D-4	
RN_FORGO	REASONS FORGONE NECESSARY CARE	J-25	
RSNTREAT_P1	MOST IMPORTANT REASON FOR UNFAIR TREATMENT (PUF 1 YR RECODE)	AP-96	
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-32	
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-32	
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-26	
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1	
SECTION AP	AANHPI FOLLOW-ON	AP-1	
SECTION B	GENERAL HEALTH CONDITION	B-1	
SECTION C	HEALTH BEHAVIORS	C-1	
SECTION CV	COVID-19	CV-1	
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1	
SECTION E	WOMEN'S HEALTH	E-1	
SECTION F	MENTAL HEALTH	F-1	
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1	
SECTION GV	GUN VIOLENCE	GV-1	
SECTION H	HEALTH INSURANCE	H-1	
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1	
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1	
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1	

SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1	
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1	
SECTION P	VOTER ENGAGEMENT	P-1	
SECTION Q	SCREENING INFORMATION	Q-1	
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1	
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-10	
SMKCUR	CURRENT SMOKER	C-9	
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5	
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-44	
SMOKING	CURRENT SMOKING HABITS	C-10	
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-12	
SPK_ENG	ENGLISH USE AND PROFICIENCY	A-9	
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1	
SRCERLY	MOST RELIED UPON SOURCE OF COVID-19 INFORMATION	CV-16	
SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-11	
SRSEX	SELF-REPORTED GENDER	A-1	
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-2	
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-28	
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-46	
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-20	
TIMEAD_P1	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE	M-2	
TIMENEV2_P1	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R	M-3	
TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-2	
TRUST_FB	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED FACEBOOK IN	AP-30	
TRUST_IG	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED INSTAGRAM IN	AP-30	

TRUST_LI	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED LINKEDIN IN	AP-32
TRUST_ND	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED NEXTDOOR IN	AP-35
TRUST_PIN	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED PINTEREST IN	AP-31
TRUST_RD	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED REDDIT IN PA	AP-34
TRUST_SC	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED SNAPCHAT IN	AP-31
TRUST_TT	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TIKTOK IN PA	AP-33
TRUST_TW	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TWITTER IN P	AP-32
TRUST_WA	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WHATSAPP IN	AP-33
TRUST_WC	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WECHAT IN PA	AP-34
TRUST_YT	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED YOUTUBE IN P	AP-29
UNINSANY	UNINSURED IN PAST 12 MOS	H-25
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-2
UR_IHS	RURAL AND URBAN - IHS	N-1
UR_OMB	RURAL AND URBAN - OMB	N-1
UR_RHP	RURAL AND URBAN - RHP	N-2
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-10
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-11
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-11
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-12
VOTE_ENG2	VOTER ENGAGEMENT	P-2
VOTE_RSNNO	MAIN REASON DID NOT VOTE	P-3
WEATHER	EFFECTS OF WEATHER-RELATED EVENTS	F-18

WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5
WORK_OTHER	WORK ARRANGEMENT IN OTHER JOBS: WORK FOR CONTRACTOR/TEMP AGENCY	AP-79
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE	J-23
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-9
WTFINAL	BASE WEIGHT- AANHPI	AP-97
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-3
YRUS6P	YEARS LIVED IN THE US: 6+	G-3

## Variable Name (by location)

Variable	Label	Page
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1
SRSEX	SELF-REPORTED GENDER	A-1
AD65D	SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE	A-2
TRANSGEND2	CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS	A-2
LATIN2TP	LATIN/HISPANIC SUBTYPES (2 LVLS)	A-3
BLACKCRB	BLACK: CARIBBEAN	A-3
BLACKSSA	BLACK: SUB-SAHARAN AFRICAN	A-4
MENA	MIDDLE EAST AND NORTH AFRICA ORIGIN	A-4
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-5
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-5
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-6
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-6
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-7
AA5G	IDENTIFY WITH ONE RACE IN PARTICULAR	A-7
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	A-8
АН37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	A-8
SPK_ENG	ENGLISH USE AND PROFICIENCY	A-9
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	A-9
MARIT	MARITAL STATUS- 3 CATEGORIES	A-10
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-10
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-11
INTV_MODE2	INTERVIEW MODE (PHONE OR WEB)	A-11
SECTION AP	AANHPI FOLLOW-ON	AP-1
AANHPI_ID	AANHPI ID	AP-1
ΛΛ <b>DT1</b> 1	WHERE CET MOST INFO ABOUT CURRENT NEWS EVENTS: DRINT	۸D-1

## NEWSPAPER

AAPI1_2	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NEWS WEBSITES/APPS	AP-1
AAPI1_3	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: MAGAZINES	AP-2
AAPI1_4	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: SOCIAL MEDIA	AP-2
AAPI1_5	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: INTERNET	AP-3
AAPI1_6	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: TV	AP-3
AAPI1_7	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: RADIO	AP-4
AAPI1_8	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: GOV'T AGENCIES	AP-4
AAPI1_9	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FAMILY	AP-5
AAPI1_10	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FRIENDS/COLLEAGUES	AP-5
AAPI1_11	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: PODCASTS	AP-6
AAPI1_13	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NONE OF THESE	AP-6
AAPI1_91	WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: OTHER	AP-7
AAPI1_NO	DO NOT KNOW WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS	AP-7
AAPI2A	PRINT NEWSPAPERS ARE AANHPI-ORIENTED	AP-8
AAPI2B	NEWS WEBSITES/APPS ARE AANHPI-ORIENTED	AP-8
AAPI2C	MAGAZINES ARE AANHPI-ORIENTED	AP-9
AAPI2D	INTERNET SOURCES ARE AANHPI-ORIENTED	AP-9
AAPI2E	TV SHOWS ARE AANHPI-ORIENTED	AP-10
AAPI2F	RADIO IS AANHPI-ORIENTED	AP-10
AAPI3_1	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: YOUTUBE	AP-11
AAPI3_2	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: FACEBOOK	AP-11
AAPI3_3	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: INSTAGRAM	AP-12
AAPI3_4	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: SNAPCHAT	AP-12

AAPI3_5	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: PINTEREST	AP-13
AAPI3_6	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: LINKEDIN	AP-13
AAPI3_7	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TWITTER	AP-14
AAPI3_8	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WHATSAPP	AP-14
AAPI3_9	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TIKTOK	AP-15
AAPI3_10	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WECHAT	AP-15
AAPI3_11	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: REDDIT	AP-16
AAPI3_12	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: NEXTDOOR	AP-16
AAPI3_91	EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: OTHER	AP-17
AAPI3_NO	HAVE NOT EVER VISITED OR USED ANY OF THESE SOCIAL MEDIA SITES OR	AP-17
AAPI4A	HOW OFTEN VISITED OR USED YOUTUBE IN PAST 30 DAYS	AP-18
AAPI4B	HOW OFTEN VISITED OR USED FACEBOOK IN PAST 30 DAYS	AP-18
AAPI4C	HOW OFTEN VISITED OR USED INSTAGRAM IN PAST 30 DAYS	AP-19
AAPI4D	HOW OFTEN VISITED OR USED SNAPCHAT IN PAST 30 DAYS	AP-19
AAPI4E	HOW OFTEN VISITED OR USED PINTEREST IN PAST 30 DAYS	AP-20
AAPI4F	HOW OFTEN VISITED OR USED LINKEDIN IN PAST 30 DAYS	AP-20
AAPI4G	HOW OFTEN VISITED OR USED TWITTER IN PAST 30 DAYS	AP-21
AAPI4H	HOW OFTEN VISITED OR USED WHATSAPP IN PAST 30 DAYS	AP-21
AAPI4I	HOW OFTEN VISITED OR USED TIKTOK IN PAST 30 DAYS	AP-22
AAPI4J	HOW OFTEN VISITED OR USED WECHAT IN PAST 30 DAYS	AP-22
AAPI4K	HOW OFTEN VISITED OR USED REDDIT IN PAST 30 DAYS	AP-23
AAPI4L	HOW OFTEN VISITED OR USED NEXTDOOR IN PAST 30 DAYS	AP-23
AAPI4M	HOW OFTEN VISITED OR USED OTHER MENTIONED SOCIAL MEDIA SITE OR PL	AP-24

AAPI5A	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: A DOCTOR	AP-24
AAPI5B	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: FAMILY/FRIENDS	AP-25
AAPI5C	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: NEWSPAPERS/MAGAZINES	AP-25
AAPI5D	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RADIO	AP-26
AAPI5E	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: INTERNET SEARCHES AN	AP-26
AAPI5F	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: SOCIAL MEDIA APPS	AP-27
AAPI5G	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: TV	AP-27
AAPI5H	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: GOV'T HEALTH AGENCIE	AP-28
AAPI5I	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RELIGIOUS ORGS/LEADE	AP-28
AAPI5J	TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: CHARITABLE ORGS	AP-29
TRUST_YT	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED YOUTUBE IN P	AP-29
TRUST_FB	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED FACEBOOK IN	AP-30
TRUST_IG	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED INSTAGRAM IN	AP-30
TRUST_SC	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED SNAPCHAT IN	AP-31
TRUST_PIN	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED PINTEREST IN	AP-31
TRUST_LI	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED LINKEDIN IN	AP-32
TRUST_TW	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TWITTER IN P	AP-32
TRUST_WA	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WHATSAPP IN	AP-33
TRUST_TT	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TIKTOK IN PA	AP-33
TRUST_WC	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WECHAT IN PA	AP-34

TRUST_RD	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED REDDIT IN PA	AP-34
TRUST_ND	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED NEXTDOOR IN	AP-35
AAPI6A	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY HOUSIN	AP-35
AAPI6B	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE HOUSING	AP-36
AAPI6C	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY FOOD	AP-36
AAPI6D	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE FOOD	AP-37
AAPI6E	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: MENTAL HEALTH SERVI	AP-37
AAPI6F	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HEALTH SERVICES	AP-38
AAPI6G	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY EDUCAT	AP-38
AAPI6H	EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE EDUCATIO	AP-39
DIFFHOUSE	DIFFICULTY FINDING QUALITY OR AFFORDABLE HOUSING	AP-39
DIFFF00D	DIFFICULTY FINDING QUALITY OR AFFORDABLE FOOD	AP-40
DIFFEDU	DIFFICULTY FINDING QUALITY OR AFFORDABLE EDUCATION	AP-40
AAPI7_1	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: RA	AP-41
AAPI7_2	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: FI	AP-41
AAPI7_3	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI	AP-42
AAPI7_4	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: IM	AP-42
AAPI7_5	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: NO	AP-43
AAPI7_6	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: CO	AP-43
AAPI7_7	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI	AP-44

AAPI7_91	REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: OT	AP-44
AAPI7A	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-45
AAPI7B	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-45
AAPI7C	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-46
AAPI7D	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-46
AAPI7E	HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB	AP-47
AAPI8_1	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: RACE/E	AP-47
AAPI8_2	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: FINANC	AP-48
AAPI8_3	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE	AP-48
AAPI8_4	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: IMMIGR	AP-49
AAPI8_5	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: NOT KN	AP-49
AAPI8_6	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: CONCER	AP-50
	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE	AP-50
AAPI8_91	REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: OTHER	AP-51
AAPI8A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-51
AAPI8B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-52
AAPI8C	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-52
AAPI8D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-53
AAPI8E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-53

AAPI8F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-54
AAPI9_1	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: RACE/E	AP-54
AAPI9_2	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: FINANC	AP-55
AAPI9_3	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LACK O	AP-55
AAPI9_4	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE	AP-56
AAPI9_5	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: IMMIGR	AP-56
AAPI9_6	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: NOT KN	AP-57
AAPI9_7	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: CONCER	AP-57
AAPI9_8	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE	AP-58
AAPI9_91	REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: OTHER	AP-58
AAPI9A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-59
AAPI9B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-59
	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-60
AAPI9D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-60
AAPI9E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-61
AAPI9F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-61
AAPI9G	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC	AP-62
AAPI10_1	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: RACE/ETHNICIT	AP-62
AAPI10_2	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES:	AP-63

AAPI10_3	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LACK OF INSUR	AP-63
AAPI10_4	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED ENGLI	AP-64
AAPI10_5	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: IMMIGRATION S	AP-64
AAPI10_6	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: NOT KNOWING O	AP-65
_	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: CONCERNS ABOU	AP-65
	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED OPTIO	AP-66
AAPI10_91	REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: OTHER	AP-66
AAPI10A	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-67
AAPI10B	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-67
AAPI10C	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-68
AAPI10D	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-68
AAPI10E	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-69
AAPI10F	HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES	AP-69
AAPI11_1	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-70
AAPI11_2	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-70
AAPI11_3	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-71
AAPI11_4	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-71
AAPI11_6	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-72
AAPI11_7	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-72

AAPI11_91	REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC	AP-73
AAPI11A	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-73
AAPI11B	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-74
AAPI11C	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-74
AAPI11D	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-75
AAPI11E	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-75
AAPI11F	HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA	AP-76
AK1_AANHPI	WORK STATUS LAST WEEK	AP-76
AAPI15	CURRENT WORK SITUATION	AP-77
AAPI16_P1	WORK ARRANGEMENT IN MAIN JOB (PUF 1 YR RECODE)	AP-77
AAPI17_1	WORK ARRANGEMENT IN OTHER JOBS: INDEPENDENT CONTRACTOR/CONSULTANT	AP-78
AAPI17_2	WORK ARRANGEMENT IN OTHER JOBS: ON-CALL	AP-78
WORK_OTHER	WORK ARRANGEMENT IN OTHER JOBS: WORK FOR CONTRACTOR/TEMP AGENCY	AP-79
AAPI17_5	WORK ARRANGEMENT IN OTHER JOBS: STANDARD	AP-79
AAPI18	EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US	AP-80
AAPI19A	EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020	AP-80
AAPI19B	EXPERIENCED HATE CRIME/INCIDENT IN 2020	AP-81
AAPI19C	EXPERIENCED HATE CRIME/INCIDENT IN 2021	AP-81
AAPI19D	EXPERIENCED HATE CRIME/INCIDENT IN 2022	AP-82
AAPI20A	RECEIVED POORER SERVICE THAN OTHERS AT RESTAURANT/STORE IN AVG MO	AP-82
AAPI20B	PEOPLE ACTED AS IF R DOESN'T SPEAK ENGLISH IN AVG MONTH	AP-82
AAPI2OC	PEOPLE ACTED AS IF THEY ARE AFRAID OF R IN AVG MONTH	AP-83
AAPI20D	PEOPLE ACTED AS IF THEY THINK R IS DISHONEST IN AVG	AP-83

AAPI20E	BEEN CALLED NAMES OR INSULTED IN AVG MONTH	AP-83
AAPI20F	BEEN THREATENED OR HARASSED IN AVG MONTH	AP-84
AAPI2OG	PEOPLE INTENTIONALLY MISPRONOUNCED NAME IN AVG MONTH	AP-84
AAPI2OH	BEEN SPIT OR COUGHED ON IN AVG MONTH	AP-84
AAPI20I	PEOPLE ASKED WHERE R IS FROM, ASSUMING NOT FROM THE US IN AVG MON	AP-85
AAPI20J	PEOPLE MOCKED OR MADE OFFENSIVE PHYSICAL GESTURES TOWARDS R IN AV	AP-85
AAPI21A	HOW OFTEN WORRY ABOUT BEING HATE CRIME VICTIM	AP-86
AAPI21B	HOW COMFORTABLE WITH REPORTING HATE CRIME TO LAW ENFORCEMENT AUTH	AP-86
AAPI22A	CONFIDENT THAT JUSTICE WILL BE SERVED IF REPORTED A HATE CRIME	AP-87
AAPI22B	WOULD BE CONCERNED ABOUT REPORTING HATE CRIME BECAUSE MIGHT GET A	AP-87
AAPI22C	WOULD BE RELUCTANT TO REPORT HATE CRIME BECAUSE OF UNWANTED ATTEN	AP-88
AAPI23A	EVER BEEN UNFAIRLY DENIED PROMOTION	AP-88
AAPI23B	EVER BEEN UNFAIRLY FIRED FROM JOB	AP-89
AAPI23C	EVER NOT BEEN HIRED FOR JOB FOR UNFAIR REASONS	AP-89
AAPI23D	EVER BEEN UNFAIRLY STOPPED/SEARCHED/QUESTIONED/PHYSICALLY THREATE	AP-89
AAPI23E	EVER BEEN UNFAIRLY PREVENTED FROM MOVING INTO NEIGHBORHOOD BECAUS	AP-90
AAPI23F	EVER MOVED INTO NEIGHBORHOOD WHERE NEIGHBORS MADE LIFE DIFFICULT	AP-90
AAPI23G	EVER BEEN DENIED ENTRY INTO A RELIGIOUS INSTITUTION	AP-90
AAPI24_1	MAIN REASONS FOR UNFAIR TREATMENT: RACE/ETHNICITY	AP-91
AAPI24_2	MAIN REASONS FOR UNFAIR TREATMENT: RELIGION	AP-91
AAPI24_3	MAIN REASONS FOR UNFAIR TREATMENT: GENDER	AP-92
AAPI24_4	MAIN REASONS FOR UNFAIR TREATMENT: AGE	AP-92
AAPI24_5	MAIN REASONS FOR UNFAIR TREATMENT: SEXUAL ORIENTATION	AP-93
AAPI24_6	MAIN REASONS FOR UNFAIR TREATMENT: INCOME LEVEL	AP-93

AAPI24_7	MAIN REASONS FOR UNFAIR TREATMENT: SOCIAL CLASS/POSITION	AP-94
AAPI24_8	MAIN REASONS FOR UNFAIR TREATMENT: ACCENT	AP-94
AAPI24_9	MAIN REASONS FOR UNFAIR TREATMENT: NAME	AP-95
AAPI24_10	MAIN REASONS FOR UNFAIR TREATMENT: CASTE BACKGROUND	AP-95
AAPI24_91	MAIN REASONS FOR UNFAIR TREATMENT: SOMETHING ELSE	AP-96
RSNTREAT_P1	MOST IMPORTANT REASON FOR UNFAIR TREATMENT (PUF 1 YR RECODE)	AP-96
WTFINAL	BASE WEIGHT- AANHPI	AP-97
SECTION B	GENERAL HEALTH CONDITION	B-1
AB1	GENERAL HEALTH CONDITION	B-1
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42V2_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
ASTCUR	CURRENT ASTHMA STATUS	B-3
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	B-4
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB22V2	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB99	DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES	B-5
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL	B-5
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-6
DIAMED	TAKING INSULIN OR PILLS	B-7
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-7
AB24	CURRENTLY TAKING INSULIN	B-8
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-8
AB63	LAST EYE EXAM DILATED PUPILS	B-9
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-9

AB29V2	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-10
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-10
AB27_P1	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD	B-11
SECTION C	HEALTH BEHAVIORS	C-1
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-1
AE2	# TIMES ATE FRUIT IN PAST MO	C-1
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	C-2
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-2
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	C-3
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-3
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-4
AC174	# OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS	C-4
SMKCUR30	CURRENT SMOKER (PAST 30 DAYS)	C-5
AC173	HOW LONG SINCE LAST SMOKED A CIGARETTE	C-5
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-6
AE16V2_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-6
AC54B	HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING	C-7
AC175	SMOKED MINT OR MENTHOL CIGARETTES	C-7
MENTHOL	SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES	C-8
AC176	AGE FIRST SMOKED WHOLE CIGARETTE	C-8
AC177	WERE SMOKING CIGARETTES THIS TIME LAST YEAR	C-9
SMKCUR	CURRENT SMOKER	C-9
SMOKING	CURRENT SMOKING HABITS	C-10
NUMCIG	# OF CIGARETTES PER DAY	C-10
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-11
AC178	HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED	C-11
AC77	DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS	C-12

AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-12
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-13
ESMKCUR	CURRENT E-CIGARETTE SMOKER	C-13
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-14
AC134V2	USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-14
AC179	USED E-CIG FLAVOR - FRUIT	C-15
AC180	USED E-CIG FLAVOR - CANDY/SWEET	C-15
AC181	USED E-CIG FLAVOR - ALCOHOL/LIQUOR	C-16
AC182	USED E-CIG FLAVOR - MINT	C-16
AC183	USED E-CIG FLAVOR - TOBACCO	C-17
AC184	USED E-CIG FLAVOR - OTHER	C-17
AC185	PLAN TO QUIT USING E-CIGS	C-18
AC135_P1	FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1	C-18
AC136	USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-19
AC137_P1	FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU	C-19
AC138	USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-20
AC139_P1	FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)	C-20
AC140	USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-21
AC141_P1	FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO	C-21
AC142	USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE	C-22
AC186	BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING	C-22
AC187	WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN	C-23
AC188	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS	C-23

AC189	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME	C-24
AC190	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE	C-24
AC191	SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA	C-25
AC143	HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE	C-25
SCND_SMK	LOCATION OF SECONDHAND SMOKE EXPOSURE	C-26
FLAVTOB	CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS	C-26
NONCIGPRO	CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS	C-27
AC115	EVER TRIED MARIJUANA OR HASHISH	C-27
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-28
AC117V2	FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS	C-28
AC118V2	HOW OFTEN USE TOBACCO WITH MARIJUANA	C-29
AC119V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE	C-29
AC120V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT	C-30
AC121V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT	C-30
AC122V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK	C-31
AC123V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE	C-31
AC124V2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB	C-32
MAR_SMKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE	C-32
MAR_BLUNTV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)	C-33
MAR_EATV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)	C-33
MAR_DRINKV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)	C-34
MAR_VAPV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-34
MAR_DABV2	METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)	C-35

AC126V2	ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-35
MARTYPEV2	METHOD OF TAKING MARIJUANA	C-36
AC127V2	ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER	C-36
AC193_P1	MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC	C-37
AC194_1	WHERE GOT MARIJUANA USED - DISPENSARY	C-37
AC194_2	WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP	C-38
AC194_3	WHERE GOT MARIJUANA USED - OTHER SHOP	C-38
AC194_4	WHERE GOT MARIJUANA USED - DELIVERY SERVICE	C-39
AC194_5	WHERE GOT MARIJUANA USED - WEBSITE	C-39
AC194_6	WHERE GOT MARIJUANA USED - POP-UP SHOP	C-40
AC194_7	WHERE GOT MARIJUANA USED - FAMILY/FRIEND	C-40
AC194_8	WHERE GOT MARIJUANA USED - OTHER PERSON	C-41
AC194_9	WHERE GOT MARIJUANA USED - GROW IT MYSELF	C-41
AC194_91	WHERE GOT MARIJUANA USED - OTHER	C-41
MARCUR	CURRENT MARIJUANA USER	C-42
MAREXPOSE	EXPOSED TO MARIJUANA SMOKE IN PAST YEAR	C-42
MJMETHOD_P1	MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)	C-43
AC192	WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR	C-43
SMKEXPOSE	SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH	C-44
AC195	EVER USED CBD IN ANY FORM	C-44
AC196	HOW LONG SINCE LAST CBD USE	C-45
AC197	# OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS	C-45
AC198	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY	C-46
CBD_ORAL	METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)	C-46
AC199	METHOD OF CBD USE IN PAST 30 DAYS - EAT	C-47
CBD_EAT	METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)	C-47

AC200	METHOD OF CBD USE IN PAST 30 DAYS - DRINK	C-48
CBD_DRINK	METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)	C-48
AC201	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN	C-49
CBD_SKIN	METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)	C-49
AC202	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE	C-50
CBD_SMK	METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)	C-50
AC203	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE	C-51
CBD_VAP	METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)	C-51
AC204	METHOD OF CBD USE IN PAST 30 DAYS - DAB	C-52
CBD_DAB	METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)	C-52
AC206	MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS	C-53
CBDCUR	CURRENT CBD USER	C-53
CBDMETHOD	MOST USED METHOD OF CBD USE	C-54
AC133_1	CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN	C-54
AC133_2	CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED	C-55
AC133_3	CONDITION TAKING MEDICINE FOR - RECENT INJURY	C-55
AC133_4	CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE	C-56
AC207	EVER HAD AN ALCOHOLIC BEVERAGE	C-56
AC208	HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE	C-57
AC209	# OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS	C-57
AC210	# OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA	C-58
BINGE30	BINGE DRINKING IN PAST 30 DAYS	C-58
AC211_P1	# OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)	C-59
ILLIDRUG	USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE	C-59
AC160	IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH	C-60

AC161	IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH	C-60
GENENV	MOST IMPORTANT FACTOR TO HEALTH	C-61
SECTION CV	COVID-19	CV-1
CV1	EVER HAD OR THOUGHT HAD COVID-19	CV-1
CV2	CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS	CV-1
CV4	EVER TESTED FOR COVID-19	CV-1
CV5	EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19	CV-2
CV7_1	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB	CV-2
CV7_2	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I	CV-2
CV7_3	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME	CV-3
CV7_4	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E	CV-3
CV7_5	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES	CV-3
CV7_6	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE	CV-4
CV7_7	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO	CV-4
CV7_8	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T	CV-4
CV7_9	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER	CV-5
CV7_10	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE	CV-5
CV7_11	EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT	CV-5
CV9V2	WOULD GET COVID-19 VACCINE IF AVAILABLE	CV-6
CV10	HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK	CV-6
CV11	HOW OFTEN SANITIZED/WASHED HANDS WHEN LEFT HOME IN PAST WEEK	CV-7
CV12	HOW OFTEN MAINTAINED 6 FEET DISTANCE FROM OTHERS WHEN LEFT HOME I	CV-7
CV13	GATHERED WITH PERSONS NOT LIVING IN HOUSEHOLD IN PAST 30 DAYS	CV-8

CV14	HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN GATHERING WITH P	CV-8
CVA1	EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK	CV-9
CVA3	WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI	CV-9
CVA4	HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF	CV-9
CVA5_1	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM T	CV-10
CVA5_2	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC TV	CV-10
CVA5_3	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM R	CV-10
CVA5_4	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC RADIO	CV-11
CVA5_5	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM N	CV-11
CVA5_6	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC NEWSP	CV-11
CVA5_7	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: GOV'T AGENCI	CV-12
CVA5_8	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: DOCTOR	CV-12
CVA5_9	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY	CV-12
CVA5_10	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS	CV-13
CVA5_11	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER	CV-13
CVA5_12	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA	CV-13
CVA5_13	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LE	CV-14
CVA5_14	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: COMMUNITY LE	CV-14
CVA5_15	WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THES	CV-14

CVA6	MOST RELIED UPON SOURCE OF INFORMATION ABOUT COVID-19	CV-15
SRCERLY	MOST RELIED UPON SOURCE OF COVID-19 INFORMATION	CV-16
CVA7	LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-16
CVA8	NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK	CV-17
CVA9	CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM	CV-17
CVA10	TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME	CV-18
CVA11_1	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG	CV-18
CVA11_2	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT	CV-19
CVA11_3	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR	CV-19
CVA11_4	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN	CV-20
CVA11_5	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI	CV-20
CVA11_6	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT	CV-21
CVA11_7	TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N	CV-21
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4
RBMI	BMI DESCRIPTIVE	D-4
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5

OVRWT	OVERWEIGHT OR OBESE	D-5
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AD46C_P1	SEXUAL ORIENTATION (PUF 1 YR RECODE)	D-6
AJ169V2	RESPONDENT'S PREGNANCY PLANS	D-7
AF40BV2	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-7
AJ154BV2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-8
AJ154BV2_2	BIRTH CONTROL METHOD: VASECTOMY	D-8
AJ154BV2_3	BIRTH CONTROL METHOD: IUD	D-9
AJ154BV2_4	BIRTH CONTROL METHOD: IMPLANT	D-9
AJ154BV2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-10
AJ154BV2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-10
AJ154BV2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-11
AJ154BV2_8	BIRTH CONTROL METHOD: OTHER	D-11
AJ154BV2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-12
AJ170V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-12
AJ171V2_P1	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-13
AJ179	RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS	D-13
AJ180	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-14
AJ181_P1	TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE	D-14
AJ182_P1	LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)	D-15
AJ144V3	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-15
AJ172V3	CURRENTLY USING BIRTH CONTROL	D-16
AJ174V2_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-16
AJ174V2_2	BIRTH CONTROL METHOD: VASECTOMY	D-17
AJ174V2_3	BIRTH CONTROL METHOD: IUD	D-17
AJ174V2_4	BIRTH CONTROL METHOD: IMPLANT	D-18

AJ174V2_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-18
AJ174V2_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-19
AJ174V2_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-19
AJ174V2_8	BIRTH CONTROL METHOD: OTHER	D-20
AJ174V2_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-20
AJ175V2_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-21
AJ183V2	RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12	D-21
AD82	EVER HEARD OF PREP/TRUVADA	D-22
AD83	EVER BEEN TESTED FOR HIV	D-22
AD84	OFFERED OR ASKED FOR HIV TEST	D-23
SECTION E	WOMEN'S HEALTH	E-1
AD13	CURRENTLY PREGNANT	E-1
SECTION F	MENTAL HEALTH	F-1
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-1
AJ31	FEEL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-2
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-3
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-4
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-5
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-6
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-7
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8

AF68	FEEL WORTHLESS WORST MONTH	F-8	
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9	
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-9	
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10	
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-10	
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11	
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-11	
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12	
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-12	
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13	
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-13	
AF81	NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR	F-14	
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14	
AG44	HOW OFTEN USE THE INTERNET	F-15	
AG45	HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA	F-15	
AF110	EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS	F-16	
AF111	PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-16	
AF112	MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-17	
AF113	PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS	F-17	
WEATHER	EFFECTS OF WEATHER-RELATED EVENTS	F-18	
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1	
AH33NEW	BORN IN U.S.	G-1	
AH34NEW	MOTHER BORN IN U.S.	G-1	
AH35NEW	FATHER BORN IN U.S.	G-2	
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-2	
YRUS6P	YEARS LIVED IN THE US: 6+	G-3	

YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECUDE)	G-3
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-4
AH43A	LIVING WITH A PARENT	G-4
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-5
AH44B	AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH	G-5
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-6
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-6
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-7
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-7
AG10	RESPONDENT USUALLY WORKS	G-8
AG11	SPOUSE USUALLY WORKS	G-8
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-9
AG22	EVER SERVE IN U.S. ARMED FORCES	G-9
AG31	HAVE VA SERVICE-CONNECTED DISABILITY RATING	G-10
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-10
SREDUC	SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)	G-11
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-11
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12
FAMT4	FAMILY TYPE - 4 LVLS	G-12
SECTION GV	GUN VIOLENCE	GV-1
AGV1_P1	# OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)	GV-1
AGV2_P1	# OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)	GV-2
AGV3	FIREARM IS A HANDGUN	GV-2
AGV5	FIREARM KEPT LOADED	GV-3
AGV6	FIREARM KEPT LOCKED	GV-3
AGV7	WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE	GV-4
AGV8	ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS	GV-4
FIREARM	FIREARM KEPT IN HOME	GV-5

HANDGUN	HANDGUN KEPT IN HOME	GV-5	
GUNLOADED	FIREARM IN HOME KEPT LOADED AND UNLOCKED	GV-5	
GUNLOCK	TYPE OF FIREARM LOCK USED	GV-6	
GUNSAFE	FIREARMS STORAGE: LOCKED AND/OR LOADED	GV-6	
SECTION H	HEALTH INSURANCE	H-1	
AI1	COVERED BY MEDICARE	H-1	
AI4	COVERED BY MEDICARE SUPPL POLICY	H-1	
AH53	PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM	H-2	
AH54	SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM	H-2	
AI6	COVERED BY MEDI-CAL	H-3	
AH100	ANYONE HELP FIND HEALTH PLAN	H-3	
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-4	
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-4	
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-5	
AH107	GET SUBSIDY/DISCOUNT ON PLAN PREMIUM	H-5	
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-6	
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-6	
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-7	
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-7	
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-8	
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-8	
AH117	COST OF SELECTED PLAN IMPORTANT	H-9	
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-9	
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-10	
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-10	
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-11	
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-11	
AI37	SPOUSE COVERED BY MEDICARE	H-12	
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-12	

AI38	SPOUSE COVERED BY MEDI-CAL	H-13
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-13
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-14
AI22C	MAIN HEALTH PLAN IS HMO	H-14
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL	H-15
AI25	COVERED FOR PRESCRIPTION DRUGS	H-15
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-16
НМО	HMO STATUS	H-16
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-17
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-17
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-18
AH140	REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM	H-18
AH141	REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO	H-19
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-19
АН75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-20
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-20
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-21
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-21
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-22
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-22
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-23
INS	CURRENTLY INSURED	H-23
INS_S	SPOUSE CURRENTLY INSURED	H-24
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-24

UNINSANY	UNINSURED IN PAST 12 MOS	H-25
INS64	TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65	H-25
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-26
INS64_S	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65	H-26
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-27
INSANY	ANY INS IN LAST 12 MOS	H-27
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-28
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-28
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-29
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-29
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-30
IHS	COVERED BY INDIAN HEALTH SERVICES	H-30
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-31
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-31
INSMC	COVERED BY MEDICARE	H-31
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-32
INSMC_S	SPOUSE COVERED BY MEDICARE	H-32
INSMD	COVERED BY MEDI-CAL	H-33
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-33
INSOG	COVERED BY OTHER GOVT PLANS	H-33
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-34
INSLT_P	HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)	H-34
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-35
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-35
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-35
COVRDCA_S	SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN	н-36

INSPS	PRIMARY OR SECONDARY COVERAGE	H-36
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-37
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-37
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	H-38
АН79В	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-38
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-39
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-39
АН8ЗВ	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-40
AH84B	UNINSURED AT TIME MEDICAL CARE WAS PROVIDED	H-40
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-41
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-41
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-42
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-42
AH129	AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO	H-43
AH130	HAS MONEY IN HSA ACCOUNT	H-43
AH131V2_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)	H-44
HSAAMTV2_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-44
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-45
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-45
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-46
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-46
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-47
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-47
АН136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-48
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-48

AH139	SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN	H-49
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
AH1V2	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-1
AJ202	RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST	J-2
AJ203_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-2
AJ203_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-3
AJ203_3	HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH	J-3
AJ203_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-4
AJ203_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-4
AJ203_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-5
AJ203_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-5
AJ203_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-6
AJ203_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-6
AJ203_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-7
AJ203_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-7
AJ203_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-8
AJ203_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19	J-8
AJ204	RATE OVERALL EXPERIENCE OF MOST RECENT VIDEO VISIT COMPARED TO IN	J-9
AJ205	RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN	J-9
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-10
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-10
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH	J-11

#### ADVICE

USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-11
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-12
АН5	# OF TIMES SAW MD IN PAST 12 MOS	J-12
АН6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-13
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-13
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-14
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-14
AJ8V3	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-15
AJ50V2_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-15
AJ9V2	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-16
AJ10V2	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-16
AJ11V2	WHO HELPED YOU UNDERSTAND DOCTOR	J-17
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-17
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-18
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-18
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-19
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-19
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-20
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-20
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	J-21
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-21
AJ115_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1	J-22
WORKSICK_P1	# OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE	J-23
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-24
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-24
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-25

RN_FORGO	REASONS FORGONE NECESSARY CARE	J-25
FORGO	HAD TO FORGO NECESSARY CARE	J-26
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-26
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-27
AJ168	CONDITION OF TEETH	J-27
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-28
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-28
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-28
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-29
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-29
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-30
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-30
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-30
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-31
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-31
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-32
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-32
AH12V2	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	J-33
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-33
ER	ER VISIT WITHIN THE PAST YEAR	J-34
AJ152V2	RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID	J-34
AJ153V2_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-35
AJ153V2_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-35
AJ153V2_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-36
AJ153V2_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-36
AJ153V2_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-37

AJ153V2_7	HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY	J-37
AJ153V2_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-38
AJ153V2_9	HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP	J-38
AJ153V2_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J <b>-</b> 39
AJ153V2_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-39
AJ153V2_12	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM	J-40
AJ153V2_13	HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM	J-40
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	J-41
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	J-41
AJ87	PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR	J-42
AJ101V2	CURRENTLY PROVIDE CARE	J-42
AF22V2	EVER HAD HOME BLOOD STOOL TEST	J-43
AF24V2	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	J-43
FOBT2V2	BLOOD STOOL TEST PAST 2 YEARS	J-44
AF14V2	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	J-44
AF16V2	HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-45
AB61V2	TYPE OF MOST RECENT RECTAL EXAM	J-45
AF17V2	MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	J-46
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-1
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)	K-2
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-2
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION	K-3

SCH.)

IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-4
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-5
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-6
_	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-6
AKWKLNG	TIME AT MAIN JOB	K-7
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-7
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-8
AK20_P1	# OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)	K-8
_	HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)	K-9
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-10
AK32V2	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I	K-10
AK33V2_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE	K-11
AK136	SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW	K-11
AK137	TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M	K-12
AK138_1	REASON FOR PAID LEAVE: OWN HEALTH	K-12
AK138_2	REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH	K-13
AK138_3	REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O	K-13
AK138_91	REASON FOR PAID LEAVE: OTHER	K-14
AK139_1	REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB	K-14
AK139_2	REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE	K-15
AK139_3	REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE	K-15
AK139_4	REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE	K-16

AK139_5	REASON DID NOT TAKE LEAVE: NOT ELIGIBLE	K-16
AK139_6	REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM	K-17
AK139_7	REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC	K-17
AK139_8	REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.	K-18
AK139_9	REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE	K-18
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-19
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-19
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-20
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-21
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-21
FSLEV	FOOD SECURITY STATUS LEVEL	K-22
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-22
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-23
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-23
POVLL	POVERTY LEVEL	K-24
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-24
ELGMAGI4	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)	K-25
ELGMAGI5	MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)	K-25
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
AL2V2	RECEIVING TANF OR CALWORKS	L-1
AL5V2	RECEIVING FOOD STAMP BENEFITS	L-1
AL6V2	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL32V2	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL18AV2	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3

AL19V2_P1	MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)	L-4
AL40V2_P1	LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)	L-4
AL86	WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO	L-5
AL87	METHOD OF CONTACTING COUNTY OFFICE	L-5
AL88	LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM	L-6
AL89	COUNTY REP ANSWER ALL OF R'S QUESTIONS	L-6
AL90	COUNTY REP TREATED R WITH RESPECT	L-7
AL91_1	AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES	L-7
AL91_2	AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R	L-8
AL91_3	AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER	L-8
AL91_4	AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS	L-9
AL91_5	AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS	L-9
AL91_6	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF	L-10
AL91_7	AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF	L-10
AL91_8	AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE	L-11
AL91_9	AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL	L-11
_	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF	L-12
AL91_11	AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES	L-12
AL91_13	AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION	L-13
AL91_12	AREAS COUNTY OFFICE CAN IMPROVE: OTHERS	L-13
AL92	SATISFACTION RATING OF COUNTY OFFICE	L-14
AL93	RENEWED MEDI-CAL IN PAST 12 MOS	L-14
AL94	HAVE ISSUES RENEWING MEDI-CAL	L-15
AL95_P1	TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)	L-15
AL96	COVERAGE PRIOR TO MEDI-CAL	L-16


AL97	PROBLEM CHANGING TO MEDI-CAL	L-16
AL105_1	NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND	L-17
AL105_2	NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND	L-17
AL105_3	NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION	L-18
AL105_4	NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION	L-18
AL106_1	HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT	L-19
	HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL	L-19
	HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES	L-20
AL106_4	HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES	L-20
AL106_5	HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO	L-21
AL107	ABLE TO UPDATE CONTACT INFORMATION	L-21
AL108_1	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT	L-22
AL108_2	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD	L-22
AL108_3	REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT	L-23
AL109	EASY TO UPDATE CONTACT INFO	L-23
AL110_1	HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON	L-24
AL110_2	HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE	L-24
AL110_3	HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN	L-25
AL110_4	HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER	L-25
AL110_5	HOW UPDATED CONTACT INFO: ONLINE	L-26
AL110_6	HOW UPDATED CONTACT INFO: MAIL	L-26
AL110_7	HOW UPDATED CONTACT INFO: PORTAL	L-27
AL110_91	HOW UPDATED CONTACT INFO: OTHER	L-27
SSNCIT_YN	ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL	L-28

SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-1
AK25	OWN OR RENT HOME	M-1
TIMEAD_P1	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE	M-2
TIMENEV2_P1	LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R	M-3
AM183	HOW FEEL ABOUT CURRENT HOUSING SITUATION	M-4
AM184	HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA	M-4
AM185_1	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO	M-5
AM185_2	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR	M-5
AM185_3	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED	M-5
AM185_4	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_5	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA	M-6
AM185_6	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO	M-6
AM185_7	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W	M-7
AM185_8	STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N	M-7
AJ178	DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES	M-8
AM187	EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING	M-8
AM188	SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE	M-9
ARRSTBK	YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED	M-9
PLCSTOP	STOPPED BY POLICE IN PAST YEAR	M-9
AM186_P1	# OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)	M-10

AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-10	
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-11	
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-11	
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-12	
AM39	VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR	M-12	
AM44	CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS	M-13	
AM45	CAN CONTACT ELECTED OFFICIAL IN COMMUNITY	M-13	
AM48	ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)	M-14	
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY	M-14	
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI	M-15	
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1	
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1	
UR_IHS	RURAL AND URBAN - IHS	N-1	
UR_OMB	RURAL AND URBAN - OMB	N-1	
UR_RHP	RURAL AND URBAN - RHP	N-2	
UR_CLRT4	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	N-2	
SECTION P	VOTER ENGAGEMENT	P-1	
AP73V2	FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS	P-1	
AP74V2	FREQUENCY OF VOTING IN STATE ELECTIONS	P-1	
AP75V2	FREQUENCY OF VOTING IN LOCAL ELECTIONS	P-2	
VOTE_ENG2	VOTER ENGAGEMENT	P-2	
AP80	MAIN REASON DID NOT VOTE	P-3	
VOTE_RSNNO	MAIN REASON DID NOT VOTE	P-3	
SECTION Q	SCREENING INFORMATION	Q-1	
AADATE_MM	DATE ADULT SECTION A DONE (YYYYMM)	Q-1	
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-1	
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2	

PROXY	A PROXY INTERVIEW	Q-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-2
SECTION R	ADVERSE CHILDHOOD EXPERIENCES	R-1
AQ1	LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE	R-1
AQ2	LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE	R-1
AQ3	LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS	R-1
AQ4	LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18	R-2
AQ5	PARENTS SEPARATED OR DIVORCED BEFORE AGE 18	R-2
AQ6	HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE	R-3
AQ7	HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18	R-3
AQ8	HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18	R-4
AQ12	EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO	R-4
AQ13	EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18	R-4
AQ14	EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18	R-5
AQ15	HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18	R-5
AQ16	HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1	R-6
AQ17	HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT TIMES BEFORE	R-6
AQ18	HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18	R-7
AQ19	HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES	R-7
AQ20	HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18	R-8
AQ21	HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18	R-8

AQ22	HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG	R-9
AQ23	EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL	R-9
AQ24	EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI	R-10
AQ25	EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS	R-10
AQ26	HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES	R-11
AQ27	SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM	R-11
ACE_A	ADVERSE CHILDHOOD EXPERIENCES SCALE	R-12
ACE8	ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)	R-12
PCE	POSITIVE CHILDHOOD EXPERIENCES SCALE	R-13



\_\_\_\_\_\_

VARNAME:	SRAGE	Ρ1
AUIMATIT .	DIMAL	

LABEL:	SELF-REPORTED	AGE (	(PUF	1	YR	RECODE)	)

			FREQ	%
VALUE:	18	18-25 YEARS	131	8.30
	26	26-29 YEARS	94	5.95
	30	30-34 YEARS	144	9.12
	35	35-39 YEARS	103	6.52
	40	40-44 YEARS	128	8.11
	45	45-49 YEARS	136	8.61
	50	50-54 YEARS	154	9.75
	55	55-59 YEARS	145	9.18
	60	60-64 YEARS	166	10.51
	65	65-69 YEARS	134	8.49
	70	70-74 YEARS	99	6.27
	75	75-79 YEARS	83	5.26
	80	80-84 YEARS	37	2.34
	85	85+ YEARS	25	1.58

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: SRAGE Categories Collapsed. Main Adult PUF age variable.

\_\_\_\_\_

VARNAME: SRSEX

LABEL: SELF-REPORTED GENDER

VALUE: 1 MALE 757 47.94 2 FEMALE 822 52.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD65D

LABEL: SEX ASSIGNED ON ORIGINAL BIRTH CERTIFICATE

FREQ MALE VALUE: 1 753 47.69

FEMALE 826 52.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: TRANSGEND2

LABEL: CURRENT SELF REPORTED GENDER AND SEX AT BIRTH: 2-LEVELS

FREQ VALUE: 1 2 1570 99.43 9 0.57 NOT TRANSGENDER (I.E., CISGENDER)

TRANSGENDER OR GENDER NON-CONFORMING

UNIVERSE: ALL ADULTS

INPUT VAR: AD65D AD66B AD67B

NOTES:

\_\_\_\_\_\_

VARNAME: LATIN2TP

LABEL: LATIN/HISPANIC SUBTYPES (2 LVLS)

VALUE: -1 NON-LATINO 1558 98.67
1 MEXICAN 9 0.57
2 OTHER 12 0.76

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: LATIN9TP

NOTES: SHIFTS IN LATIN2TP MAY BE SEEN STARTING IN 2021 DUE TO

IMPLEMENTATION OF WHITE/BLACK ORIGIN VARIABLES THAT MAY IMPACT THE COMPLETE RACE/ETHNICITY PROFILE OF A RESPONDENT. USE CAUTION WHEN

TRENDING WITH PRE-2021 YEARS.

\_\_\_\_\_\_

VARNAME: BLACKCRB

LABEL: BLACK: CARIBBEAN

VALUE: -8 DON'T KNOW 3 0.19
1 CARIBBEAN BLACK ORIGIN 1 0.06
2 NOT CARIBBEAN BLACK ORIGIN 1575 99.75

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I\_A - AA5I\_F

NOTES:

\_\_\_\_\_\_

VARNAME: BLACKSSA

LABEL: BLACK: SUB-SAHARAN AFRICAN

VALUE: -8 DON'T KNOW 3 0.19

1 SUB-SAHARAN AFRICAN BLACK ORIGIN 4 0.25 2 NOT SUB-SAHARAN AFRICAN BLACK ORIGIN 1572 99.56

UNIVERSE: ALL ADULTS

INPUT VAR: AA5I\_A - AA5I\_F

NOTES:

\_\_\_\_\_\_

VARNAME: MENA

LABEL: MIDDLE EAST AND NORTH AFRICA ORIGIN

FREQ %

VALUE: 1 MIDDLE EAST AND NORTH AFRICA ORIGIN 1 0.06 2 NOT MIDDLE EAST AND NORTH AFRICA ORIGIN 1578 99.94

UNIVERSE: ALL ADULTS

INPUT VAR: AA5H\_A - AA5H\_F

NOTES:

\_\_\_\_\_\_

VARNAME: OMBSRR\_P1

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE: 1 HISPANIC 21 1.33
5 ASIAN ONLY, NH 1403 88.85
6 OTHER/TWO OR MORE RACES 155 9.82

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO

NOTES: OMBSRREO Categories Collapsed

\_\_\_\_\_\_

VARNAME: RACECN\_P1

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE: 1 OTHER SINGLE RACE 22 1.39
3 ASIAN 1414 89.55
7 MORE THAN ONE RACE 143 9.06

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES: BASED ON CENSUS SF1 DEFINITION. FOR CURRENT RACEDOF, SEE OMBSRREO.

\_\_\_\_\_\_

VARNAME: RACEDF\_P1

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LATINO	21	1.33
	2	NON-LATINO OTHER, ONE RACE	20	1.27
	4	NON-LATINO ASIAN	1402	88.79
	8	NON-LATINO, TWO+ RACES	136	8.61

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

\_\_\_\_\_

VARNAME: RACEHP2\_P1

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LATINO	4	0.25
	2	OTHER SINGLE/MULTIPLE RACE	131	8.30
	4	ASIAN	1425	90.25
	5	AFRICAN AMERICAN	4	0.25
	6	WHITE	15	0.95

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

\_\_\_\_\_\_

VARNAME: AA5C

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE: -8 DON'T KNOW 1 0.06 -1 INAPPLICABLE 1571 99.49 2 NO 7 0.44

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AA5G

LABEL: IDENTIFY WITH ONE RACE IN PARTICULAR

VALUE: -9 NOT ASCERTAINED 2 0.13
-1 INAPPLICABLE 1356 85.88
1 YES 101 6.40
2 NO 120 7.60

UNIVERSE: MULTI-RACIAL ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: LNGHM\_P1

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	ENGLISH	585	37.05
	3	CHINESE	219	13.87
	4	VIETNAMESE	61	3.86
	5	KOREAN	88	5.57
	6	OTHER ONE LANGUAGE ONLY	53	3.36
	8	ENGLISH & SPANISH	8	0.51
	9	ENGLISH & CHINESE	163	10.32
	10	ENGLISH & EUROPEAN LANGUAGE	4	0.25
	11	ENGLISH & ANOTHER ASIAN LANGUAGE	300	19.00
	12	ENGLISH & ONE OTHER LANGUAGE	9	0.57
	13	OTHER LANGUAGES (2+)	89	5.64

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES: LNGHM Categories Collapsed

\_\_\_\_\_\_

VARNAME: AH37

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	585	37.05
	1	VERY WELL	493	31.22
	2	WELL	301	19.06
	3	NOT WELL	182	11.53
	4	NOT AT ALL	18	1.14

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR

WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: SPK\_ENG

LABEL: ENGLISH USE AND PROFICIENCY

FREQ %
VALUE: 1 SPEAK ONLY ENGLISH 585 37.05
2 VERY WELL/WELL 794 50.28
3 NOT WELL/NOT AT ALL 200 12.67

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

\_\_\_\_\_\_

VARNAME: AH44

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE: -1 INAPPLICABLE 619 39.20 1 YES 927 58.71 2 NO 33 2.09

UNIVERSE: ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: MARIT

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE: 1 MARRIED 863 54.65 2 OTHER/SEP/DIV/LIVING W/PARTNER 317 20.08 3 NEVER MARRIED 399 25.27

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

\_\_\_\_\_\_

VARNAME: MARIT\_45

LABEL: MARITAL STATUS - AGE 45 AND OLDER

			FREQ	%
VALUE:	-1	INAPPLICABLE	600	38.00
	1	MARRIED	627	39.71
	2	LIVING WITH PARTNER	45	2.85
	3	WIDOWED	77	4.88
	4	DIVORCED/SEPARATED	120	7.60
	5	NEVER MARRIED	110	6.97

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

\_\_\_\_\_\_

VARNAME: MARIT2

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE: 1 MARRIED 863 54.65
2 LIVING W/ PARTNER 97 6.14
3 WID/SEP/DIV 220 13.93
4 NEVER MARRIED 399 25.27

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES:

\_\_\_\_\_

VARNAME: INTV\_MODE2

LABEL: INTERVIEW MODE (PHONE OR WEB)

VALUE: 1 PHONE INTERVIEW 101 6.40 2 WEB INTERVIEW 1478 93.60

UNIVERSE: ALL ADULTS

INPUT VAR: ADULTENDCHANNEL

NOTES:



\_\_\_\_\_\_

VARNAME: AANHPI\_ID

LABEL: AANHPI ID

VALUE: 0-HIGH PERSON # 1579 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI1\_1

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: PRINT NEWSPAPER

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 286 18.11
2 NO 1287 81.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

------

VARNAME: AAPI1\_2

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NEWS WEBSITES/APPS

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 910 57.63
2 NO 663 41.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI1\_3

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: MAGAZINES

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 140 8.87
2 NO 1433 90.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI1\_4

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: SOCIAL MEDIA

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 802 50.79
2 NO 771 48.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI1\_5

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: INTERNET

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 1146 72.58
2 NO 427 27.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI1\_6

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: TV

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 831 52.63
2 NO 742 46.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI1\_7

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: RADIO

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 485 30.72
2 NO 1088 68.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI1\_8

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: GOV'T AGENCIES

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 162 10.26
2 NO 1411 89.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI1\_9

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FAMILY

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 534 33.82
2 NO 1039 65.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI1\_10

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: FRIENDS/COLLEAGUES

VALUE: -1 INAPPLICABLE 6 0.38
1 YES 610 38.63
2 NO 963 60.99

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI1\_11

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: PODCASTS

FREQ % VALUE: -1 INAPPLICABLE 6 0.38 14 0.89 1

YES NO 1559 98.73 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI1\_13

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: NONE OF THESE

FREQ 0.38

VALUE: 1 YES 2 NO 1573 99.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI1\_91

LABEL: WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS: OTHER

% FREQ 6 VALUE: -1 INAPPLICABLE 0.38 1 4 0.25

YES NO 1569 99.37 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI1\_NO

LABEL: DO NOT KNOW WHERE GET MOST INFO ABOUT CURRENT NEWS EVENTS

FREQ % 0.38

VALUE: 1 YES 2 NO 1573 99.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI2A

LABEL: PRINT NEWSPAPERS ARE AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 1293 81.89
1 YES 150 9.50
2 NO 136 8.61

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM PRINT

NEWSPAPER

INPUT VAR:

NOTES:

-----

VARNAME: AAPI2B

LABEL: NEWS WEBSITES/APPS ARE AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 669 42.37
1 YES 367 23.24
2 NO 543 34.39

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM NEWS

WEBSITES/APPS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI2C

LABEL: MAGAZINES ARE AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 53 3.36 2 NO 87 5.51

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM MAGAZINES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI2D

LABEL: INTERNET SOURCES ARE AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 433 27.42 1 YES 491 31.10 2 NO 655 41.48

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM INTERNET

SOURCES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI2E

LABEL: TV SHOWS ARE AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 748 47.37
1 YES 370 23.43
2 NO 461 29.20

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM TV

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI2F

LABEL: RADIO IS AANHPI-ORIENTED

VALUE: -1 INAPPLICABLE 1094 69.28
1 YES 189 11.97
2 NO 296 18.75

UNIVERSE: ADULTS WHO GET MOST INFO ABOUT CURRENT NEWS EVENTS FROM RADIO

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AAPI3\_1

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: YOUTUBE

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 1349 85.43
2 NO 166 10.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_2

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: FACEBOOK

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 1069 67.70
2 NO 446 28.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_3

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: INSTAGRAM

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 735 46.55
2 NO 780 49.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_4

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: SNAPCHAT

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 235 14.88
2 NO 1280 81.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_5

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: PINTEREST

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 386 24.45
2 NO 1129 71.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_6

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: LINKEDIN

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 636 40.28
2 NO 879 55.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_7

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TWITTER

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 527 33.38
2 NO 988 62.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_8

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WHATSAPP

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 458 29.01
2 NO 1057 66.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_9

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: TIKTOK

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 344 21.79
2 NO 1171 74.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_10

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: WECHAT

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 339 21.47
2 NO 1176 74.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_11

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: REDDIT

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 439 27.80
2 NO 1076 68.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_12

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: NEXTDOOR

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 452 28.63
2 NO 1063 67.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI3\_91

LABEL: EVER VISITED OR USED SOCIAL MEDIA SITE OR PLATFORM: OTHER

VALUE: -1 INAPPLICABLE 64 4.05
1 YES 38 2.41
2 NO 1477 93.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI3\_NO

LABEL: HAVE NOT EVER VISITED OR USED ANY OF THESE SOCIAL MEDIA SITES OR

VALUE: 1 YES 64 4.05 2 NO 1515 95.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4A

LABEL: HOW OFTEN VISITED OR USED YOUTUBE IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	230	14.57
	1	MULTIPLE TIMES A DAY	719	45.54
	2	ABOUT ONCE A DAY	264	16.72
	3	AT LEAST ONCE A WEEK	220	13.93
	4	LESS THAN ONCE A WEEK	142	8.99
	5	NEVER	4	0.25

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED YOUTUBE

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI4B

LABEL: HOW OFTEN VISITED OR USED FACEBOOK IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	510	32.30
	1	MULTIPLE TIMES A DAY	404	25.59
	2	ABOUT ONCE A DAY	264	16.72
	3	AT LEAST ONCE A WEEK	144	9.12
	4	LESS THAN ONCE A WEEK	182	11.53
	5	NEVER	75	4.75

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED FACEBOOK

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4C
VARIVAPIL:	AAP14C

LABEL: HOW OFTEN VISITED OR USED INSTAGRAM IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	844	53.45
	1	MULTIPLE TIMES A DAY	345	21.85
	2	ABOUT ONCE A DAY	137	8.68
	3	AT LEAST ONCE A WEEK	110	6.97
	4	LESS THAN ONCE A WEEK	110	6.97
	5	NEVER	33	2 09

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED INSTAGRAM

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI4D

LABEL: HOW OFTEN VISITED OR USED SNAPCHAT IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1344	85.12
	1	MULTIPLE TIMES A DAY	52	3.29
	2	ABOUT ONCE A DAY	35	2.22
	3	AT LEAST ONCE A WEEK	31	1.96
	4	LESS THAN ONCE A WEEK	63	3.99
	5	NEVER	54	3.42

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED SNAPCHAT

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4E

LABEL: HOW OFTEN VISITED OR USED PINTEREST IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1193	75.55
	1	MULTIPLE TIMES A DAY	16	1.01
	2	ABOUT ONCE A DAY	39	2.47
	3	AT LEAST ONCE A WEEK	75	4.75
	4	LESS THAN ONCE A WEEK	190	12.03
	5	NEVER	66	4.18

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED PINTEREST

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI4F

LABEL: HOW OFTEN VISITED OR USED LINKEDIN IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	943	59.72
	1	MULTIPLE TIMES A DAY	52	3.29
	2	ABOUT ONCE A DAY	76	4.81
	3	AT LEAST ONCE A WEEK	157	9.94
	4	LESS THAN ONCE A WEEK	287	18.18
	5	NEVER	64	4.05

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED LINKEDIN

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI4G
-----------------

LABEL: HOW OFTEN VISITED OR USED TWITTER IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1052	66.62
	1	MULTIPLE TIMES A DAY	128	8.11
	2	ABOUT ONCE A DAY	90	5.70
	3	AT LEAST ONCE A WEEK	102	6.46
	4	LESS THAN ONCE A WEEK	153	9.69
	5	NEVER	54	3.42

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED TWITTER

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI4H

LABEL: HOW OFTEN VISITED OR USED WHATSAPP IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1121	70.99
	1	MULTIPLE TIMES A DAY	106	6.71
	2	ABOUT ONCE A DAY	69	4.37
	3	AT LEAST ONCE A WEEK	86	5.45
	4	LESS THAN ONCE A WEEK	136	8.61
	5	NEVER	61	3.86

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED WHATSAPP

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4I
VARIVAPIE:	AAPI4I

LABEL: HOW OFTEN VISITED OR USED TIKTOK IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1235	78.21
	1	MULTIPLE TIMES A DAY	91	5.76
	2	ABOUT ONCE A DAY	61	3.86
	3	AT LEAST ONCE A WEEK	52	3.29
	4	LESS THAN ONCE A WEEK	111	7.03
	5	NEVER	29	1.84

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED TIKTOK

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI4J

LABEL: HOW OFTEN VISITED OR USED WECHAT IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1240	78.53
	1	MULTIPLE TIMES A DAY	171	10.83
	2	ABOUT ONCE A DAY	63	3.99
	3	AT LEAST ONCE A WEEK	36	2.28
	4	LESS THAN ONCE A WEEK	40	2.53
	5	NEVER	29	1.84

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED WECHAT

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4K
VARNAME:	AAPI4N

LABEL: HOW OFTEN VISITED OR USED REDDIT IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1140	72.20
	1	MULTIPLE TIMES A DAY	121	7.66
	2	ABOUT ONCE A DAY	49	3.10
	3	AT LEAST ONCE A WEEK	93	5.89
	4	LESS THAN ONCE A WEEK	144	9.12
	5	NEVER	32	2.03

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED REDDIT

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI4L

LABEL: HOW OFTEN VISITED OR USED NEXTDOOR IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	MULTIPLE TIMES A DAY	40	2.53
	2	ABOUT ONCE A DAY	102	6.46
	3	AT LEAST ONCE A WEEK	132	8.36
	4	LESS THAN ONCE A WEEK	143	9.06
	5	NEVER.	35	2.22

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED NEXTDOOR

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI4M
VARIVANE:	AAPI4M

LABEL: HOW OFTEN VISITED OR USED OTHER MENTIONED SOCIAL MEDIA SITE OR PL

			FKEQ	%
VALUE:	-1	INAPPLICABLE	1541	97.59
	1	MULTIPLE TIMES A DAY	24	1.52
	2	ABOUT ONCE A DAY	6	0.38
	3	AT LEAST ONCE A WEEK	2	0.13
	4	LESS THAN ONCE A WEEK	4	0.25
	5	NEVER	2	0.13

UNIVERSE: ADULTS WHO HAVE EVER VISITED OR USED ANOTHER SOCIAL MEDIA SITE OR

PLATFORM

INPUT VAR:

NOTES:

-----

VARNAME: AAPI5A

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: A DOCTOR

			FREQ	%
VALUE:	1	A LOT	1224	77.52
	2	SOME	321	20.33
	3	A LITTLE	29	1.84
	4	NOT AT ALL	5	0.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI5B

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: FAMILY/FRIENDS

VALUE: 1 A LOT 198 12.54
2 SOME 1034 65.48
3 A LITTLE 318 20.14
4 NOT AT ALL 29 1.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI5C

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: NEWSPAPERS/MAGAZINES

VALUE: 1 A LOT 241 15.26
2 SOME 985 62.38
3 A LITTLE 302 19.13
4 NOT AT ALL 51 3.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI5D

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RADIO

VALUE: FREQ %
VALUE: 1 A LOT 158 10.01
2 SOME 826 52.31
3 A LITTLE 440 27.87
4 NOT AT ALL 155 9.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI5E

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: INTERNET SEARCHES AN

VALUE: 1 A LOT 269 17.04
2 SOME 996 63.08
3 A LITTLE 277 17.54
4 NOT AT ALL 37 2.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI5F

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: SOCIAL MEDIA APPS

VALUE: FREQ %
VALUE: 1 A LOT 44 2.79
2 SOME 528 33.44
3 A LITTLE 648 41.04
4 NOT AT ALL 359 22.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI5G

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: TV

VALUE: 1 A LOT 212 13.43
2 SOME 845 53.51
3 A LITTLE 410 25.97
4 NOT AT ALL 112 7.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI5H

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: GOV'T HEALTH AGENCIE

VALUE: 1 A LOT 911 57.69
2 SOME 531 33.63
3 A LITTLE 116 7.35
4 NOT AT ALL 21 1.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AAPI5I

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: RELIGIOUS ORGS/LEADE

VALUE: 1 A LOT 94 5.95
2 SOME 414 26.22
3 A LITTLE 468 29.64
4 NOT AT ALL 603 38.19

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI5J

LABEL: TRUST INFO ABOUT HEALTH/MEDICAL TOPICS FROM: CHARITABLE ORGS

			FREQ	%
VALUE:	1	A LOT	53	3.36
	2	SOME	570	36.10
	3	A LITTLE	620	39.27
	4	NOT AT ALL	336	21.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: TRUST\_YT

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED YOUTUBE IN P

			FREQ	%
VALUE:	1	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL	500	31.67
	2	TRUST INFO ABOUT MED/HEALTH FROM SOC MED	72	4.56
	3	DOES NOT TRUST INFO & HAS USED YT IN PAS	845	53.51
	4	DOES NOT TRUST INFO & HAS NOT USED YT IN	162	10.26

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_1 AAPI4A AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_FB

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED FACEBOOK IN

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 427 27.04
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 145 9.18
3 DOES NOT TRUST INFO & HAS USED FB IN PAS 567 35.91
4 DOES NOT TRUST INFO & HAS NOT USED FB IN 440 27.87

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_2 AAPI4B AAPI5F

NOTES:

\_\_\_\_\_

VARNAME: TRUST\_IG

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED INSTAGRAM IN

FREQ %
VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 276 17.48
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 296 18.75
3 DOES NOT TRUST INFO & HAS USED IG IN PAS 426 26.98
4 DOES NOT TRUST INFO & HAS NOT USED IG IN 581 36.80

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_3 AAPI4C AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_SC

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED SNAPCHAT IN

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 74 4.69
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 498 31.54
3 DOES NOT TRUST INFO & HAS USED SC IN PAS 107 6.78
4 DOES NOT TRUST INFO & HAS NOT USED SC IN 900 57.00

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_4 AAPI4D AAPI5F

NOTES:

-----

VARNAME: TRUST\_PIN

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED PINTEREST IN

FREQ %
VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 126 7.98
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 446 28.25
3 DOES NOT TRUST INFO & HAS USED PIN IN PA 194 12.29
4 DOES NOT TRUST INFO & HAS NOT USED PIN I 813 51.49

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_5 AAPI4E AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_LI

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED LINKEDIN IN

			FREQ	%
VALUE:	1	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL	202	12.79
	2	TRUST INFO ABOUT MED/HEALTH FROM SOC MED	370	23.43
	3	DOES NOT TRUST INFO & HAS USED LI IN PAS	370	23.43
	4	DOES NOT TRUST INFO & HAS NOT USED LI IN	637	40.34

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_6 AAPI4F AAPI5F

NOTES:

\_\_\_\_\_

VARNAME: TRUST\_TW

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TWITTER IN P

			FREQ	%
VALUE:	1	TRUST INFO ABOUT MED/HEALTH FROM SOCIAL	171	10.83
	2	TRUST INFO ABOUT MED/HEALTH FROM SOC MED	401	25.40
	3	DOES NOT TRUST INFO & HAS USED TW IN PAS	302	19.13
	4	DOES NOT TRUST INFO & HAS NOT USED TW IN	705	44.65

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_7 AAPI4G AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_WA

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WHATSAPP IN

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 151 9.56
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 421 26.66
3 DOES NOT TRUST INFO & HAS USED WA IN PAS 246 15.58
4 DOES NOT TRUST INFO & HAS NOT USED WA IN 761 48.20

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_8 AAPI4H AAPI5F

NOTES:

-----

VARNAME: TRUST\_TT

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED TIKTOK IN PA

FREQ %
VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 132 8.36
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 440 27.87
3 DOES NOT TRUST INFO & HAS USED TT IN PAS 183 11.59
4 DOES NOT TRUST INFO & HAS NOT USED TT IN 824 52.18

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_9 AAPI4I AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_WC

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED WECHAT IN PA

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 136 8.61
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 436 27.61
3 DOES NOT TRUST INFO & HAS USED WC IN PAS 174 11.02
4 DOES NOT TRUST INFO & HAS NOT USED WC IN 833 52.75

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_10 AAPI4J AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_RD

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED REDDIT IN PA

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 118 7.47
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 454 28.75
3 DOES NOT TRUST INFO & HAS USED RD IN PAS 289 18.30
4 DOES NOT TRUST INFO & HAS NOT USED RD IN 718 45.47

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_11 AAPI4K AAPI5F

NOTES:

\_\_\_\_\_\_

VARNAME: TRUST\_ND

LABEL: TRUST INFO ABOUT MED/HEALTH FROM SOCIAL MEDIA & USED NEXTDOOR IN

VALUE: 1 TRUST INFO ABOUT MED/HEALTH FROM SOCIAL 154 9.75
2 TRUST INFO ABOUT MED/HEALTH FROM SOC MED 418 26.47
3 DOES NOT TRUST INFO & HAS USED ND IN PAS 263 16.66
4 DOES NOT TRUST INFO & HAS NOT USED ND IN 744 47.12

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI3\_12 AAPI4L AAPI5F

NOTES:

\_\_\_\_\_

VARNAME: AAPI6A

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY HOUSIN

VALUE: 1 YES 472 29.89
2 NO 874 55.35
3 NOT APPLICABLE 233 14.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AAPI6B

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE HOUSING

VALUE: FREQ %
VALUE: 1 YES 523 33.12
2 NO 810 51.30
3 NOT APPLICABLE 246 15.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI6C

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY FOOD

VALUE: 1 YES 338 21.41 2 NO 1157 73.27 3 NOT APPLICABLE 84 5.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI6D

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE FOOD

VALUE: FREQ %
VALUE: 1 YES 309 19.57
2 NO 1188 75.24
3 NOT APPLICABLE 82 5.19

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI6E

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: MENTAL HEALTH SERVI

VALUE: 1 YES 291 18.43
2 NO 767 48.58
3 NOT APPLICABLE 521 33.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI6F

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HEALTH SERVICES

VALUE: 1 YES 383 24.26 2 NO 1141 72.26 3 NOT APPLICABLE 55 3.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI6G

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: HIGH-QUALITY EDUCAT

VALUE: 1 YES 324 20.52 2 NO 1079 68.33 3 NOT APPLICABLE 176 11.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI6H

LABEL: EXPERIENCED DIFFICULTIES ACCESSING IN THE US: AFFORDABLE EDUCATIO

VALUE: FREQ %
VALUE: 1 YES 410 25.97
2 NO 967 61.24
3 NOT APPLICABLE 202 12.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: DIFFHOUSE

LABEL: DIFFICULTY FINDING QUALITY OR AFFORDABLE HOUSING

VALUE: 1 DIFFICULTY FINDING QUALITY HOUSING ONLY 131 8.30
2 DIFFICULTY FINDING AFFORDABLE HOUSING ON 182 11.53
3 DIFFICULTY FINDING BOTH QUALITY AND AFFO 341 21.60
4 NO DIFFICULTY FINDING EITHER OR ONE IF 0 807 51.11
5 NOT APPLICABLE 118 7.47

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI6A AAPI6B

NOTES:

\_\_\_\_\_\_

VARNAME:	DIFFFOOD

LABEL: DIFFICULTY FINDING QUALITY OR AFFORDABLE FOOD

		FREQ	%
VALUE:	1	DIFFICULTY FINDING QUALITY FOOD ONLY 143	9.06
	2	DIFFICULTY FINDING AFFORDABLE FOOD ONLY 114	7.22
	3	DIFFICULTY FINDING BOTH QUALITY AND AFFO 195	12.35
	4	NO DIFFICULTY FINDING EITHER OR ONE IF O 1088	68.90
	5	NOT APPLICABLE 39	2.47

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI6C AAPI6D

NOTES:

-----

VARNAME: DIFFEDU

LABEL: DIFFICULTY FINDING QUALITY OR AFFORDABLE EDUCATION

			FREQ	%
VALUE:	1	DIFFICULTY FINDING QUALITY EDUCATION ONL	114	7.22
	2	DIFFICULTY FINDING AFFORDABLE EDUCATION	200	12.67
	3	DIFFICULTY FINDING BOTH QUALITY AND AFFO	210	13.30
	4	NO DIFFICULTY FINDING EITHER OR ONE IF O	921	58.33
	5	NOT APPLICABLE	134	8.49

UNIVERSE: ALL ADULTS

INPUT VAR: AAPI6G AAPI6H

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7\_1

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: RA

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 99 6.27
2 NO 555 35.15

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI7\_2

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: FI

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 602 38.13
2 NO 52 3.29

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7\_3

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 88 5.57
2 NO 566 35.85

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI7\_4

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: IM

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 41 2.60
2 NO 613 38.82

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7\_5

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: NO

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 212 13.43
2 NO 442 27.99

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI7\_6

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: CO

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 46 2.91
2 NO 608 38.51

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7\_7

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: LI

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 186 11.78
2 NO 468 29.64

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI7\_91

LABEL: REASONS HAD DIFFICULTIES ACCESSING QUALITY/AFFORDABLE HOUSING: OT

VALUE: -1 INAPPLICABLE 925 58.58
1 YES 5 0.32
2 NO 649 41.10

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

------

\_\_\_\_\_\_

VARNAME:	AAPI7A

LABEL:	HOU	ОБДБИ	DECETVE	ACCTOTANCE	UTTU	ACCECCINC	HTCH_OHAT	TTY/AFFORDAB
LABELL:	HUW	UF IF.N	R.F.C.F. I V F.	ASSISTANCE	WIIH	ACCESSING	HIGH-UUAL.	1   Y/AFFUKDAB

			FREQ	%
VALUE:	-1	INAPPLICABLE	925	58.58
	1	NEVER	231	14.63
	2	SOMETIMES	272	17.23
	3	USUALLY	90	5.70
	4	ALWAYS	61	3.86

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7B

LABEL: HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB

			FREQ	%
VALUE:	-1	INAPPLICABLE	925	58.58
	1	NEVER	548	34.71
	2	SOMETIMES	95	6.02
	3	USUALLY	10	0.63
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI7C
vaimaii.	

LABEL: HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB

			FREQ	%
VALUE:	-1	INAPPLICABLE	925	58.58
	1	NEVER	566	35.85
	2	SOMETIMES	77	4.88
	3	USUALLY	10	0.63
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI7D

LABEL: HOW OFTEN RECEIVE ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDAB

			FREQ	%
VALUE:	-1	INAPPLICABLE	925	58.58
	1	NEVER	545	34.52
	2	SOMETIMES	90	5.70
	3	USUALLY	17	1.08
	4	ALWAYS	2	0.13

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI7E

LABEL:	HOW OFTEN	RECEIVE	ASSISTANCE	WITH	ACCESSING	HIGH-QUALITY/AFFORDAB

			FREQ	%
VALUE:	-1	INAPPLICABLE	925	58.58
	1	NEVER	437	27.68
	2	SOMETIMES	169	10.70
	3	USUALLY	33	2.09
	4	ALWAYS	15	0.95

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE HOUSING WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8\_1

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: RACE/E

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	YES	27	1.71
	2	NO	425	26.92

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8\_2

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: FINANC

VALUE: -1 INAPPLICABLE 1127 71.37
1 YES 398 25.21
2 NO 54 3.42

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI8\_3

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE

VALUE: -1 INAPPLICABLE 1127 71.37
1 YES 42 2.66
2 NO 410 25.97

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8\_4

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: IMMIGR

VALUE: -1 INAPPLICABLE 1127 71.37
1 YES 12 0.76
2 NO 440 27.87

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI8\_5

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: NOT KN

VALUE: -1 INAPPLICABLE 1127 71.37
1 YES 137 8.68
2 NO 315 19.95

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8\_6

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: CONCER

VALUE: -1 INAPPLICABLE 1127 71.37 1 YES 33 2.09 2 NO 419 26.54

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI8\_7

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: LIMITE

VALUE: -1 INAPPLICABLE 1127 71.37
1 YES 94 5.95
2 NO 358 22.67

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI8 91

LABEL: REASON HAD DIFFICULTIES ACCESSING AFFORDABLE/QUALITY FOOD: OTHER

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	YES	4	0.25
	2	NO	448	28.37

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI8A

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	156	9.88
	2	SOMETIMES	206	13.05
	3	USUALLY	54	3.42
	4	ALWAYS	36	2.28

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI8B

I.ABEI.:	WOH	OFTEN	RECEIVED	ASSISTANCE	WTTH	ACCESSING	HTCH-OIIAI.TTY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	361	22.86
	2	SOMETIMES	85	5.38
	3	USUALLY	6	0.38

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8C

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	362	22.93
	2	SOMETIMES	78	4.94
	3	USUALLY	11	0.70
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI8D
V AILINAITE.	HALTOD

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	322	20.39
	2	SOMETIMES	101	6.40
	3	USUALLY	19	1.20
	4	ALWAYS	10	0.63

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI8E

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	356	22.55
	2	SOMETIMES	84	5.32
	3	USUALLY	11	0.70
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI8F

LABEL:	HOU	ОБТЕМ	DECETVED	ASSISTANCE	UTTLI	ACCECCINC	HTCH_	OTTAT TTV /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
LABELL:	HUW	UF IF.N	R.F.CF. I V F.D	ASSISTANCE	WIIH	ACCESSING	HIGH-	UJUAL.IIY/	A P P U R.DA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1127	71.37
	1	NEVER	314	19.89
	2	SOMETIMES	93	5.89
	3	USUALLY	25	1.58
	4	ALWAYS	20	1.27

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HIGH-QUALITY AND/OR

AFFORDABLE FOOD WHILE LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9\_1

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: RACE/E

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	YES	48	3.04
	2	NO	243	15.39

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9\_2

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: FINANC

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 187 11.84
2 NO 104 6.59

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI9\_3

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LACK O

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 101 6.40
2 NO 190 12.03

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9\_4

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 56 3.55
2 NO 235 14.88

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI9\_5

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: IMMIGR

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 14 0.89
2 NO 277 17.54

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9\_6

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: NOT KN

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 177 11.21
2 NO 114 7.22

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI9\_7

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: CONCER

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 66 4.18
2 NO 225 14.25

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9\_8

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: LIMITE

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 75 4.75
2 NO 216 13.68

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI9\_91

LABEL: REASONS HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES: OTHER

VALUE: -1 INAPPLICABLE 1288 81.57
1 YES 23 1.46
2 NO 268 16.97

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI9A

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH	LABEL:	HOW OFTEN	RECEIVED	ASSISTANCE	WTTH	ACCESSING	MENTAI.	HEALTH	SERVIC
---	--------	-----------	----------	------------	------	-----------	---------	--------	--------

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	142	8.99
	2	SOMETIMES	107	6.78
	3	USUALLY	27	1.71
	4	ALWAYS	15	0.95

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9B

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	261	16.53
	2	SOMETIMES	29	1.84
	3	USUALLY	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI9C

LABEL: HO	OW (	OFTEN	RECEIVED	ASSISTANCE	WITH	ACCESSING	MENTAL	HEALTH	SERVIC
-----------	------	-------	----------	------------	------	-----------	--------	--------	--------

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	246	15.58
	2	SOMETIMES	38	2.41
	3	USUALLY	6	0.38
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9D

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	230	14.57
	2	SOMETIMES	50	3.17
	3	USUALLY	11	0.70

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI9E
v Almanii.	AAFIJE

	***								~====
LABEL:	H()W	() F., I., F.; N	RECEIVED	ASSISTANCE	M I II H	ACCESSING	MENTAL.	HE:AL:TH	SERVIC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	205	12.98
	2	SOMETIMES	63	3.99
	3	USUALLY	18	1.14
	4	ALWAYS	5	0.32

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI9F

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING MENTAL HEALTH SERVIC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	118	7.47
	2	SOMETIMES	111	7.03
	3	USUALLY	47	2.98
	4	ALWAYS	15	0.95

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI9G

	***								~====
LABEL:	H()W	() F., I., F.; N	RECEIVED	ASSISTANCE	M I II H	ACCESSING	MENTAL.	HE:AL:TH	SERVIC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1288	81.57
	1	NEVER	183	11.59
	2	SOMETIMES	85	5.38
	3	USUALLY	23	1.46

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING MENTAL HEALTH SERVICES WHILE

LIVING IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10\_1

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: RACE/ETHNICIT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	YES	37	2.34
	2	NO	346	21.91

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10\_2

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: FINANCIAL COS

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 273 17.29 2 NO 110 6.97

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI10\_3

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LACK OF INSUR

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 143 9.06 2 NO 240 15.20

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10\_4

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED ENGLI

VALUE: -1 INAPPLICABLE 1196 75.74
1 YES 90 5.70
2 NO 293 18.56

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

-----

VARNAME: AAPI10\_5

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: IMMIGRATION S

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 19 1.20 2 NO 364 23.05

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10\_6

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: NOT KNOWING O

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 198 12.54 2 NO 185 11.72

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI10\_7

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: CONCERNS ABOU

VALUE: -1 INAPPLICABLE 1196 75.74
1 YES 35 2.22
2 NO 348 22.04

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10\_8

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: LIMITED OPTIO

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 76 4.81 2 NO 307 19.44

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI10\_91

LABEL: REASONS HAD DIFFICULTIES ACCESSING HEALTH SERVICES: OTHER

VALUE: -1 INAPPLICABLE 1196 75.74
1 YES 8 0.51
2 NO 375 23.75

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI10A

									~====
LABEL:	HOW	()F.I.F.N	RECEIVED	ANY	ASSISTANCE	M I I H	ACCESSING	HEALTH	SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	153	9.69
	2	SOMETIMES	158	10.01
	3	USUALLY	47	2.98
	4	ALWAYS	25	1.58

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10B

LABEL: HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	328	20.77
	2	SOMETIMES	50	3.17
	3	USUALLY	3	0.19
	4	ALWAYS	2	0.13

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI10C

									~====
LABEL:	HOW	()F.I.F.N	RECEIVED	ANY	ASSISTANCE	M I I H	ACCESSING	HEALTH	SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	341	21.60
	2	SOMETIMES	37	2.34
	3	USUALLY	1	0.06
	4	ALWAYS	4	0.25

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10D

LABEL: HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	299	18.94
	2	SOMETIMES	73	4.62
	3	USUALLY	10	0.63
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI10E

LABEL:	HOW	OFTEN	RECEIVED	ANY	ASSISTANCE	WITH	ACCESSING	HEALTH	SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	233	14.76
	2	SOMETIMES	107	6.78
	3	USUALLY	34	2.15
	4	ALWAYS	9	0.57

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI10F

LABEL: HOW OFTEN RECEIVED ANY ASSISTANCE WITH ACCESSING HEALTH SERVICES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	1	NEVER	131	8.30
	2	SOMETIMES	151	9.56
	3	USUALLY	76	4.81
	4	ALWAYS	25	1.58

UNIVERSE: ADULTS WHO HAD DIFFICULTIES ACCESSING HEALTH SERVICES WHILE LIVING

IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11_1	

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	YES	76	4.81
	2	NO	448	28.37

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI11\_2

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	YES	450	28.50
	2	NO	74	4.69

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11 3

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

		FREQ	%
-1	INAPPLICABLE	1055	66.81
1	YES	86	5.45
2	NO	438	27.74
	-1 1 2	1 YES	-1 INAPPLICABLE 1055 1 YES 86

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI11\_4

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	YES	38	2.41
	2	NO	486	30.78

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI11\_6

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

VALUE: -1 INAPPLICABLE 1055 66.81 1 YES 217 13.74 2 NO 307 19.44

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI11\_7

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE EDUC

VALUE: -1 INAPPLICABLE 1055 66.81
1 YES 88 5.57
2 NO 436 27.61

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11	91
v minimin.	UUI TII	$\sigma_{\perp}$

LABEL: REASON FOR DIFFICULTIES IN ACCESSING HIGH-QUALITY/AFFORDABLE	LABEL:	H-QUALTTY/AFFORDABLE EDUC
---	--------	---------------------------

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	YES	8	0.51
	2	NO	516	32.68

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI11A

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	215	13.62
	2	SOMETIMES	180	11.40
	3	USUALLY	69	4.37
	4	ALWAYS	60	3.80

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11B

LABEL:	TIOII	OPTIVI	DECETUED	ACCTOTANCE	TITTIT	ACCECCTNO	HTGH-QUALTTY/	\ \ EE(\DD\ \
LABRILI	HUW	UFIFIN	K.P.(.P.   V P.I)	ADDIDIANCE	wiin	AUCESSING	$H = (I_1H - (I_1UA) \cdot I_1 \cdot $	AFFURIJA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	467	29.58
	2	SOMETIMES	44	2.79
	3	USUALLY	9	0.57
	4	ALWAYS	4	0.25

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI11C

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	476	30.15
	2	SOMETIMES	36	2.28
	3	USUALLY	9	0.57
	4	ALWAYS	3	0.19

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11D
VAIMAITE.	AAFIIID

LABEL:	TIOII	OPTIVI	DECETUED	ACCTOTANCE	TITTIT	ACCECCTNO	HTGH-QUALTTY/	\ \ EE(\DD\ \
LABRILI	HUW	UFIFIN	K.P.(.P.   V P.I)	ADDIDIANCE	wiin	AUCESSING	$H = (I_1H - (I_1UA) \cdot I_1 \cdot $	AFFURIJA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	425	26.92
	2	SOMETIMES	84	5.32
	3	USUALLY	14	0.89
	4	ALWAYS	1	0.06

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI11E

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	313	19.82
	2	SOMETIMES	136	8.61
	3	USUALLY	55	3.48
	4	ALWAYS	20	1.27

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI11F
VARNAME:	AAPIIIF

LABEL: HOW OFTEN RECEIVED ASSISTANCE WITH ACCESSING HIGH-QUALITY/AFFORDA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1055	66.81
	1	NEVER	226	14.31
	2	SOMETIMES	195	12.35
	3	USUALLY	72	4.56
	4	ALWAYS	31	1.96

UNIVERSE: ADULTS WHO EXPERIENCED DIFFICULTIES ACCESSING HIGHER EDUCATION OR

AFFORDABLE EDUCATION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK1\_AANHPI

LABEL: WORK STATUS LAST WEEK

			FREQ	%
VALUE:	1	WORKING AT A JOB OR BUSINESS	922	58.39
	2	WITH A JOB OR BUSINESS BUT NOT AT WORK	48	3.04
	3	LOOKING FOR WORK	66	4.18
	4	NOT WORKING AT A JOB OR BUSINESS	543	34.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI15
A WIMMUIT.	TT TTO

LABEL: CURRENT WORK SITUATION

			FREQ	%
VALUE:	-1	INAPPLICABLE	609	38.57
	1	ONE FULL-TIME JOB	714	45.22
	2	ONE FULL-TIME JOB AND AT LEAST ONE PART-	72	4.56
	3	ONE PART-TIME JOB	145	9.18
	4	MULTIPLE PART-TIME JOBS	33	2.09
	91	OTHER	6	0.38

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI16\_P1

LABEL: WORK ARRANGEMENT IN MAIN JOB (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	609	38.57
	1	INDEPENDENT CONTRACTOR/CONSULTANT/FREELA	117	7.41
	2	ON-CALL, ONLY WORK WHEN CALLED TO WORK	26	1.65
	3	WORK FOR CONTRACTOR/TEMP AGENCY	31	1.96
	4	REGULAR, PERMANENT EMPLOYEE (STANDARD AG	796	50.41

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK

INPUT VAR:

NOTES: PUF RECODE CREATED FOR 2021 DATA FROM AAPI16

-----

\_\_\_\_\_\_

VARNAME: AAPI17\_1

LABEL: WORK ARRANGEMENT IN OTHER JOBS: INDEPENDENT CONTRACTOR/CONSULTANT

VALUE: -1 INAPPLICABLE 1474 93.35
1 YES 57 3.61
2 NO 48 3.04

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK, AND WHO HAVE MULTIPLE JOBS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI17\_2

LABEL: WORK ARRANGEMENT IN OTHER JOBS: ON-CALL

VALUE: -1 INAPPLICABLE 1474 93.35
1 YES 14 0.89
2 NO 91 5.76

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK, AND WHO HAVE MULTIPLE JOBS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: WORK\_OTHER

LABEL: WORK ARRANGEMENT IN OTHER JOBS: WORK FOR CONTRACTOR/TEMP AGENCY

VALUE: -1 INAPPLICABLE 1474 93.35
1 YES 7 0.44
2 NO 98 6.21

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK, AND WHO HAVE MULTIPLE JOBS

INPUT VAR:

NOTES: PUF RECODE CREATED FOR 2021 DATA FROM AAPI17\_3 AND AAPI17\_4

\_\_\_\_\_

VARNAME: AAPI17\_5

LABEL: WORK ARRANGEMENT IN OTHER JOBS: STANDARD

VALUE: -1 INAPPLICABLE 1474 93.35
1 YES 34 2.15
2 NO 71 4.50

UNIVERSE: ADULTS WHO WORK AT JOB/BUSINESS, OR WITH JOB/BUSINESS BUT WERE NOT

AT WORK LAST WEEK, AND WHO HAVE MULTIPLE JOBS

INPUT VAR:

NOTES:

VARNAME: AAPI18

LABEL: EVER BEEN VICTIM OF HATE CRIME/INCIDENT IN US

FREQ % 441 27.93 YES VALUE: 1

NO 1138 72.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI19A

LABEL: EXPERIENCED HATE CRIME/INCIDENT BEFORE 2020

VALUE: -1 FREQ INAPPLICABLE 1138 72.07 398 25.21 YES NO 43 2.72

UNIVERSE: ADULTS WHO HAVE EVER BEEN VITCTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI19B

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2020

VALUE: -1 INAPPLICABLE 1138 72.07 1 YES 154 9.75 2 NO 287 18.18

UNIVERSE: ADULTS WHO HAVE EVER BEEN VITCTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI19C

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2021

VALUE: -1 INAPPLICABLE 1138 72.07
1 YES 148 9.37
2 NO 293 18.56

UNIVERSE: ADULTS WHO HAVE EVER BEEN VITCTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI19D

LABEL: EXPERIENCED HATE CRIME/INCIDENT IN 2022

VALUE: -1 INAPPLICABLE 1138 72.07 1 YES 95 6.02 2 NO 346 21.91

UNIVERSE: ADULTS WHO HAVE EVER BEEN VITCTIM OF HATE CRIME/INCIDENT IN US

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI20A

LABEL: RECEIVED POORER SERVICE THAN OTHERS AT RESTAURANT/STORE IN AVG MO

VALUE: 1 YES 387 24.51 2 NO 1192 75.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI20B

LABEL: PEOPLE ACTED AS IF R DOESN'T SPEAK ENGLISH IN AVG MONTH

VALUE: 1 YES 359 22.74 2 NO 1220 77.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AAPI2OC

LABEL: PEOPLE ACTED AS IF THEY ARE AFRAID OF R IN AVG MONTH

FREQ VALUE: 1 YES 123 7.79

2 NO 1456 92.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI20D

LABEL: PEOPLE ACTED AS IF THEY THINK R IS DISHONEST IN AVG MONTH

FREQ % VALUE: 1 YES 197 12.48

1382 2 NO 87.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI20E

LABEL: BEEN CALLED NAMES OR INSULTED IN AVG MONTH

FREQ YES NO VALUE: 1 280 17.73

1299 82.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI2OF

LABEL: BEEN THREATENED OR HARASSED IN AVG MONTH

FREQ % VALUE: 1 199 YES 12.60

2 NO 1380 87.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI2OG

LABEL: PEOPLE INTENTIONALLY MISPRONOUNCED NAME IN AVG MONTH

FREQ VALUE: 1 YES 2 NO 13.87 219

1360 2 NO 86.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI2OH

LABEL: BEEN SPIT OR COUGHED ON IN AVG MONTH

FREQ % 3.23

YES NO VALUE: 1 51 1528 96.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI20I

LABEL: PEOPLE ASKED WHERE R IS FROM, ASSUMING NOT FROM THE US IN AVG MON

FREQ YES 725 45.92 VALUE: 1

2 NO 854 54.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI20J

LABEL: PEOPLE MOCKED OR MADE OFFENSIVE PHYSICAL GESTURES TOWARDS R IN AV

FREQ VALUE: 1 YES 2 NO 271 17.16 1308 82.84

2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI21A

LABEL: HOW OFTEN WORRY ABOUT BEING HATE CRIME VICTIM

			FREQ	%
VALUE:	1	ALL THE TIME	95	6.02
	2	OFTEN	196	12.41
	3	SOMETIMES	547	34.64
	4	RARELY	507	32.11
	5	NEVER	234	14.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AAPI21B

LABEL: HOW COMFORTABLE WITH REPORTING HATE CRIME TO LAW ENFORCEMENT AUTH

			FREQ	%
VALUE:	1	VERY COMFORTABLE	591	37.43
	2	SOMEWHAT COMFORTABLE	516	32.68
	3	SOMEWHAT UNCOMFORTABLE	375	23.75
	4	VERY UNCOMFORTABLE	97	6.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI22A

LABEL: CONFIDENT THAT JUSTICE WILL BE SERVED IF REPORTED A HATE CRIME

			FREQ	%
VALUE:	1	STRONGLY AGREE	190	12.03
	2	SOMEWHAT AGREE	724	45.85
	3	SOMEWHAT DISAGREE	482	30.53
	4	STRONGLY DISAGREE	183	11.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI22B

LABEL: WOULD BE CONCERNED ABOUT REPORTING HATE CRIME BECAUSE MIGHT GET A

			FREQ	%
VALUE:	1	STRONGLY AGREE	166	10.51
	2	SOMEWHAT AGREE	640	40.53
	3	SOMEWHAT DISAGREE	497	31.48
	4	STRONGLY DISAGREE	276	17.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AAPI22C
A WIMMUIT.	AAI 1220

LABEL: WOULD BE RELUCTANT TO REPORT HATE CRIME BECAUSE OF UNWANTED ATTEN

				F	REQ	%
VALUE:	1	STRONGLY A	GREE	2	55	16.15
	2	SOMEWHAT A	GREE	6	13	38.82
	3	SOMEWHAT D	ISAGREE	4	20	26.60
	4	STRONGLY D	ISAGREE	2	91	18.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AAPI23A

LABEL: EVER BEEN UNFAIRLY DENIED PROMOTION

VALUE: 1 YES 243 15.39 2 NO 1336 84.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI23B

LABEL: EVER BEEN UNFAIRLY FIRED FROM JOB

VALUE: 1 YES 138 8.74 2 NO 1441 91.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AAPI23C

LABEL: EVER NOT BEEN HIRED FOR JOB FOR UNFAIR REASONS

VALUE: 1 YES 182 11.53 2 NO 1397 88.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI23D

LABEL: EVER BEEN UNFAIRLY STOPPED/SEARCHED/QUESTIONED/PHYSICALLY THREATE

VALUE: 1 YES 117 7.41 2 NO 1462 92.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

------

VARNAME: AAPI23E

LABEL: EVER BEEN UNFAIRLY PREVENTED FROM MOVING INTO NEIGHBORHOOD BECAUS

FREQ % VALUE: 1 YES 68 4.31

2 NO 1511 95.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI23F

LABEL: EVER MOVED INTO NEIGHBORHOOD WHERE NEIGHBORS MADE LIFE DIFFICULT

FREQ VALUE: 154 9.75

1 YES 1425 2 NO 90.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AAPI23G

LABEL: EVER BEEN DENIED ENTRY INTO A RELIGIOUS INSTITUTION

FREQ VALUE: 1 13 0.82

YES NO 1566 99.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_1

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: RACE/ETHNICITY

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 386 24.45
2 NO 91 5.76

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI24\_2

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: RELIGION

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 26 1.65
2 NO 451 28.56

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_3

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: GENDER

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 141 8.93
2 NO 336 21.28

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AAPI24\_4

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: AGE

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 164 10.39
2 NO 313 19.82

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_5

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: SEXUAL ORIENTATION

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 25 1.58
2 NO 452 28.63

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_6

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: INCOME LEVEL

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 88 5.57
2 NO 389 24.64

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_7

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: SOCIAL CLASS/POSITION

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 119 7.54
2 NO 358 22.67

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

VARNAME: AAPI24\_8

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: ACCENT

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 97 6.14
2 NO 380 24.07

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_9

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: NAME

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 97 6.14
2 NO 380 24.07

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_10

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: CASTE BACKGROUND

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 29 1.84
2 NO 448 28.37

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AAPI24\_91

LABEL: MAIN REASONS FOR UNFAIR TREATMENT: SOMETHING ELSE

VALUE: -1 INAPPLICABLE 1102 69.79
1 YES 32 2.03
2 NO 445 28.18

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: RSNTREAT\_P1

LABEL: MOST IMPORTANT REASON FOR UNFAIR TREATMENT (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1114	70.55
	1	YOUR RACE/ETHNICITY	268	16.97
	2	YOUR CULTURAL IDENTITY (RELIGION, ACCENT	45	2.85
	3	YOUR SEXUAL ORIENTATION OR GENDER IDENTI	53	3.36
	4	YOUR AGE	35	2.22
	5	YOUR SOCIOECONOMIC CLASS (INCOME, SOCIAL	38	2.41
	6	SOMETHING ELSE	26	1.65

UNIVERSE: ADULTS WHO HAVE BEEN POORLY/UNFAIRLY TREATED IN IMPORTANT WAYS

INPUT VAR:

NOTES: PUF RECODE FOR 2021 DATA CREATED FROM RSN\_TREAT. INCLUDES ALL

RESPONDENTS WHO WERE UNFAIRLY TREATED, NOT JUST THOSE TREATED

UNFAIRLY FOR MULTIPLE REASONS.

------

VARNAME: WTFINAL


LABEL: BASE WEIGHT- AANHPI

FREQ % 1579 100.00 VALUE: . O - HIGH

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



\_\_\_\_\_\_

VARNAME: AB1

LABEL: GENERAL HEALTH CONDITION

			FREQ	%
VALUE:	1	EXCELLENT	267	16.91
	2	VERY GOOD	589	37.30
	3	GOOD	495	31.35
	4	FAIR	189	11.97
	5	POOR.	39	2.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AB17

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE: 1 YES 215 13.62 2 NO 1364 86.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: QX VARNAME = AB17B

-----

\_\_\_\_\_\_

VARNAME: AB40

LABEL: STILL HAS ASTHMA

VALUE: -1 INAPPLICABLE 1364 86.38
1 YES 99 6.27
2 NO 116 7.35

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AB41

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 1364 86.38 1 YES 39 2.47 2 NO 176 11.15

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AB42V2\_P1

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1364	86.38
	0	O DAYS	205	12.98
	1	1-2 DAYS	7	0.44
	2	3-4 DAYS	1	0.06
	3	5+ DAYS	2	0.13

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

-----

VARNAME: ASTCUR

LABEL: CURRENT ASTHMA STATUS

VALUE: 1 CURRENT ASTHMA 100 6.33 2 NO CURRENT ASTHMA 1479 93.67

UNIVERSE: ALL ADULTS

INPUT VAR: AB17 AB40 AB41

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AB18

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE: -1 INAPPLICABLE 1364 86.38
1 YES 52 3.29
2 NO 163 10.32

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AB43

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE: -1 INAPPLICABLE 1364 86.38 1 YES 90 5.70 2 NO 125 7.92

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AB22V2

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE: 1 YES 172 10.89 2 NO 1407 89.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECOMMEND USERS TO USE DIABETES CONSTRUCTED VARIABLE DUE TO AB22

MODE DIFFERENCES IN 2019; PREVIOUS VERSION: AB22

\_\_\_\_\_\_

VARNAME: AB99

LABEL: DOCTOR EVER TOLD HAVE PRE/BORDERLINE DIABETES

VALUE: 1 YES 370 23.43 2 NO 1209 76.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

\_\_\_\_\_

VARNAME: PREDIAB

LABEL: DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL

VALUE: 1 YES 370 23.43 2 NO 1209 76.57

UNIVERSE: ALL ADULTS

INPUT VAR: AB99 AB51 AB22V2

NOTES:

\_\_\_\_\_\_

VARNAME: DIABETES

LABEL: DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)

VALUE: 1 YES 170 10.77 2 NO 1409 89.23

UNIVERSE: ALL ADULTS

INPUT VAR: AB22 AB51

NOTES: ADULTS WITH AB22 IN (2,3) OR AB51=5 ARE CLASSIFIED AS NON-DIABETICS

VARNAME: AB23\_P1

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1407	89.11
	1	AGES 18 AND UNDER	2	0.13
	2	AGES 19-29	5	0.32
	3	AGES 30-39	18	1.14
	4	AGES 40-49	45	2.85
	5	AGES 50-59	56	3.55
	6	AGES 60-69	38	2.41
	7	AGES 70-79	8	0.51

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: AB23 Categories Collapsed

\_\_\_\_\_\_

VARNAME: DIAMED

LABEL: TAKING INSULIN OR PILLS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1407	89.11
	1	TAKING INSULIN & PILLS	32	2.03
	2	TAKING INSULIN ONLY	5	0.32
	3	TAKING PILLS ONLY	104	6.59
	4	NOT TAKING INSULIN NOR PILLS	31	1.96

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES:

-----

VARNAME: AB51\_P1

LABEL: TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1415	89.61
	1	TYPE I	13	0.82
	2	TYPE 2	151	9.56

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE I OR II DIABETES

INPUT VAR: AB51

NOTES: EXCLUDES INDIVIDUALS WHO REPORTED ANOTHER TYPE OF DIABETES

\_\_\_\_\_\_

VARNAME: AB24

LABEL: CURRENTLY TAKING INSULIN

VALUE: -1 INAPPLICABLE 1407 89.11
1 YES 37 2.34
2 NO 135 8.55

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AB25

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE: -1 INAPPLICABLE 1407 89.11
1 YES 136 8.61
2 NO 36 2.28

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AB63

LABEL: LAST EYE EXAM DILATED PUPILS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1407	89.11
	1	WITHIN THE PAST MONTH	12	0.76
	2	1 TO 12 MOS AGO	94	5.95
	3	1 TO 2 YRS AGO	32	2.03
	4	2 OR MORE YRS AGO	25	1.58
	5	NEVER.	9	0.57

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AB112

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	1407	89.11
	1	YES	146	9.25
	2	NO	26	1.65

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AB29V2

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE: FREQ %
VALUE: 1 YES 385 24.38
2 NO 1050 66.50
3 BORDERLINE HYPERTENSION 144 9.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AB29

\_\_\_\_\_\_

VARNAME: AB34

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE: 1 YES 121 7.66 2 NO 1458 92.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AB27\_P1


LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD

			FREQ	%
VALUE:	-1	INAPPLICABLE	1407	89.11
	0	O TIMES	15	0.95
	1	1 TIMES	38	2.41
	2	2 TIMES	60	3.80
	3	3 TIMES	28	1.77
	4	4 TIMES	26	1.65
	5	5+ TIMES	5	0.32

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES: AB27 Categories Collapsed



\_\_\_\_\_

VARNAME: AC46

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

N 1579 MIN 0 MAX 300 MEAN 7.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AE2

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS

 N
 1579

 MIN
 0

 MAX
 600

 MEAN
 42.06

UNIVERSE: ALL ADULTS

INPUT VAR: AE\_FRUIT

NOTES:

\_\_\_\_\_

VARNAME: AE\_FRUIT

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

N 1579 MIN 0 MAX 139 MEAN 9.77

UNIVERSE: ALL ADULTS

INPUT VAR: AE2

NOTES:

-----

VARNAME: AE7

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

 N
 1579

 MIN
 0

 MAX
 600

 MEAN
 45.38

UNIVERSE: ALL ADULTS

INPUT VAR: AE\_VEGI

NOTES:

\_\_\_\_\_

VARNAME: AE\_VEGI

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

N 1579 MIN 0 MAX 139 MEAN 10.56

UNIVERSE: ALL ADULTS

INPUT VAR: AE7

NOTES:

\_\_\_\_\_\_

VARNAME: AE15

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE: 1 YES 295 18.68 2 NO 1284 81.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AE15A

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1284	81.32
	1	EVERY DAY	39	2.47
	2	SOME DAYS	26	1.65
	3	NOT AT ALL	230	14.57

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

-----

VARNAME: AC174

LABEL: # OF DAYS SMOKED CIGARETTES IN PAST 30 DAYS

MEAN STATISTICS

N 1355
MIN 0
MAX 30
MEAN 1.13

UNIVERSE: ADULTS WHO SMOKED LESS THAN 100 CIGS. IN LIFETIME OR SMOKE EVERY

DAY/SOME DAYS OR LAST SMOKED WITHIN PAST MONTH

INPUT VAR:

NOTES:

VARNAME: SMKCUR30

LABEL: CURRENT SMOKER (PAST 30 DAYS)

FREQ CURRENT SMOKER
NOT A CURRENT SMOKER VALUE: 1 70 4.43

1509 95.57

UNIVERSE: ALL ADULTS

INPUT VAR: AC174

NOTES:

\_\_\_\_\_\_

VARNAME: AC173

LABEL: HOW LONG SINCE LAST SMOKED A CIGARETTE

MEAN STATISTICS

230 N MIN 2 23725 MAXMEAN 6885.52

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND DO NOT

SMOKE CURRENTLY

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AD32\_P1

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1540	97.53
	0	O CIGARETTES	1	0.06
	1	1-5 CIGARETTES	8	0.51
	6	6-10 CIGARETTES	22	1.39
	11	11-15 CIGARETTES	5	0.32
	16	16+ CIGARETTES	3	0.19

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW

SMOKE EVERY DAY

INPUT VAR: AD32

NOTES: AD32 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AE16V2\_P1

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1543	97.72
	0	O CIGARETTES	5	0.32
	1	1 CIGARETTE	7	0.44
	2	2 CIGARETTES	12	0.76
	3	3 CIGARETTES	3	0.19
	4	4 CIGARETTES	2	0.13
	5	5 CIGARETTES	4	0.25
	6	6-10 CIGARETTES	2	0.13
	11	11+ CIGARETTES	1	0.06

UNIVERSE: ADULTS WHO ARE LIFETIME SMOKERS AND CURRENTLY SMOKE SOME DAYS, OR

ADULTS WHO CURRENTLY DO NOT SMOKE BUT HAVE SMOKED AT LEAST ONCE IN

PAST 30 DAYS

INPUT VAR:

NOTES: AE16 CATEGORIZED. PREVIOUS VERSION: AE16\_P1. NEW VERSION CREATED

IN 2021 DUE TO CHANGE IN UNIVERSE.

------

\_\_\_\_\_

VARNAME: AC54B

LABEL: HOW SOON SMOKE FIRST CIGARETTE AFTER WAKING

MEAN STATISTICS

N 70 MIN 0 MAX 1380 MEAN 145.70

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, OR SMOKED AT LEAST ONE DAY IN PAST 30 DAYS

INPUT VAR:

NOTES: Reclaimed in CHIS 2021

-----

VARNAME: AC175

LABEL: SMOKED MINT OR MENTHOL CIGARETTES

VALUE: -1 INAPPLICABLE 1509 95.57
1 YES 23 1.46
2 NO 47 2.98

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: MENTHOL

LABEL: SMOKED MINT OR MENTHOL FLAVORED CIGARETTES OR E-CIGARETTES

VALUE: -1 INAPPLICABLE 1490 94.36 1 YES 37 2.34 2 NO 52 3.29

UNIVERSE: ADULTS WHO SMOKED CIGARETTES OR E-CIGARETTES IN PAST 30 DAYS

INPUT VAR: AC175 AC182 AC174 AC82C

NOTES:

\_\_\_\_\_

VARNAME: AC176

LABEL: AGE FIRST SMOKED WHOLE CIGARETTE

MEAN STATISTICS

N 75 MIN 12 MAX 60 MEAN 19.65

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC177

LABEL: WERE SMOKING CIGARETTES THIS TIME LAST YEAR

VALUE: -1 INAPPLICABLE 1509 95.57
1 YES 59 3.74
2 NO 11 0.70

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, OR SMOKED A CIGARETTE IN PAST YEAR

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: SMKCUR

LABEL: CURRENT SMOKER

VALUE: 1 CURRENT SMOKER 65 4.12 2 NOT CURRENT SMOKER 1514 95.88

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,

THEN CONSIDERED TO NOT BE A CURRENT SMOKER

\_\_\_\_\_\_

VARNAME: SMOKING

LABEL: CURRENT SMOKING HABITS

VALUE: 1 CURRENTLY SMOKES 65 4.12
2 QUIT SMOKING 230 14.57
3 NEVER SMOKED REGULARLY 1284 81.32

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,

THEN CATEGORIZED AS SMOKING NO CIGARETTES PER DAY

\_\_\_\_\_\_

VARNAME: NUMCIG

LABEL: # OF CIGARETTES PER DAY

			FREQ	%
VALUE:	1	NONE	1514	95.88
	2	<=1 CIGARETTES	9	0.57
	3	2-5 CIGARETTES	24	1.52
	4	6-10 CIGARETTES	24	1.52
	5	11-19 CIGARETTES	5	0.32
	6	20 OR MORE	3	0.19

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

\_\_\_\_\_\_

VARNAME: AC49

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE: -1 INAPPLICABLE 1509 95.57
1 YES 33 2.09
2 NO 37 2.34

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE

DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC178

LABEL: HOW LONG LAST ATTEMPT TO QUIT SMOKING LASTED

MEAN STATISTICS

N 33 MIN 1 MAX 1460 MEAN 141.03

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS, AND STOPPED SMOKING AT LEAST 1 DAY IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC77

LABEL: DOCTOR ADVISED TO QUIT SMOKING IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 1509 95.57
1 YES 41 2.60
2 NO 29 1.84

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGS. IN LIFETIME AND SMOKE EVERY

DAY/SOME DAYS (CURRENT SMOKERS)

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

\_\_\_\_\_\_

VARNAME: AC50

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE: -1 INAPPLICABLE 1509 95.57
1 YES 42 2.66
2 NO 28 1.77

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE

DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC81C

LABEL: EVER SMOKED ELECTRONIC CIGARETTES

FREQ % 162 10.26 1417 89.74 YES NO VALUE: 1

UNIVERSE: ALL ADULTS (18+)

INPUT VAR:

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR

TRENDING WITH 2016

VARNAME: ESMKCUR

LABEL: CURRENT E-CIGARETTE SMOKER

FREQ % 29 1.84 1550 98.16 VALUE: 1 CURRENT E-CIGARETTE SMOKER
2 NOT A CURRENT E-CIGARETTE SMOKER

UNIVERSE: ALL ADULTS

INPUT VAR: AC81C AC82C

NOTES:

\_\_\_\_\_\_

VARNAME: AC82C\_P1

LABEL: DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1417	89.74
	1	NONE	133	8.42
	2	1 TO 2 DAYS	9	0.57
	3	3 TO 5 DAYS	4	0.25
	4	6 TO 29 DAYS	7	0.44
	5	EVERY DAY	9	0.57

UNIVERSE: ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR: AC82C

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR

TRENDING WITH 2016

\_\_\_\_\_

VARNAME: AC134V2

LABEL: USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1417	89.74
	1	YES	116	7.35
	2	NO	46	2.91

UNIVERSE: ADULTS WHO HAVE EVER USED E-CIGS

INPUT VAR:

NOTES: Previous version: AC134

\_\_\_\_\_\_

VARNAME: AC179

LABEL: USED E-CIG FLAVOR - FRUIT

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES 100 6.33
2 NO 16 1.01

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC180

LABEL: USED E-CIG FLAVOR - CANDY/SWEET

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES 38 2.41
2 NO 78 4.94

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC181

LABEL: USED E-CIG FLAVOR - ALCOHOL/LIQUOR

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES 2 0.13
2 NO 114 7.22

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC182

LABEL: USED E-CIG FLAVOR - MINT

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES 54 3.42
2 NO 62 3.93

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC183

LABEL: USED E-CIG FLAVOR - TOBACCO

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES 20 1.27
2 NO 96 6.08

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC184

LABEL: USED E-CIG FLAVOR - OTHER

VALUE: -1 INAPPLICABLE 1463 92.65
1 YES (SPECIFY) 10 0.63
2 NO 106 6.71

UNIVERSE: ADULTS WHO HAVE EVER USED FLAVORED E-CIGS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC185

LABEL: PLAN TO QUIT USING E-CIGS

VALUE: -1 INAPPLICABLE 1550 98.16
1 IN THE NEXT 30 DAYS 8 0.51
4 IN THE NEXT YEAR 10 0.63
5 DO NOT HAVE A PLAN TO QUIT 11 0.70

UNIVERSE: ADULTS WHO HAVE USED E-CIGS IN PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC135\_P1

LABEL: FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1

VALUE: 1 0 DAYS 1573 99.62 2 1-29 DAYS 0R MORE 2 0.13

UNIVERSE: ALL ADULTS

INPUT VAR: AC135

NOTES: AC135 categories collapsed

-----

\_\_\_\_\_\_

VARNAME: AC136

LABEL: USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 1573 99.62 1 YES 3 0.19 2 NO 3 0.19

UNIVERSE: ADULTS WHO USED CHEWING TOBACCO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC137\_P1

LABEL: FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU

VALUE: 1 0 DAYS 1572 99.56 2 1-29 DAYS 5 0.32 3 30 DAYS OR MORE 2 0.13

UNIVERSE: ALL ADULTS

INPUT VAR: AC137

NOTES: AC137 categories collapsed

VARNAME: AC138

LABEL: USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

FREQ % 99.56 VALUE: -1 INAPPLICABLE 1572

> YES 2 0.13 1 NO 0.32 5

UNIVERSE: ADULTS WHO USED CIGARILLO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC139\_P1

LABEL: FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)

FREQ VALUE: 1572 99.56

1 0 DAYS 2 1-29 DAYS 0.44

UNIVERSE: ALL ADULTS

INPUT VAR: AC139

NOTES: AC139 CATEGORIES COLLAPSED

VARNAME: AC140

LABEL: USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

FREQ % 99.56 VALUE: -1 INAPPLICABLE 1572 YES 1 0.06 1

2 NO 0.38 6

UNIVERSE: ADULTS WHO USED BIG CIGARS AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC141\_P1

LABEL: FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO

% FREQ VALUE: 1577 99.87

1 0 DAYS 2 1-29 DAYS 2 0.13

UNIVERSE: ALL ADULTS

INPUT VAR: AC141

NOTES: AC141 CATEGORIES COLLAPSED

\_\_\_\_\_\_

VARNAME: AC142

LABEL: USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

VALUE: -1 INAPPLICABLE 1577 99.87
1 YES 1 0.06
2 NO 1 0.06

UNIVERSE: ADULTS WHO USED HOOKAH AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC186

LABEL: BEGAN WITH FLAVORED TOBACCO PRODUCT WHEN FIRST STARTED USING

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 24 1.52
2 NO 82 5.19

UNIVERSE: ADULTS WHO HAVE USED A TOBACCO PRODUCT IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AC187

LABEL: WHEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN CA IN

			FREQ	%
VALUE:	1	IN THE PAST WEEK	253	16.02
	2	IN THE PAST TWO WEEKS	60	3.80
	3	IN THE PAST MONTH	114	7.22
	4	LONGER THAN A MONTH AGO, BUT WITHIN THE	233	14.76
	5	NO ONE HAS SMOKED TOBACCO OR VAPED AROUN	919	58.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AC188

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - SIDEWALKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1266	80.18
	1	YES	215	13.62
	2	NO	98	6.21

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC189

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - INSIDE HOME

VALUE: -1 INAPPLICABLE 1266 80.18
1 YES 60 3.80
2 NO 253 16.02

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC190

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - WORKPLACE

VALUE: -1 INAPPLICABLE 1266 80.18
1 YES 38 2.41
2 NO 275 17.42

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AC191

LABEL: SECONDHAND SMOKE/VAPOR EXPOSURE IN PAST 2 WEEKS - PUBLIC PARK/BEA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1266	80.18
	1	YES	131	8.30
	2	NO	182	11.53

UNIVERSE: ADULTS WHO HAD SECONDHAND TOBACCO SMOKE/VAPOR EXPOSURE IN PAST TWO

WEEKS

INPUT VAR:

NOTES:

-----

VARNAME: AC143

LABEL: HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE

			FREQ	%
VALUE:	1	NOT ALLOWED ANYWHERE OR ANYTIME	1484	93.98
	2	ALLOWED IN SOME PLACES OR SOMETIMES	67	4.24
	3	ALLOWED ANYWHERE AND ANYTIME	28	1.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: SCND\_SMK

LABEL: LOCATION OF SECONDHAND SMOKE EXPOSURE

VALUE: 1 AT HOME ONLY 18 1.14
2 OUTSIDE THE HOME ONLY 253 16.02
3 BOTH AT HOME AND OUTSIDE THE HOME 42 2.66
4 NO EXPOSURE 1266 80.18

UNIVERSE: ALL ADULTS

INPUT VAR: AC188 AC189 AC190 AC191

NOTES:

\_\_\_\_\_

VARNAME: FLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS

VALUE: 1 YES 47 2.98 2 NO 1532 97.02

UNIVERSE: ALL ADULTS

INPUT VAR: AC134V2 AC136 AC138 AC140 AC142 AC175

NOTES: RECLAIMED IN CHIS 2021

VARNAME: NONCIGPRO

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS

FREQ % 44 2.79 1535 97.21 YES NO VALUE: 1

2

UNIVERSE: ALL ADULTS

INPUT VAR: AC135 AC137 AC139 AC141 AC82C

NOTES: INPUT AC82C CONTAINS DIFFERENT WORDING FROM OTHER INPUT VARIABLES

VARNAME: AC115

LABEL: EVER TRIED MARIJUANA OR HASHISH

FREQ %

VALUE: 1 YES 2 NO 529 33.50 1050 66.50 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC116\_P1

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1050	66.50
	1	WITHIN THE PAST MONTH	155	9.82
	2	MORE THAN 1 MONTH TO A YEAR AGO	74	4.69
	3	MORE THAN 1 YR TO 5 YRS AGO	106	6.71
	4	MORE THAN 5 YRS TO 10 YRS AGO	51	3.23
	5	MORE THAN 10 YRS TO 15 YRS AGO	18	1.14
	6	MORE THAN 15 YRS AGO	125	7.92

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR: AC116

NOTES: AC116 Categories Collapsed

-----

VARNAME: AC117V2

LABEL: FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1424	90.18
	1	O DAYS	49	3.10
	2	1-2 DAYS	41	2.60
	3	3-5 DAYS	14	0.89
	4	6-9 DAYS	13	0.82
	5	10-19 DAYS	16	1.01
	6	20-29 DAYS	11	0.70
	7	30 DAYS OR MORE	11	0.70

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC117

\_\_\_\_\_\_

VARNAME: AC118V2

LABEL: HOW OFTEN USE TOBACCO WITH MARIJUANA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	USUALLY	6	0.38
	2	SOMETIMES	20	1.27
	3	NEVER	80	5.07

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC118

\_\_\_\_\_\_

VARNAME: AC119V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	57	3.61
	2	NO	49	3.10

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC119. RECOMMEND USING AC119V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

\_\_\_\_\_\_

VARNAME: AC120V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 8 0.51
2 NO 98 6.21

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC120. RECOMMEND USING AC120V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

\_\_\_\_\_\_

VARNAME: AC121V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 52 3.29
2 NO 54 3.42

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC121. RECOMMEND USING AC121V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

\_\_\_\_\_\_

VARNAME: AC122V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 7 0.44
2 NO 99 6.27

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC122. RECOMMEND USING AC122V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

-----

VARNAME: AC123V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 42 2.66
2 NO 64 4.05

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC123. RECOMMEND USING AC123V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

\_\_\_\_\_\_

VARNAME: AC124V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 8 0.51
2 NO 98 6.21

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: PREVIOUS VERSION: AC124. RECOMMEND USING AC124V2FIN DUE TO

INCLUSION OF DATA FROM AC125V2 RESPONSES.

-----

VARNAME: MAR\_SMKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE (UPCODE

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 57 3.61
2 NO 49 3.10

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC119FIN; RESPONDENTS WHO ANSWERED

JOINT/BONG/PIPE IN AC125 HAVE THEIR RESPONSES REFLECTED IN THIS

VARIABLE

\_\_\_\_\_\_

VARNAME: MAR\_BLUNTV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT (UPCODED)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	8	0.51
	2	NO	98	6.21

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC120FIN; RESPONDENTS WHO ANSWERED BLUNT IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: MAR\_EATV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT (UPCODED)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	52	3.29
	2	NO	54	3.42

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC121FIN; RESPONDENTS WHO ANSWERED EAT IN AC125

HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: MAR\_DRINKV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK (UPCODED)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	7	0.44
	2	NO	99	6.27

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC122FIN; RESPONDENTS WHO ANSWERED DRINK IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: MAR\_VAPV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	43	2.72
	2	NO	63	3.99

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC123FIN; RESPONDENTS WHO ANSWERED VAPORIZE IN

AC125 HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: MAR\_DABV2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 8 0.51
2 NO 98 6.21

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC124FIN; RESPONDENTS WHO ANSWERED DAB IN AC125

HAVE THEIR RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC126V2

LABEL: ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 6 0.38
2 NO 100 6.33

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC126

\_\_\_\_\_\_

VARNAME: MARTYPEV2

LABEL: METHOD OF TAKING MARIJUANA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1475	93.41
	1	ONE TYPE	55	3.48
	2	MORE THAN ONE TYPE	49	3.10

UNIVERSE: ALL ADULTS WHO USED MARIJUANA, HASHISH, OR OTHER THC PRODUCT AT

LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MARTYPE

\_\_\_\_\_

VARNAME: AC127V2

LABEL: ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

			FREQ	%
VALUE:	-1	INAPPLICABLE	1573	99.62
	1	YES	4	0.25
	2	NO	2	0.13

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN

PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC127

\_\_\_\_\_\_

VARNAME: AC193\_P1

LABEL: MOST COMMON METHOD OF MARIJUANA USE IN PAST 30 DAYS (PUF 1 YR REC

			FREQ	%
VALUE:	-1	INAPPLICABLE	1529	96.83
	1	SMOKING METHOD (METHODS OF CONSUMPTION	W 21	1.33
	2	ORAL CONSUMPTION METHOD	11	0.70
	3	INHALING VAPORS METHOD	18	1.14

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS VIA MORE THAN ONE

METHOD

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: AC194\_1

LABEL: WHERE GOT MARIJUANA USED - DISPENSARY

			FREQ	%
VALUE:	-1	INAPPLICABLE	1473	93.29
	1	YES	74	4.69
	2	NO	32	2.03

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC194\_2

LABEL: WHERE GOT MARIJUANA USED - VAPE/SMOKE SHOP

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 3 0.19
2 NO 103 6.52

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC194\_3

LABEL: WHERE GOT MARIJUANA USED - OTHER SHOP

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 3 0.19
2 NO 103 6.52

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC194\_4

LABEL: WHERE GOT MARIJUANA USED - DELIVERY SERVICE

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 25 1.58
2 NO 81 5.13

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC194\_5

LABEL: WHERE GOT MARIJUANA USED - WEBSITE

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 4 0.25
2 NO 102 6.46

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC194\_6

LABEL: WHERE GOT MARIJUANA USED - POP-UP SHOP

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 3 0.19
2 NO 103 6.52

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC194\_7

LABEL: WHERE GOT MARIJUANA USED - FAMILY/FRIEND

VALUE: -1 INAPPLICABLE 1473 93.29
1 YES 32 2.03
2 NO 74 4.69

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194\_8

LABEL: WHERE GOT MARIJUANA USED - OTHER PERSON

FREQ % VALUE: -1 INAPPLICABLE 1473 93.29

YES 1 0.06 1 105 6.65 NO

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194\_9

LABEL: WHERE GOT MARIJUANA USED - GROW IT MYSELF

FREQ % VALUE: -1 INAPPLICABLE 1473 93.29

106 6.71 NO

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC194\_91

LABEL: WHERE GOT MARIJUANA USED - OTHER

FREQ % VALUE: -1 INAPPLICABLE 2 NO 1473 93.29

6.71 106

UNIVERSE: ADULTS WHO HAVE USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: MARCUR

LABEL: CURRENT MARIJUANA USER

VALUE: 1 CURRENT USER 106 6.71 2 NOT CURRENT USER 1473 93.29

UNIVERSE: ALL ADULTS

INPUT VAR: AC115 AC116 AC117V2

NOTES: CURRENT USE IS DEFINED AS AT LEAST 1 TIME IN PAST 30 DAYS

\_\_\_\_\_\_

VARNAME: MAREXPOSE

LABEL: EXPOSED TO MARIJUANA SMOKE IN PAST YEAR

VALUE: 1 YES 447 28.31 2 NO 1132 71.69

UNIVERSE: ALL ADULTS

INPUT VAR: AC192

NOTES:

\_\_\_\_\_\_

VARNAME:	MJMETHOD	P1
A WIMMUIT.	11311111101	т т

LABEL: MOST USED METHOD OF MARIJUANA USE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	2	0.13
	-1	INAPPLICABLE	1473	93.29
	1	SMOKING METHOD (METHODS OF CONSUMPTION W	36	2.28
	2	ORAL CONSUMPTION METHOD	36	2.28
	3	INHALING VAPORS METHOD	31	1.96
	4	OTHER METHOD	1	0.06

UNIVERSE: ADULTS WHO HAVE EVER USED MARIJUANA IN PAST 30 DAYS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: AC192

LABEL: WHEN EXPOSED TO SECONDHAND MARIJUANA SMOKE IN THE PAST YEAR

			FREQ	%
VALUE:	1	IN THE PAST WEEK	151	9.56
	2	IN THE PAST TWO WEEKS	44	2.79
	3	IN THE PAST MONTH	74	4.69
	4	LONGER THAN A MONTH AGO, BUT WITHIN THE	178	11.27
	5	NO ONE HAS SMOKED MARIJUANA AROUND ME WI	1132	71.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SMKEXPOSE

LABEL: SECONDHAND EXPOSURE TO TOBACCO OR MARIJUANA SMOKE IN PAST MONTH

VALUE: 1

FREQ % 529 33.50 1050 66.50 YES NO

UNIVERSE: ALL ADULTS

INPUT VAR: AC187 AC192

NOTES:

\_\_\_\_\_\_

VARNAME: AC195

LABEL: EVER USED CBD IN ANY FORM

FREQ %

VALUE: 1 YES 2 NO 295 18.68 1284 81.32

UNIVERSE: ALL ADULTS

INPUT VAR:

\_\_\_\_\_\_

VARNAME: AC196

LABEL: HOW LONG SINCE LAST CBD USE

MEAN STATISTICS

N 295 MIN 0 MAX 14600 MEAN 423.83

UNIVERSE: ADULTS WHO HAVE EVER USED CBD IN ANY FORM

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC197

LABEL: # OF DAYS USED CBD IN THE PAST LESS THAN 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1507	95.44
	1	O DAYS	10	0.63
	2	1-2 DAYS	16	1.01
	3	3-5 DAYS	18	1.14
	4	6-9 DAYS	8	0.51
	5	10-19 DAYS	7	0.44
	6	20-29 DAYS	8	0.51
	7	30 DAYS OR MORE	5	0.32

UNIVERSE: ADULTS WHO HAVE USED CBD IN THE PAST LESS THAN 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC198

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 30 1.90
2 NO 32 2.03

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_ORAL

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - TAKE ORALLY (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 31 1.96
2 NO 31 1.96

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED ORALLY IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC199

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 22 1.39
2 NO 40 2.53

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_EAT

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - EAT (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 22 1.39
2 NO 40 2.53

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED EAT IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC200

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 7 0.44
2 NO 55 3.48

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_DRINK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DRINK (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 7 0.44
2 NO 55 3.48

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED DRINK IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC201

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 39 2.47
2 NO 23 1.46

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_SKIN

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - APPLY TO SKIN (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 39 2.47
2 NO 23 1.46

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED APPLY TO SKIN IN AC205 HAVE THEIR

RESPONSES REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC202

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 3 0.19
2 NO 59 3.74

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_SMK

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - SMOKE (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 3 0.19
2 NO 59 3.74

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED SMOKE IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC203

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 1 0.06
2 NO 61 3.86

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_VAP

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - VAPORIZE (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 1 0.06
2 NO 61 3.86

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED VAPORIZE IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC204

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 2 0.13
2 NO 60 3.80

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CBD\_DAB

LABEL: METHOD OF CBD USE IN PAST 30 DAYS - DAB (UPCODED)

VALUE: -1 INAPPLICABLE 1517 96.07
1 YES 2 0.13
2 NO 60 3.80

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS

INPUT VAR:

NOTES: RESPONDENTS WHO ANSWERED DAB IN AC205 HAVE THEIR RESPONSES

REFLECTED IN THIS VARIABLE

\_\_\_\_\_\_

VARNAME: AC206

LABEL: MOST COMMON METHOD OF CBD USE IN PAST 30 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1553	98.35
	1	TAKE IT ORALLY	11	0.70
	2	EAT IT	6	0.38
	3	DRINK IT	2	0.13
	4	APPLY IT ON YOUR SKIN	7	0.44

UNIVERSE: ADULTS WHO HAVE USED CBD IN PAST 30 DAYS VIA MORE THAN ONE METHOD

INPUT VAR:

NOTES:

-----

VARNAME: CBDCUR

LABEL: CURRENT CBD USER

VALUE: 1 CURRENT CBD USER 62 3.93
2 NOT A CURRENT CBD USER 1517 96.07

UNIVERSE: ALL ADULTS

INPUT VAR: AC197

NOTES:

\_\_\_\_\_\_

VARNAME: CBDMETHOD

LABEL: MOST USED METHOD OF CBD USE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1517	96.07
	1	TAKE ORALLY	22	1.39
	2	EAT	12	0.76
	3	DRINK	2	0.13
	4	APPLY ON SKIN	25	1.58
	5	SMOKE	1	0.06

UNIVERSE: ADULTS WHO HAVE EVER USED CBD IN PAST 30 DAYS

INPUT VAR: AC198 - AC204 AC206

NOTES:

\_\_\_\_\_\_

VARNAME: AC133\_1

LABEL: CONDITION TAKING MEDICINE FOR - DENTAL WORK/DENTAL PAIN

			FREQ	%
VALUE:	-1	INAPPLICABLE	1563	98.99
	1	YES	3	0.19
	2	NO	1.3	0.82

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC133\_2

LABEL: CONDITION TAKING MEDICINE FOR - SURGERY, NOT ACCIDENT-RELATED

VALUE: -1 INAPPLICABLE 1563 98.99
1 YES 6 0.38
2 NO 10 0.63

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

-----

VARNAME: AC133\_3

LABEL: CONDITION TAKING MEDICINE FOR - RECENT INJURY

VALUE: -1 INAPPLICABLE 1563 98.99
1 YES 4 0.25
2 NO 12 0.76

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC133\_4

LABEL: CONDITION TAKING MEDICINE FOR - CHRONIC PAIN, REGARDLESS OF CAUSE

VALUE: -1 INAPPLICABLE 1563 98.99
1 YES 5 0.32
2 NO 11 0.70

UNIVERSE: ALL ADULTS WHO HAVE MISUSED PRESCRIPTION PAIN MEDICATION IN PAST

12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AC207

LABEL: EVER HAD AN ALCOHOLIC BEVERAGE

VALUE: 1 YES 1091 69.09 2 NO 488 30.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC208

LABEL: HOW LONG SINCE LAST DRANK AN ALCOHOLIC BEVERAGE

VALUE: -1 INAPPLICABLE 488 30.91
1 WITHIN THE PAST 30 DAYS 694 43.95
2 MORE THAN 30 DAYS AGO, BUT WITHIN THE PA 205 12.98
3 MORE THAN 12 MONTHS AGO 192 12.16

UNIVERSE: ADULTS WHO HAVE EVER HAD AN ALCOHOLIC BEVERAGE

INPUT VAR:

NOTES:

-----

VARNAME: AC209

LABEL: # OF DAYS DRANK AT LEAST ONE ALCOHOLIC BEVERAGE IN PAST 30 DAYS

MEAN STATISTICS

N 694 MIN 1 MAX 30 MEAN 7.16

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC210

LABEL: # OF DRINKS USUALLY HAD EACH DAY ON DAYS THAT DRANK IN PAST 30 DA

MEAN STATISTICS

N 694 MIN 0 MAX 30 MEAN 1.81

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: BINGE30

LABEL: BINGE DRINKING IN PAST 30 DAYS

VALUE: 1 YES 153 9.69 2 NO 1426 90.31

UNIVERSE: ALL ADULTS

INPUT VAR: AC211

NOTES:

\_\_\_\_\_\_

VARNAME: AC211\_P1

LABEL: # OF DAYS BINGE DRINKING IN PAST 30 DAYS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	885	56.05
	0	O DAYS	541	34.26
	1	1 DAY	72	4.56
	2	2 DAYS	23	1.46
	3	3 DAYS	11	0.70
	4	4 DAYS	16	1.01
	5	5 DAYS	8	0.51
	6	6 DAYS	3	0.19
	7	7 DAYS	2	0.13
	8	8-14 DAYS	11	0.70
	9	15-21 DAYS	5	0.32
	11	30 DAYS	2	0.13

UNIVERSE: ADULTS WHO HAVE HAD AN ALCOHOLIC BEVERAGE IN PAST 30 DAYS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE. BINGE DRINKING = 5+ DRINKS FOR SEX ASSIGNED

MALE AT BIRTH; BINGE DRINKING = 4+ DRINKS FOR SEX ASSIGNED FEMALE

AT BIRTH.

\_\_\_\_\_

VARNAME: ILLIDRUG

LABEL: USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE

VALUE: 1 YES 34 2.15 2 NO 1545 97.85

UNIVERSE: ALL ADULTS

INPUT VAR: AC128 AC129 AC166 AC167

NOTES:

\_\_\_\_\_

VARNAME:	AC160
	TOTOO

LABEL: IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH

			FREQ	%
VALUE:	1	1 NOT AT ALL IMPORTANT	10	0.63
	2	2	3	0.19
	3	3	8	0.51
	4	4	13	0.82
	5	5	84	5.32
	6	6	76	4.81
	7	7	184	11.65
	8	8	281	17.80
	9	9	176	11.15
	10	10 EXTREMELY IMPORTANT	744	47.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AC161

LABEL: IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH

			FREQ	%
VALUE:	1	1 NOT AT ALL IMPORTANT	2	0.13
	2	2	5	0.32
	3	3	5	0.32
	4	4	5	0.32
	5	5	41	2.60
	6	6	40	2.53
	7	7	118	7.47
	8	8	256	16.21
	9	9	235	14.88
	10	10 EXTREMELY IMPORTANT	872	55.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: GENENV


LABEL: MOST IMPORTANT FACTOR TO HEALTH

			FREQ	%
VALUE:	1	GENETICS AND MEDICAL CARE	240	15.20
	2	INDIVIDUAL OR ENVIRONMENTAL FACTORS	504	31.92
	3	THEY ARE EQUAL FACTORS	835	52.88

UNIVERSE: ALL ADULTS

INPUT VAR: AC160 AC161

NOTES:



\_\_\_\_\_\_

VARNAME: CV1

LABEL: EVER HAD OR THOUGHT HAD COVID-19

VALUE: 1 YES 172 10.89 2 NO 1407 89.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CV2

LABEL: CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS

VALUE: -1 INAPPLICABLE 1407 89.11
1 YES 99 6.27
2 NO 73 4.62

UNIVERSE: ADULTS WHO HAD OR THOUGHT HAD COVID-19

INPUT VAR:

NOTES:

-----

VARNAME: CV4

LABEL: EVER TESTED FOR COVID-19

VALUE: 1 YES 861 54.53 2 NO 718 45.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: CV5

LABEL: EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19

VALUE: -1 INAPPLICABLE 718 45.47
1 YES 68 4.31
2 NO 793 50.22

UNIVERSE: ADULTS WHO WERE EVER TESTED FOR COVID-19

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CV7\_1

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB

VALUE: 1 YES 128 8.11 2 NO 1451 91.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CV7\_2

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I

VALUE: 1 YES 228 14.44 2 NO 1351 85.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_3

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME

FREQ % 30.34 VALUE: 1 YES 479

2 NO 1100 69.66

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CV7\_4

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E

17.99 1295 FREQ VALUE: 1 YES NO

2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_5

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES

FREQ % YES NO VALUE: 1 35 2.22

1544 97.78

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_6

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE

FREQ % 117 7.41 VALUE: 1 YES

2 NO 1462 92.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CV7\_7

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO

FREQ VALUE: 1 YES NO 129 8.17

1450 2 NO 91.83

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_8

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T

FREQ % YES NO VALUE: 102 6.46 1

1477 93.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_9

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER

FREQ VALUE: 1 YES 6 0.38

NO 1573 99.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_10

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE

FREQ 1 YES VALUE: 611 38.70

2 NO 968 61.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7\_11

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT

FREQ % VALUE: 1 35 2.22

YES NO 1544 97.78

UNIVERSE: ALL ADULTS

INPUT VAR:

\_\_\_\_\_\_

VARNAME: CV9V2

LABEL: WOULD GET COVID-19 VACCINE IF AVAILABLE

VALUE: 1 YES 279 17.67
2 NO 315 19.95
3 I HAVE ALREADY RECEIVED AT LEAST ONE DOS 985 62.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: CV9. NEW CATEGORY ADDED IN 2021.

-----

VARNAME: CV10

LABEL: HOW OFTEN WORE FACE COVERING WHEN LEFT HOME IN PAST WEEK

FREQ % NEVER VALUE: 1 1.27 20 106 2 SOMETIMES 6.71 3 USUALLY 221 14.00 1224 77.52 8 0.51 4 ALWAYS I DID NOT LEAVE HOME IN THE PAST WEEK 5

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: CV11

LABEL: HOW OFTEN SANITIZED/WASHED HANDS WHEN LEFT HOME IN PAST WEEK

			FREQ	%
VALUE:	-1	INAPPLICABLE	8	0.51
	1	NEVER	25	1.58
	2	SOMETIMES	134	8.49
	3	USUALLY	322	20.39
	4	ALWAYS	1090	69.03

UNIVERSE: ADULTS WHO LEFT HOME IN THE PAST WEEK

INPUT VAR:

NOTES:

-----

VARNAME: CV12

LABEL: HOW OFTEN MAINTAINED 6 FEET DISTANCE FROM OTHERS WHEN LEFT HOME I

			FREQ	%
VALUE:	-1	INAPPLICABLE	8	0.51
	1	NEVER	14	0.89
	2	SOMETIMES	159	10.07
	3	USUALLY	701	44.40
	4	ALWAYS	697	44.14

UNIVERSE: ADULTS WHO LEFT HOME IN THE PAST WEEK

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CV13

LABEL: GATHERED WITH PERSONS NOT LIVING IN HOUSEHOLD IN PAST 30 DAYS

VALUE: 1 YES 963 60.99 2 NO 616 39.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CV14

LABEL: HOW OFTEN FOLLOWED STATE & LOCAL GUIDELINES WHEN GATHERING WITH P

			FREQ	%
VALUE:	-1	INAPPLICABLE	616	39.01
	1	NEVER	25	1.58
	2	SOMETIMES	127	8.04
	3	USUALLY	342	21.66
	4	ALWAYS	469	29.70

UNIVERSE: ADULTS WHO GATHERED WITH PERSONS NOT LIVING IN HOUSEHOLD IN PAST

30 DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA1

LABEL: EXPERIENCED A HATE INCIDENT DUE TO COVID-19 OUTBREAK

VALUE: 1 YES 122 7.73 2 NO 1457 92.27

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CVA3

LABEL: WITNESSED ANOTHER API PERSON TREATED UNFAIRLY DUE TO RACE/ETHNICI

VALUE: 1 YES 297 18.81 2 NO 1282 81.19

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CVA4

LABEL: HAD DIFFICULTIES PERFORMING WORK DUE TO POOR INTERNET OR LACK OF

VALUE: 1 YES 228 14.44 2 NO 1351 85.56

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_1

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM T

FREQ FREQ % 946 59.91 VALUE: 1 YES

NO 633 40.09

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA5\_2

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC TV

12.35 1384 97 FREQ VALUE: YES

1 2 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_3

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM R

FREQ 376

VALUE: 1 YES 23.81 1203 76.19 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

VARNAME: CVA5\_4

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC RADIO

% 6.33 FREQ VALUE: 1 YES 100

NO 1479 93.67

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA5\_5

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: MAINSTREAM N

FREQ 1 YES VALUE: 30.72 485

1094 2 NO 69.28

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_6

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: ETHNIC NEWSP

FREQ VALUE: 1 YES 136 8.61 1443 91.39 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

VARNAME: CVA5\_7

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: GOV'T AGENCI

FREQ % 29.83 VALUE: 1 YES 471

NO 1108 70.17

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_8

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: DOCTOR

FREQ VALUE:

1 YES 263 16.66 1316 83.34 2 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_9

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FAMILY

FREQ

YES VALUE: 1 578 36.61

1001 63.39 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

VARNAME: CVA5\_10

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: FRIENDS

FREQ % VALUE: 1 YES 627 39.71

NO 952 60.29

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_11

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: EMPLOYER

FREQ 1 428 27.11 1151 72.89 VALUE: YES

2 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_12

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: SOCIAL MEDIA

FREQ YES VALUE: 1 801 50.73778 49.27 50.73 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

VARNAME: CVA5\_13

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: RELIGIOUS LE

FREQ % 68 4.31 VALUE: 1 YES

NO 1511 95.69

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_14

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: COMMUNITY LE

FREQ 1 YES VALUE: 35 2.22

2 NO 1544 97.78

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

VARNAME: CVA5\_15

LABEL: WHERE REC'D UPDATED NEWS/INFORMATION ABOUT COVID-19: NONE OF THES

FREQ % YES VALUE: 1 59 3.74

1520 96.26 NO

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

\_\_\_\_\_\_

VARNAME:	CVA6

I.ABEI.:	MOST	RELIED	IIDUM	SOURCE	OF	TNFORMATTON	<b>ARULL</b>	COVID-	19

			FREQ	%
VALUE:	-1	INAPPLICABLE	303	19.19
	1	TELEVISION - MAINSTREAM	338	21.41
	2	TELEVISION - ETHNIC	43	2.72
	3	RADIO - MAINSTREAM	69	4.37
	4	RADIO - ETHNIC	15	0.95
	5	NEWSPAPER - MAINSTREAM	179	11.34
	6	NEWSPAPER - ETHNIC	33	2.09
	7	GOVERNMENTAL AGENCIES	185	11.72
	8	YOUR DOCTOR	61	3.86
	9	FAMILY MEMBERS	56	3.55
	10	FRIENDS	24	1.52
	11	YOUR EMPLOYER	60	3.80
	12	SOCIAL MEDIA, SUCH AS FACEBOOK, WECHAT,	205	12.98
	13	RELIGIOUS LEADER	8	0.51

UNIVERSE: ASIAN OR NHPI ADULTS WHO GET COVID-19 NEWS/INFORMATION FROM >1

SOURCE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	SRCERLY
vaimaii.	

LABEL: MOST RELIED UPON SOURCE OF COVID-19 INFORMATION

			FREQ	%
VALUE:	1	TELEVISION - MAINSTREAM	434	27.49
	2	TELEVISION - ETHNIC	56	3.55
	3	RADIO - MAINSTREAM	76	4.81
	4	RADIO - ETHNIC	16	1.01
	5	NEWSPAPER - MAINSTREAM	193	12.22
	6	NEWSPAPER - ETHNIC	36	2.28
	7	GOVERNMENTAL AGENCIES	201	12.73
	8	YOUR DOCTOR	64	4.05
	9	FAMILY MEMBERS	62	3.93
	10	FRIENDS	29	1.84
	11	YOUR EMPLOYER	66	4.18
	12	SOCIAL MEDIA, SUCH AS FACEBOOK, WECHAT,	278	17.61
	13	RELIGIOUS LEADER	8	0.51
	14	ELDERS/COMMUNITY LEADERS	1	0.06
	15	NONE OF THESE	59	3.74

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR: CVA5 CVA6

NOTES:

\_\_\_\_\_

VARNAME: CVA7

LABEL: LOCAL GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK

			FREQ	%
VALUE:	1	STRONGLY AGREE	254	16.09
	2	AGREE	807	51.11
	3	NEITHER AGREE NOR DISAGREE	353	22.36
	4	DISAGREE	125	7.92
	5	STRONGLY DISAGREE	40	2.53

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

\_\_\_\_\_\_

VARN	VME.	CVA8
V A D.IV	APIC:	CVAO

LABEL: NAT'L GOV'T HAS DONE A GOOD JOB MANAGING COVID-19 OUTBREAK

			FKEQ	/₀
VALUE:	1	STRONGLY AGREE	143	9.06
	2	AGREE	525	33.25
	3	NEITHER AGREE NOR DISAGREE	402	25.46
	4	DISAGREE	331	20.96
	5	STRONGLY DISAGREE	178	11.27

UNIVERSE: ASIAN OR NHPI ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: CVA9

LABEL: CHILD'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1470	93.10
	1	STRONGLY AGREE	35	2.22
	2	AGREE	46	2.91
	3	NEITHER AGREE NOR DISAGREE	16	1.01
	4	DISAGREE	9	0.57
	5	STRONGLY DISAGREE	3	0.19

UNIVERSE: ASIAN OR NHPI ADULTS WITH SELECTED SCHOOL-AGE CHILD IN HH

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	CVA10

LABEL: TEEN'S SCHOOL MET NEEDS TO CONTINUE EDUCATING DURING STAY AT HOME

			FREQ	%
VALUE:	-1	INAPPLICABLE	1401	88.73
	1	STRONGLY AGREE	54	3.42
	2	AGREE	85	5.38
	3	NEITHER AGREE NOR DISAGREE	20	1.27
	4	DISAGREE	13	0.82
	5	STRONGLY DISAGREE	5	0.32
	6	MY TEEN'S SCHOOL HAS STOPPED INSTRUCTION	1	0.06

UNIVERSE: ASIAN OR NHPI ADULTS WITH SELECTED TEEN IN HH

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA11\_1

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: MORTGAG

			FREQ	%
VALUE:	-1	INAPPLICABLE	1412	89.42
	1	YES	40	2.53
	2	NO	127	8.04

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: CVA11\_2

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: RENT

VALUE: -1 INAPPLICABLE 1412 89.42
1 YES 92 5.83
2 NO 75 4.75

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA11\_3

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CAR

VALUE: -1 INAPPLICABLE 1412 89.42
1 YES 45 2.85
2 NO 122 7.73

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: CVA11\_4

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: INSURAN

VALUE: -1 INAPPLICABLE 1412 89.42 1 YES 59 3.74 2 NO 108 6.84

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA11\_5

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: UTILITI

VALUE: -1 INAPPLICABLE 1412 89.42
1 YES 73 4.62
2 NO 94 5.95

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: CVA11\_6

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: CREDIT

VALUE: -1 INAPPLICABLE 1412 89.42 1 YES 93 5.89 2 NO 74 4.69

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: CVA11\_7

LABEL: TYPE OF BILL HAD TROUBLE PAYING DURING COVID-19 PANDEMIC: OTHER/N

VALUE: -1 INAPPLICABLE 1412 89.42 1 YES 7 0.44 2 NO 160 10.13

UNIVERSE: ASIAN OR NHPI ADULTS WHO HAD FINANCIAL DIFFICULTIES DUE TO COVID-19

INPUT VAR:

NOTES: COMBINES REMAINING "OTHER" RESPONSES WITH THOSE WHO SELECTED "NONE

OF THESE"

SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH

\_\_\_\_\_\_

VARNAME: HGHTI\_P

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N 1579 MIN 49 MAX 77 MEAN 65.11

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

\_\_\_\_\_\_

VARNAME: HGHTM\_P

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N 1579
MIN 1
MAX 2
MEAN 1.65

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1

-----

\_\_\_\_\_\_

VARNAME: HEIGHM\_P

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N 1579 MIN 1 MAX 2 MEAN 1.65

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHM

NOTES: TOPCODE=2; BOTTOMCODE=1

\_\_\_\_\_\_

VARNAME: WEIGHK\_P

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

 N
 1579

 MIN
 41

 MAX
 150

 MEAN
 67.27

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK

NOTES: TOPCODE=150; BOTTOMCODE=41

\_\_\_\_\_

VARNAME: WGHTK\_P

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

N 1579 MIN 41 MAX 150 MEAN 67.27

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

\_\_\_\_\_\_

VARNAME: WGHTP\_P

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N 1579 MIN 90 MAX 330 MEAN 148.30

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

\_\_\_\_\_\_

VARNAME: BMI\_P

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

 N
 1579

 MIN
 13

 MAX
 56

 MEAN
 24.50

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK\_P HEIGHM\_P

NOTES: SEE WEIGHK\_P AND HEIGHM\_P FOR BOTTOM AND TOP CODES

\_\_\_\_\_\_

VARNAME: RBMI

LABEL: BMI DESCRIPTIVE

			FREQ	%
VALUE:	1	UNDERWEIGHT 0-18.49	75	4.75
	2	NORMAL 18.5-24.99	895	56.68
	3	OVERWEIGHT 25.0-29.99	453	28.69
	4	OBESE 30.0+	156	9.88

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES:

\_\_\_\_\_\_

VARNAME: WHOBMI

LABEL: BODY MASS INDEX: WHO DEFINITION

VALUE: 1 0 - 18.49 (UNDERWEIGHT) 75 4.75
2 18.5 - 22.99 (ACCEPTABLE RISK) 564 35.72
3 23.0 - 27.49 (INCREASED RISK) 633 40.09
4 27.5 OR HIGHER (HIGHER HIGH RISK) 307 19.44

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES: WORLD HEALTH ORGANIZATION (WHO) BMI CUT-POINTS CORRESPOND TO

INCREASING RISKS FOR CONDITIONS SUCH AS DIABETES AND HEART DISEASE

IN ASIAN POPULATIONS. FOR MORE INFORMATION SEE

http://www.who.int/nutrition/publications/bmi\_asia\_strategies.pdf

VARNAME: OVRWT

LABEL: OVERWEIGHT OR OBESE

VALUE: 1 YES 609 38.57 2 NO 970 61.43

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

\_\_\_\_\_\_

VARNAME: AD50

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

VALUE: 1 YES 88 5.57 2 NO 1491 94.43

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AD46C\_P1

LABEL: SEXUAL ORIENTATION (PUF 1 YR RECODE)

FREQ %
VALUE: 1 STRAIGHT OR HETEROSEXUAL 1445 91.51
2 GAY, LESBIAN, OR HOMOSEXUAL 63 3.99
3 BISEXUAL 51 3.23
4 OTHER OR DON'T KNOW 20 1.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

-----

\_\_\_\_\_\_

VARNAME: AJ169V2

LABEL: RESPONDENT'S PREGNANCY PLANS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1232	78.02
	1	NO PLAN TO GET PREGNANT	211	13.36
	2	NOT SEXUALLY ACTIVE	82	5.19
	3	PLAN TO GET GET PREGNANT	33	2.09
	4	CURRENTLY PREGNANT	13	0.82
	5	NOT ABLE TO BECOME PREGNANT	8	0.51

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH

INPUT VAR:

NOTES: Previous version: AJ169. Universe changed from 18-49 to 18-44

years old.

\_\_\_\_\_

VARNAME: AF40BV2

LABEL: USES OR MALE SEX PARTNER USES BIRTH CONTROL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1343	85.05
	1	YES	145	9.18
	2	NO	72	4.56
	3	NO MALE SEXUAL PARTNER	19	1.20

UNIVERSE: HETEROSEXUAL FEMALES 18-44 AND NOT CURRENTLY PREGNANT OR SEXUALLY

ACTIVE

INPUT VAR:

NOTES: PREVIOUS VERSION: AF40B. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49

YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE

CURRENTLY PREGNANT. QX VARNAME = AF40B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_1

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 6 0.38 2 NO 139 8.80

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 5 0.32 2 NO 140 8.87

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_3

LABEL: BIRTH CONTROL METHOD: IUD

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 31 1.96 2 NO 114 7.22

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 4 0.25 2 NO 141 8.93

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

------

\_\_\_\_\_\_

VARNAME: AJ154BV2\_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1434	90.82
	1	YES	46	2.91
	2	NO	99	6.27

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1434	90.82
	1	YES	5	0.32
	2	NO	140	8.87

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

------

\_\_\_\_\_\_

VARNAME: AJ154BV2\_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 57 3.61 2 NO 88 5.57

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_8

LABEL: BIRTH CONTROL METHOD: OTHER

VALUE: -1 INAPPLICABLE 1434 90.82 2 NO 145 9.18

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ154BV2\_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1434	90.82
	1	YES	2	0.13
	2	NO	143	9.06

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND

WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ154B. UNIVERSE HAS EXPANDED FROM 18-45 TO

18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR

ARE CURRENTLY PREGNANT. QX VARNAME = AJ154B.

\_\_\_\_\_\_

VARNAME: AJ170V2\_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

			FREQ	%
VALUE:	-1	INAPPLICABLE	1507	95.44
	1	TRYING TO GET PREGNANT/WANT A BABY	22	1.39
	2	OTHER	13	0.82
	3	DON'T BELIEVE IN BIRTH CONTROL	5	0.32
	4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	27	1.71
	5	NO NEED/DON'T WANT	3	0.19
	6	INABILITY TO GET PREGNANT	1	0.06
	7	NO SEXUAL PARTNER	1	0.06

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING

BIRTH CONTROL

INPUT VAR:

NOTES: AJ170V2 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AJ171V2\_P1

LABEL: EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD

			FREQ	%
VALUE:	-1	INAPPLICABLE	1291	81.76
	1	YES	108	6.84
	2	NO	180	11.40

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT

USING BIRTH CONTROL

INPUT VAR:

NOTES: Previous version: AJ171\_P1. AJ170V2 Categories Collapsed.

\_\_\_\_\_

VARNAME: AJ179

LABEL: RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1256	79.54
	1	YES	70	4.43
	2	NO	253	16.02

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AJ180

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

			FREQ	%
VALUE:	-1	INAPPLICABLE	1256	79.54
	1	YES	78	4.94
	2	NO	245	15.52

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ181\_P1

LABEL: TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE

		FREQ	%
VALUE:	-1	INAPPLICABLE 1501	95.06
	2	IUD (MIRENA, PARAGARD, SKYLA, KYLEENA, 9	0.57
	3	IMPLANT (IMPLANON, NEXPLANON, ETC.) 3	0.19
	4	BIRTH CONTROL PILLS 53	3.36
	5	OTHER HORMONAL METHODS (INJECTION/DEPO-P 7	0.44
	6	CONDOMS (MALE) 5	0.32
	91	OTHER 1	0.06

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES: AJ181 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AJ182\_P1

LABEL: LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1501	95.06
	1	PRIVATE DOCTORS OFFICE	33	2.09
	2	HMO FACILITY	10	0.63
	3	HOSPITAL OR HOSPITAL CLINIC	6	0.38
	4	PLANNED PARENTHOOD	4	0.25
	5	COUNTY HEALTH DEPARTMENT, FAMILY PLANNIN	1	0.06
	6	OTHER CLINIC	2	0.13
	7	PHARMACY	16	1.01
	91	SOME OTHER PLACE	6	0.38

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,

AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES: AJ182 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AJ144V3

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

			FREQ	%
VALUE:	-1	INAPPLICABLE	1042	65.99
	1	YES	6	0.38
	2	NO	531	33.63

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AJ144, AJ144B. NEW VERSION IN 2021 DUE TO

UNIVERSE CHANGE.

\_\_\_\_\_\_

VARNAME: AJ172V3

LABEL: CURRENTLY USING BIRTH CONTROL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1042	65.99
	1	YES	140	8.87
	2	NO	252	15.96
	3	NO FEMALE SEXUAL PARTNER	145	9.18

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSIONS: AJ172V2, AJ172. NEW VERSION CREATED IN 2021 DUE

TO NEW UNIVERSE.

-----

VARNAME: AJ174V2\_1

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

			FREQ	%
VALUE:	-1	INAPPLICABLE	1439	91.13
	1	YES	10	0.63
	2	NO	130	8.23

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_1. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 20 1.27 2 NO 120 7.60

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_2. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_3

LABEL: BIRTH CONTROL METHOD: IUD

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 17 1.08 2 NO 123 7.79

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_3. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

VALUE: -1 INAPPLICABLE 1439 91.13 2 NO 140 8.87

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174 4. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

VALUE: -1 INAPPLICABLE 1439 91.13
1 YES 21 1.33
2 NO 119 7.54

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_5. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 2 0.13 2 NO 138 8.74

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_6. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 74 4.69 2 NO 66 4.18

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_7. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_8

LABEL: BIRTH CONTROL METHOD: OTHER

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 2 0.13 2 NO 138 8.74

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_8. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AJ174V2\_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

VALUE: -1 INAPPLICABLE 1439 91.13 1 YES 1 0.06 2 NO 139 8.80

UNIVERSE: ADULTS <65 YEARS OLD WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND

CURRENTLY USE BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ174\_9. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME:	AJ175V2	P1
VAIMAINE.	AJIIJVZ	LI

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

			FREQ	%
VALUE:	-1	INAPPLICABLE	1327	84.04
	1	TRYING TO GET PREGNANT/WANT A BABY	41	2.60
	2	OTHER	43	2.72
	3	DON'T BELIEVE IN BIRTH CONTROL	13	0.82
	4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	31	1.96
	5	NO NEED/DON'T WANT	34	2.15
	6	INABILITY TO GET PREGNANT	71	4.50
	7	NO SEXUAL PARTNER	19	1.20

UNIVERSE: ADULTS <65 YEARS WHO WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT USING BIRTH CONTROL, AND WHO WERE BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ175\_P1. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE. AJ175 Categories Collapsed.

\_\_\_\_\_\_

VARNAME: AJ183V2

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

			FREQ	%
VALUE:	-1	INAPPLICABLE	1042	65.99
	1	YES	4	0.25
	2	NO	533	33.76

UNIVERSE: ADULTS <65 YEARS OLD BORN MALE AT BIRTH

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ183. NEW VERSION CREATED IN 2021 DUE TO NEW

UNIVERSE.

\_\_\_\_\_\_

VARNAME: AD82

LABEL: EVER HEARD OF PREP/TRUVADA

VALUE: -1 INAPPLICABLE 1521 96.33 1 YES 40 2.53 2 NO 18 1.14

UNIVERSE: ALL GAY/BISEXUAL MALES, MALES WHO HAVE HAD MALE SEXUAL PARTNERS,

AND TRANSGENDER ADULTS WHO HAVE NOT EVER TAKEN PREP/TRUVADA

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AD83

LABEL: EVER BEEN TESTED FOR HIV

VALUE: 1 YES 380 24.07 2 NO 1199 75.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AD84
VARNAME:	AD84


LABEL: OFFERED OR ASKED FOR HIV TEST

			FREQ	%
VALUE:	-1	INAPPLICABLE	1199	75.93
	1	I WAS OFFERED THE TEST	117	7.41
	2	I ASKED FOR THE TEST	140	8.87
	3	I DON'T REMEMBER	26	1.65
	4	SOME OTHER REASON	9	0.57
	5	I WAS REQUIRED TO TAKE THE TEST	88	5.57

UNIVERSE: ALL ADULTS WHO HAVE EVER BEEN TESTED FOR HIV

INPUT VAR:

NOTES:



\_\_\_\_\_

VARNAME: AD13


LABEL: CURRENTLY PREGNANT

VALUE: -1 INAPPLICABLE 1219 77.20
1 YES 13 0.82
2 NO 347 21.98

UNIVERSE: FEMALES AGES 18-45 YEARS

INPUT VAR:

NOTES:



\_\_\_\_\_

LABEL: FEEL NERVOUS PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	25	1.58
	2	MOST OF THE TIME	109	6.90
	3	SOME OF THE TIME	435	27.55
	4	A LITTLE OF THE TIME	505	31.98
	5	NOT AT ALL	505	31.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ30

LABEL: FEEL HOPELESS PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	11	0.70
	2	MOST OF THE TIME	59	3.74
	3	SOME OF THE TIME	231	14.63
	4	A LITTLE OF THE TIME	367	23.24
	5	NOT AT ALL	911	57.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ31

LABEL: FEEL RESTLESS PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	29	1.84
	2	MOST OF THE TIME	92	5.83
	3	SOME OF THE TIME	363	22.99
	4	A LITTLE OF THE TIME	464	29.39
	5	NOT AT ALL	631	39.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ32

LABEL: FEEL DEPRESSED PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	7	0.44
	2	MOST OF THE TIME	63	3.99
	3	SOME OF THE TIME	142	8.99
	4	A LITTLE OF THE TIME	347	21.98
	5	NOT AT ALL	1020	64.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AJ33

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	44	2.79
	2	MOST OF THE TIME	122	7.73
	3	SOME OF THE TIME	296	18.75
	4	A LITTLE OF THE TIME	466	29.51
	5	NOT AT ALL	651	41.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ34

LABEL: FEEL WORTHLESS PAST 30 DAYS

			FREQ	%
VALUE:	1	ALL OF THE TIME	14	0.89
	2	MOST OF THE TIME	48	3.04
	3	SOME OF THE TIME	136	8.61
	4	A LITTLE OF THE TIME	283	17.92
	5	NOT AT ALL	1098	69.54

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: DSTRS30

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

FREQ % 119 7.54 1460 92.46 YES NO VALUE: 1

92.46

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED ON DISTRESS>=13

\_\_\_\_\_\_

VARNAME: DISTRESS

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

1579 N MIN 24 MAXMEAN 4.84

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

\_\_\_\_\_

VARNAME: DSTRS\_P1

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N 1579 MIN 0 MAX 21 MEAN 4.83

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED

DATA; TOPCODE = 21

\_\_\_\_\_\_

VARNAME: AF62

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE: 1 YES 410 25.97 2 NO 1169 74.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME:	AF63

LABEL: FEEL NERVOUS WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	46	2.91
	2	MOST OF THE TIME	125	7.92
	3	SOME OF THE TIME	142	8.99
	4	A LITTLE OF THE TIME	74	4.69
	5	NOT AT ALL	23	1.46

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

VARNAME: AF64

LABEL: FEEL HOPELESS WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	45	2.85
	2	MOST OF THE TIME	107	6.78
	3	SOME OF THE TIME	112	7.09
	4	A LITTLE OF THE TIME	90	5.70
	5	NOT AT ALL	56	3.55

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AF65

LABEL: FEEL RESTLESS WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	41	2.60
	2	MOST OF THE TIME	104	6.59
	3	SOME OF THE TIME	117	7.41
	4	A LITTLE OF THE TIME	92	5.83
	5	NOT AT ALL	56	3.55

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AF66

LABEL: FEEL DEPRESSED WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	40	2.53
	2	MOST OF THE TIME	79	5.00
	3	SOME OF THE TIME	112	7.09
	4	A LITTLE OF THE TIME	93	5.89
	5	NOT AT ALL	86	5.45

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AF67

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	64	4.05
	2	MOST OF THE TIME	114	7.22
	3	SOME OF THE TIME	115	7.28
	4	A LITTLE OF THE TIME	69	4.37
	5	NOT AT ALL	48	3.04

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AF68

LABEL: FEEL WORTHLESS WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1169	74.03
	1	ALL OF THE TIME	38	2.41
	2	MOST OF THE TIME	62	3.93
	3	SOME OF THE TIME	86	5.45
	4	A LITTLE OF THE TIME	99	6.27
	5	NOT AT ALL	125	7.92

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE

PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AF69B

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1199	75.93
	1	A LOT	118	7.47
	2	SOME	191	12.10
	3	NOT AT ALL	39	2.47
	4	DOES NOT WORK	32	2.03

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL

DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: WORK2

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

\_\_\_\_\_\_

VARNAME: AF70B

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	1	A LOT	134	8.49
	2	SOME	222	14.06
	3	NOT AT ALL.	52	3.29

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: CHORES2

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

\_\_\_\_\_\_

VARNAME: AF71B

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	1	A LOT	150	9.50
	2	SOME	212	13.43
	3	NOT AT ALL	46	2.91

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: SOCIAL2

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

-----

VARNAME: AF72B

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	1	A LOT	136	8.61
	2	SOME	228	14.44
	3	NOT AT ALL	44	2.79

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST

12 MONTHS

INPUT VAR: FAMILY2

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

VARNAME: DSTRS12

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

FREQ % 212 13.43 VALUE: 1

YES NO 1367 2 86.57

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

\_\_\_\_\_\_

VARNAME: DSTRSYR

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

N 1579 MIN MAX24 MEAN 5.76

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

\_\_\_\_\_\_

VARNAME: CHORES2

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	0	NONE	52	3.29
	1	MODERATE	222	14.06
	2	SEVERE	134	8.49

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

-----

VARNAME: SOCIAL2

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	0	NONE	46	2.91
	1	MODERATE	212	13.43
	2	SEVERE	150	9.50

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

\_\_\_\_\_\_

VARNAME: WORK2

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1231	77.96
	0	NONE	39	2.47
	1	MODERATE	191	12.10
	2	SEVERE	118	7.47

UNIVERSE: ADULTS 70 OR YOUNGER WHO WORK AND EXPERIENCED MODERATE TO SEVERE

PSYCHOLOGICAL DISTRESS (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES: CANNOT BE TRENDED WITH WORK (2009)

-----

VARNAME: FAMILY2

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1171	74.16
	0	NONE	44	2.79
	1	MODERATE	228	14.44
	2	SEVERE	136	8.61

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS

(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

\_\_\_\_\_\_

VARNAME: AF81

LABEL: NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR

VALUE: 1 YES 285 18.05 2 NO 1294 81.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ1

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE: -1 INAPPLICABLE 1294 81.95
1 YES 227 14.38
2 NO 48 3.04
3 NO INSURANCE 10 0.63

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL

PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS

WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AG44

LABEL: HOW OFTEN USE THE INTERNET

			FREQ	%
VALUE:	1	ALMOST CONSTANTLY	621	39.33
	2	MANY TIMES A DAY	646	40.91
	3	A FEW TIMES A DAY	216	13.68
	4	LESS THAN A FEW TIMES A DAY	96	6.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AG45

LABEL: HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA

			FREQ	%
VALUE:	1	ALMOST CONSTANTLY	242	15.33
	2	MANY TIMES A DAY	600	38.00
	3	A FEW TIMES A DAY	372	23.56
	4	LESS THAN A FEW TIMES A DAY	365	23.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AF110

LABEL: EXPERIENCED HAZARDOUS WEATHER-RELATED EVENTS IN PAST 2 YRS

VALUE: 1 YES 693 43.89 2 NO 886 56.11

2 NO 886 56.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AF111

LABEL: PHYSICAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 886 56.11
1 YES 86 5.45
2 NO 607 38.44

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AF112

LABEL: MENTAL HEALTH HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 886 56.11 1 YES 106 6.71 2 NO 587 37.18

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AF113

LABEL: PROPERTY/FINANCES HARMED BY HAZARDOUS WEATHER-RELATED EVENTS

VALUE: -1 INAPPLICABLE 886 56.11 1 YES 29 1.84 2 NO 664 42.05

UNIVERSE: ADULTS WHO EXPERIENCED A HAZARDOUS WEATHER-RELATED EVENT IN PAST 2

YRS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: WEATHER

LABEL: EFFECTS OF WEATHER-RELATED EVENTS

			FREQ	%
VALUE:	1	PHYSICAL	49	3.10
	2	MENTAL	69	4.37
	3	BOTH	37	2.34
	4	NEITHER	1424	90.18

UNIVERSE: ALL ADULTS

INPUT VAR: AF110 AF111 AF112

NOTES:

SECTION G: DEMOGRAPHIC INFORMATION, PART II & CHILD CARE

\_\_\_\_\_\_

VARNAME: AH33NEW

LABEL: BORN IN U.S.

VALUE: 1 BORN IN U.S. 583 36.92 2 BORN OUTSIDE U.S. 996 63.08

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

\_\_\_\_\_\_

VARNAME: AH34NEW

LABEL: MOTHER BORN IN U.S.

VALUE: -1 INAPPLICABLE 1003 63.52
1 BORN IN U.S. 205 12.98
2 BORN OUTSIDE U.S. 371 23.50

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

\_\_\_\_\_\_

VARNAME: AH35NEW

LABEL: FATHER BORN IN U.S.

			FREQ	%
VALUE:	-1	INAPPLICABLE	1003	63.52
	1	BORN IN U.S.	223	14.12
	2	BORN OUTSIDE U.S.	353	22.36

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

\_\_\_\_\_\_

VARNAME: CITIZEN2

LABEL: CITIZENSHIP STATUS (3 LVLS)

			FREQ	%
VALUE:	1	US-BORN CITIZEN	583	36.92
	2	NATURALIZED CITIZEN	758	48.01
	3	NON-CITIZEN	238	15.07

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES: RESPONDENTS BORN IN AMERICAN SAMOA ARE INCLUDED IN THE "US-BORN

CITIZEN" CATEGORY. THESE RESPONDENTS MAY BE US NATIONALS BY BIRTH

OR NATURALIZED US CITIZENS.

\_\_\_\_\_\_

VARNAME: YRUS6P

LABEL: YEARS LIVED IN THE US: 6+

VALUE: -1 INAPPLICABLE 583 36.92 1 YES 65 4.12 2 NO 931 58.96

UNIVERSE: ADULTS WHO WERE BORN OUTSIDE OF US OR US TERRITORY

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: YRUS\_P1

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	583	36.92
	1	<5 YEARS	46	2.91
	3	5-9 YEARS	86	5.45
	4	10-14 YEARS	77	4.88
	5	15-19 YEARS	787	49.84

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR

VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES: YRUS Categories Collapsed

\_\_\_\_\_\_

VARNAME: PCTLF\_P

LABEL: PERCENT LIFE IN US (PUF RECODE)

			FREQ	%
VALUE:	1	0-20	109	6.90
	2	21-40	210	13.30
	3	41-60	293	18.56
	4	61-80	236	14.95
	5	81+	731	46.30

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES: PCTLF Categories Collapsed

\_\_\_\_\_\_

VARNAME: AH43A

LABEL: LIVING WITH A PARENT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1413	89.49
	1	YES	120	7.60
	2	NO	46	2.91

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING

W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND LIVING

W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AH44A

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE: -1 INAPPLICABLE 1330 84.23 1 YES 57 3.61 2 NO 192 12.16

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH44B

LABEL: AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH

MEAN STATISTICS

 N
 57

 MIN
 258

 MAX
 5000

 MEAN
 1366.79

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14 WHO PAID FOR CHILD CARE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: ACHLDC\_P1

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1522	96.39
	4	\$50-99/WEEK	8	0.51
	5	\$100-199/WEEK	16	1.01
	6	\$200+/WEEK	33	2.09

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN

THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES: ACHLDC Categories Collapsed

\_\_\_\_\_

VARNAME: AHEDC\_P1

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	NO FORMAL EDUCATION OR GRADE 1-8	33	2.09
	2	GRADE 9-11	18	1.14
	3	GRADE 12/H.S. DIPLOMA	84	5.32
	4	SOME COLLEGE	148	9.37
	5	VOCATIONAL SCHOOL	49	3.10
	6	AA OR AS DEGREE	81	5.13
	7	BA OR BS DEGREE/SOME GRAD SCHOOL	629	39.84
	8	MA OR MS DEGREE ***PROC FORMAT	334	21.15
	9	PH.D. OR EQUIVALENT	203	12.86

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES: AHEDUC Categories Collapsed

\_\_\_\_\_\_

VARNAME: AG8

LABEL: WORK STATUS OF SPOUSE LAST WEEK

%
45.22
28.75
2.09
1.58
22.36

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

-----

VARNAME: AG9\_P1

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1043	66.05
	1	PRIVATE COMPANY/NON-PROFIT ORG	360	22.80
	2	GOVERNMENT	85	5.38
	3	SELF-EMPLOYED/FAMILY BUSINESS/FARM	91	5.76

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES: AG9 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AG10

LABEL: RESPONDENT USUALLY WORKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1271	80.49
	1	YES	107	6.78
	2	NO	122	7.73
	3	LOOKING FOR WORK	79	5.00

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING

AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO

ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: AG11

LABEL: SPOUSE USUALLY WORKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1199	75.93
	1	YES	51	3.23
	2	NO	300	19.00
	3	LOOKING FOR WORK	29	1.84

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO

IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO

QUESTION

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: WRKST\_P1

LABEL: WORKING STATUS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	837	53.01
	2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	136	8.61
	3	OTHER EMPLOYED	31	1.96
	4	UNEMPLOYED, LOOKING FOR WORK	91	5.76
	5	UNEMPLOYED, NOT LOOKING FOR WORK	484	30.65

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES:

\_\_\_\_\_

VARNAME: AG22

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE: 1 YES 53 3.36 2 NO 1526 96.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AG31

LABEL: HAVE VA SERVICE-CONNECTED DISABILITY RATING

VALUE: -1 INAPPLICABLE 1526 96.64
1 YES 18 1.14
2 NO 35 2.22

UNIVERSE: ADULTS WHO SERVED IN US ARMED FORCES

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: SERVED

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

			FREQ	%
VALUE:	-1	INAPPLICABLE	1526	96.64
	1	<6 MONS	1	0.06
	2	6 MONS - 2 YRS	14	0.89
	3	>2 YRS - 4 YRS	15	0.95
	4	>4 YRS - <20 YRS	12	0.76
	5	20+ YRS	11	0.70

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG24NUM AG23BEG AG23END

NOTES:

\_\_\_\_\_\_

VARNAME: SREDUC

LABEL: SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)

			FREQ	%
VALUE:	1	< HIGH SCHOOL EDUCATION	51	3.23
	2	HIGH SCHOOL EDUCATION	84	5.32
	3	SOME COLLEGE	278	17.61
	4	COLLEGE DEGREE OR ABOVE	1166	73.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: FAMTYP\_P

LABEL: FAMILY TYPE (PUF RECODE)

			FREQ	%
VALUE:	1	SINGLE ADULT, 21+	642	40.66
	2	SINGLE YOUNG ADULT, 19-20	24	1.52
	3	MARRIED, NO KIDS	533	33.76
	4	MARRIED WITH KIDS	303	19.19
	5	SINGLE WITH KIDS	64	4.05
	6	SINGLE 18 YEARS OLD	13	0.82

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

\_\_\_\_\_\_

VARNAME: FAMSIZE2\_P1

LABEL: FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)

MEAN STATISTICS

N 1579 MIN 1 MAX 8 MEAN 2.12

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_SIZE2

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY

HOUSEHOLD INCOME; TOPCODE = 8

\_\_\_\_\_\_

VARNAME: FAMT4


LABEL: FAMILY TYPE - 4 LVLS

			FREQ	%
VALUE:	1	SINGLE, NO KIDS	679	43.00
	2	MARRIED, NO KIDS	533	33.76
	3	MARRIED WITH KIDS	303	19.19
	4	SINGLE WITH KIDS	64	4.05

UNIVERSE: ALL ADULTS

INPUT VAR: FAM\_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.



\_\_\_\_\_\_

VARNAME: AGV1\_P1

LABEL: # OF FIREARMS KEPT IN HOME (PUF 1 YR RECODE)

VALUE:	0 1 2	O FIREARMS 1 FIREARM 2 FIREARMS	FREQ 1380 86 50	% 87.40 5.45 3.17
	3 4 5 6	3 FIREARMS 4 FIREARMS 5 FIREARMS 6 FIREARMS	19 12 5 7	1.20 0.76 0.32 0.44
	7 8 10 11 12	7 FIREARMS 8 FIREARMS 10 FIREARMS 11-20 FIREARMS MORE THAN 20 FIREARMS	1 2 8 3 6	0.06 0.13 0.51 0.19 0.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: AGV2\_P1

LABEL: # OF HANDGUNS KEPT IN HOME (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ 1380	% 87.40
	0	O HANDGUNS	22	1.39
	1	1 HANDGUN	108	6.84
	2	2 HANDGUNS	38	2.41
	3	3 HANDGUNS	14	0.89
	4	4 HANDGUNS	6	0.38
	5	5 HANDGUNS	3	0.19
	6	6 HANDGUNS	3	0.19
	7	7 HANDGUNS	1	0.06
	8	8 HANDGUNS	2	0.13
	11	11-20 HANDGUNS	2	0.13

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: AGV3

LABEL: FIREARM IS A HANDGUN

VALUE: -1 INAPPLICABLE 1493 94.55
1 YES 63 3.99
2 NO 23 1.46

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AGV5

LABEL: FIREARM KEPT LOADED

VALUE: -1 INAPPLICABLE 1493 94.55
1 YES 15 0.95
2 NO 71 4.50

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AGV6

LABEL: FIREARM KEPT LOCKED

VALUE: -1 INAPPLICABLE 1493 94.55
1 UNLOCKED 26 1.65
2 LOCKED UP WITH A TRIGGER LOCK 18 1.14
3 LOCKED UP WITH A CABLE LOCK, IN A LOCK B 42 2.66

UNIVERSE: ADULTS WHO HAVE ONE FIREARM KEPT IN HOME

INPUT VAR:

NOTES:

\_\_\_\_\_\_

LABEL: WORRIED ABOUT BEING VICTIM OF GUN VIOLENCE

			FREQ	%
VALUE:	1	VERY WORRIED	335	21.22
	2	SOMEWHAT WORRIED	640	40.53
	3	NOT TOO WORRIED	472	29.89
	4	NOT AT ALL WORRIED	132	8.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AGV8

LABEL: ABLE TO GET FIREARM IF WANTED WITHIN 2 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1448	91.70
	1	YES	39	2.47
	2	NO	92	5.83

UNIVERSE: ADULTS AGES 18-25

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: FIREARM

LABEL: FIREARM KEPT IN HOME

VALUE: 1 YES 199 12.60 2 NO 1380 87.40

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1

NOTES:

\_\_\_\_\_

VARNAME: HANDGUN

LABEL: HANDGUN KEPT IN HOME

VALUE: 1 YES 156 9.88 2 NO 1423 90.12

UNIVERSE: ALL ADULTS

INPUT VAR: AGV1 AGV2 AGV3

NOTES:

\_\_\_\_\_\_

VARNAME: GUNLOADED

LABEL: FIREARM IN HOME KEPT LOADED AND UNLOCKED

VALUE: -1 INAPPLICABLE 1380 87.40
1 YES 14 0.89
2 NO 185 11.72

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM

INPUT VAR: AGV4C AGV5 AGV6

NOTES:

\_\_\_\_\_\_

VARNAME: GUNLOCK

LABEL: TYPE OF FIREARM LOCK USED

			FREQ	%
VALUE:	-1	INAPPLICABLE	1423	90.12
	1	AT LEAST ONE GUN LOCKED WITH TRIGGER LOC	37	2.34
	2	AT LEAST ONE GUN LOCKED WITH CABLE LOCK/	107	6.78
	3	AT LEAST ONE GUN LOCKED WITH TRIGGER LOC	12	0.76

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM AND USE AT LEAST ONE LOCK

INPUT VAR: AGV1 AGV4A - AGV4F AGV5 AGV6

NOTES:

\_\_\_\_\_

VARNAME: GUNSAFE


LABEL: FIREARMS STORAGE: LOCKED AND/OR LOADED

			FREQ	%
VALUE:	-1	INAPPLICABLE	1380	87.40
	1	ALL GUNS LOCKED & UNLOADED	92	5.83
	2	ALL GUNS UNLOCKED & UNLOADED	30	1.90
	3	ALL GUNS LOCKED & LOADED	37	2.34
	4	ALL GUNS UNLOCKED & LOADED	6	0.38
	5	AT LEAST ONE GUN UNLOCKED & LOADED	8	0.51
	6	OTHER STORAGE COMBINATION	26	1.65

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE FIREARM

INPUT VAR: AGV1 AGV4A - AGV4F AGV5 AGV6

NOTES:



\_\_\_\_\_\_

VARNAME: AI1

LABEL: COVERED BY MEDICARE

VALUE: 1 YES 383 24.26 2 NO 1196 75.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AI4

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE: -1 INAPPLICABLE 1434 90.82 1 YES 78 4.94 2 NO 67 4.24

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH53

LABEL: PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM

VALUE: -1 INAPPLICABLE 1258 79.67
1 YES 195 12.35
2 NO 126 7.98

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE

SUPPLEMENT

INPUT VAR:

NOTES:

-----

VARNAME: AH54

LABEL: SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM

VALUE: -1 INAPPLICABLE 1258 79.67
1 YES 93 5.89
2 NO 228 14.44

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE

SUPPLEMENT

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI6

LABEL: COVERED BY MEDI-CAL

VALUE: 1 YES 243 15.39 2 NO 1336 84.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AH100

LABEL: ANYONE HELP FIND HEALTH PLAN

VALUE: -1 INAPPLICABLE 1548 98.04 1 YES 12 0.76 2 NO 19 1.20

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES: QX VARNAME = AH100H

\_\_\_\_\_\_

VARNAME: AH103

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

			FREQ	%
VALUE:	-1	INAPPLICABLE	1298	82.20
	1	YES	103	6.52
	2	NO	178	11.27

UNIVERSE: ALL ADULTS WITH HEALTH COVERAGE IN PAST 12 MONTHS (CURRENT AND

PAST COVERAGE) PURCHASED DIRECTLY OR THROUGH COVCA, OR UNINSURED

ADULTS (CURRENT/PAST 12 MONTHS)

INPUT VAR:

NOTES: QX VARNAME = AH103H

-----

VARNAME: AH104

LABEL: PURCHASE INS DIRECT OR THRU COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1477	93.54
	1	INSURANCE COMPANY OR HMO	33	2.09
	2	COVERED CALIFORNIA	69	4.37

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS.

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH105

LABEL: GET INS THRU EMPLOYER, UNION, SHOP PROGRAM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1400	88.66
	1	EMPLOYER	151	9.56
	2	UNION	1	0.06
	3	SHOP/COVERED CALIFORNIA	18	1.14
	91	OTHER	9	0.57

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

-----

VARNAME: AH107

LABEL: GET SUBSIDY/DISCOUNT ON PLAN PREMIUM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1510	95.63
	1	YES	54	3.42
	2	NO	15	0.95

UNIVERSE: ADULTS WITH COVERED CALIFORNIA COVERAGE NOT OBTAINED THROUGH SHOP

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH110

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

		FF	REQ %
VALUE:	-1	INAPPLICABLE 14	93.48
	1	DIRECTLY FROM AN INSURANCE COMPANY OR HM 18	3 1.14
	2	THROUGH COVERED CALIFORNIA 72	4.56
	3	BOTH DIRECT AND COVERED CALIFORNIA 13	0.82

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS, AND WHO TRIED TO BUY INS DIRECTLY FROM INS

COMPANY/HMO/COVERED CA

INPUT VAR:

NOTES: QX VARNAME = AH110H

\_\_\_\_\_\_

VARNAME: AH111

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1494	94.62
	1	VERY DIFFICULT	8	0.51
	2	SOMEWHAT DIFFICULT	18	1.14
	3	NOT TOO DIFFICULT	37	2.34
	4	NOT AT ALL DIFFICULT	22	1.39

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH111H

\_\_\_\_\_\_

VARNAME: AH112

LABEL: FIND PLAN COULD AFFORD-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1494	94.62
	1	VERY DIFFICULT	13	0.82
	2	SOMEWHAT DIFFICULT	23	1.46
	3	NOT TOO DIFFICULT	29	1.84
	4	NOT AT ALL DIFFICULT	20	1.27

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH112H

\_\_\_\_\_\_

VARNAME: AH113

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1494	94.62
	1	YES	33	2.09
	2	NO	52	3.29

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH113H

\_\_\_\_\_\_

VARNAME: AH114

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

			FREQ	%
VALUE:	-1	INAPPLICABLE	1546	97.91
	1	BROKER	16	1.01
	2	FAMILY MEMBER/FRIEND	5	0.32
	3	INTERNET	1	0.06
	4	CERTIFIED ENROLLMENT COUNSELOR	10	0.63
	91	OTHER	1	0.06

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND

RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES: QX VARNAME = AH114H

\_\_\_\_\_\_

VARNAME: AH115

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	1476	93.48
	1	YES	69	4.37
	2	NO	34	2.15

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH115H

\_\_\_\_\_\_

VARNAME: AH117

LABEL: COST OF SELECTED PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1476	93.48
	1	VERY IMPORTANT	82	5.19
	2	SOMEWHAT IMPORTANT	18	1.14
	3	NOT IMPORTANT	3	0.19

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH117H

\_\_\_\_\_\_

VARNAME: AH118

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1476	93.48
	1	VERY IMPORTANT	42	2.66
	2	SOMEWHAT IMPORTANT	37	2.34
	3	NOT IMPORTANT	24	1.52

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH118H

\_\_\_\_\_\_

VARNAME: AH119

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1476	93.48
	1	VERY IMPORTANT	38	2.41
	2	SOMEWHAT IMPORTANT	44	2.79
	3	NOT IMPORTANT	21	1.33

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH119H

\_\_\_\_\_\_

VARNAME: AH120

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1476	93.48
	1	VERY IMPORTANT	45	2.85
	2	SOMEWHAT IMPORTANT	41	2.60
	3	NOT IMPORTANT	17	1.08

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12

MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED

CALIFORNIA

INPUT VAR:

NOTES: QX VARNAME = AH120H

\_\_\_\_\_\_

VARNAME:	AI15

LABEL:	MATN	REASON	NOT	TN	EMPLOYER'S	HF.AT.TH	PT.AN

			FREQ	%
VALUE:	-1	INAPPLICABLE	1484	93.98
	1	COVERED BY ANOTHER PLAN	67	4.24
	2	TOO EXPENSIVE	13	0.82
	3	DIDNT LIKE PLAN OFFERED	6	0.38
	4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	4	0.25
	5	IN PROCESS	3	0.19
	91	OTHER	2	0.13

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH

ELIGIBLE

INPUT VAR:

NOTES:

-----

VARNAME: AI15A

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

			rkey	/0
VALUE:	-1	INAPPLICABLE	1537	97.34
	1	HAVENT WORKED HERE LONG ENOUGH	3	0.19
	2	CONTRACT OR TEMP EMPLOYEE	12	0.76
	3	DONT WORK ENOUGH HOURS PER WEEK	22	1.39
	6	NOT ELIGIBLE - OTHER	1	0.06
	7	HAS LEFT POSITION/RETIRED/LAID OFF	2	0.13
	91	OTHER	2	0.13

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT

SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI37

LABEL: SPOUSE COVERED BY MEDICARE

VALUE: -1 INAPPLICABLE 1380 87.40
1 YES 180 11.40
2 NO 19 1.20

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER 65 OR OLDER

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI37A

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE: -1 INAPPLICABLE 1515 95.95
1 YES 32 2.03
2 NO 32 2.03

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT

COVERED BY HMO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI38

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE 1486 94.11
1 YES 79 5.00
2 NO 14 0.89

UNIVERSE: ALL ADULTS COVERED BY MEDI-CAL AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI45\_P1

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1490	94.36
	1	COVERED BY ANOTHER PLAN	61	3.86
	2	TOO EXPENSIVE	16	1.01
	3	DIDNT LIKE PLAN OFFERED	9	0.57
	4	OTHER REASON	3	0.19

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO

EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED

AND ELIGIBLE

INPUT VAR: AI45

NOTES: AI45 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AI45A\_P1

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1565	99.11
	2	CONTRACT OR TEMP EMPLOYEE	1	0.06
	3	DONT WORK ENOUGH HOURS PER WEEK	8	0.51
	4	OTHER REASON	5	0.32

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE

EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR: AI45A

NOTES: AI45A Categories Collapsed

-----

VARNAME: AI22C

LABEL: MAIN HEALTH PLAN IS HMO

			FREQ	%
VALUE:	-1	INAPPLICABLE	252	15.96
	1	YES	830	52.56
	2	NO	497	31.48

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE

MMO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI25NEW

LABEL: RX COVERAGE EDITED FOR MEDI-CAL

VALUE: -1 INAPPLICABLE 39 2.47
1 YES 1450 91.83
2 NO 90 5.70

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL

\_\_\_\_\_\_

VARNAME: AI25

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE: -1 INAPPLICABLE 42 2.66 1 YES 1407 89.11 2 NO 130 8.23

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AI22A\_P

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

- 1 2 3 4 5	3 4 5 3	DON'T KNOW REFUSED INAPPLICABLE KAISER BLUE CROSS UNITED HEALTHCARE (FORMER PACIFICARE) BLUE SHIELD HEALTH NET AETNA CIGNA HEALTH CARE	FREQ 16 3 252 418 322 109 51 82 62 50	% 1.01 0.19 15.96 26.47 20.39 6.90 3.23 5.19 3.93 3.17
<i>1</i> 8	1	OTHER	50 214	3.17 13.55

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE

MMO

INPUT VAR: AI22A

NOTES: AI22A Categories Collapsed

------

VARNAME: HMO

LABEL: HMO STATUS

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH71\_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	469	29.70
	1	YES	481	30.46
	2	NO	629	39.84

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

INS

INPUT VAR: AH71

NOTES: AH71 Categories Collapsed

\_\_\_\_\_

VARNAME: AH72\_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	469	29.70
	1	YES	410	25.97
	2	NO	700	44.33

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH

PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES: AH72 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AH73B

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

			FREQ	%
VALUE:	-1	INAPPLICABLE	469	29.70
	1	YES	396	25.08
	2	NO	714	45.22

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS

COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

VARNAME: AH140

LABEL: REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1565	99.11
	1	LOST JOB	5	0.32
	2	REDUCTION IN HOURS	2	0.13
	3	CHANGE IN EMPLOYER	6	0.38
	91	SOMETHING ELSE	1	0.06

UNIVERSE: ADULTS WHO WERE UNINSURED AT ANY TIME IN PAST YEAR DUE TO

EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AH141

LABEL: REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO

VALUE: -1 INAPPLICABLE FREQ % 99.75

1 LOST JOB 4 0.25

UNIVERSE: ADULTS WHO ARE CURRENTLY UNINSURED DUE TO EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

-----

VARNAME: AH74

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE: -1 INAPPLICABLE 1532 97.02
1 YES 25 1.58
2 NO 22 1.39

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AH75

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE: -1 INAPPLICABLE 1537 97.34
1 YES 15 0.95
2 NO 27 1.71

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AI28

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE: -1 INAPPLICABLE 1551 98.23
1 1 TO 3 YRS AGO 12 0.76
2 MORE THAN 3 YRS AGO 9 0.57
3 NEVER HAD HEALTH INSURANCE COVERAGE 7 0.44

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME

DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH14

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE: 1 YES 73 4.62 2 NO 1506 95.38

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA DURING THE PAST 12

MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AH101\_P

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1567	99.24
	1	BROKER	8	0.51
	2	FAMILY MEMBER/FRIEND	2	0.13
	3	INTERNET	2	0.13

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES: AH101 CATEGORIES COLLAPSED. QX VARNAME=AH101H.

\_\_\_\_\_\_

VARNAME: AH98\_P1

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1548	98.04
	1	VERY DIFFICULT	5	0.32
	2	SOMEWHAT DIFFICULT	14	0.89
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	12	0.76

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES: AH98 Categories Collapsed. Qx varname=AH98H

\_\_\_\_\_\_

VARNAME: AH99\_P1

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1548	98.04
	1	VERY DIFFICULT	10	0.63
	2	SOMEWHAT DIFFICULT	10	0.63
	3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	11	0.70

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO

BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES: AH99 Categories Collapsed. Qx varname=AH99H

\_\_\_\_\_\_

VARNAME: AH126\_P1

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1258	79.67
	1	DIRECTLY	173	10.96
	2	CURRENT EMPLOYER	9	0.57
	3	FORMER EMPLOYER	61	3.86
	4	UNION	1	0.06
	5	OTHER	40	2.53
	6	AARP	16	1.01
	7	SPOUSE'S EMPLOYER/UNION	21	1.33

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR: AH126

NOTES: AH126 Categories Collapsed

\_\_\_\_\_

VARNAME: INS

LABEL: CURRENTLY INSURED

VALUE: 1 YES 1536 97.28 2 NO 43 2.72

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INS\_S

LABEL: SPOUSE CURRENTLY INSURED

VALUE: -1 INAPPLICABLE 743 47.06 1 YES 816 51.68 2 NO 20 1.27

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INS12M

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

MEAN STATISTICS

N 1579
MIN 0
MAX 12
MEAN 11.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: UNINSANY

LABEL: UNINSURED IN PAST 12 MOS

			FREQ	%
VALUE:	-1	SKIPPED - AGES>=65	378	23.94
	1	UNINSURED ALL YEAR	30	1.90
	2	UNINSURED PART YEAR	54	3.42
	3	INSURED ALL YEAR	1117	70.74

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: INS64

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

			FREQ	%
VALUE:	-1	SKIPPED - AGE >= 65	378	23.94
	1	UNINSURED	43	2.72
	2	MEDI-CAL (MEDICAID)	184	11.65
	4	MEDICARE	4	0.25
	5	EMPLOYMENT-BASED	868	54.97
	6	PRIVATELY PURCHASED	99	6.27
	7	OTHER PUBLIC	3	0.19

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INS64\_P

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	378	23.94
	1	UNINSURED	43	2.72
	2	MEDI-CAL (MEDICAID)	184	11.65
	3	MEDICARE	4	0.25
	4	EMPLOYMENT-BASED	868	54.97
	5	PRIVATELY PURCHASED	99	6.27
	6	CHIP/OTHER PUBLIC PRGM	3	0.19

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

-----

VARNAME: INS64\_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65

			FREQ	%
VALUE:	-1	NO SPOUSE IN HH OR AGE >= 65	942	59.66
	1	UNINSURED	19	1.20
	2	MEDI-CAL (MEDICAID)	50	3.17
	4	MEDICARE	4	0.25
	5	EMPLOYMENT-BASED	494	31.29
	6	PRIVATELY PURCHASED	65	4.12
	7	OTHER PUBLIC	5	0.32

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	INS64S	Р
A WIMMUIT .	TINDOAD	1

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	942	59.66
	1	UNINSURED	19	1.20
	2	MEDI-CAL (MEDICAID)	50	3.17
	3	MEDICARE	4	0.25
	4	EMPLOYMENT-BASED	494	31.29
	5	PRIVATELY PURCHASED	65	4.12
	6	CHIP/OTHER PUBLIC PRGM	5	0.32

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64\_S

NOTES:

\_\_\_\_\_\_

VARNAME: INSANY

LABEL: ANY INS IN LAST 12 MOS

			FREQ	%
VALUE:	1	CURRENTLY UNINSURED	43	2.72
	2	UNINS. ANY PAST 12 MO	42	2.66
	3	INSURED ALL PAST 12 MO	1494	94.62

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INST\_12

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

			FREQ	%
VALUE:	-1	INAPPLICABLE-AGE>=65	378	23.94
	1	MEDI-CAL (MEDICAID) ONLY	166	10.51
	2	EMPLOYER-BASED COVERAGE ONLY (EBI)	815	51.61
	3	PRIVATE COVERAGE ONLY	82	5.19
	4	OTHER COVERAGE ONLY	7	0.44
	5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	47	2.98
	6	UNINSURED ONLY	30	1.90
	7	UNINSURED + EMPLOYER-BASED ONLY	18	1.14
	8	ANY 1 OR MORE TYPES + UNINSURED	36	2.28

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

\_\_\_\_\_\_

VARNAME: INS65

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

			FREQ	%
VALUE:	-1	SKIPPED - AGE < 65	1201	76.06
	1	MEDICARE + MEDI-CAL (MEDICAID)	73	4.62
	2	MEDICARE + OTHER	264	16.72
	3	MEDICARE ONLY	14	0.89
	4	OTHER ONLY	27	1.71

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INS65\_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

			FREQ	%
VALUE:	-1	NO SPOUSE IN HH OR AGE < 65	1380	87.40
	1	MEDICARE + MEDICAID	32	2.03
	2	MEDICARE + OTHER	50	3.17
	3	MEDICARE ONLY	98	6.21
	4	OTHER ONLY	18	1.14
	5	UNINSURED	1	0.06

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INSTYPE

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

			FREQ	%
VALUE:	1	UNINSURED	43	2.72
	2	MEDICARE & MEDICAID	77	4.88
	3	MEDICARE & OTHERS	255	16.15
	4	MEDICARE ONLY	27	1.71
	5	MEDICAID	183	11.59
	7	EMPLOYMENT-BASED	886	56.11
	8	PRIVATELY PURCHASED	101	6.40
	9	OTHER PUBLIC	7	0.44

UNIVERSE: ALL ADULTS

INPUT VAR: INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK SRAGE

NOTES:

\_\_\_\_\_\_

VARNAME: INS9TP

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)

			FREQ	%
VALUE:	1	UNINSURED	43	2.72
	2	MEDICARE + EMPLOYER-BASED	96	6.08
	3	MEDICARE AND OTHERS (NO EMPLOYER-BASED)	263	16.66
	4	MEDICAID + EMPLOYER-BASED	28	1.77
	5	MEDICAID (NO EMPLOYER-BASED)	155	9.82
	7	EMPLOYER BASED (NO MEDICARE OR MEDICAID)	886	56.11
	8	PRIVATE PURCHASE	101	6.40
	9	OTHER PUBLIC	7	0.44

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK

NOTES:

\_\_\_\_\_

VARNAME: IHS

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE: 2 NO FREQ %
1579 100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM

LABEL: COVERED BY EMPLOYER-BASED PLANS

FREQ % YES VALUE: 1 1010 63.96

NO 569 36.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM\_S

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE: -1 FREQ % 47.06 INAPPLICABLE 743

47.06 555 35.15 281 17.80 YES 2 NO

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMC

LABEL: COVERED BY MEDICARE

FREQ % VALUE: 1 359 22.74

YES NO 2 1220 77.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: MC\_TYPE

LABEL: TYPE OF MEDICARE COVERAGE

VALUE: -1 NOT ENROLLED IN MEDICARE 1220 77.26
1 MEDICARE ADVANTAGE 230 14.57
2 MEDICARE + MEDICARE SUPPLEMENTAL PLAN 78 4.94
3 OTHER MEDICARE 51 3.23

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR: INSMC AI4 AH123

NOTES:

\_\_\_\_\_

VARNAME: INSMC\_S

LABEL: SPOUSE COVERED BY MEDICARE

VALUE: -1 INAPPLICABLE 743 47.06
1 YES 186 11.78
2 NO 650 41.17

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

\_\_\_\_\_

VARNAME: INSMD

LABEL: COVERED BY MEDI-CAL

VALUE: 1 YES 260 16.47 2 NO 1319 83.53

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: INSMD\_S

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE 743 47.06 1 YES 84 5.32 2 NO 752 47.63

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

VARNAME: INSOG

LABEL: COVERED BY OTHER GOVT PLANS

VALUE: 1 YES 3 0.19 2 NO 1576 99.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: INSOG\_S

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE: -1 INAPPLICABLE 743 47.06 1 YES 6 0.38 2 NO 830 52.56

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INSLT\_P

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	378	23.94
	1	MEDI-CAL (MEDICAID) ONLY	166	10.51
	2	EMPLOYER-BASED OR MILITARY ONLY	815	51.61
	3	UNINSURED ONLY	30	1.90
	4	PRIVATEDLY PURCHASED ONLY	82	5.19
	5	PARTIALLY INSURED WITH MC/HF	7	0.44
	6	PARTIALLY INSURED WITH NO MC/HF	47	2.98
	7	INSURE ALL YEAR WITH SOME MC/HF	10	0.63
	8	HEALTHY FAM ONLY/OTHER INSURED ALL YEAR	44	2.79

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12R

NOTES: INSLT12 Categories Collapsed

\_\_\_\_\_\_

VARNAME: INSPR

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE: 1 YES 112 7.09 2 NO 1467 92.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: INSPR\_S

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

VALUE: -1 INAPPLICABLE 743 47.06
1 YES 84 5.32
2 NO 752 47.63

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

VARNAME: COVRDCA

LABEL: PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

VALUE: 1 YES 91 5.76 2 NO 1488 94.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: COVRDCA\_S

LABEL: SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORN

VALUE: -1 INAPPLICABLE 743 47.06 1 YES 54 3.42 2 NO 782 49.53

UNIVERSE: ALL ADULT RESPONDENTS WITH SPOUSE/PARTNER

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: INSPS

LABEL: PRIMARY OR SECONDARY COVERAGE

VALUE: -1 INAPPLICABLE 483 30.59
1 PRIMARY 909 57.57
2 SECONDARY 187 11.84

UNIVERSE: ALL ADULTS COVERED BY EMPLOYMENT-BASED OR DIRECTLY PURCHASED

INSURANCE PLANS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INSPS\_S

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1026	64.98
	1	PRIMARY	318	20.14
	2	SECONDARY	235	14.88

UNIVERSE: ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED OR

DIRECTLY PURCHASED INSURANCE PLANS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: OFFTK

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

			FREQ	%
VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	513	32.49
	1	ACCEPTED EBI	834	52.82
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	91	5.76
	3	WAS OFFERED EBI, NOT ELIGIBLE	42	2.66
	4	WAS NOT OFFERED EBI	99	6.27

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

\_\_\_\_\_\_

VARNAME: OFFTK\_S

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

			FREQ	%
VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	1104	69.92
	1	ACCEPTED EBI	323	20.46
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	78	4.94
	3	WAS OFFERED EBI, NOT ELIGIBLE	14	0.89
	4	WAS NOT OFFERED EBI	60	3.80

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM\_S INSPS\_S AG8 AG11 AG9 AI43 AI44

NOTES:

-----

VARNAME: AH79B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	287	18.18
	1	YES	57	3.61
	2	NO	1235	78.21

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_\_

VARNAME: AH80B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 1522 96.39
1 YES 27 1.71
2 NO 30 1.90

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES MEDI-CAL) WHO REPORTED REACHING

LIMIT OF INSURANCE COMPANY

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_

VARNAME: AH81B

LABEL: EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B

VALUE: 1 YES 89 5.64 2 NO 1490 94.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_\_

VARNAME: AH83B

LABEL: AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING

			FREQ	%
VALUE:	-1	INAPPLICABLE	1490	94.36
	1	LESS THAN \$1,000	17	1.08
	2	\$1,000 TO LESS THAN \$2,000	22	1.39
	3	\$2,000 TO LESS THAN \$4,000	18	1.14
	4	\$4,000 TO LESS THAN \$8,000	17	1.08
	5	\$8,000 OR MORE	14	0.89
	6	NONE	1	0.06

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_

VARNAME: AH84B

LABEL: UNINSURED AT TIME MEDICAL CARE WAS PROVIDED

VALUE:	-1	INAPPLICABLE	FREQ 1490	% 94.36
	1	YES	18	1.14
	2	NO	68	4.31
	3	MORE THAN ONE PERSON WITH MEDICAL BILL	P 3	0.19

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_\_

VARNAME: AH85B

LABEL: UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS

VALUE: -1 INAPPLICABLE 1490 94.36
1 YES 25 1.58
2 NO 64 4.05

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_

VARNAME: AH86B

LABEL: TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS

VALUE: -1 INAPPLICABLE 1490 94.36 1 YES 49 3.10 2 NO 40 2.53

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S

MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

\_\_\_\_\_

VARNAME: INSLMT12M

LABEL: REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS

VALUE: -1 INAPPLICABLE 287 18.18
1 YES 27 1.71
2 NO 1265 80.11

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR: AH79B AH80B

NOTES:

\_\_\_\_\_\_

VARNAME: AH128

LABEL: AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE

MEAN STATISTICS

N 769 MIN 0 MAX 7000 MEAN 340.88

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR PRIVATELY-PURCHASED INSURANCE

WHO PAY ANY OR ALL OF PREMIUM/COST

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AH129

LABEL: AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO

MEAN STATISTICS

N 852 MIN 0 MAX 4000 MEAN 552.55

UNIVERSE: ADULTS WHO RECEIVE CONTRIBUTIONS FROM EMPLOYER, UNION, ETC. TO PAY

FOR INSURANCE

INPUT VAR:

NOTES:

-----

VARNAME: AH130

LABEL: HAS MONEY IN HSA ACCOUNT

VALUE: -1 INAPPLICABLE 1198 75.87
1 YES 351 22.23
2 NO 30 1.90

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH131V2\_P

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1228	77.77
	1	<b>\$</b> 0	2	0.13
	2	\$1 - \$999	101	6.40
	3	\$1000 - \$1999	69	4.37
	4	\$2000 - \$2999	39	2.47
	5	\$3000 - \$3999	26	1.65
	6	\$4000 - \$4999	9	0.57
	7	\$5_000±	105	6 65

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES: PREVIOUS VERSION: AH131\_P. NEW VERSION CREATED IN 2021 DUE TO

CHANGE IN ALLOWABLE RANGE LIMIT. AH131 Categories Collapsed.

\_\_\_\_\_\_

VARNAME: HSAAMTV2\_P1

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1198	75.87
	1	\$0	32	2.03
	2	\$1 - \$999	101	6.40
	3	\$1000 - \$1999	69	4.37
	4	\$2000 - \$2999	39	2.47
	5	\$3000 - \$3999	26	1.65
	6	\$4000 - \$4999	9	0.57
	7	\$5000+	105	6.65

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS

COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR:

NOTES: PREVIOUS VERSION: HSAAMT\_P1. NEW VERSION CREATED IN 2021 DUE TO

CHANGE IN ALLOWABLE RANGE LIMIT FOR AH131. HSAAMT Categories

Collapsed.

\_\_\_\_\_\_

VARNAME: AH132

LABEL: LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

N 1327 MIN 2 MAX 720 MEAN 108.19

UNIVERSE: ADULTS WHO HAD THE SAME HEALTH INSURANCE FOR ALL OF THE PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH133

LABEL: # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

 N
 245

 MIN
 0

 MAX
 12

 MEAN
 5.62

UNIVERSE: ADULTS WITH A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE PAST

12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: TCURPLAN

LABEL: TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS

MEAN STATISTICS

N 1537 MIN 0 MAX 720 MEAN 94.17

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AI31 AH132 AH133

NOTES:

-----

VARNAME: AH134

LABEL: HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	1576	99.81
	1	MEDI-CAL	1	0.06
	3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	1	0.06
	6	COVERED CALIFORNIA	1	0.06

UNIVERSE: ADULTS WHO HAD 2 OR MORE DIFFERENT TYPES OF HEALTH PLAN IN THE

PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH135

LABEL: OTHER HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	199	12.60
	1	MEDI-CAL	134	8.49
	3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	534	33.82
	5	PURCHASED DIRECTLY	78	4.94
	6	COVERED CALIFORNIA	82	5.19
	91	OTHER HEALTH PLAN	130	8.23
	95	NO OTHER HEALTH PLAN	422	26.73

UNIVERSE: ADULTS WITH CURRENT HEALTH PLAN IN ALL OF THE PAST 12 MOS OR

UNINSURED DURING PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: PINSTYPE

LABEL: TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN

			FREQ	%
VALUE:	-1	INAPP, NOT INSURED	42	2.66
	1	MEDI-CAL	143	9.06
	3	ESI	617	39.08
	5	PRIVATE PURCHASE	90	5.70
	6	COVERED CA	107	6.78
	91	OTHER PLAN	158	10.01
	95	NO PREVIOUS PLAN	422	26.73

UNIVERSE: CURRENTLY INSURED ADULTS WHO HAD DIFFERENT HEALTH INSURANCE BEFORE

CURRENT PLAN

INPUT VAR: AI31 AI32 AH134 AH135 AI33\_B AI33\_A

NOTES:

\_\_\_\_\_

VARNAME: AH136

LABEL: LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN

MEAN STATISTICS

N 961 MIN 1 MAX 720 MEAN 119.90

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN OR DID

NOT HAVE A PRIOR HEALTH PLAN

INPUT VAR:

NOTES:

-----

VARNAME: AH137

LABEL: EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 42 2.66
1 YES 244 15.45
2 NO 1293 81.89

UNIVERSE: ALL INSURED ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH139

LABEL: SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN

			FREQ	%
VALUE:	-1	INAPPLICABLE	42	2.66
	1	VERY SATISFIED	645	40.85
	2	SOMEWHAT SATISFIED	746	47.25
	3	SOMEWHAT DISSATISFIED	108	6.84
	4	VERY DISSATISFIED	38	2.41

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

SECTION J: HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH

\_\_\_\_\_\_

VARNAME: AH1V2

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE: 1 YES 1403 88.85 2 NO 176 11.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: USE CAUTION WHEN TRENDING WITH AH1 FROM PREVIOUS YEARS; SOME

RESPONSE CATEGORIES NOT OFFERED IN WEB INSTRUMENT STARTING IN 2019.

\_\_\_\_\_

VARNAME: AJ80

LABEL: HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA

VALUE: -1 INAPPLICABLE 1292 81.82
1 YES 205 12.98
2 NO 82 5.19

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND

HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ202

LABEL: RECEIVED CARE FROM A DOCTOR VIA VIDEO/TELEPHONE CONVERSATION INST

VALUE: 1 YES 722 45.73

2 NO 857 54.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ203\_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 110 6.97
2 NO 612 38.76

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 42 2.66
2 NO 680 43.07

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_3

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: MENTAL OR EMOTIONAL HEALTH

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 77 4.88
2 NO 645 40.85

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 5 0.32
2 NO 717 45.41

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 110 6.97
2 NO 612 38.76

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_6

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 112 7.09
2 NO 610 38.63

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_7

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 7 0.44
2 NO 715 45.28

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ203\_8

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 113 7.16
2 NO 609 38.57

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_9

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 327 20.71
2 NO 395 25.02

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 41 2.60
2 NO 681 43.13

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_11

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 42 2.66
2 NO 680 43.07

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ203\_12

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 39 2.47
2 NO 683 43.26

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ203\_13

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-19

VALUE: -1 INAPPLICABLE 857 54.27
1 YES 9 0.57
2 NO 713 45.16

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AJ204
v Almanin.	TO ZOT

I.ABEI.:	$D \land T \Gamma$	UMEDATI	EXPERIENCE	OΕ	MOCT	DECENT	NIDEO	WICIT	COMDADED	TΩ	TM
LABELL	BAIP.	LIVE.BALL.	P. X P P. B. I P. N. C. P.	UIP	141112	R.P.C.P.IVII	V 1 1 ) P.U	V 1 2 1 1	CUMPARED	111	1 1/1

			FREQ	%
VALUE:	-1	INAPPLICABLE	857	54.27
	1	MUCH WORSE	11	0.70
	2	SOMEWHAT WORSE	134	8.49
	3	ABOUT THE SAME	328	20.77
	4	SOMEWHAT BETTER	65	4.12
	5	MUCH BETTER	61	3.86
	6	DID NOT HAVE VIDEO VISIT	123	7.79

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

-----

VARNAME: AJ205

LABEL: RATE OVERALL EXPERIENCE OF MOST RECENT PHONE VISIT COMPARED TO IN

			FREQ	%
VALUE:	-1	INAPPLICABLE	857	54.27
	1	MUCH WORSE	19	1.20
	2	SOMEWHAT WORSE	164	10.39
	3	ABOUT THE SAME	301	19.06
	4	SOMEWHAT BETTER	55	3.48
	5	MUCH BETTER	56	3.55
	6	DID NOT HAVE PHONE VISIT	127	8.04

UNIVERSE: ADULTS WHO RECEIVED TELE-MEDICAL CARE FROM A DOCTOR IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AH3\_P1

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	176	11.15
	1	DOCTOR'S OFFICE/KAISER/HMO	1017	64.41
	2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	347	21.98
	3	EMERGENCY ROOM	5	0.32
	4	OTHER/NO ONE PLACE	34	2.15

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES: AH3 Categories Collapsed

\_\_\_\_\_

VARNAME: USOC

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE: 1 YES 1398 88.54 2 NO 181 11.46

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL\_TP

NOTES:

\_\_\_\_\_\_

VARNAME: USUAL

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE: 1 YES 1403 88.85 2 NO 176 11.15

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

\_\_\_\_\_\_

VARNAME: USUAL\_TP

LABEL: USUAL SOURCE OF CARE (7 LVLS)

FREQ % 1017 64.41 347 21.98 5 VALUE: 1 DOC OFFICE/HMO/KAISER 2 COMMUN/GOV CLIN, COMMUN HOSP 3 EMERGENCY ROOM 5 5 SOME OTHER PLACE 14 0.89 20 1.27 176 11.15 NO ONE PARTICULAR PLACE NO USUAL SOURCE OF CARE 7

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

\_\_\_\_\_\_

VARNAME: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

		FREQ	%
1	DOC OFFICE/HMO/KAISER	1017	64.41
2	COMMUN/GOV CLIN, COMMUN HOSP	347	21.98
3	EMERGENCY ROOM/URGENT CARE	5	0.32
4	OTHER PLACE/NO ONE PLACE	34	2.15
5	NO USUAL SOURCE OF CARE	176	11.15
	4	COMMUN/GOV CLIN, COMMUN HOSP  EMERGENCY ROOM/URGENT CARE  OTHER PLACE/NO ONE PLACE	1 DOC OFFICE/HMO/KAISER 1017 2 COMMUN/GOV CLIN, COMMUN HOSP 347 3 EMERGENCY ROOM/URGENT CARE 5 4 OTHER PLACE/NO ONE PLACE 34

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL\_TP

NOTES:

-----

VARNAME: AH5

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS

 N
 1579

 MIN
 0

 MAX
 50

 MEAN
 2.88

UNIVERSE: ALL ADULT

INPUT VAR: DOCT\_YR

NOTES:

\_\_\_\_\_\_

VARNAME: AH6

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

			FREQ	%
VALUE:	-1	INAPPLICABLE	1196	75.74
	0	WITHIN THE PAST YR	35	2.22
	1	1 TO 2 YRS AGO	187	11.84
	2	2 TO 5 YRS AGO	97	6.14
	3	MORE THAN 5 YRS AGO	46	2.91
	Δ	NEVER	18	1 14

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: ACMDNUM

LABEL: # OF DOCTOR VISITS PAST YEAR

			FREQ	%
VALUE:	0	O TIME	383	24.26
	1	1 TIMES	337	21.34
	2	2 TIMES	290	18.37
	3	3 TIMES	180	11.40
	4	4 TIMES	112	7.09
	5	5 TIMES	71	4.50
	6	6 TIMES	59	3.74
	7	7-8 TIMES	38	2.41
	8	9-12 TIMES	63	3.99
	9	13-24 TIMES	35	2.22
	10	25+ TIMES	11	0.70

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

\_\_\_\_\_\_

VARNAME: DOCT\_YR

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE: 1 YES 1196 75.74 2 NO 383 24.26

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

\_\_\_\_\_\_

VARNAME: AJ77

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE: -1 INAPPLICABLE 176 11.15
1 YES 1262 79.92
2 NO 141 8.93

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE

ABOUT HEALTH

INPUT VAR:

NOTES: Not trendable with CHIS 2009 AJ77

\_\_\_\_\_\_

VARNAME: AJ8V3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE: -1 INAPPLICABLE 1078 68.27
1 YES 30 1.90
2 NO 471 29.83

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR

INPUT VAR:

NOTES: Previous versions: AJ8, AJ8B. Qx varname = AJ8B.

\_\_\_\_\_\_

VARNAME: AJ50V2\_P

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1108	70.17
	1	ENGLISH	240	15.20
	2	SPANISH	5	0.32
	3	VIETNAMESE	42	2.66
	4	KOREAN	55	3.48
	5	CANTONESE	37	2.34
	6	MANDARIN	82	5.19
	7	OTHER	10	0.63

UNIVERSE: ALL ADULTS WHO EVER SAW A DR AND DID NOT HAVE HARD TIME

UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT

HOME

INPUT VAR:

NOTES: Previous version: AJ50\_P. AJ50V2 categories collapsed.

\_\_\_\_\_\_

VARNAME: AJ9V2

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE: -1 INAPPLICABLE 1549 98.10
1 YES 24 1.52
2 NO 6 0.38

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME

UNDERSTANDING DOCTOR

INPUT VAR:

NOTES: Previous version: AJ9

\_\_\_\_\_

VARNAME: AJ10V2

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE: -1 INAPPLICABLE 1309 82.90
1 YES 32 2.03
2 NO 238 15.07

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND DIDN'T HAVE HARD TIME

UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES: Previous version: AJ10

\_\_\_\_\_\_

VARNAME: AJ11V2

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

			FREQ	%
VALUE:	-1	INAPPLICABLE	1547	97.97
	1	MINOR CHILD (UNDER AGE 18)	2	0.13
	2	AN ADULT FAMILY MEMBER OF FRIEND OF MINE	12	0.76
	4	MEDICAL STAFF INCLUDING NURSES / DOCTORS	1	0.06
	5	PROFESSIONAL INTERPRETER (BOTH IN PERSON	13	0.82
	7	DID NOT HAVE SOMEONE TO HELP	4	0.25

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME

UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S

HELP TO UNDERSTAND

INPUT VAR:

NOTES: Previous version: AJ11

\_\_\_\_\_\_

VARNAME: AH16

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE: 1 YES 121 7.66 2 NO 1458 92.34

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ19

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE: -1 INAPPLICABLE 1458 92.34 1 YES 43 2.72 2 NO 78 4.94

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRIMENT MD PRESCRIBED IN LAST

12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AH22

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE: 1 YES 319 20.20 2 NO 1260 79.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ20

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE: -1 INAPPLICABLE 1260 79.80
1 YES 77 4.88
2 NO 242 15.33

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12

MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ102

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE: -1 INAPPLICABLE 17 1.08
1 YES 409 25.90
2 NO 1153 73.02

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ103

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1170	74.10
	1	NEVER	79	5.00
	2	SOMETIMES	134	8.49
	3	USUALLY	105	6.65
	4	ALWAYS	91	5.76

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO

TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: TIMAPPT

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

			FREQ	%
VALUE:	-1	INAPPLICABLE	1170	74.10
	1	YES	330	20.90
	2	NO	79	5.00

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.

APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102 AJ103

NOTES:

\_\_\_\_\_\_

VARNAME: AJ105

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 139 8.80 2 NO 61 3.86

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ114

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

			FREQ	%
VALUE:	-1	INAPPLICABLE	18	1.14
	0	ONE YEAR AGO OR LESS	934	59.15
	1	MORE THAN 1 UP TO 2 YEARS AGO	366	23.18
	2	MORE THAN 2 UP TO 5 YEARS AGO	151	9.56
	3	MORE THAN 5 YEARS AGO	71	4.50
	4	NEVER	39	2.47

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR: CARE\_PV

NOTES:

\_\_\_\_\_\_

VARNAME: AJ115\_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

			FREQ	%
VALUE:	0	O DAYS	1204	76.25
	1	1 DAYS	65	4.12
	2	2 DAYS	77	4.88
	3	3 DAYS	47	2.98
	4	4-5 DAYS	65	4.12
	5	6-10 DAYS	54	3.42
	6	11-15 DAYS	19	1.20
	7	16-20 DAYS	10	0.63
	8	21-25 DAYS	5	0.32
	9	26-30 DAYS	12	0.76
	11	36-40 DAYS	1	0.06
	13	46-50 DAYS	2	0.13
	15	56-60 DAYS	3	0.19
	17	66-70 DAYS	1	0.06
	21	86-90 DAYS	3	0.19
	27	116-120 DAYS	2	0.13
	30	131-364 DAYS	5	0.32
	31	365 DAYS	4	0.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AJ115 CATEGORIZED. RESPONDENTS SELECTING DID NOT HAVE JOB IN PAST

12 MONTHS ARE GIVEN A VALUE OF "O" DAYS FOR AJ115.

\_\_\_\_\_\_

VARNAME: WORKSICK\_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (THOSE

			FREQ	%
VALUE:	0	O DAYS	753	47.69
	1	1 DAY	65	4.12
	2	2 DAYS	77	4.88
	3	3 DAYS	47	2.98
	4	4-5 DAYS	65	4.12
	5	6-10 DAYS	54	3.42
	6	11-15 DAYS	19	1.20
	7	16-20 DAYS	10	0.63
	8	21-25 DAYS	5	0.32
	9	26-30 DAYS	12	0.76
	11	36-40 DAYS	1	0.06
	13	46-50 DAYS	2	0.13
	15	56-60 DAYS	3	0.19
	17	66-70 DAYS	1	0.06
	21	86-90 DAYS	3	0.19
	27	116-120 DAYS	2	0.13
	30	131-364 DAYS	5	0.32
	31	365 DAYS	4	0.25
	32	DID NOT HAVE JOB IN PAST 12 MONTHS	451	28.56

UNIVERSE: ALL ADULTS

INPUT VAR: AJ115 WORKSICK

NOTES: CHIS 2021 PUF RECODE. CATEGORICAL RECODE OF WORKSICK. INPUT

VARIABLE AJ115.

\_\_\_\_\_\_

VARNAME: AJ129

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

			FREQ	%
VALUE:	-1	INAPPLICABLE	1260	79.80
	1	YES	145	9.18
	2	NO	174	11.02

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ131\_P1

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1326	83.98
	1	COULDN'T GET APPOINTMENT	51	3.23
	2	COST, INSURANCE (NOT COVRD/ACCPTD, NO INS)	12	0.76
	5	TRANSPORTATION PROBLEMS	3	0.19
	6	HOURS NOT CONVENIENT	15	0.95
	9	I DIDN'T HAVE TIME	27	1.71
	12	DID NOT THINK SERIOUS ENOUGH/NEEDED	14	0.89
	13	NOT SATISFIED WITH HEALTH CARE RECEIVED	1	0.06
	14	OTHER REASON	130	8.23

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST

YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES: AJ131 Categories Collapsed

\_\_\_\_\_\_

VARNAME: CARE\_PV

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE: 1 YES 934 59.15 2 NO 645 40.85

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

-----

VARNAME: RN\_FORGO

LABEL: REASONS FORGONE NECESSARY CARE

VALUE: -1 INAPPLICABLE 1260 79.80

1 COST 67 4.24
2 COULDN'T GET APPOINTMENT 51 3.23
3 DIDN'T HAVE TIME 42 2.66
4 OTHERS 159 10.07

UNIVERSE: ADULTS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR: AJ20 AJ130 AJ131

NOTES:

\_\_\_\_\_\_

VARNAME: FORGO

LABEL: HAD TO FORGO NECESSARY CARE

VALUE: 1 YES 174 11.02 2 NO 1405 88.98

UNIVERSE: ALL ADULTS

INPUT VAR: AH22 AJ129

NOTES:

-----

VARNAME: AG1

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

			FREQ	%
VALUE:	0	HAVE NEVER VISIT	38	2.41
	1	6 MONTHS AGO OR LESS	927	58.71
	2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO	174	11.02
	3	MORE THAN 1 YEAR UP TO 2 YEARS AGO	254	16.09
	4	MORE THAN 2 YEARS UP TO 5 YEARS AGO	115	7.28
	5	MORE THAN 5 YEARS AGO	71	4.50

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ167

LABEL: ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM

VALUE: -1 INAPPLICABLE 38 2.41
1 ROUTINE CHECKUP OR CLEANING 1127 71.37
2 SPECIFIC PROBLEM 200 12.67
3 BOTH 214 13.55

UNIVERSE: ADULTS WHO HAVE EVER BEEN TO THE DENTIST

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AJ168

LABEL: CONDITION OF TEETH

FREQ % 139 8.80 EXCELLENT VERY GOOD VALUE: 1 462 506 2 29.26 29.26 32.05 21.47 3 GOOD 4 339 FAIR POOR HAS NO NATURAL TEETH 5 111 7.03 22 1.39 6

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AG3

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

VALUE: 1 YES 1212 76.76 2 NO 367 23.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ136

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

VALUE: 1 YES 532 33.69 2 NO 1047 66.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ137

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE: -1 INAPPLICABLE 1047 66.31 1 YES 54 3.42 2 NO 478 30.27

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ138

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE: -1 INAPPLICABLE 1047 66.31 1 YES 36 2.28 2 NO 496 31.41

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC\_NEWP

NOTES:

\_\_\_\_\_

VARNAME: AJ139

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE: -1 INAPPLICABLE 1057 66.94
1 YES 39 2.47
2 NO 483 30.59

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: SC\_INS

NOTES:

VARNAME: AJ133

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

FREQ YES VALUE: 1 94 5.95

NO 1485 94.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

FREQ VALUE: 1 YES NO 4.18 66

2 NO 1513 95.82

UNIVERSE: ALL ADULTS

INPUT VAR: PC\_NEWP

NOTES:

VARNAME: AJ135

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

FREQ % VALUE: -1 INAPPLICABLE 42 2.66 YES 63 3.99 1 NO 1474 93.35 2

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: PC\_INS

NOTES:

VARNAME: PC\_INS

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS

FREQ % 42 2.66 63 3.99 1474 93.35 VALUE: -1 INAPPLICABLE YES NO 1

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AJ135

NOTES:

VARNAME: PC\_NEWP

LABEL: PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT

FREQ % 66 4.18 1513 95.82 VALUE: 1 YES 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR: AJ134

NOTES:

\_\_\_\_\_\_

VARNAME: SC\_INS

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I

VALUE: -1 INAPPLICABLE 1057 66.94
1 YES 39 2.47
2 NO 483 30.59

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

\_\_\_\_\_

VARNAME: SC\_NEWP

LABEL: SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT

VALUE: -1 INAPPLICABLE 1047 66.31 1 YES 36 2.28 2 NO 496 31.41

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

\_\_\_\_\_\_

VARNAME: AH12V2

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE: 1 YES 148 9.37 2 NO 1431 90.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AH12

\_\_\_\_\_\_

VARNAME: AH95\_P1

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1431	90.63
	0	O TIMES	1	0.06
	1	1 TIMES	99	6.27
	2	2 TIMES	29	1.84
	3	3 TIMES	8	0.51
	4	4 TIMES	3	0.19
	5	5+ TIMES	8	0.51

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES: AH95 Categories Collapsed

VARNAME: ER

LABEL: ER VISIT WITHIN THE PAST YEAR

FREQ % 148 9.37 YES NO VALUE: 1 1431 90.63

UNIVERSE: ALL ADULTS

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

\_\_\_\_\_\_

VARNAME: AJ152V2

LABEL: RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID

FREQ 118 7.47 1461 92.53 VALUE: 1 YES 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ152. QX VARNAME = AJ152B.

\_\_\_\_\_\_

VARNAME: AJ153V2\_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 41 2.60 2 NO 77 4.88

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_1. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 13 0.82 2 NO 105 6.65

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_2. QX VARNAME = AJ153B.

\_\_\_\_\_\_

VARNAME: AJ153V2\_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 1 0.06 2 NO 117 7.41

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_4. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 11 0.70 2 NO 107 6.78

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_5. QX VARNAME = AJ153B. INCLUDES CANCER

CARE RESPONSES.

\_\_\_\_\_\_

VARNAME: AJ153V2\_6

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC

VALUE: -1 INAPPLICABLE 1461 92.53
1 YES 4 0.25
2 NO 114 7.22

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_6. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_7

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 3 0.19 2 NO 115 7.28

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_7. QX VARNAME = AJ153B.

\_\_\_\_\_\_

VARNAME: AJ153V2\_8

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 9 0.57 2 NO 109 6.90

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_8. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_9

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 6 0.38 2 NO 112 7.09

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_9. QX VARNAME = AJ153B.

\_\_\_\_\_\_

VARNAME: AJ153V2\_10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 13 0.82 2 NO 105 6.65

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_10. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_11

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 10 0.63 2 NO 108 6.84

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_11. QX VARNAME = AJ153B.

\_\_\_\_\_\_

VARNAME: AJ153V2\_12

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DENTAL HEALTH PROBLEM

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 15 0.95 2 NO 103 6.52

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153\_12. QX VARNAME = AJ153B.

\_\_\_\_\_

VARNAME: AJ153V2\_13

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM

VALUE: -1 INAPPLICABLE 1461 92.53 1 YES 2 0.13 2 NO 116 7.35

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT

ANOTHER FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: ADDED IN 2020 DUE TO COVID-19 PANDEMIC. QX VARNAME = AJ153B.

\_\_\_\_\_\_

VARNAME: AJ176

LABEL: DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN

VALUE: -1 INAPPLICABLE 1460 92.46
1 YES 86 5.45
2 NO 33 2.09

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ177

LABEL: DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL

VALUE: -1 INAPPLICABLE 1267 80.24
1 YES 191 12.10
2 NO 121 7.66

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ87

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

VALUE: 1 YES 383 24.26 2 NO 1196 75.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ101V2

LABEL: CURRENTLY PROVIDE CARE

VALUE: -1 INAPPLICABLE 1196 75.74 1 YES 199 12.60 2 NO 184 11.65

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC

ILLNESS OR DISABILITY

INPUT VAR:

NOTES: Previous version: AJ101

\_\_\_\_\_\_

VARNAME: AF22V2

LABEL: EVER HAD HOME BLOOD STOOL TEST

			FREQ	%
VALUE:	-1	INAPPLICABLE	865	54.78
	1	YES	427	27.04
	2	NO	287	18.18

UNIVERSE: ADULTS AGES 50-75

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF22. New version due to

new universe.

\_\_\_\_\_\_

VARNAME: AF24V2

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

			FREQ	%
VALUE:	-1	INAPPLICABLE	1152	72.96
	1	A YEAR AGO OR LESS	221	14.00
	2	MORE THAN 1 YEAR AGO UP TO 2 YEARS AGO	72	4.56
	3	MORE THAN 2 YEARS AGO UP TO 3 YEARS AGO	43	2.72
	4	MORE THAN 3 YEARS AGO UP TO 5 YEARS AGO	37	2.34
	5	MORE THAN 5 YEARS AGO	54	3.42

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD HOME BLOOD STOOL TEST

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF24. New version due to

new universe.

\_\_\_\_\_\_

VARNAME: FOBT2V2

LABEL: BLOOD STOOL TEST PAST 2 YEARS

VALUE: -1 INAPPLICABLE 865 54.78
1 YES 293 18.56
2 NO 421 26.66

UNIVERSE: ADULTS AGE 50-75

INPUT VAR: AF22V2 AF24V2

NOTES:

\_\_\_\_\_\_

VARNAME: AF14V2

LABEL: EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY

VALUE: -1 INAPPLICABLE 865 54.78
1 YES 466 29.51
2 NO 248 15.71

UNIVERSE: ADULTS AGES 50-75

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021. PREVIOUS VERSION: AF14. NEW VERSION DUE TO

NEW UNIVERSE. QX VARNAME = MODAF14.

\_\_\_\_\_\_

VARNAME: AF16V2

LABEL: HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY

			FREQ	%
VALUE:	-1	INAPPLICABLE	1113	70.49
	1	WITHIN THE PAST YEAR	67	4.24
	2	1 TO 2 YRS AGO	75	4.75
	3	2 TO 3 YRS AGO	80	5.07
	4	3 TO 5 YRS AGO	113	7.16
	5	5 TO 10 YRS AGO	131	8.30

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF16. New version due to

new universe.

-----

VARNAME: AB61V2

LABEL: TYPE OF MOST RECENT RECTAL EXAM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1113	70.49
	1	SIGMOIDOSCOPY	19	1.20
	2	COLONOSCOPY	422	26.73
	3	PROCTOSCOPY	25	1.58

UNIVERSE: ADULTS 50-75 YRS OLD WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AB61. New version due to

removal of "Something Else" response option.

\_\_\_\_\_\_

VARNAME: AF17V2

LABEL: MAIN REASON FOR LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY

		FREQ	%
VALUE:	-1	INAPPLICABLE 1113	70.49
	1	PART OF A ROUTINE PHYSICAL EXAM/AS A SCR 354	22.42
	2	BECAUSE OF A SPECIFIC PROBLEM 34	2.15
	3	FOLLOW-UP TEST OF AN EARLIER TEST OR SCR 47	2.98
	4	BECAUSE OF FAMILY HISTORY 31	1.96

UNIVERSE: ADULTS AGES 50-75 WHO EVER HAD

SIGMOIDOSCOPY/COLONOSCOPY/PROCTOSCOPY

INPUT VAR:

NOTES: Reclaimed in CHIS 2021. Previous version: AF17. New version due to

new universe.

SECTION K: EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY

\_\_\_\_\_\_

VARNAME: AK2\_P1

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	913	57.82
	1	TAKING CARE OF HOUSE OR FAMILY	81	5.13
	2	ON PLANNED VACATION	21	1.33
	3	COULDN'T FIND A JOB	41	2.60
	4	GOING TO SCHOOL/STUDENT	49	3.10
	5	RETIRED	337	21.34
	6	PHYSICAL DISABILITY	21	1.33
	7	UNABLE TO WORK TEMPORARILY	21	1.33
	8	ON LAYOFF OR STRIKE	14	0.89
	10	OFF SEASON	9	0.57
	11	SICK	7	0.44
	91	OTHER	65	4.12

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,

OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES: AK2 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AK3\_P1V2

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE VERSION 2)

			FREQ	%
VALUE:	-1	INAPPLICABLE	550	34.83
	1	<= 0	56	3.55
	2	1 - 9	48	3.04
	3	10 - 19	55	3.48
	4	20 - 29	71	4.50
	5	30 - 39	92	5.83
	6	40 - 49	537	34.01
	7	50 - 59	108	6.84
	8	60 - 69	44	2.79
	9	70 - 79	9	0.57
	10	80+	9	0.57

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK3

NOTES: AK3 Categories Collapsed

\_\_\_\_\_

VARNAME: AK4

LABEL: TYPE OF EMPLOYER AT MAIN JOB

			FREQ	%
VALUE:	-1	INAPPLICABLE	553	35.02
	1	PRIVATE COMPANY, NON-PROFIT ORG	719	45.54
	2	GOVERNMENT	176	11.15
	3	SELF-EMPLOYED	118	7.47
	4	FAMILY BUSINESS OR FARM	13	0.82

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE

LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: INDMAIN2

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)

			FREQ	%
VALUE:	-8	DK	1	0.06
	-7	REFUSED	1	0.06
	-1	INAPPLICABLE	594	37.62
	1	AGRICULTURE, FORESTRY, FISHING, HUNTING,	2	0.13
	2	CONSTRUCTION	10	0.63
	3	MANUFACTURING	125	7.92
	4	WHOLESALE TRADE	14	0.89
	5	RETAIL TRADE	63	3.99
	6	TRANSPORTATION, WAREHOUSING, AND UTILITI	39	2.47
	7	INFORMATION	27	1.71
	8	FINANCE AND INSURANCE, REAL ESTATE, RENT	70	4.43
	9	PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD	179	11.34
	10	EDUCATIONAL SERVICES, HEALTH CARE AND SO	287	18.18
	11	ARTS, ENTERTAINMENT, RECREATION, ACCOMMO	45	2.85
	12	OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA	39	2.47
	13	PUBLIC ADMINISTRATION	71	4.50
	14	MILITARY	5	0.32
	99	COULD NOT BE CODED	7	0.44

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND

OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID NOT MATCH BOTH 1&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS NATIONAL PROCESSING CENTER. FOR MORE INFORMATION SEE: WWW.CSAMS.C

\_\_\_\_\_\_

VARNAME: IND\_FLAG3

LABEL: CENSUS INDUSTRY CODE - CODING METHOD

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	2	0.13
	-1	INAPPLICABLE	594	37.62
	1	MANUALLY CODED BY U.S. CENSUS BUREAU	107	6.78
	2	AUTO-CODE BY NIOCSS	876	55.48

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCCS REQUIRED A SECURE ACCESS MANAGEMENT

SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE

SEEN STARTING IN CHIS 2021.

\_\_\_\_\_\_

VARNAME:	OCCMAIN2

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)

			FREQ	%
VALUE:	<del>-</del> 7	REFUSED	1	0.06
	-1	INAPPLICABLE	587	37.18
	1	MANAGEMENT, BUSINESS, AND FINANCIAL OCCU	164	10.39
	2	COMPUTER, ENGINEERING, AND SCIENCE OCCUP	229	14.50
	3	EDUCATION, LEGAL, COMMUNITY SERVICE, ART	140	8.87
	4	HEALTHCARE PRACTITIONERS AND TECHNICAL O	87	5.51
	5	SERVICE OCCUPATIONS	100	6.33
	6	SALES AND RELATED OCCUPATIONS	45	2.85
	7	OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA	106	6.71
	8	FARMING, FISHING, AND FORESTRY OCCUPATIO	1	0.06
	9	CONSTRUCTION AND EXTRACTION OCCUPATIONS	6	0.38
	10	INSTALLATION, MAINTENANCE, AND REPAIR OC	9	0.57
	11	PRODUCTION OCCUPATIONS	37	2.34
	12	TRANSPORTATION AND MATERIAL MOVING OCCUP	24	1.52
	13	MILITARY SPECIFIC OCCUPATIONS	1	0.06
	99	COULD NOT BE CODED	42	2.66

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

#### INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND

OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID NOT MATCH BOTH 1&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS NATIONAL PROCESSING CENTER. FOR MORE INFORMATION SEE: WWW.CSAMS.C

\_\_\_\_\_\_

VARNAME: OCC\_FLAG3

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	1	0.06
	-1	INAPPLICABLE	587	37.18
	1	MANUALLY CODED BY U.S. CENSUS BUREAU	109	6.90
	2	AUTO-CODE BY NIOCSS	882	55.86

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND

DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: BEGINNING IN 2021, NIOCCS REQUIRED A SECURE ACCESS MANAGEMENT

SERVICE ACCOUNT WHICH UTILIZES A HIGH EFFICIENCY MACHINE LEARNING TECHNOLOGY. AS SUCH, INCREASES IN I/O CODING VIA AUTOCODING MAY BE

SEEN STARTING IN CHIS 2021.

\_\_\_\_\_\_

VARNAME: AK7\_P1V2

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)

			FREQ	%
VALUE:	-1	INAPPLICABLE	550	34.83
	1	< 1 YEAR	130	8.23
	2	< 2 YEARS	88	5.57
	3	<5 YEARS	236	14.95
	4	<10 YEARS	217	13.74
	5	<20 YEARS	204	12.92
	6	20+ YEARS	154	9.75

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK7

NOTES: AK7 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AKWKLNG

LABEL: TIME AT MAIN JOB

			FREQ	%
VALUE:	-1	INAPPLICABLE	550	34.83
	0	<1 YEAR	74	4.69
	1	1 YEAR	107	6.78
	2	2 YEARS	115	7.28
	3	3 YEARS	80	5.07
	4	4 YEARS	63	3.99
	5	5 YEARS	75	4.75
	6	6-9 YEARS	154	9.75
	7	10-14 YEARS	110	6.97
	8	15-19 YEARS	92	5.83
	9	20-29 YEARS	107	6.78
	10	30+ YEARS	52	3.29

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT

WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

\_\_\_\_\_

VARNAME: AK8

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

			FREQ	%
VALUE:	-1	INAPPLICABLE	553	35.02
	1	1 OR 2	98	6.21
	2	3 - 9	86	5.45
	3	10 - 24	64	4.05
	4	25 - 50	46	2.91
	5	51 - 100	46	2.91
	6	101 - 200	57	3.61
	7	201 - 999	114	7.22
	8	1,000 OR MORE	515	32.62

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK10\_P

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N 1029 MIN 0 MAX 30000 MEAN 8360.89

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

\_\_\_\_\_\_

VARNAME: AK20\_P1

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1043	66.05
	0	O HOURS	30	1.90
	1	1-9 HOURS	16	1.01
	2	10-19 HOURS	24	1.52
	3	20-29 HOURS	37	2.34
	4	30-40 HOURS	308	19.51
	5	41-49 HOURS	30	1.90
	6	50-59 HOURS	58	3.67
	7	60-69 HOURS	22	1.39
	8	70-79 HOURS	6	0.38
	9	80+ HOURS	5	0.32

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR

HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES: AK20 Categories Collapsed

\_\_\_\_\_\_

VARNAME: AK22\_P1

LABEL: HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)

			FREQ	%
VALUE:	1	LESS THAN 10000	67	4.24
	2	10,000-19,999	96	6.08
	3	20,000-29,999	94	5.95
	4	30,000-39,999	97	6.14
	5	40,000-49,999	73	4.62
	6	50,000-59,999	94	5.95
	7	60,000-69,999	78	4.94
	8	70,000-79,999	100	6.33
	9	80,000-89,999	83	5.26
	10	90,000-99,999	52	3.29
	11	100,000-109,999	118	7.47
	12	110,000-119,999	38	2.41
	13	120,000-129,000	65	4.12
	14	130,000-139,000	43	2.72
	15	140,000-149,999	35	2.22
	16	150,000-159,999	65	4.12
	17	160,000-169,999	30	1.90
	18	170,000-179,000	20	1.27
	19	OVER 180,000	331	20.96

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: AK22 Categories Collapsed

\_\_\_\_\_

VARNAME: AK10A\_P

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N 506 MIN 0 MAX 30000 MEAN 8441.20

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN O HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

\_\_\_\_\_\_

VARNAME: AK32V2

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I

VALUE: 1 YES 142 8.99 2 NO 1437 91.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AK32

\_\_\_\_\_\_

VARNAME: AK33V2\_P1

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1437	91.01
	1	1 PERSON	84	5.32
	2	2 PEOPLE	39	2.47
	3	3 PEOPLE	19	1.20

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN

HOUSEHOLD

INPUT VAR:

NOTES: TOPCODE = 3; PREVIOUS VERSION: AK33\_P1

\_\_\_\_\_\_

VARNAME: AK136

LABEL: SEEN OR HEARD ABOUT NEW 2020 CA PAID FAMILY/MEDICAL LEAVE LAW

VALUE: 1 YES 447 28.31 2 NO 1132 71.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK137

LABEL: TOOK PAID LEAVE LONGER THAN 2 WEEKS FROM WORK DUE TO OWN/FAMILY M

FREQ % 162 10.26 1417 89.74 VALUE: 1

YES NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK138\_1

LABEL: REASON FOR PAID LEAVE: OWN HEALTH

VALUE: -1 FREQ % 89.74 INAPPLICABLE

1417 67 YES 4.24 95 6.02 NO

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK138\_2

LABEL: REASON FOR PAID LEAVE: FAMILY MEMBER'S HEALTH

VALUE: -1 INAPPLICABLE 1417 89.74
1 YES 37 2.34
2 NO 125 7.92

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK138\_3

LABEL: REASON FOR PAID LEAVE: ARRIVAL OR NEWBORN, NEWLY ADOPTED CHILD, O

VALUE: -1 INAPPLICABLE 1417 89.74
1 YES 66 4.18
2 NO 96 6.08

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK138\_91

LABEL: REASON FOR PAID LEAVE: OTHER

VALUE: -1 INAPPLICABLE 1417 89.74
1 YES 1 0.06
2 NO 161 10.20

UNIVERSE: ADULTS WHO TOOK >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN PAST 5

YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK139\_1

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF LOSING JOB

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 80 5.07 2 NO 1337 84.67

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK139\_2

LABEL: REASON DID NOT TAKE LEAVE: FEAR OF HURTING CHANGES OF JOB ADVANCE

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 40 2.53 2 NO 1377 87.21

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK139\_3

LABEL: REASON DID NOT TAKE LEAVE: COULD NOT AFFORD TO GO ON LEAVE

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 82 5.19 2 NO 1335 84.55

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK139\_4

LABEL: REASON DID NOT TAKE LEAVE: EMPLOYER DENIED REQUEST FOR LEAVE

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 13 0.82 2 NO 1404 88.92

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

-----

VARNAME: AK139\_5

LABEL: REASON DID NOT TAKE LEAVE: NOT ELIGIBLE

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 94 5.95 2 NO 1323 83.79

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK139\_6

LABEL: REASON DID NOT TAKE LEAVE: DIDN'T KNOW ABOUT LEAVE PROGRAM

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 89 5.64 2 NO 1328 84.10

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK139\_7

LABEL: REASON DID NOT TAKE LEAVE: PROCESS TO APPLY FOR LEAVE TOO COMPLIC

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 25 1.58 2 NO 1392 88.16

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK139\_8

LABEL: REASON DID NOT TAKE LEAVE: USED OTHER AVAILABLE LEAVE OPTIONS (E.

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 126 7.98 2 NO 1291 81.76

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK139\_9

LABEL: REASON DID NOT TAKE LEAVE: DID NOT NEED TO TAKE LEAVE

VALUE: -1 INAPPLICABLE 162 10.26 1 YES 1112 70.42 2 NO 305 19.32

UNIVERSE: ADULTS WHO DID NOT TAKE >2 WEEKS PAID FAMILY AND MEDICAL LEAVE IN

PAST 5 YEARS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AM1
V AIUNAIIL.	HIT

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1244	78.78
	1	OFTEN TRUE	24	1.52
	2	SOMETIMES TRUE	96	6.08
	3	NEVER TRUE	215	13.62

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

			FREQ	%
VALUE: -1 1 2	-1	INAPPLICABLE	1244	78.78
	1	OFTEN TRUE	17	1.08
	2	SOMETIMES TRUE	107	6.78
	3	NEVER TRUE	211	13.36

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM3

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE: -1 INAPPLICABLE 1244 78.78
1 YES 37 2.34
2 NO 298 18.87

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM3A

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE: -1 INAPPLICABLE 1542 97.66
1 ALMOST EVERY MONTH 7 0.44
2 SOME MONTHS BUT NOT EVERY MONTH 16 1.01
3 ONLY IN 1 OR 2 MONTHS 14 0.89

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS AND

SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM4

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 1244 78.78
1 YES 49 3.10
2 NO 286 18.11

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM5

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE: -1 INAPPLICABLE 1244 78.78
1 YES 29 1.84
2 NO 306 19.38

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: FSLEV

LABEL: FOOD SECURITY STATUS LEVEL

			FREQ	%
VALUE:	-1	INAPPLICABLE - >=200% FPL	1249	79.10
	1	FOOD SECURITY	224	14.19
	2	FOOD INSECURITY W/O HUNGER	85	5.38
	3	FOOD INSECURITY W/ HUNGER	21	1.33

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES:

\_\_\_\_\_

VARNAME: FSLEVCB

LABEL: FOOD SECURITY STATUS (2 LVLS)

			FREQ	%
VALUE:	-1	INAPPLICABLE - >=200% FPL	1249	79.10
	1	FOOD SECURITY	224	14.19
	2	FOOD INSECURITY WITH/ WITHOUT HUNGER	106	6.71

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: FSLEV

NOTES:

-----

\_\_\_\_\_

VARNAME: POVGWD\_P1

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)

MEAN STATISTICS

N 1579
MIN 0
MAX 6
MEAN 4.04

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES:

\_\_\_\_\_\_

VARNAME: POVLL2\_P1V2

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)

MEAN STATISTICS

N 1579
MIN 0
MAX 6
MEAN 4.20

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

\_\_\_\_\_\_

VARNAME: POVLL

LABEL: POVERTY LEVEL

			FREQ	%
VALUE:	1	0-99% FPL	141	8.93
	2	100-199% FPL	189	11.97
	3	200-299% FPL	160	10.13
	4	300% FPL AND ABOVE	1089	68.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: ELGMAGI3

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

			FREQ	%
VALUE:	-5	INSURED	1158	73.34
	-1	INAPPLICABLE-AGES>=65	378	23.94
	1	MEDI-CAL (MEDICAID) ELIG.	4	0.25
	3	NOT ELIG.	39	2.47

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

\_\_\_\_\_\_

VARNAME: ELGMAGI4

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)

			FREQ	%
VALUE:	-5	INSURED	1158	73.34
	-1	INAPPLICABLE - AGES >=65	378	23.94
	1	MEDI-CAL (MEDICAID) ELIG.	4	0.25
	3	NOT ELIGCIT./PR	30	1.90
	4	NOT ELIGOTHER	9	0.57

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

------

VARNAME: ELGMAGI5

LABEL: MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)

			FREQ	%
VALUE:	-1	SKIPPED - AGES >=65	378	23.94
	1	MEDI-CAL ELIG.	203	12.86
	3	NOT ELIGCIT./PR	929	58.83
	4	NOT ELIGOTHER	69	4.37


UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON

MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION

TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY



\_\_\_\_\_\_

VARNAME: AL2V2

LABEL: RECEIVING TANF OR CALWORKS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1244	78.78
	1	YES	23	1.46
	2	NO	312	19.76

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL2

\_\_\_\_\_\_

VARNAME: AL5V2

LABEL: RECEIVING FOOD STAMP BENEFITS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1244	78.78
	1	YES	104	6.59
	2	NO	231	14.63

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL5

\_\_\_\_\_\_

VARNAME: AL6V2

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE: -1 INAPPLICABLE 1244 78.78
1 YES 67 4.24
2 NO 268 16.97

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS

THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL6

\_\_\_\_\_\_

VARNAME: AL22

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE: -1 INAPPLICABLE 1385 87.71
1 YES 21 1.33
2 NO 173 10.96

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY

WORK

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL32V2

LABEL: RECD ANY WORKERS COMPENSATION LAST MO

VALUE: -1 INAPPLICABLE 1244 78.78
1 YES 1 0.06
2 NO 334 21.15

UNIVERSE: ADULTS WITH ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 200% FPL

AND MEDI-CAL OR UNINSURED

INPUT VAR:

NOTES: PREVIOUS VERSION: AL32

\_\_\_\_\_\_

VARNAME: AL18AV2

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE: -1 INAPPLICABLE 1420 89.93
1 YES 95 6.02
2 NO 64 4.05

UNIVERSE: ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED/LIVING WITH PARTNER OR

OVER 50 WHO ARE MARRIED/LIVING WITH SPOUSE, AND TOTAL ANNUAL

HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18A. QX VARNAME = AL18A.

\_\_\_\_\_\_

VARNAME: AL19V2\_P1

LABEL: MAIN REASON NOT ENROLLED IN MEDI-CAL (PUF 1 YR RECODE)

		FREQ	%
VALUE:	-1	INAPPLICABLE 1567	99.24
	1	PAPERWORK TOO DIFFICULT 2	0.13
	2	DIDN'T KNOW IT EXISTED, IF ELIGIBLE, OR 2	0.13
	4	NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT 4	0.25
	6	ALREADY HAVE OR IN PROCESS OF GETTING IN 3	0.19
	7	OTHER REASON 1	0.06

UNIVERSE: ALL ADULTS WHO ARE UNINSURED WITH ANNUAL HH EQUAL TO OR LESS THAN

200% FPL

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

-----

VARNAME: AL40V2\_P1

LABEL: LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1379	87.33
	1	<1 YEAR	11	0.70
	2	<2 YEARS	14	0.89
	3	<3 YEARS	16	1.01
	4	<4 YEARS	18	1.14
	5	<5 YEARS	12	0.76
	6	<6 YEARS	27	1.71
	7	<7 YEARS	12	0.76
	8	<8 YEARS	9	0.57
	9	<9 YEARS	7	0.44
	10	<10 YEARS	4	0.25
	11	10+ YEARS	70	4.43

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL AND WHOSE TOTAL

ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL40\_P1

\_\_\_\_\_\_

VARNAME:	AL86

LABEL: WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO

			FREQ	%
VALUE:	-1	INAPPLICABLE	1379	87.33
	1	5 MINUTES OR LESS	6	0.38
	2	MORE THAN 5, UP TO 15 MINUTES	29	1.84
	3	MORE THAN 15, UP TO 30 MINUTES	24	1.52
	4	MORE THAN 30 MINUTES	29	1.84
	5	NEVER CONTACTED THE COUNTY OFFICE	112	7.09

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

-----

VARNAME: AL87

LABEL: METHOD OF CONTACTING COUNTY OFFICE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1491	94.43
	1	VISITED OFFICE IN PERSON	13	0.82
	2	CALLED OFFICE	56	3.55
	3	DIRECTLY CONTACTED ELIGIBILITY WORKER	6	0.38
	4	ONLINE	9	0.57
	5	MAIL	4	0.25

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AL88

		~-		~~~~~~				~		~	BB 6B 7 E17
I.ABEI.:	1.F:N( <del>;</del> :1:H	()F.	TI ME:	COUNTY	REP	.1.(1)	TAKE	CARE	() F.	R. S	PROBLEM

			FREQ	%
VALUE:	-1	INAPPLICABLE	1491	94.43
	1	A WEEK OR LESS	43	2.72
	2	MORE THAN 1 WEEK UP TO 2 WEEKS	21	1.33
	3	MORE THAN 2 WEEKS UP TO A MONTH	13	0.82
	4	MORE THAN A MONTH	11	0.70

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

-----

VARNAME: AL89

LABEL: COUNTY REP ANSWER ALL OF R'S QUESTIONS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1491	94.43
	1	STRONGLY AGREE	23	1.46
	2	AGREE	40	2.53
	3	NEITHER AGREE NOR DISAGREE	21	1.33
	4	DISAGREE	2	0.13
	5	STRONGLY DISAGREE	2	0.13

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: A	L90
------------	-----

LABEL: COUNTY REP TREATED R WITH RESPECT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1491	94.43
	1	STRONGLY AGREE	23	1.46
	2	AGREE	46	2.91
	3	NEITHER AGREE NOR DISAGREE	16	1.01
	4	DISAGREE	2	0.13
	5	STRONGLY DISAGREE	1	0.06

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE

COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_1

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES

			FREQ	%
VALUE:	-1	INAPPLICABLE	1379	87.33
	1	YES	96	6.08
	2	NO	104	6.59

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL91\_2

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 15 0.95 2 NO 185 11.72

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_3

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 49 3.10 2 NO 151 9.56

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL91\_4

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 53 3.36 2 NO 147 9.31

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_5

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS

VALUE: -1 INAPPLICABLE 1379 87.33
1 YES 59 3.74
2 NO 141 8.93

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91\_6

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF

FREQ VALUE: -1 INAPPLICABLE 1379 87.33

> 200 12.67

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91\_7

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF

FREQ VALUE: 1379 87.33 200 12.67 -1 INAPPLICABLE

NO

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL91\_8

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 1 0.06 2 NO 199 12.60

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_9

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 1 0.06 2 NO 199 12.60

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL91\_10

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 5 0.32 2 NO 195 12.35

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_11

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 2 0.13 2 NO 198 12.54

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL91\_13

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE COMMUNICATION

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 1 0.06 2 NO 199 12.60

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL91\_12

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: OTHERS

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 3 0.19 2 NO 197 12.48

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL92

LABEL: SATISFACTION RATING OF COUNTY OFFICE

			FREQ	%
VALUE:	-1	INAPPLICABLE	1379	87.33
	1	VERY SATISFIED	32	2.03
	2	SOMEWHAT SATISFIED	84	5.32
	3	NEITHER SATISFIED OR DISSATISFIED	39	2.47
	4	SOMEWHAT DISSATISFIED	11	0.70
	5	VERY DISSATISFIED	5	0.32
	6	NOT APPLICABLE	29	1.84

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL93

LABEL: RENEWED MEDI-CAL IN PAST 12 MOS

			FREQ	%
VALUE:	-1	INAPPLICABLE	1379	87.33
	1	YES	111	7.03
	2	NO	89	5.64

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL94

LABEL: HAVE ISSUES RENEWING MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1468	92.97
	1	YES	11	0.70
	2	NO	100	6.33

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST

12 MOS

INPUT VAR:

NOTES:

-----

VARNAME: AL95\_P1

LABEL: TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)

			FREQ	%
VALUE:	-1	INAPPLICABLE	1479	93.67
	1	YES, LOST COVERAGE FOR ANY PERIOD OF TIM	1	0.06
	2	YES, HAD TO REAPPLY	8	0.51
	3	NONE OF THE ABOVE	91	5.76

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST

12 MOS WITHOUT PROBLEMS

INPUT VAR:

NOTES: AL95 Categories Collapsed

------

\_\_\_\_\_\_

VARNAME:	AL96

LABEL: COVERAGE PRIOR TO MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1390	88.03
	1	UNINSURED	75	4.75
	2	EMPLOYER-BASED	31	1.96
	3	PRIVATE	16	1.01
	4	COVERED CALIFORNIA	41	2.60
	5	OTHER	26	1.65

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND HAVE/USED TO HAVE MEDI-CAL AND DID NOT HAVE PROBLEMS RENEWING

MEDI-CAL IN PAST 12 MOS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL97

LABEL: PROBLEM CHANGING TO MEDI-CAL

			FREQ	%
VALUE:	-1	INAPPLICABLE	1512	95.76
	1	YES	3	0.19
	2	NO	64	4.05

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

AND USED TO HAVE COVERED CALIFORNIA OR OTHER HEALTH INSURANCE

BEFORE CHANGING TO MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL105\_1

LABEL: NOTICE OF ACTIONS: EASY TO READ OR UNDERSTAND

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 88 5.57 2 NO 112 7.09

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL105\_2

LABEL: NOTICE OF ACTIONS: DIFFICULT TO READ OR UNDERSTAND

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 35 2.22 2 NO 165 10.45

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL105\_3

LABEL: NOTICE OF ACTIONS: CONTAIN HELPFUL INFORMATION

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 48 3.04 2 NO 152 9.63

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL105\_4

LABEL: NOTICE OF ACTIONS: DOES NOT CONTAIN HELPFUL INFORMATION

VALUE: -1 INAPPLICABLE 1379 87.33 1 YES 16 1.01 2 NO 184 11.65

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL106\_1

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: REDUCE TEXT

VALUE: -1 INAPPLICABLE 1428 90.44
1 YES 32 2.03
2 NO 119 7.54

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL106\_2

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SIMPLIFY LANGUAGE/READING LEVEL

VALUE: -1 INAPPLICABLE 1428 90.44 1 YES 46 2.91 2 NO 105 6.65

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL106\_3

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SHORTER PARAGRAPHS/SENTENCES

VALUE: -1 INAPPLICABLE 1428 90.44
1 YES 26 1.65
2 NO 125 7.92

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL106\_4

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: SEND FEWER NOTICES

VALUE: -1 INAPPLICABLE 1428 90.44
1 YES 15 0.95
2 NO 136 8.61

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL106\_5

LABEL: HOW TO IMPROVE NOTICE OF ACTIONS: GIVE CLEAR STEPS OF WHAT TO DO

VALUE: -1 INAPPLICABLE 1428 90.44
1 YES 74 4.69
2 NO 77 4.88

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND REC'D A

NOTICE OF ACTIONS

INPUT VAR:

NOTES:

-----

VARNAME: AL107

LABEL: ABLE TO UPDATE CONTACT INFORMATION

VALUE: -1 INAPPLICABLE 1379 87.33
1 YES 61 3.86
2 NO 19 1.20
3 DID NOT NEED TO UPDATE 120 7.60

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL108\_1

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: CHANGES DID NOT UPDAT

VALUE: -1 INAPPLICABLE 1560 98.80
1 YES 1 0.06
2 NO 18 1.14

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL108\_2

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DON'T KNOW HOW TO UPD

VALUE: -1 INAPPLICABLE 1560 98.80
1 YES 7 0.44
2 NO 12 0.76

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

------

\_\_\_\_\_\_

VARNAME: AL108\_3

LABEL: REASON WHY NOT ABLE TO UPDATE CONTACT INFO: DID NOT NEED TO UPDAT

			FREQ	%
VALUE:	-1	INAPPLICABLE	1560	98.80
	1	YES	11	0.70
	2	NO	8	0.51

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE NOT ABLE

TO UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL109

LABEL: EASY TO UPDATE CONTACT INFO

			FREQ	%
VALUE:	-1	INAPPLICABLE	1518	96.14
	1	STRONGLY AGREE	13	0.82
	2	AGREE	36	2.28
	3	NEITHER AGREE NOR DISAGREE	9	0.57
	4	DISAGREE	2	0.13
	5	STRONGLY DISAGREE	1	0.06

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL110\_1

LABEL: HOW UPDATED CONTACT INFO: VISITED OFFICE IN PERSON

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 7 0.44
2 NO 54 3.42

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL110\_2

LABEL: HOW UPDATED CONTACT INFO: CALLED COUNTY OFFICE

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 18 1.14
2 NO 43 2.72

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL110\_3

LABEL: HOW UPDATED CONTACT INFO: CALLED HEALTH PLAN

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 6 0.38
2 NO 55 3.48

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL110\_4

LABEL: HOW UPDATED CONTACT INFO: DIRECTLY CONTACTED ELIGIBILITY WORKER

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 4 0.25
2 NO 57 3.61

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL110\_5

LABEL: HOW UPDATED CONTACT INFO: ONLINE

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 26 1.65
2 NO 35 2.22

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL110\_6

LABEL: HOW UPDATED CONTACT INFO: MAIL

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 21 1.33
2 NO 40 2.53

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AL110\_7

LABEL: HOW UPDATED CONTACT INFO: PORTAL

VALUE: -1 INAPPLICABLE 1518 96.14
1 YES 2 0.13
2 NO 59 3.74

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AL110\_91

LABEL: HOW UPDATED CONTACT INFO: OTHER

VALUE: -1 INAPPLICABLE 1518 96.14 2 NO 61 3.86

UNIVERSE: ADULTS <=200% FPL WHO HAVE/USED TO HAVE MEDI-CAL AND WERE ABLE TO

UPDATE CONTACT INFO

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: SSNCIT\_YN

LABEL: ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL

VALUE: -1 INAPPLICABLE 583 36.92 1 YES 116 7.35 2 NO 880 55.73

UNIVERSE: ADULTS NOT BORN IN US OR TERRITORIES

INPUT VAR: AH33 AL100 AL101 AL102 AL103

NOTES:

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

\_\_\_\_\_\_

VARNAM	E·	AK23

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

			FREQ	%
VALUE:	1	HOUSE	1016	64.34
	2	DUPLEX	67	4.24
	3	BUILDING WITH 3 OR MORE UNITS	477	30.21
	4	MOBILE HOME	19	1.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AK25

LABEL: OWN OR RENT HOME

			FREQ	%
VALUE:	-9	NOT ASCERTAINED	15	0.95
	-7	REFUSED	1	0.06
	1	OWN	1016	64.34
	2	RENT	458	29.01
	3	OTHER ARRANGEMENT	89	5.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: TIMEAD\_P1

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF 1 YR RECODE

			FREQ	%
VALUE:	1	1 MONTH	18	1.14
	2	2 MONTHS	20	1.27
	3	3 MONTHS	23	1.46
	4	4 MONTHS	9	0.57
	5	5 MONTHS	23	1.46
	6	6 MONTHS	13	0.82
	7	7 MONTHS	12	0.76
	8	8 MONTHS	7	0.44
	9	9 MONTHS	19	1.20
	10	10 MONTHS	12	0.76
	11	11 MONTHS	9	0.57
	12	12 MONTHS	80	5.07
	13	13-60 MONTHS	398	25.21
	14	61-120 MONTHS	276	17.48
	15	121-180 MONTHS	176	11.15
	16	181-240 MONTHS	162	10.26
	17	241-300 MONTHS	112	7.09
	18	301-360 MONTHS	87	5.51
	19	361-420 MONTHS	48	3.04
	20	421-480 MONTHS	29	1.84
	21	481-540 MONTHS	18	1.14
	22	541-600 MONTHS	13	0.82
	23	>600 MONTHS	15	0.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: TIMENEV2\_P1

LABEL: LENGTH OF TIME LIVED AT CURRENT NEIGHBORHOOD (MONTHS) (PUF 1 YR R

			FREQ	%
VALUE:	-1	INAPPLICABLE	1045	66.18
	1	1 MONTH	16	1.01
	2	2 MONTHS	15	0.95
	3	3 MONTHS	14	0.89
	4	4 MONTHS	7	0.44
	5	5 MONTHS	12	0.76
	6	6 MONTHS	11	0.70
	7	7 MONTHS	3	0.19
	8	8 MONTHS	6	0.38
	9	9 MONTHS	14	0.89
	10	10 MONTHS	7	0.44
	11	11 MONTHS	6	0.38
	12	12 MONTHS	65	4.12
	13	13-60 MONTHS	294	18.62
	14	61-120 MONTHS	27	1.71
	15	121-180 MONTHS	14	0.89
	16	181-240 MONTHS	14	0.89
	17	241-300 MONTHS	2	0.13
	18	301-360 MONTHS	4	0.25
	19	361-420 MONTHS	1	0.06
	20	421-480 MONTHS	1	0.06
	21	481-540 MONTHS	1	0.06

UNIVERSE: ADULTS WHO HAVE LIVED AT CURRENT ADDRESS <5 YRS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME:	AM183

LABEL: HOW FEEL ABOUT CURRENT HOUSING SITUATION

			FREQ	%
VALUE:	1	VERY STABLE	893	56.55
	2	FAIRLY STABLE	479	30.34
	3	SOMEWHAT STABLE	161	10.20
	4	FAIRLY UNSTABLE	29	1.84
	5	VERY UNSTABLE	17	1.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AM184

LABEL: HOW OFTEN WORRY ABOUT STRUGGLING TO KEEP UP WITH MORTGAGE/RENT PA

			FREQ	%
VALUE:	1	VERY OFTEN	62	3.93
	2	SOMEWHAT OFTEN	131	8.30
	3	FROM TIME TO TIME	339	21.47
	4	ALMOST NEVER	1047	66.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185\_1

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: TAKE ON ADDITIO

FREQ % 9.63 VALUE: 1 YES 152

1427 2 NO 90.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM185\_2

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: STOP SAVING FOR

11.15 1403 FREQ 1 YES VALUE: 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185\_3

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: ACCUMULATE CRED

FREQ % YES NO VALUE: 1 152 9.63 1427 90.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185\_4

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

FREQ VALUE: 1 YES 70 4.43

> 2 NO 1509 95.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM185\_5

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: CUT BACK ON HEA

FREQ 8.55 1 YES VALUE: 135

1444 2 NO 91.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185\_6

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO NEIGHBO

FREQ % YES NO VALUE: 1 27 1.71 1552 98.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM185\_7

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: MOVE TO PLACE W

FREQ % 17 1.08 1562 98.92 VALUE: 1

YES NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AM185\_8

LABEL: STEPS TAKEN IN PAST 3 YEARS TO PAY RENT/MORTGAGE: NONE OF THESE/N

FREQ 1181 74.79 398 25.21 VALUE: 1 YES 2 NO

2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AJ178

LABEL: DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES

VALUE: -1 INAPPLICABLE 1019 64.53 1 YES 64 4.05 2 NO 496 31.41

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HOUSEHOLD INCOME <= 400

FPL

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM187

LABEL: EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE LAW (NOT INCLUDING

VALUE: 1 YES 68 4.31 2 NO 1511 95.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM188

LABEL: SOMEONE LIVED WITH EVER BEEN ARRESTED AND BOOKED FOR BREAKING THE

FREQ % 57 3.61 VALUE: 1 YES

NO 1522 96.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: ARRSTBK

LABEL: YOU OR HOUSEMATE EVER BEEN ARRESTED AND BOOKED

FREQ VALUE: 6.78 107

1 YES 2 NO 1472 2 NO 93.22

UNIVERSE: ALL ADULTS

INPUT VAR: AM187 AM188

NOTES:

VARNAME: PLCSTOP

LABEL: STOPPED BY POLICE IN PAST YEAR

FREQ 257 16.28

VALUE: 1 YES 2 NO 1322 83.72

UNIVERSE: ALL ADULTS

INPUT VAR: AM186

NOTES:

\_\_\_\_\_\_

VARNAME: AM186\_P1

LABEL: # OF TIMES STOPPED BY POLICE IN PAST 3 YEARS (PUF 1 YR RECODE)

			FREQ	%
VALUE:	0	O TIMES	1322	83.72
	1	1 TIME	192	12.16
	2	2 TIMES	47	2.98
	3	3 TIMES	10	0.63
	4	4+ TIMES	8	0.51

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CHIS 2021 PUF RECODE

\_\_\_\_\_\_

VARNAME: AM19

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

			FREQ	%
VALUE:	1	STRONGLY AGREE	244	15.45
	2	AGREE	1110	70.30
	3	DISAGREE	205	12.98
	4	STRONGLY DISAGREE	20	1.27

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AM20
VAIMAINE.	ANZU

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

			FREQ	%
VALUE:	1	STRONGLY AGREE	15	0.95
VIII011.	2	AGREE	177	11.21
	3	DISAGREE	1089	68.97
	4	STRONGLY DISAGREE	298	18.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM21

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

			FREQ	%
VALUE:	1	STRONGLY AGREE	162	10.26
	2	AGREE	1187	75.17
	3	DISAGREE	209	13.24
	4	STRONGLY DISAGREE	21	1.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AK28

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

VALUE: 1 ALL OF THE TIME 432 27.36
2 MOST OF THE TIME 991 62.76
3 SOME OF THE TIME 142 8.99
4 NONE OF THE TIME 14 0.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM39

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

VALUE: 1 YES 157 9.94 2 NO 1422 90.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed from CHIS 2016

-----

\_\_\_\_\_\_

VARNAME: AM44	VARNAME:	AM44
---------------	----------	------

LABEL: CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS

			FREQ	%
VALUE:	1	DEFINITELY COULD NOT	96	6.08
	2	PROBABLY COULD NOT	261	16.53
	3	MAYBE COULD	490	31.03
	4	PROBABLY COULD	457	28.94
	5	DEFINITELY COULD	275	17.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AM45

LABEL: CAN CONTACT ELECTED OFFICIAL IN COMMUNITY

			FREQ	%
VALUE:	1	DEFINITELY COULD NOT	76	70 4.81
	2	PROBABLY COULD NOT	256	16.21
	3	MAYBE COULD	456	28.88
	4	PROBABLY COULD	489	30.97
	5	DEFINITELY COULD	302	19.13

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM48

LABEL: ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)

FREQ % 102 6.46 1477 93.54 VALUE: 1

YES NO 2

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: DMC8

LABEL: WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF RACE/ETHNICITY

FREQ

93 5.89 1486 94.11 VALUE: 1 YES 2 NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

\_\_\_\_\_\_

VARNAME: DMC9

LABEL: HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETHNICI

			FREQ	%
VALUE:	-1	INAPPLICABLE	1486	94.11
	1	A YEAR AGO OR LESS	22	1.39
	2	MORE THAN 1 UP TO 2 YEARS AGO	15	0.95
	3	MORE THAN 2 UP TO 3 YEARS AGO	13	0.82
	4	MORE THAN 3 UP TO 5 YEARS AGO	10	0.63
	5	MORE THAN 5 UP TO 10 YEARS AGO	15	0.95
	6	MORE THAN 10 UP TO 20 YEARS AGO	10	0.63
	7	MORE THAN 20 YEARS AGO	8	0.51

UNIVERSE: ADULTS REPORTING WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF

RACE/ETHNICITY

INPUT VAR:

NOTES: RECLAIMED IN CHIS 2021

SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.

VARNAME: UR\_CLRT2

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

FREQ VALUE: 1 1510 95.63 URBAN

RURAL 69 4.37

UNIVERSE: ALL ADULTS

INPUT VAR: UR\_CLRT

NOTES:

\_\_\_\_\_\_

VARNAME: UR\_IHS

LABEL: RURAL AND URBAN - IHS

FREQ VALUE: 1 URBAN 2 RURAL 1282 81.19 297 18.81

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR\_OMB

LABEL: RURAL AND URBAN - OMB

FREQ VALUE: 1 METROPOLITAN 2 NON-METROPOLITAN 1560 98.80

19 1.20

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

\_\_\_\_\_\_

VARNAME: UR\_RHP

LABEL: RURAL AND URBAN - RHP

VALUE: 1 URBAN 1538 97.40 2 RURAL 41 2.60

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

\_\_\_\_\_\_

VARNAME: UR\_CLRT4

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

 VALUE:
 1
 URBAN
 934
 59.15

 2
 MIXED
 62
 3.93

 3
 SUBURBAN
 514
 32.55


 4
 RURAL
 69
 4.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT COMPARABLE TO UR\_CLRT FROM 2016 AND PRIOR YEARS DUE TO CHANGES

IN CLARITAS METHODOLOGY



\_\_\_\_\_\_

VARNAME: AP73V2

LABEL: FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS

			FREQ	%
VALUE:	-1	INAPPLICABLE	238	15.07
	1	ALWAYS	1051	66.56
	2	SOMETIMES	206	13.05
	3	NEVER	84	5.32

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP73

\_\_\_\_\_

VARNAME: AP74V2

LABEL: FREQUENCY OF VOTING IN STATE ELECTIONS

			FREQ	%
VALUE:	-1	INAPPLICABLE	238	15.07
	1	ALWAYS	886	56.11
	2	SOMETIMES	329	20.84
	3	NEVER	126	7.98

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP74

\_\_\_\_\_\_

VARNAME: AP75V2

LABEL: FREQUENCY OF VOTING IN LOCAL ELECTIONS

VALUE: 1 ALWAYS 711 45.03 2 SOMETIMES 439 27.80 3 NEVER 429 27.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AP75

\_\_\_\_\_\_

VARNAME: VOTE\_ENG2

LABEL: VOTER ENGAGEMENT

			FREQ	%
VALUE:	-1	INAPPLICABLE	238	15.07
	1	ALWAYS ENGAGED	691	43.76
	2	FREQUENTLY ENGAGED	197	12.48
	3	SOMETIMES ENGAGED	376	23.81
	4	NEVER ENGAGED	77	4.88

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME:	AP80

LABEL: MAIN REASON DID NOT VOTE

			FREQ	%
VALUE:	-1	INAPPLICABLE	697	44.14
	1	I DISLIKE POLITICS	86	5.45
	2	VOTING HAS LITTLE TO DO WITH THE WAY REA	30	1.90
	3	I DID NOT LIKE ANY OF THE CANDIDATES ON	58	3.67
	4	MY ONE VOTE IS NOT GOING TO AFFECT HOW T	34	2.15
	5	I WAS NOT INFORMED ENOUGH ABOUT THE CAND	216	13.68
	6	I DID NOT SEE A DIFFERENCE BETWEEN THE C	23	1.46
	7	I WAS NOT INTERESTED IN WHAT WAS HAPPENI	47	2.98
	8	I JUST DID NOT THINK ABOUT DOING IT.	77	4.88
	9	I FORGOT OR WAS TOO LAZY	90	5.70
	10	I HAD TO WORK OR WAS TOO BUSY TO VOTE	40	2.53
	11	I DID NOT HAVE TRANSPORTATION	4	0.25
	12	AGAINST RELIGIOUS/OTHER BELIEFS OR MY RE	2	0.13
	91	OTHER	175	11.08

UNIVERSE: ADULTS WHO DO NOT ALWAYS VOTE IN ALL PRESIDENTIAL, STATE, LOCAL

ELECTIONS

INPUT VAR:

NOTES: NEW COVID CATEGORY ADDED IN 2020

-----

VARNAME: VOTE\_RSNNO


LABEL: MAIN REASON DID NOT VOTE

			FREQ	%
VALUE:	-1	INAPPLICABLE	697	44.14
	1	TOO BUSY OR FORGOT	207	13.11
	2	DON'T LIKE OR CARE ABOUT POLITICS	191	12.10
	3	VOTING DOESN'T MAKE A DIFFERENCE	64	4.05
	4	DON'T KNOW ENOUGH ABOUT CANDIDATES/ISSUE	239	15.14
	5	OTHER	181	11.46

UNIVERSE: ADULTS WHO SOMETIMES OR NEVER VOTE IN ELECTIONS

INPUT VAR: AP80

NOTES:



\_\_\_\_\_\_

VARNAME: AADATE\_MM

LABEL: DATE ADULT SECTION A DONE (YYYYMM)

			FREQ	%
VALUE:	202103	MARCH 2021	137	8.68
	202104	APRIL 2021	249	15.77
	202105	MAY 2021	303	19.19
	202106	JUNE 2021	333	21.09
	202107	JULY 2021	291	18.43
	202108	AUGUST 2021	177	11.21
	202109	SEPTEMBER 2021	65	4.12
	202110	OCTOBER 2021	23	1.46
	202111	NOVEMBER 2021	1	0.06

UNIVERSE: ALL ADULTS

INPUT VAR: AADATE

NOTES:

\_\_\_\_\_\_

VARNAME: HHSIZE\_P1

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

MEAN STATISTICS

 N
 1579

 MIN
 1

 MAX
 10

 MEAN
 2.69

UNIVERSE: ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

VARNAME: INTVLNGC\_P1

LABEL: LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)

FREQ % VALUE: 1 ENGLISH 1304

82.58 17.42 OTHER LANGUAGE 275

UNIVERSE: ALL ADULTS

INPUT VAR: INTVLANG

NOTES: INTVLANG Categories Collapsed

\_\_\_\_\_\_

VARNAME: PROXY

LABEL: A PROXY INTERVIEW

FREQ VALUE: 2 NO 100.00 1579

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

VARNAME: SRTENR


LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

FREQ VALUE: 1 2 1024 64.85 555 35.15 OWN RENT/SOME OTHER ARRANGEMENT

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



VARNAME: AQ1

LABEL: LIVED WITH ANYONE WHO WAS DEPRESSED/MENTALLY ILL/SUICIDAL BEFORE

FREQ VALUE: 1 YES 226 14.31

2 NO 1353 85.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AQ2

LABEL: LIVED WITH ANYONE WHO WAS A PROBLEM DRINKER/ALCOHOLIC BEFORE AGE

FREQ % 1 YES VALUE: 9.06 143

1436 2 NO 90.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ3

LABEL: LIVED WITH ANYONE WHO USED ILLEGAL DRUGS/ABUSED PRESCRIPTION MEDS

FREQ % YES NO VALUE: 56 3.55 1 1523 96.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ4

LABEL: LIVED WITH ANYONE WHO SERVED JAIL/PRISON TIME BEFORE AGE 18

FREQ % 28 1.77 1551 98.23 YES VALUE: 1

NO

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AQ5

LABEL: PARENTS SEPARATED OR DIVORCED BEFORE AGE 18

FREQ % VALUE: 1 YES

208 13.17 1357 85.94 14 0.89 2 NO

PARENTS NOT MARRIED 3

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AQ6

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY FOUGHT EACH OTHER BEFORE AGE

VALUE: 1 NEVER 1283 81.25 2 ONCE 97 6.14 3 MORE THAN ONCE 199 12.60

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ7

LABEL: HOW OFTEN ADULTS IN HOME PHYSICALLY HURT R BEFORE AGE 18

VALUE: 1 NEVER 1273 80.62
2 ONCE 76 4.81
3 MORE THAN ONCE 230 14.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AQ8

LABEL: HOW OFTEN ADULTS IN HOME SWEARED AT OR INSULTED R BEFORE AGE 18

VALUE: 1 NEVER 1076 68.14
2 ONCE 108 6.84
3 MORE THAN ONCE 395 25.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ12

LABEL: EVER BEEN VICTIM OF VIOLENCE OR WITNESSED VIOLENCE IN NEIGHBORHOO

VALUE: 1 YES 254 16.09 2 NO 1325 83.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AQ13

LABEL: EVER BEEN TREATED UNFAIRLY DUE TO RACE/ETHNICITY BEFORE AGE 18

VALUE: 1 YES 510 32.30 2 NO 1069 67.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AQ14

LABEL: EVER LIVED WITH A PARENT WHO DIED BEFORE AGE 18

VALUE: 1 YES 321 20.33 2 NO 1258 79.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AQ15

LABEL: HOW OFTEN HARD TO GET BY ON FAMILY'S INCOME BEFORE AGE 18

VALUE: 1 VERY OFTEN 106 6.71
2 SOMEWHAT OFTEN 198 12.54
3 NOT VERY OFTEN 472 29.89
4 NEVER 803 50.85

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ16

LABEL: HOW OFTEN FELT ABLE TO TALK TO FAMILY ABOUT FEELINGS BEFORE AGE 1

			FREQ	%
VALUE:	1	ALL OF THE TIME	218	13.81
	2	MOST OF THE TIME	353	22.36
	3	SOME OF THE TIME	374	23.69
	4	A LITTLE OF THE TIME	378	23.94
	5	NEVER	256	16.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ17

LABEL: HOW OFTEN FELT FAMILY STOOD BY YOU DURING DIFFICULT TIMES BEFORE

			FKEQ	%
VALUE:	1	ALL OF THE TIME	567	35.91
	2	MOST OF THE TIME	491	31.10
	3	SOME OF THE TIME	273	17.29
	4	A LITTLE OF THE TIME	160	10.13
	5	NEVER	88	5.57

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ18

LABEL: HOW OFTEN FELT SAFE AND PROTECTED BY ADULT IN HOME BEFORE AGE 18

			FREQ	%
VALUE:	1	ALL OF THE TIME	798	50.54
	2	MOST OF THE TIME	475	30.08
	3	SOME OF THE TIME	178	11.27
	4	A LITTLE OF THE TIME	71	4.50
	5	NEVER	57	3.61

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AQ19

LABEL: HOW OFTEN HAD AT LEAST TWO NON-PARENT ADULTS TAKE GENUINE INTERES

			FREQ	%
VALUE:	1	ALL OF THE TIME	412	26.09
	2	MOST OF THE TIME	377	23.88
	3	SOME OF THE TIME	328	20.77
	4	A LITTLE OF THE TIME	208	13.17
	5	NEVER	254	16.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ20

LABEL: HOW OFTEN FELT SUPPORTED BY FRIENDS BEFORE AGE 18

			FREQ	%
VALUE:	1	ALL OF THE TIME	414	26.22
	2	MOST OF THE TIME	602	38.13
	3	SOME OF THE TIME	393	24.89
	4	A LITTLE OF THE TIME	106	6.71
	5	NEVER	64	4.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ21

LABEL: HOW OFTEN FELT SENSE OF BELONGING AT HIGH SCHOOL BEFORE AGE 18

			FKEQ	/₀
VALUE:	1	ALL OF THE TIME	377	23.88
	2	MOST OF THE TIME	586	37.11
	3	SOME OF THE TIME	346	21.91
	4	A LITTLE OF THE TIME	158	10.01
	5	NEVER	112	7.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_\_

LABEL: HOW OFTEN ENJOYED PARTICIPATING IN COMMUNITY TRADITIONS BEFORE AG

			FKEQ	%
VALUE:	1	ALL OF THE TIME	307	19.44
	2	MOST OF THE TIME	427	27.04
	3	SOME OF THE TIME	435	27.55
	4	A LITTLE OF THE TIME	238	15.07
	5	NEVER	172	10.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AQ23

LABEL: EVER COMPLETED AN ACES ASSESSMENT WITH A HEALTH PROFESSIONAL

VALUE: 1 YES 52 3.29 2 NO 1527 96.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: AQ24

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR TEEN WITH A HEALTH PROFESSI

VALUE: -1 INAPPLICABLE 1400 88.66 1 YES 17 1.08 2 NO 162 10.26

UNIVERSE: ADULTS WITH SAMPLED TEEN IN HH

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ25

LABEL: EVER COMPLETED AN ACES ASSESSMENT FOR CHILD WITH A HEALTH PROFESS

VALUE: -1 INAPPLICABLE 1365 86.45
1 YES 17 1.08
2 NO 197 12.48

UNIVERSE: ADULTS WITH SAMPLED CHILD IN HH

INPUT VAR:

NOTES:

\_\_\_\_\_\_

VARNAME: AQ26

LABEL: HOW IMPT FOR HEALTH CARE PROVIDERS TO ASK PATIENTS ABOUT ACES

VALUE: 1 VERY IMPORTANT 723 45.79
2 SOMEWHAT IMPORTANT 761 48.20
3 NOT AT ALL IMPORTANT 95 6.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

\_\_\_\_\_

VARNAME: AQ27

LABEL: SATISFACTION WITH HEALTH CARE PROVIDER EFFORTS TO ADDRESS ACES IM

VALUE: 1 VERY SATISFIED 312 19.76
2 SOMEWHAT SATISFIED 966 61.18
3 NOT AT ALL SATISFIED 301 19.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

\_\_\_\_\_\_

VARNAME: ACE\_A

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE

			FREQ	%
VALUE:	1	O ACE	756	47.88
	2	1 ACE	315	19.95
	3	2 ACE	176	11.15
	4	3 ACE	131	8.30
	5	4+ ACE	201	12.73

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 11 POINT ACE SCALE MIRRORS 2009-2020 BRFSS ACE MODULE

-----

VARNAME: ACE8

LABEL: ADVERSE CHILDHOOD EXPERIENCES SCALE (8 PT SCALE)

			FREQ	%
VALUE:	1	O ACE	756	47.88
	2	1 ACE	330	20.90
	3	2 ACE	174	11.02
	4	3 ACE	137	8.68
	5	4+ ACE	182	11.53

UNIVERSE: ALL ADULTS

INPUT VAR: AQ1 - AQ11

NOTES: 8 POINT SCALE COMBINES TWO ACE MODULE QUESTIONS ON HOUSEHOLD

SUBSTANCE ABUSE INTO ONE ITEM AND THREE ACE MODULE QUESTIONS ON

SEXUAL ABUSE INTO ONE ITEM

\_\_\_\_\_\_

VARNAME: PCE

LABEL: POSITIVE CHILDHOOD EXPERIENCES SCALE

VALUE: 1 0-2 PCES 33 2.09
2 3-5 PCES 168 10.64
3 6-7 PCES 1378 87.27

UNIVERSE: ALL ADULTS

INPUT VAR: AQ16 - AQ22

NOTES: EXPERIENCING AN ITEM ON THE PCE SCALE DEFINED AS RESPONDING "ALL

OF THE TIME" OR "MOST OF THE TIME" TO AQ16 - AQ22.